BUILT-IN HOUSEHOLD APPLIANCES 2024-2025 DISHWASHERS

>

www.vestelinternational.com











VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.



\$2,3 Billion

2.550.000
Device Production
Capacity

\$3,5 Billion

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes in the world.

Comprised of 25 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Türkiye, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.7 million units, the company's two refrigerator plants produce a variety of models ranging from french door, nofrost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4kg to 12kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with drum capacities of 7kg, 8kg and 7kg/5kg.

Vestel tumble dryers have annual capacity of 1.1 million units, with models ranking from 7kg to 12kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free-standing cookers, built-in hobs and 90x60, 100x60 and double ovens.

The dishwasher appliances product range includes freestanding, semi&fully integrated and full door platforms with 45 cm, 60 cm, Tall Tub and Deep tall tub dimensional options. New Dishwasher plant construction have been completed and serial production started at the end of 2023. The dishwasher plant has the

capacity to produce 2.5 million units in a year now. The new dishwasher plant is able to produce over 4 million units in a year with additional investments.

In addition, the air conditioner factory is capable of producing 530K sets of split-type models. And also the water heater factory has the capacity to produce 355K water heaters annually.

R&D facilities located in Türkiye, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel Mobility factory located in the free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.


Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Türkiye's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on a decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa, Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS MARKETING & SALES COMPANIES

Manisa, Turkey

Istanbul, Turkey

Vestel France, France

Bristol, United Kingdom

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai







Steam Wash

Steam wash technology softening the most stubborn dirts by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.



Extra Drying

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.



Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.



Extra Rinse

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.



Tablet Option

With this option, water reaches optimum temperature to dissolve he combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.



QuickClean

VESTEL dishwashers achieves A class cleaning performance with advanced cleaning program in only 44 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaning performance in only 44 minutes for standart soiled dishes according to EN standards.



Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.



DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



Hvdro Power

This technology enables all other options and program to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.



Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start VarioSpace is a general feature that gives many time of between 1 hour and 24 hours can be selected. options to the end user ragarding lower and



Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.



Self Heating System

Storing hot waste water from last rinse cycle and drawing fresh air to warm up in the system. Humid air in the tub is taken out at the same time.



With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



Vario Space

upper basket variations.



JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.



Multifunctional rack

The multifunctional rack creates more dishloading possibilities, enabling you to expand your dishwasher's capacity to up to 16 place settings.



The moist air in the dishwasher is heated and used to increase the drying performance of the dishwasher, thus providing improved drying performance even for plastic dishes. Vestel's shortest full program will be 44 minutes thanks to this technology.



Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water get is drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



3rd Rack Eco/Easy/Comfort Tray

Eco Tray

New fixed design option for 3rd rack that provides up to 16PS setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 16PS setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.



Super Active Drying
System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.



Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is much more forced, hence results in most efficient drying performance.

Washing performance



Direct Wash

Direct wash spray system is used for washing baby bottles and glasses more effective.





Triple Wash

Triple wash feature offers wide washing option to user. User can wash hard soiled pans and cookers more effective with triple wash sprays.



Smooth Slide

Ball rail system facilitates smooth upper basket movement even the upper basket is fully loaded. New ball bearing rail system provides the movement of the upper basket more smoothly and safely.



Metal Spray Arm

It is the new design of the spray arm to be produced from stainless steel with premium look.





The dishwasher automatically cleans the filter and ensures that the dishwasher performs like the first day every time.



Accessories



Top Noozle



Impeller



Aqua Stop



Plastic Filter Optional



Stainless Steel Filter Default



Upper Spray Arm



Anti Bacterial Filter (v2) Optional



Anti Bacterial Filter (v1) Optional



Lower Spray Arm

Adjustable Rear Foot From The Front



Front Decor Fixations Different Weights





Adjustable Plinth

0-100 mm dept adjustment 820-870 mm machine height adjustment with high feet

The machine can be elevated by 50 mm (820 \(\) 870-920 mm with high feet)

High Feet



4 point Easy Installation

The four-point installation method enables integrated assembly from the interior with greater ease and efficiency. This approach ensures a perfect installation with no damage to kitchen furniture, as it can be securely mounted using just four interior screw holes.









INFOLED 2.1

New floor reflection for built-in range.





Programme is running has ended



CONNECTIVITY

Available in fully integrated with S series

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart Als

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control by WiFi



Smart Service Network




Compatibility with Android and iOS



Big Data Collection



Downloadable Programs









Colour Options

Semi-Integrated Panel Color Options

WHITE



BLACK



DARK INOX ADD ON



DARK SILVER




INOX ADD ON



INOX LOOK



Fully-Integrated Panel Color Options



For each aesthetics, please ask for different color options.

Integrated Inox Options



Integrated Dark Inox Options



I5 Inox Look



S3 Inox Look





Semi-integrated




Fully Integrated





Basket Types





Upper basket




Adjustable Mug Shelves



Adjustable Upper Basket with Load 2 and 3 level hight adjustment options





Adjustable Upper Basket without Load




Handle with Customized Logo

* For 15 place settings and only for upper basket







Wire Handle

Plastic Handle

Lower basket



Foldable Wire (2,4 or 6)



Multi-Functional KitFor Lower Basket




Bottle Holder



Plastic Handle



Wine Glass Holder



Mug Shelf Support
*W/Or W/O Soft Touch





Tray Holder



KnifeShelf









Universal Cutlery Basket



Hygiene Box*







Standard Cutlery Basket (fixed)







Sliding Cutlery Basket







Modular Cutlery Basket (for 12 Settings)

Basket handle



Basket Type	Туре	Materia	l Colour	Picture	
Flat Type	T1	Plastic	Grey		
		Plastic	Blue		
	T2	Plastic	Grey		
		Metal Insert	Grey		
	Т6	Plastic	Grey		
		Metal Insert	Grey		



Basket Type	Туре	Materia	l Colour	Picture	
	Т3	Plastic	Grey		
		Plastic	Dark Blue		
		Metal Insert	Grey		
		Metal Insert	Dark Blue		
	T4 (New)	Plastic	Grey		
		Plastic	Orange		
		Metal Insert	Orange		

3rd Rack Types








New fixed design option for 3rd rack that provides up to 16PS place setting.

*Cutlerly basket is optional

Up to 16 Place settings

3rd Rack Types



3rd Rack
Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

^{*}Cutlerly basket is optional

^{*}Up to 16PS place settings

3rd Rack Types






New side by side sliding design option for 3rd rack that providesup to 16PS place setting.

*Cutlerly basket is optional
Up to 16Place Settings

SLIDING DOOR




w/o Sliding Door

Max Decorative Panel Height (A) 717 mm

Plinth Depth (B) 30-80 mm

Minimum Plinth Height (C) 80 mm





w/ Sliding Door (Option 1)


Max Decorative Panel Height (A) 797 mm

Plinth Depth (B) 0-80 mm

Sliding Range 80 mm

Minimum Plinth Height (C) 20 mm





w/ Sliding Door (Option 2)

Max Decorative Panel Height (A) 757 mm

Plinth Depth (B) 0-80 mm

Sliding Range 40 mm

Minimum Plinth Height (C) 60 mm



MAXIMUM PLATE DIMENSIONS

2 Baskets



	Upper Basket Position \downarrow	Upper Basket Position↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

MAXIMUM PLATE DIMENSIONS

2 Baskets + 3rd Rack



	Upper Basket Position \downarrow	Upper Basket Position↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

A4 SERIES

semi integrated



Energy Labeling

A B C D E

Major Features















3rd Rack Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot





A 41 - A 49

6-10 programs
icon-LED display (full touch control)
A/B/C/D/E energy labeling
BLDC circulation pump

Mini active / super active / turbo drying 49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)

9 It water consumption3 mode half load1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

Α4



A4 inox add-on



A41	6 programs, BLDC.	A46	6 programs, BLDC.
A42	7 programs, BLDC.	A47	7 programs, BLDC.
A43	10 programs, BLDC.	A48	8 programs, BLDC.
A44	10 programs, BLDC, Auto Door	A49	9 programs, BLDC.
A45	10 programs, BLDC, Auto Door, Water Box.	A4X	10 programs, BLDC, Water Box.
A4Y	10 programs, BLDC, Auto Door, Water Box.	A4Z	10 programs, BLDC, Auto Door

A3 SERIES

semi integrated



Energy Labeling

A B C D E

Major Features















3rd Rack Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot





A 31-X

6-9 programs

icon-LED display (optional touch control)

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/5<mark>4/52/49/</mark>47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A3



A3 inox add-on



A31	6 programs, AC.	A37	7 programs, BLDC.
A32	8 programs, AC.	A38	8 programs, BLDC.
A33	6 programs, BLDC, Auto Door.	A39	9 programs, BLDC, Auto Door.
A34	8 programs, BLDC, Auto Door.	АЗХ	9 programs, BLDC, Water Box.
A35	8 programs, BLDC, Auto Door, Water Box.	A3Z	8 programs, BLDC, Auto Door.
A36	6 programs, BLDC.	A3Y	8 programs, BLDC, Auto Door, Water Box.

A2 SERIES

semi integrated



Energy Labeling

A B C D E

Major Features















3rd Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot



A 21-6

6-9 programs

LED display

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying 57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption3 mode half load1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf) 14 PS (2 baskets + 3rd rack),
5 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A2



A2 inox add-on



A21	6 programs, AC.	A27	7 programs, AC.
A22	7 programs, AC.	A28	8 programs, AC.
A23	8 programs, AC.	A29	9 programs, AC.
A24	8 programs, BLDC, Auto Door.	A2X	8 programs, BLDC, Water Box.
A25	8 programs, BLDC, Auto Door, Water Box.	A2Y	8 programs, BLDC, Auto Door, Water Box.
A26	6 programs, BLDC.	A2Z	8 programs, BLDC, Auto Door.

A1 SERIES

semi integrated



Energy Labeling



E

Major Features







Delay Timer

Half Load

ı



3rd Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

A 1 2 - 7

3 to 8 programs LED indicator

D/E energy labeling AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

A 1 B - G

6-9 programs

LED display

D/E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 lt water consumption (9 lt with aquazone)

1 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),

13 PS (2 baskets),

13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

15 PS (2 baskets + 3rd rack)

16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A1 A1 w/o display w display A12 3 programs, AC. A1B 3 programs, AC. **A13** 4 programs, AC. A1C 4 programs, AC. **A14** 5 programs, AC. A1D 5 programs, AC. 6 programs, AC. 6 programs, AC. **A15** A1E 7 programs, AC. A1F 7 programs, AC. **A16** 8 programs, AC. 8 programs, AC. **A17** A1G









Y2 SERIES

semi integrated



Energy Labeling

D

E

Major Features















Delay Timer

Half Load

Auto Door

Water Box

Hydro Power

Direct Wash

Triple Wash



 3^{rd} Rack

Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot

Y 21-6

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption

3 mode half load

Place Setting Options

1-19 hours delay timer

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16PS (2basket + 3rd rack + Multifunctional rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21	V V V V WSRL 1997 1997 1997 1997 1997 1997 1997 199	6 programs, AC.
Y22	VSRU POR SERVICE STATE OF SERVICE STATE STATE OF SERVICE STATE	7 programs, AC.
Y23	WSPU P P P P P P P P P P P P P P P P P P	8 programs, AC.
Y24	VI V V V V V V V V V	9 programs, AC.
Y25	V V V V V V V V V V	9 programs, BLDC, Auto Door.
Y26	WSRIA TO THE	9 programs, BLDC.

Y1 SERIES

semi integrated



natural tech

Energy Labeling



Major Features







Delay Timer

Half Load

Aqua Zone



 $3^{\mathsf{rd}} \, \mathsf{Rack}$

Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot

Y 11 - 5

2 to 6 programs LED indicator E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w display w/o display **Y11** Y1A 2 programs, AC. 2 programs, AC. VISTO Y12 visiti Y1B 3 programs, AC. 3 programs, AC. Y13 Y1C visiu 4 programs, AC. 4 programs, AC. Y14 Y1D 5 programs, AC. 5 programs, AC. Y15 Y1E 6 programs, AC. 6 programs, AC. Y1F 7 programs, AC.





X SERIES

semi integrated



Energy Labeling



Major Features







Delay Timer

Half Load

Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray

X11 - 6

2 to 7 programs

LED indicator

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

X 1 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

SI Camelia, Silva, Silva (Inox add-on)

Model Versions

w display w/o display X11 X1A 2 programs, AC. 2 programs, AC. X12 X1B vesm vesm 3 programs, AC. 3 programs, AC. X13 X1C vesno. 4 programs, AC. 4 programs, AC. X14 X₁D vesno. VESTO. 5 programs, AC. 5 programs, AC. X15 X1E VESTO. 6 programs, AC. 6 programs, AC. X16 X1F 7 programs, AC. 7 programs, AC.





S 2 S E R I E S

fully integrated



Energy Labeling







Sliding Door



ng Door Self Balance

Major Features















Delay Timer





Water Box

Hydro Power

Direct Wash

Triple Wash

Aqua Zone





3rd Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

S23-9

3 to 9 programs

Button Control / Touch Control

Hidden LED Display

E/D energy labeling

Mini Active / Super Active / Turbo Drying 57/54/52/49/47/45/44 dBA

AC circulation pump

12 It water consumption (9 It with aquazone)

1 mode half load
1-24hr hours delay timer with LED indicator
Wifi option

Place Setting Options


12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

Hera

Model Versions

S23-9



S 3 S E R I E S

fully integrated



Energy Labeling

Sliding Door



Self Balance

Major Features









Delay Timer



Half Load





Water Box



Direct Wash



Aqua Zone





3rd Rack Eco/Easy/Comfort Tray





Interior Lighting

7 to 9 programs
Button Control / Touch Control
Hidden LED Display
E/D/C/B energy labeling
AC /BLDC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA

S3 Button Control

49/47/45/44/42/41/39 dBA 9 It water consumprion 3 mode half load 1-24hr hours delay timer WiFi option

S3 Touch Control

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 14 PS (2 baskets+3rd rack), 15 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

	30 2000011 3011011		
MARIA =		visni o	a≅sama: *26.
S31	7 programs, AC.	S34	9 programs, BLDC.
S32	8 programs, AC.	S35	7 programs, BLDC.
S33	9 programs, AC.	S36	8 programs, BLDC.
		S37	9 programs, BLDC.
		S38	9 programs, BLDC.
		S39	9 programs, BLDC, Waterbox.
		S3X	9 programs, BLDC, Waterbox.





I1-2 SERIES

fully integrated



Energy Labeling





A B C D E



Sliding Door



Self Balance

Major Features













Water Box

















 $3^{\mathsf{rd}} \, \mathsf{Rack}$ Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

111-6 / I1A-G

2 to 8 programs

LED Indicator / Hidden LED Display

E/D energy labeling AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer with LED indicator

1-19hours delay timer with Hidden LED display

121-X

7/8/9 programs

LED Indicator / Hidden LED Display

E/D/C/B energy labeling AC/BLDC circulation pump

Mini active / super active / turbo drying 57/54/52/49/47/45 dBA (w/o BLDC)

49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

Astrum, Rhea, Rhea (Inox Cladding, Inox Half Cladding, Inox add-on)

Model Versions

l11-6 w/display

VESTEL	Local triple 00 00:1	VESTEL	1466 M3146 M00 0001
	I1A-G w/o display	I21	7 programs, AC.
VESTEL	THE THE PERSON AND THE PERSON OF THE PERSON		8 programs, AC.
I11-A	2 programs, AC.	I23	9 programs, AC.
I12-B	3 programs, AC.	124	9 programs, BLDC, Auto Door.
I13-C	4 programs, AC.	125	9 programs, BLDC, Water Box.
l14-D	5 programs, AC.	126	6 programs, BLDC.
I15-E	6 programs, AC.	127	7 programs, BLDC.
l16-F	7 programs, AC.	128	8 programs, BLDC.
I1G	8 programs, AC.	129	9 programs, BLDC.
	- p9,	I2X	9 programs, BLDC, Water Box.
		I2Y	9 programs, BLDC, Water Box.





15 SERIES

semi integrated



Energy Labeling









Sliding Door



Self Balance

Major Features

























Aqua Zone





3rd Rack Eco/Easy/Comfort Tray







Interior Lighting 1 or 4 Spot

151-9

7/8/9 programs LED display

A/B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption (I51: 12 It (9 It with aquazone))

3 mode half load (1 mode for I51)

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

Freya, Freya (Inox look)

Model Versions

Black control panel

Inox look control panel


2 2 2 2 2 2	VISIT. = + 1152	1.1.4	falsi-falsis	VISRE	
I51	7	programs, A	C.		
152	2 8	programs, A	C.		
153	9	programs, A	C.		
154	9	programs, Bl	LDC, Auto Door.		
155	9	programs, Bl	LDC, Auto Door, Wo	ater Box.	
156	6	programs, Bl	LDC.		
157	7	programs, Bl	LDC.		
158	8	programs, Bl	LDC.		
159	9	programs, Bl	LDC.		
15)	9	programs, Bl	LDC, Water Box.		
15\	9	programs, Bl	LDC, Water Box.		







Standard Tub


122.5-159





Tall Tub











Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

FEATURES

Maximum Plate Diameter



Standard Cutlery Basket



Adjustable Upper Basket



Adjustable only when empty

Lower Basket - 10 Place Settings Adjustable Basket





Adjustable only when loaded

Uniflat Cutlery



Inox Look Control Panels

60 & 45 cm I5 series (FI)
Dead front display & full touch control



2 Baskets




	Upper Basket Position↓	Upper Basket Position↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

2 Baskets + 3rd Rack



	Upper Basket Position \downarrow	Upper Basket Position↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

BASKET TYPES




Flat-type baskets






V-type baskets





A4 SERIES

Semi integrated



Energy Labeling

D E

Major Features









Delay Timer

Half Load

Auto Door

Hydro Power



3rd Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

A 41-5

6/7/10 programs
icon-LED display (full touch control)
D/E energy labeling
BLDC circulation pump
Turbo drying
44 dBA
9 It water consumption
3 mode half load
1-24 hours delay timer


Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options


SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions



A3 SERIES

Semi Integrated



Energy Labeling



E

Major Features









Delay Timer

Half Load



Hydro Power



3rd Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

A 31 - 36

6/8 programs

icon-LED display (optional touch control)

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A3X



A3X inox add-on



A31 6 programs, AC.


A32 8 programs, AC.

A33 6 programs, BLDC, Auto Door.

A34 8 programs, BLDC, Auto Door.

A2 SERIES

Semi integrated



Energy Labeling



E

Major Features









Delay Timer

Half Load



Hydro Power



3rd **Rack** Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

A 21-4

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer


Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options


SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions



A1 SERIES

Semi Integrated



Energy Labeling

E

Color Options





Painted

Stainless steel

Major Features







A 12 - 5

3 to 8 programs LED indicator

E energy labeling

AC circulation pump

Mini active / super active 57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

A 1 B - E

3 to 8 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active

57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-24 hours delay timer


Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options


SI Daisy, Gardenya, Gardenya (Inox add-on), Violet, Begonia

Model Versions



Y 2 SERIES

Semi Integrated



Energy Labeling



Major Features









Delay Timer

Half Load

Auto Door



3rd **Rack** Easy Tray





Interior Lighting 1 or 4 Spot

Y 21-5

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

42/44 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions


Y22

VESTE

VEST

Y1 SERIES

Semi Integrated



Energy Labeling













Delay Timer

Half Load

Auto Door

Hydro Power



3rd **Rack** Easy Tray





Interior Lighting 1 or 4 Spot

Y 11 - 5

2 to 6 programs LED indicator E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

	w/o display		w display	
Y11	WSM	Y1A	1171 WORE 5.00 = -	
144	2 programs, AC.).ca=	2 programs, AC.	
Y12	<u>000</u> 00 ≡ 5.5 ≡	Y1B	1171 WORL E E	
V42	3 programs, AC.	Y1C	3 programs, AC.	
Y13	WSML E.F =		9999 E	
	4 programs, AC.		4 programs, AC.	
Y14	WORL TO THE	Y1D	(171 NON F. 27 E	
Y15	5 programs, AC.	V4E	5 programs, AC.	
	WARE	Y1E	1177 WOM B. F. E	
	6 programs, AC.		6 programs, AC.	
		Y1F	0000 E	
			7 programs, AC.	










X SERIES

Semi Integrated



Energy Labeling



Major Features







Delay Timer

Half Load

Aqua Zone

X11 - 6

2 to 7 programs LED indicator

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

X 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

SI Orchis

Model Versions

w/o display w display VESTEL VESTEL 1111 X11 X1A 2 programs, AC. 2 programs, AC. VESTIL VESTIL. X12 X1B 3 programs, AC. 3 programs, AC. VESTIL X13 X1C 4 programs, AC. 4 programs, AC. VESTEL VESTEL X14 X1D 5 programs, AC. 5 programs, AC. X15 X1E 6 programs, AC. 6 programs, AC. VESTIL VESTEL **X16** X1F 7 programs, AC. 7 programs, AC.

S 2 S E R I E S

fully integrated



Energy Labeling







Sliding Door

Self Balance

Major Features





Delay Timer

Half Load







3rd **Rack** Easy Tray

S23-7

3 to 7 programs

Button Control / Touch Control

Hidden LED Display

E/D energy labeling

AC circulation pump

Mini Active / Super Active / Turbo Drying

57/54/52/49/47/45/44 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-24hr hours delay timer with LED indicator

Wifi option

Place Setting Options


10 PS (2 baskets), 10 PS (2 baskets+3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

Design Options

Hera

Model Versions

S23-7



S 3 S E R I E S

fully integrated





Energy Labeling

D

E





Sliding Door

Self Balance

Major Features









Delay Timer

•

Half Load

Auto Door

Hydro Power







3rd Rack Easy Tray





Interior Lighting 1 or 4 Spot

S31-4

5 to 7 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC /BLDC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA

44 dBA with BLDC pump9 It water consumption3 mode half load1-24hr hours delay timerWifi option

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

S3 Button Control

S3 Touch Control



I1-2 SERIES

fully integrated





Energy Labeling







Sliding Door

Self Balance

Major Features





Delay Timer

Half Load







3rd **Rack** Easy Tray

Aqua Zone

See product specifications for default and optional features

111-6 / I1A-G

3/5/6/7/8 programs

LED indicator / LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load (D12 w/o half load)

3-6-9 hours / 1-19 hours delay timer

(D12 w/o delay timer)

121-4

7/8/9 programs

LED display

E energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

54/52/49/47/45 dBA (w/o BLDC)

44dBA (w/BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Alinda, Spero, Spero (Inox add-on)

Model Versions

	l11-6 w/display		I21-4
VESTEL	telajsisisis ••••	VESTEL	(cleight/leisiale on pipes):
	I1A-G w/o display		
VESTEL	[cle] klejdjulele mr • • • • • • • • • • • • • • • • • •		
I11-A	2 programs, AC.	121	7 programs, AC.
I12-B	3 programs, AC.	122	8 programs, AC.
I13-C	4 programs, AC.	123	9 programs, AC.
I14-D	5 programs, AC.	124	9 programs, BLDC, Auto Door.
I15-E	6 programs, AC.		
l16-F	7 programs, AC.		
I1G	8 programs, AC.		





15 SERIES

fully integrated





Energy Labeling

D

E





Sliding Door

Self Balance

Major Features









Delay Timer

Half Load

Auto Door

Hydro Power







3rd **Rack** Easy Tray





Interior Lighting 1 or 4 Spot

See product specifications for default and optional features

151-4

7/9 programs LED display

D / E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 (w/ BLDC)

9 It water consumption (I51: 12 It (9 It with aquazone))

3 mode half load (1 mode for I51)

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options


Hemen, Hemen (Inox look)

Model Versions

Black control panel



Inox look control panel



151 7 programs, AC.


I52 8 programs, AC.

153 9 programs, AC.


9 programs, BLDC, Auto Door.

Standard Tub

Semi-Integrated



Integrated





60CM Semi-Integrated

me	display dels	A11	ALS	A13	A14	A15	A16	Alf				-					3.0				
	isplay dels	ALA	A18	ASC	ASD	Alt	A1F	A16	AZI	AZZ	A23	A26	A27	A28	A29	A24	AZX	AZS	AJY	AZZ	
	gram. nber	2	.3	4	5		7			7			7		,						
loegy	Labeling					(w/Aut	edoor	01						D			c	8	Α.	- 1	
	eter mption		1	e (9 e	with A	qualtor	w)								91				9,2 R	9,5 it	
	12-13-14 PS				\$7/5	4/52/4	9/47/4	5/44					49/47	(45/44	(42/41			69/47/45/64			
	13 PS with 3" rack				57/5	4/52/4	0/47/4	5/44					9/47/4	5/44/4	2/41/3	9		49/47/45/44/43			
Sound Level	E4 PS with 3rd rack								1												
	15 PS with 3rd rack	į.				49/47	/45/44	ğ					18/47/4	5/44/4	2/41/3	9		127		38	
	56 PS with 3rd rack					49/47	/45/44	ě.					13/41/4	5/44/4	2/41/3	19	4	9/47/45/44/42		-	
	lation .					Asynch	raneus										BLDC				
	Door					- (Opr	Sonal I	17										100			
Wate	or Bos							Marine.		Y110.55								0.000.000		10000	
Place	Settling						141	12 - 13 P5 (2 be - 15 P5	nkets +	Knifes	helf)	,					3A PS ((2 PS (2 bankets) 2 bankets + Krafeshe 75 (2 bankets + Srafin		15 PS (2 backets + 3rd rack)	

w/o di model		-	-	100		+		(+)	+	10	-	-					(+)	+	*	-		10			
w/ dita		AN	A32	ABB	A36	AST	A38	A31	A34	A3X	A35	ASY	A32	A41	A42	A43	A46	847	A48	A09	A44	ACT	ARS	ARE	MAS
Progra Numbe		6		4	0.	7		9				1		6	7	10	6	7		9	10	10	10	=	
Energy Labelin			utodowi N				0			¢		A	t		t:				0			C.	0.1		\mathcal{X}
Water Consur	ngtion					- 1	h					9,2 lt	9,5 R					,	n		- 1		7	111	1,540
	32-15- 34 PS		(2)48/10 (/44		4	1/41/45	/44/42/	41.		49,	/47/45	/44		46	/44		41	V47/45	/44/42/	41		49)	47/45/	44	+
	E3 PS with If not	1000	(2/48/87 (/44		90/	47/45/4	H/HZ/H	1/99				-		44	/42		49/	67/45/4	4/42/4	1/30			1		
Sourc	pa PS with p ^{re} raci					2				49/4	7/45/	44/47										49/4	7/45/4	4/42	2
	25 PS with 3" rack	45/47	/45/44		45/		M/42/4				15		38	44	/42		49/	67/45/4	4/42/4	1/309			53		. 34
	D6 PS with Brd tack	49,747	/45/44		45/	62/45/4	M/42/4	1/99		49/4	7/45/	44/42		44	/42		49/	K7/N5/4	14/42/4	1/39		49/4	7/45/4	4/42	
Circula	tion	Asynut	ronous.											- 80	DC :										
Auto D	100	+10e	Const)		_		_																		
Water		1				_																			-
Place Set				94.99	() better	(2 feetlets restit tool restets -	eret)			MPLO:			(frameri i			1419	II-IIM (I hono NPIII)		whell.			IA PRICE	PT (2 tunte materix - to PS (2 tunte materix	and the same	15 Pk () heatests belook

w/o display mode	ls	X11	X12	X13	X14	X15	X16
w/ display models	s	X1A	X1B	X1C	X1D	X1E	X1F
Program Number		2	3	4	5	6	7
Energy Labeling				1	E		
Water Consumpti	ion		1	2 lt (9 lt wit	h AquaZon	e)	
Sound Level	12-13-14 PS*			57/54/52	/49/47/45		
Circulation pump	('			Asynch	ronous		
Auto Door							
Water Box				1	3		
					baskets)		
Place Setting					baskets)		
				PS (2 baske PS (2 bask		0.000.00000	
Structure				Freest	anding		

60CM Semi-Integrated

w/o dis models	#100 P.O.	Y11	Y12	Y13	Y14	Y15	-	2	-	2	2	2	120
w/ disp	lay models	YIA	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
Program	n Number	2	3	4	5	6	7	6	7	8	9	9	9
Energy	Labeling		-	-	- 1	E	-					D	
Water Consun	nption	12	lt (9 lt wit	h Aqu	aZone)							9 lt	
	12-13-14 P5(2 baskets)			57/	54/52	/49/47	/45					49/47/45/44/42/4 1	46/44
Sound Level	13 PS (2 baskets + 3rd rack)			57/	/54/52	/49/47	/45					49/47/45/44/42/4 1/39	44/42
	15 PS (2 baskets + 3rd rack)				49/4	7/45						49/47/45/44/42/4 1/39	44/42
Circulat	tion pump			25	Asynch	ronou	s					BLDC	
Auto D	oor											+	-
Water B	Box							- :					
Place Se	etting					14 PS (13 PS	(2 bas	2 bask ets + k kets +		k)			
Structu	re					The state of the s	Andrew State of the last	tandin	AND DESCRIPTION OF	970			

60CM Integrated

m/s display m	-000	7.6			4			-			100				-	(+)
n/ Station (Sap	Top makes	SES	524	us	126	507	121	429	m	500	su	105	106	107	100	108
Program Surri		- 1		1		+		1	+				- 3			
tioning to desire	.			ij	e/Aust	-	n						0			CI R w/Yorke)
Motor Communi	w.	13.9	(9.7) with A	iers)	et el								9.10			-
	DOM:			5375	4/10/	49/47	/45		37.		- 1		esconorda	PRI .		#UKS/RVM
1	SAPS with Set such															estes/athenes
1	SS-PS with Srd	#640746 #640745744799										2.00				
	(SF) with the				45/4	t/es						-	MIN/#7/#5/MA/42/M	1/99		espezyespeapez
Deputation just	-			A	ant ch	-								NIK.		
Auto-Dear										-60	(determine)					
Myther Street											-					
	-			_	_	_	_	_		u-me	S (2 turkets)					U 95 (2 baskets)
Floor Setting									38	Pighai	Sets + Exchalue	0.7				34 PS 32 bankets + Kinfradraft
									18-1	5- 10 PS (2 baskets + Srd	net0				14 - 18-PS (2 Septem) + Set model

w/o diag models	Asy	m	m2	153	114	155	12.6	*		35		+	17		77		**	1.00
w/ hidde models	on display	IIA.	11.0	110	ISD	nt.	137	116	121	02	123	126	27	128	129	(24	1210	os
w/ frant models	display	пя	m.	пм	ISN	110	ше	ma	QК	ns.	(2M	QP.	128	125	121	I2N	120	150
Program	Number	2	ъ.	4	\$1	6	7		2.		9.	6	-7		9	9	9	9
Energy L	abeling	- 1				E (w/Aut	odoor b	0						D			c	
Water Consump	ption			12 11 (9 (t with A	qualore	1								9 It			
	52-13- 14.PS				5	7/54/52	/49/47/	45					49/47	/45/44/	47/41		49/47	/45/44
	2.9 PS with 3rd rack				5	7/54/52	/49/47/	45					49/47/	45/44/4	2/41/39	Š		ē.
Sound Level	2.4 PS with 3nd rack								170								49/47/4	15/44/42
	3.5 PS with 3rd rack					49/4	7/45						49/47/	45/44/4	2/41/39	9		5.
	1.6 PS with 3nd rack					45/4	7/45										49/47/4	15/44/42
Circulati	on pump					Asynch	ronous									BLDC	5	
Auto Do	bet .					- Opt	tional)											
Water Br	pe .							5.0	1.1					: V-10, v				
	0					2 - 13 PS								3 P5 [2 b				Daskets)
Place Set	ting					(2 baske							4 PS (2 b					ets + Knifeshelf)
111111					13-15-	16 95 (2)	baskets +	Brd rack	3			.13	-15 PS (2 backet	s + Britisa	ck)	14 - 16 P5 (2 to	ukets + 3rd rack

45cm Semi-Integrated

y Is	A11	A12	A13	A14	A15	A16	A17																	
play Is	A1A	A18	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A24	A26	A27	A29	A2X	A31	A32	A33	A34	АЗХ	A41	A42	A44	A4X
am er	2	3	4	5	6	7	8	6	7	8	8	6	7	9	8	6	8	6	8	8	6	7	10	10
y ng			E (w/	Auto	door	D/A1	E is re	eady)				()		С			()	С	-	E	D	С
mpti		11 lt	(9 lt 1	with A	Aqua2										9 lt									
2 Bask et		57/54/52/49/47/4											44			/49/	47/4				44			
2 Bask et +3rd rack		57/54/52/49/47/45 49/47/45										,	44/42	!		49/4	7/45	,	44/42	2	4	4	44	/42
ation		Asynchronous											BLDC								BLDC	:		
Door													+						+					+
Box															+					+		-		+
	splay splay ls ammeer y ng ampti 2 Bask et 2 Bask et ation	is pilay A1A sam 2 ser 2	is play al Al Al B is arm a construction of the construction of th	S	S	S	S	S	S	Same	S	S	Solution Asynchronous Asynchronous	Solution Asynchronous Asynchrono	Second S	Same	Solution Asynchronous BLDC Asynchronous Super Asynchronous Asynchro	Solution Asynchronous Asynchro	Solution Asynchronous Asynchro	Solution Asynchronous Supersolution Asynchronous Asy	Solution Asynchronous Asynchro	Same	Second Ale A	Second Ale A

w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	11 lt (9 lt v	vith AquaZ	one)			
Sound Level	57/54/52/	49/47/45				
Circulation pump	Asynchro	nous				
Auto Door	-					
Water Box						
Place Setting	10 PS (2 b	askets)				
Structure	Freestand	ling				

w/o dis models		Y11	Y12	Y13	Y14	Y15	Y16	*	*	1780	*	:-
w/ disp	lay models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25
Progran	n Number	2	3	4	5	6	7	6	7	8	9	9
Energy	Labeling						E					D
Water Consum	Vater onsumption 11 lt (9 lt with AquaZone) 9 lt											
	2 Basket 57/54/52/49/47/45											
Sound Level	2 Basket +3rd rack					49/4	17/45					44
Circulat	ion pump					Asynch	ronous					BLDC
Auto Do	oor					-						+
Water 8	Box					950	*	- 100				
Place Se	etting						P5 (2 bask baskets +	42.25	6.			

45cm Integrated

	Number											
w/o displa	y models			-							-	
w/ hidden models	display	523	524	525	526	527	531	532	533	534	S3X	
Program N	lumber	3	4	5	6	7	5	6	7	7	7	
Energy Lat	peling					E				D	с	
Water Con	sumption	9 lt										
	10 PS	0 PS 57/54/52/49/47/45										
	10 PS + 3 rd Rack				49/4	7/45				44	44/42	
Circulation	pump				Asynch	ronous				BL	DC	
Auto Door											+	
Water Box											+	
Place Setti	ing				10	10 PS (2 0 PS (2 baski	baskets) ets + 3rd rac	k)				

w/o di: models		111	112	113	114	115	116	+	-		-	-	-	-	-	-	-	-
w/ hide display	den models	IIA	118	ис	110	пе	125	116	121	122	123	124	12X	151	152	153	154	ISX
Program Numbe		2	3	4	5	6	7	8	7	8	9	9	9	7	8	9	9	9
Energy Labelin		E										D	c	E			D	c
Water Consur	mption	11 it (9	it with A	equazion	e)				9 it					11 it (9 it with AquaZo ne)	9 it			
	10 PS	57/54/5	52/49/4	7/45								44		57/54/3	52/49/4	7/45	44	
Sound Level	10 PS + 3 rd Rack	49/47/4	45									44	64/42	49/47/	4 5		44	64/42
Circular pump	tion	Asynchi	ronous									BLDC		Asynchi	ronous		BLDC	
Auto D	oor											+		-			+1	
Water	Веж												+	1				+
Place S	etting	manuscript by	2 basket 2 basket		ack)									1.1				
Structu	re.			tanding)														

INTEGRATED

w/o display models w/ hidden display models Program Number Energy Labeling		512	513	S14	515	516														
			-				523	524	525	526	527	528	529	531	532	533	536	537	538	539
		2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	7	8	9	9
		E (w/	E (w/Autodoor D) D													C (B w/Turbo)				
Water Consumpt.		12 lt	12 lt (9 lt with AquaZone) 9 lt																	
Sound Level	12-13-14 PS	57/54/52/49/47/45/44* 49/47/45/444* /41													-					
	14 PS with 3rd rack	-												44						
	15 PS with 3rd rack	49/47/45/44* 49/47/45/44* 49/47/45/44*																		
Circulation pump		Asyn	Asynchronous BLDC												•					
Auto	Door	-(0;	- (Optional)													+				
Wate	Box															+				
Place Setting		14 PS	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack)													14 PS (2 baskets + 3rd rack)				

w/o display models		111	112	113	114	115	116		-			-			-			-
w/ hidden display models		I1A	118	110	110	116	11F	116	121	122	123	126	127	128	129	124	12X	125
Program Number		2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9
Energy Labeling		E (w/Autodoor D) D												С	В			
Water Consumption		12 lt (9 lt with AquaZone) 9 lt																
	12-13-14 PS	57/54/52/49/47/45/44* 49/47/45/44/42/41																
Sound Level	14 PS with 3rd rack									44								
	15 PS with 3rd rack	49/47/45/44* 49/47/45/44/42/41/39													9			
Circulation	on pump	Asyno	Asynchronous										BLDC					
Auto Door		- (Optional)															+	
Water Bo	Water Box															+		
Place Setting		14 PS	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifesheif) 13 - 15 PS (2 baskets + 3nd rack)													14 PS (2 baskets + 3rd rack)		

w/ hidden display models Program Number Energy Labeling		151	152	153	156	157	158	159	154	15X 15			
		7	8	9	6	7	8	9	9	9	9		
		E (w/Aut	odoor D)		D	D							
Water Consumption		9 lt											
	12-13-14 PS	57/54/52	2/49/47/4	5/44*	49 / 47 / 4								
Sound Level	14 PS with 3rd rack	-	44										
	15 PS with 3rd rack	49/47/45	5/44*		49 / 47 / 4	-							
Circulation pu	imp	Asynchro	nous		BLDC								
Auto Door		- (Optional) +											
Water Box		-	+										
Place Setting		12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack)									14 PS (2 baskets + 3rd rack)		

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 vesteltrade@vestel.com.tr www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The

Netherlands

Phone: +31 - 10 412 23 66 https://vestelbenelux.nl info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley,

Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

https://vestel.co.uk info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/

Germany

Phone: +49 - 89 55295 - 0 https://vestel-germany.de info@vestel-germany.de

VESTEL HOLLAND B.V. SPAIN BRANCH OFFICE

Paeso Doce Estrellas, 2, 3o. 28042. Madrid,

Spain

Phone: +34 - 91 320 63 98

https://vestel.es vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 -

94563 RUNGIS Cedex/France **Phone:** +33 - 146 75 00 29

http://vestel-france.fr

info@vestel.fr

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest/Romania

Phone: +40 - 31 425 42 93 https://vestel.ro

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00 Fax: +48 22 272 74 00 https://vestel-poland.com info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-AO, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544 https://vestel-gulf.ae info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187,

office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower, 02 Hai Trieu, Ben Nghe Ward, District 1, Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW

YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030 Manisa/Turkey

Phone: 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr www.vestelinternational.com FOLLOW US ON SOCIAL MEDIA











/vestelinternational