

BUILT-IN HOUSEHOLD APPLIANCES
DISHWASHERS

2024 - 2025

>

www.vestelinternational.com

VESTEL







COMPANY PROFILE
2-3

GLOBAL OPERATIONS
4-5

60 CM DISHWASHERS
26-77

45 CM DISHWASHERS
78-114

SPECIFICATIONS
115-120

ADDRESSES
123

COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000
Employees

1,300.000 m²
Closed Production Area

Export Leader of Turkey with
\$2,3 Billion

2.550.000
Device Production
Capacity

\$3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes in the world.

Comprised of 25 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Türkiye, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.7 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4kg to 12kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with drum capacities of 7kg, 8kg and 7kg/5kg.

Vestel tumble dryers have annual capacity of 1.1 million units, with models ranking from 7kg to 12kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free-standing cookers, built-in hobs and 90x60, 100x60 and double ovens.

The dishwasher appliances product range includes freestanding, semi&fully integrated and full door platforms with 45 cm, 60 cm, Tall Tub and Deep tall tub dimensional options. New Dishwasher plant construction have been completed and serial production started at the end of 2023. The dishwasher plant has the

capacity to produce 2.5 million units in a year now. The new dishwasher plant is able to produce over 4 million units in a year with additional investments.

In addition, the air conditioner factory is capable of producing 530K sets of split-type models. And also the water heater factory has the capacity to produce 355K water heaters annually.

R&D facilities located in Türkiye, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel Mobility factory located in the free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Türkiye's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on a decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



GLOBAL OPERATIONS

Manufacturing & Assembly Plants

>

TV, SET-TOP BOXES

Manisa, Turkey - Koberzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa, Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

MARKETING & SALES COMPANIES

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland

Vestel Benelux, Netherlands
Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai

Features





Steam Wash

Steam wash technology softening the most stubborn dirt by steam power. High temperature and directly applied steam ensure hygiene and gentle cleaning for your sensitive dishes.



Extra Drying

This option increases water temperature at final rinse step and drying step duration up to 10 min.



Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures hygiene with high temperature washing. It increases water temperature at final rinse step.



Extra Rinse

Extra rinse option adds an extra rinse step. Program duration is increased between min. %4 and max. %16 according to the washing program.



Tablet Option

With this option, water reaches optimum temperature to dissolve the combined detergent ideally and eliminates such drawbacks when tablet detergents are used.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure washing in a shorter duration.



QuickClean

Cleaning program in only 44 min without diverter.



Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated.



DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



Hydro Power

This technology enables all other options and program. Also by changing water pressure noise level can be reduced to have silent washing with BLDC pump technology.



Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start time of between 1 hour and 24 hours can be selected.



Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



Half Load

Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option.



Self Heating System

Storing hot waste water from last rinse cycle and drawing fresh air to warm up in the system. Humid air in the tub is taken out at the same time.



KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



Vario Space

VarioSpace is a general feature that gives many options to the end user regarding lower and upper basket variations.



JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. It cleans your dishes with 4 place settings capacity in 14 minutes.



Multifunctional rack

The multifunctional rack creates more dish-loading possibilities, enabling you to expand your dishwasher's capacity to up to 16 place settings.



PyroDry

The moist air in the dishwasher is heated and used to increase the drying performance of the dishwasher, thus providing improved drying performance even for plastic dishes. Vestel's shortest full program will be 44 minutes thanks to this technology.



Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water gets drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



3rd Rack Eco/Easy/Comfort Tray

Eco Tray

New fixed design option for 3rd rack that provides up to 16PS setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 16PS setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.



Super Active Drying System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.



Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is forced.

Washing performance



Direct Wash

Direct wash spray system is used for washing baby bottles and glasses more effective.



Triple Wash

Triple wash feature offers wide washing option to user. User can wash hard soiled pans and cookers with triple wash sprays.



Smooth Slide

Ball rail system facilitates smooth upper basket movement even the upper basket is fully loaded. New ball bearing rail system provides the movement of the upper basket more smoothly and safely.



Metal Spray Arm


It is the new design of the spray arm to be produced from stainless steel with premium look.



Auto Glass Safe

Automatic Regeneration system which is called Auto Glass Safe lets the dishwasher adjust the hardness levels by itself to keep your glassware sparkling and free from corrosion over time thanks to clever hardness sensing system.





Auto Clean Filter

The dishwasher automatically cleans the filter and ensures that the dishwasher performs like the first day every time.



Accessories



Top Nozzle



Impeller



Aqua Stop



Plastic Filter
Optional



Stainless Steel Filter
Default



Upper Spray Arm



Anti Bacterial Filter (v2)
Optional



Anti Bacterial Filter (v1)
Optional



Lower Spray Arm

Adjustable Rear Foot From The Front



Front Decor Fixations Different Weights



Adjustable Plinth

0-100 mm dept adjustment
820-870 mm machine
height adjustment
with high feet

The machine can be
elevated by 50 mm
(820 $\nrightarrow$ 870-920 mm
with high feet)

High Feet




4 point Easy Installation

The four-point installation method enables integrated assembly from the interior with greater ease and efficiency. This approach ensures a perfect installation with no damage to kitchen furniture, as it can be securely mounted using just four interior screw holes.





Interior Light
1 Spot



Interior Light
4 Spot





INFOLED 2.1

New floor reflection for built-in range.



Programme
is running



Programme
has ended

infoLED

CONNECTIVITY

Available in fully integrated with S series

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart Als

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control
by WiFi



Smart Service Network




Compatibility
with Android and iOS



Big Data Collection



Downloadable Programs





Colour Options

Semi-Integrated Panel Color Options

WHITE



BLACK



DARK INOX ADD ON



DARK SILVER



INOX ADD ON




INOX LOOK



Fully-Integrated Panel Color Options

WHITE




BLACK



DARK SILVER



INOX LOOK



For each aesthetics, please ask for different color options.

Integrated Inox Options



Inox cladding

Integrated Dark Inox Options



Dark inox cladding

Available for 60 and 45 cm ranges

I5 Inox Look



S3 Inox Look





Semi-integrated





Fully Integrated



60 cm Dishwashers
Semi-integrated &
Integrated Ranges



Basket Types





V-type baskets



with ion tech



purebeam / purebeam+



Flat-type baskets



with ion tech



with purebeam





Vario Space

Upper basket




Adjustable Mug Shelves



Adjustable Upper Basket with Load
2 and 3 level high adjustment options




Adjustable Upper Basket without Load




Handle with Customized Logo
* For 15 place settings and only for upper basket





Wire Handle



Plastic Handle

Lower basket



Foldable Wire
(2,4 or 6)



Multi-Functional Kit
For Lower Basket




Bottle Holder



Plastic Handle



Wine Glass Holder



Mug Shelf Support
*W/Or W/O Soft Touch



Tray Holder



KnifeShelf





Universal Cutlery Basket



Hygiene Box*



**Standard Cutlery Basket
(fixed)**



Sliding Cutlery Basket



**Modular Cutlery Basket
(for 12 Settings)**

Basket handle



Basket Type	Type	Material	Colour	Picture	
Flat Type	T1	Plastic	Grey		
		Plastic	Blue		
	T2	Plastic	Grey		
		Metal Insert	Grey		
	T6	Plastic	Grey		
		Metal Insert	Grey		



Basket Type	Type	Material	Colour	Picture	
V Shape Type	T3	Plastic	Grey		
		Plastic	Dark Blue		
		Metal Insert	Grey		
		Metal Insert	Dark Blue		
	T4 (New)	Plastic	Grey		
		Plastic	Orange		
		Metal Insert	Orange		

3rd Rack Types



3rd Rack
Eco Tray

New fixed design option for 3rd rack that provides up to 16PS place setting.

*Cutlerly basket is optional

Up to 16 Place settings

3rd Rack Types



3rd Rack
Easy Tray



The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

*Cutlerly basket is optional

*Up to 16PS place settings

3rd Rack Types



3rd Rack


Comfort Tray

New side by side sliding design option for 3rd rack that provides up to 16PS place setting.

*Cutlery basket is optional

Up to 16Place Settings

SLIDING DOOR





w/o Sliding Door

Max Decorative Panel Height (A)
717 mm

Plinth Depth (B)
30-80 mm

Minimum Plinth Height (C)
80 mm




w/ Sliding Door (Option 1)

Max Decorative Panel Height (A)
797 mm

Plinth Depth (B)
0-80 mm

Sliding Range
80 mm

Minimum Plinth Height (C)
20 mm



w/ Sliding Door (Option 2)

Max Decorative Panel Height (A)
757 mm

Plinth Depth (B)
0-80 mm

Sliding Range
40 mm

Minimum Plinth Height (C)
60 mm



MAXIMUM PLATE DIMENSIONS

2 Baskets



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

MAXIMUM PLATE DIMENSIONS


2 Baskets + 3rd Rack



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

A 4 SERIES


semi integrated



Energy Labeling

A **B** **C** **D** **E**

Major Features

 Delay Timer	 Half Load	 Auto Door	 Water Box	 Hydro Power	 Direct Wash	 Triple Wash
 3rd Rack Eco/Easy/Comfort Tray	 Interior Lighting 1 or 4 Spot		 Auto Clean Filter	 purebeam		

See product specifications for default and optional features

A 4 1 - A 4 9

6-10 programs
icon-LED display (full touch control)
A/B/C/D/E energy labeling
BLDC circulation pump
Mini active / super active / turbo drying
49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A4



**A4
inox add-on**



A41	6 programs, BLDC.	A46	6 programs, BLDC.
A42	7 programs, BLDC.	A47	7 programs, BLDC.
A43	10 programs, BLDC.	A48	8 programs, BLDC.
A44	10 programs, BLDC, Auto Door	A49	9 programs, BLDC.
A45	10 programs, BLDC, Auto Door, Water Box.	A4X	10 programs, BLDC, Water Box.
A4Y	10 programs, BLDC, Auto Door, Water Box.	A4Z	10 programs, BLDC, Auto Door

A 3 SERIES

semi integrated



Energy Labeling

A **B** **C** **D** **E**

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot



Auto Clean
Filter



purebeam

See product specifications for default and optional features

A 3 1 - X

6-9 programs

icon-LED display (optional touch control)

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),

15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A3



**A3
inox add-on**



A31 6 programs, AC.

A32 8 programs, AC.

A33 6 programs, BLDC, Auto Door.

A34 8 programs, BLDC, Auto Door.

A35 8 programs, BLDC, Auto Door, Water Box.

A36 6 programs, BLDC.

A37 7 programs, BLDC.

A38 8 programs, BLDC.

A39 9 programs, BLDC, Auto Door.

A3X 9 programs, BLDC, Water Box.

A3Z 8 programs, BLDC, Auto Door.

A3Y 8 programs, BLDC, Auto Door, Water Box.

A 2 SERIES

semi integrated



Energy Labeling

A **B** **C** **D** **E**

Major Features

 Delay Timer	 Half Load	 Auto Door	 Water Box	 Hydro Power	 Direct Wash	 Triple Wash
 3rd Rack Eco/Easy/Comfort Tray	 Interior Lighting 1 or 4 Spot					

See product specifications for default and optional features

A 2 1 - 6

6-9 programs

LED display

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf) 14 PS (2 baskets + 3rd rack),

5 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A2



**A2
inox add-on**



A21	6 programs, AC.	A27	7 programs, AC.
A22	7 programs, AC.	A28	8 programs, AC.
A23	8 programs, AC.	A29	9 programs, AC.
A24	8 programs, BLDC, Auto Door.	A2X	8 programs, BLDC, Water Box.
A25	8 programs, BLDC, Auto Door, Water Box.	A2Y	8 programs, BLDC, Auto Door, Water Box.
A26	6 programs, BLDC.	A2Z	8 programs, BLDC, Auto Door.

A1 SERIES

semi integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 1 2 - 7

3 to 8 programs
LED indicator
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - G

6-9 programs
LED display
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),

13 PS (2 baskets),

13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

15 PS (2 baskets + 3rd rack)

16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A1
w/o display



A1
w display



A12 3 programs, AC.

A13 4 programs, AC.

A14 5 programs, AC.

A15 6 programs, AC.

A16 7 programs, AC.

A17 8 programs, AC.

A1B 3 programs, AC.

A1C 4 programs, AC.

A1D 5 programs, AC.

A1E 6 programs, AC.

A1F 7 programs, AC.

A1G 8 programs, AC.

A Series
Daisy



A Series
Gardenya



A Series Luna



A Series
Begonia



semi integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 6

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2basket + 3rd rack + Multifunctional rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21



6 programs, AC.

Y22



7 programs, AC.

Y23



8 programs, AC.

Y24



9 programs, AC.

Y25



9 programs, BLDC, Auto Door.

Y26



9 programs, BLDC.

Y1 SERIES

semi integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w display

Y11



2 programs, AC.

Y12



3 programs, AC.

Y13



4 programs, AC.

Y14



5 programs, AC.

Y15



6 programs, AC.

w/o display

Y1A



2 programs, AC.

Y1B



3 programs, AC.

Y1C



4 programs, AC.

Y1D



5 programs, AC.

Y1E



6 programs, AC.

Y1F



7 programs, AC.

Y Series
Silva Y



Y Series
Camelia Y



X SERIES

semi integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray

See product specifications for default and optional features

X 11 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 11 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

SI Camelia, Silva, Silva (Inox add-on)

Model Versions

w display

X11



2 programs, AC.

X12



3 programs, AC.

X13



4 programs, AC.

X14



5 programs, AC.

X15



6 programs, AC.

X16



7 programs, AC.

w/o display

X1A



2 programs, AC.

X1B



3 programs, AC.

X1C



4 programs, AC.

X1D



5 programs, AC.

X1E



6 programs, AC.

X1F



7 programs, AC.

X Series **Camelia**



X Series
Silva



S 2 SERIES

fully integrated



Energy Labeling

D E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

S 23 - 9

3 to 9 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24hr hours delay timer with LED indicator
Wifi option

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

Hera

Model Versions

S23-9



S23	3 programs, AC.
S24	4 programs, AC.
S25	5 programs, AC.
S26	6 programs, AC.
S27	7 programs, AC.
S28	8 programs, AC.
S29	9 programs, AC.

S 3 SERIES

fully integrated



Energy Labeling

B **C** **D** **E**



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

S 31 - 8

7 to 9 programs	49/47/45/44/42/41/39 dBA
Button Control / Touch Control	9 lt water consumption
Hidden LED Display	3 mode half load
E/D/C/B energy labeling	1-24hr hours delay timer
AC /BLDC circulation pump	WiFi option
Mini Active / Super Active / Turbo Drying	
57/54/52/49/47/45/44 dBA	

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 14 PS (2 baskets+3rd rack), 15 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

S3 Button Control



S31	7 programs, AC.
S32	8 programs, AC.
S33	9 programs, AC.

S3 Touch Control



S34	9 programs, BLDC.
S35	7 programs, BLDC.
S36	8 programs, BLDC.
S37	9 programs, BLDC.
S38	9 programs, BLDC.
S39	9 programs, BLDC, Waterbox.
S3X	9 programs, BLDC, Waterbox.

S Series Hera Touch



S Series
Hera Button



I 1 - 2 SERIES

fully integrated




Energy Labeling

A **B** **C** **D** **E**



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G

2 to 8 programs
LED Indicator / Hidden LED Display
E/D energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-X

7/8/9 programs
LED Indicator / Hidden LED Display
E/D/C/B energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

Astrum, Rhea, Rhea (Inox Cladding, Inox Half Cladding, Inox add-on)

Model Versions

I11-6 w/display



I1A-G w/o display



I11-A	2 programs, AC.
I12-B	3 programs, AC.
I13-C	4 programs, AC.
I14-D	5 programs, AC.
I15-E	6 programs, AC.
I16-F	7 programs, AC.
I1G	8 programs, AC.

I21	7 programs, AC.
I22	8 programs, AC.
I23	9 programs, AC.
I24	9 programs, BLDC, Auto Door.
I25	9 programs, BLDC, Water Box.
I26	6 programs, BLDC.
I27	7 programs, BLDC.
I28	8 programs, BLDC.
I29	9 programs, BLDC.
I2X	9 programs, BLDC, Water Box.
I2Y	9 programs, BLDC, Water Box.

I Series Astrum



I Series
Rhea



I 5 SERIES

semi integrated



Energy Labeling

A **B** **C** **D** **E**



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone

infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I 51 - 9

7/8/9 programs

LED display

A/B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption (I51: 12 lt (9 lt with aquazone))

3 mode half load (1 mode for I51)

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options


Freya, Freya (Inox look)

Model Versions

Black control panel



Inox look control panel




I51	7 programs, AC.
I52	8 programs, AC.
I53	9 programs, AC.
I54	9 programs, BLDC, Auto Door.
I55	9 programs, BLDC, Auto Door, Water Box.
I56	6 programs, BLDC.
I57	7 programs, BLDC.
I58	8 programs, BLDC.
I59	9 programs, BLDC.
I5X	9 programs, BLDC, Water Box.
I5Y	9 programs, BLDC, Water Box.






Standard Tub

Semi-Integrated




Integrated




Tall Tub

Full Door



Integrated





45 cm Dishwashers
Semi-integrated &
Integrated Ranges






3rd Rack
Easy Tray

Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

FEATURES

Maximum Plate Diameter



Standard Cutlery Basket



Adjustable Upper Basket



Adjustable only when empty

Lower Basket - 10 Place Settings



Adjustable Basket



Adjustable only when loaded

Uniflat Cutlery



Inox Look Control Panels

60 & 45 cm I5 series (FI)

Dead front display & full touch control



MAXIMUM PLATE DIMENSIONS

2 Baskets




	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

2 Baskets + 3rd Rack



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

BASKET TYPES



Flat-type baskets






V-type baskets



A 4 SERIES

Semi integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

A 4 1 - 5

6/7/10 programs
icon-LED display (full touch control)
D/E energy labeling
BLDC circulation pump
Turbo drying
44 dBA
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A4




**A4 Inox
add On**



A41	6 programs, BLDC.
A42	7 programs, BLDC.
A43	10 programs, BLDC, Auto Door.
A44	10 programs, BLDC, Auto Door.

A 3 SERIES

Semi Integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - 3 6

6/8 programs
icon-LED display (optional touch control)
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A3X




**A3X
inox
add-on**



A31	6 programs, AC.
A32	8 programs, AC.
A33	6 programs, BLDC, Auto Door.
A34	8 programs, BLDC, Auto Door.

A 2 SERIES

Semi integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 2 1 - 4

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna, Violet, Begonia

Model Versions

A21



6 programs, AC.

A24
inox
add-
on



6 programs, AC.

A22



7 programs, AC.

A26



6 programs, BLDC, Auto Door.

A23



8 programs, AC.

A27



7 programs, BLDC, Auto Door.

A24



8 programs, BLDC, Auto Door.


A29



9 programs, BLDC, Auto Door.

A1 SERIES

Semi Integrated



Energy Labeling



Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

A 1 2 - 5

3 to 8 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - E

3 to 8 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on), Violet, Begonia

Model Versions

A12



3 programs, AC.

A13



4 programs, AC.

A14



5 programs, AC.

A15



6 programs, AC.

A16



7 programs, AC.

A17



8 programs, AC.

inox
add-on
version



A1B



3 programs, AC.

A1C



4 programs, AC.

A1D



5 programs, AC.

A1E



6 programs, AC.

A1F



7 programs, AC.

A1G




8 programs, AC.



Y 2 S E R I E S

Semi Integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



**3rd Rack
Easy Tray**



**Interior Lighting
1 or 4 Spot**

See product specifications for default and optional features

Y 2 1 - 5

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

42/44 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21



6 programs, AC.

Y22



7 programs, AC.

Y23



8 programs, AC.

Y24



9 programs, AC.


Y25



9 programs, BLDC, Auto Door.

Y1 SERIES

Semi Integrated



Energy Labeling



Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



**3rd Rack
Easy Tray**



**Interior Lighting
1 or 4 Spot**

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w/o display

Y11



2 programs, AC.

Y12



3 programs, AC.

Y13



4 programs, AC.

Y14



5 programs, AC.

Y15



6 programs, AC.

w display

Y1A



2 programs, AC.

Y1B



3 programs, AC.

Y1C



4 programs, AC.

Y1D



5 programs, AC.

Y1E



6 programs, AC.

Y1F



7 programs, AC.

Y Series Silva



Y Series
Lydia



Y Series Camelia




Y Series
Klikya



X SERIES

Semi Integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

X 1 1 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

SI Orchis

Model Versions

w/o display

X11



2 programs, AC.

X12



3 programs, AC.

X13



4 programs, AC.

X14



5 programs, AC.

X15



6 programs, AC.

X16



7 programs, AC.

w display

X1A



2 programs, AC.

X1B



3 programs, AC.

X1C



4 programs, AC.

X1D



5 programs, AC.

X1E



6 programs, AC.

X1F



7 programs, AC.

S 2 SERIES

fully integrated



Energy Labeling

E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Aqua Zone

infoLED



**3rd Rack
Easy Tray**

See product specifications for default and optional features

S 23 - 7

3 to 7 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24hr hours delay timer with LED indicator
Wifi option

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets+3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

Design Options

Hera

Model Versions

S23-7



S23	3 programs, AC.
S24	4 programs, AC.
S25	5 programs, AC.
S26	6 programs, AC.
S27	7 programs, AC.

S 3 SERIES

fully integrated



Energy Labeling

D E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



Aqua Zone

infoLED



**3rd Rack
Easy Tray**



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

S 31 - 4

5 to 7 programs	44 dBA with BLDC pump
Button Control / Touch Control	9 lt water consumption
Hidden LED Display	3 mode half load
E/D energy labeling	1-24hr hours delay timer
AC /BLDC circulation pump	Wifi option
Mini Active / Super Active / Turbo Drying	
57/54/52/49/47/45/44 dBA	

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

S3 Button Control



S31	5 programs, AC.
S32	6 programs, AC.
S33	7 programs, AC.

S3 Touch Control



S34	7 programs, BLDC.
------------	-------------------

I 1 - 2 S E R I E S

fully integrated



Energy Labeling

E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Aqua Zone

infoLED



**3rd Rack
Easy Tray**

See product specifications for default and optional features

I11-6 / I1A-G

3/5/6/7/8 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (D12 w/o half load)
3-6-9 hours / 1-19 hours delay timer
(D12 w/o delay timer)

I 21 - 4

7/8/9 programs
LED display
E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
54/52/49/47/45 dBA (w/o BLDC)
44dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Alinda, Spero, Spero (Inox add-on)

Model Versions

I11-6 w/display



I1A-G w/o display



I21-4



I11-A	2 programs, AC.
I12-B	3 programs, AC.
I13-C	4 programs, AC.
I14-D	5 programs, AC.
I15-E	6 programs, AC.
I16-F	7 programs, AC.
I1G	8 programs, AC.

I21	7 programs, AC.
I22	8 programs, AC.
I23	9 programs, AC.
I24	9 programs, BLDC, Auto Door.

I Series Spero



I Series
Alinda



I 5 SERIES

fully integrated



Energy Labeling

D E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



Aqua Zone

infoLED



**3rd Rack
Easy Tray**



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I 51 - 4

7/9 programs

LED display

D / E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 (w/ BLDC)

9 lt water consumption (I51: 12 lt (9 lt with aquazone))

3 mode half load (1 mode for I51)

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Hemen, Hemen (Inox look)

Model Versions

Black control panel




Inox look control panel




I51	7 programs, AC.
I52	8 programs, AC.
I53	9 programs, AC.
I54	9 programs, BLDC, Auto Door.

Standard Tub

Semi-Integrated



Integrated



Specifications



60CM Semi-Integrated

w/o display models	A11	A12	A13	A14	A15	A16	A17	-	-	-	-	-	-	-	-	-	-	-	-					
w/ display models	A1A	A1B	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A26	A27	A28	A29	A24	A2X	A25	A2Y	A2Z					
Program Number	2	3	4	5	6	7	8	6	7	8	6	7	8	9	8	9	8	8	8					
Energy Labeling	E (w/Autodoor D)										D					C		B		A		E		
Water Consumption	12 lt (9 lt with AquaZone)							9 lt												9,2 lt		9,5 lt		
Sound Level	12-13-14 PS	57/54/52/49/47/45/44										49/47/45/44/42/41					49/47/45/44							
	13 PS with 1 st rack	57/54/52/49/47/45/44										49/47/45/44/42/41/39												
	14 PS with 2 nd rack																49/47/45/44/42							
	15 PS with 3 rd rack	49/47/45/44										49/47/45/44/42/41/39										38		
	16 PS with 3 rd rack	49/47/45/44										49/47/45/44/42/41/39					49/47/45/44/42							
Circulation pump	Asynchronous										BLDC													
Auto Door	- (Optional)										-					+								
Water Box	-										-					+								
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 15 - 16 PS (2 baskets + 3rd rack)										12 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 14 - 16 PS (2 baskets + 3rd rack)					15 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 14 - 16 PS (2 baskets + 3rd rack)					15 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 14 - 16 PS (2 baskets + 3rd rack)			

w/o display models	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																				
w/ display models	A31	A32	A33	A36	A37	A38	A39	A34	A3X	A35	A3Y	A3Z	A41	A42	A43	A46	A47	A48	A49	A44																				
Program Number	6	8	6	6	7	8	9	8	8	8	8	8	6	7	10	6	7	8	9	10																				
Energy Labeling	E (w/Autodoor D)							C		B	A	E	E	D							C	B	A	E																
Water Consumption	9 lt												9,2 lt		9,5 lt		9 lt							9,3 lt		9,5 lt														
Sound Level	12-13-14 PS	57/54/52/49/47/45/44							49/47/45/44/42/41					49/47/45/44		49/47/45/44/42/41							49/47/45/44		-															
	13 PS with 3 rd rack	57/54/52/49/47/45/44							49/47/45/44/42/41/39					-		49/47/45/44/42/41/39							-		-															
	14 PS with 3 rd rack	-							49/47/45/44/42					-		49/47/45/44/42							-		-															
	15 PS with 3 rd rack	49/47/45/44							49/47/45/44/42/41/39					-		49/47/45/44/42/41/39							-		38															
	16 PS with 3 rd rack	49/47/45/44							49/47/45/44/42/41/39					-		49/47/45/44/42/41/39							49/47/45/44/42		-															
Circulation pump	Asynchronous																				BLDC																			
Auto Door	- (Optional)																				+										-									
Water Box	-																				+										-									
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets with Knifeshelf) 15 - 16 PS (2 baskets + 3rd rack)										12 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 14 - 16 PS (2 baskets + 3rd rack)					13 - 15 PS (2 baskets) 14 PS (2 baskets with Knifeshelf) 14 - 16 PS (2 baskets + 3rd rack)					12 PS (2 baskets) 14 PS (2 baskets + 3rd rack) 14 - 16 PS (2 baskets + 3rd rack)					13 PS (2 baskets) 14 PS (2 baskets + 3rd rack) 14 - 16 PS (2 baskets + 3rd rack)														

w/o display models		X11	X12	X13	X14	X15	X16
w/ display models		X1A	X1B	X1C	X1D	X1E	X1F
Program Number		2	3	4	5	6	7
Energy Labeling	E						
Water Consumption	12 lt (9 lt with AquaZone)						
Sound Level	12-13-14 PS*	57/54/52/49/47/45					
Circulation pump	Asynchronous						
Auto Door	-						
Water Box	-						
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 PS (2 baskets + 3rd rack)						
Structure	Freestanding						

60CM Semi-Integrated

w/o display models	Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
Program Number	2	3	4	5	6	7	6	7	8	9	9	9
Energy Labeling	E										D	
Water Consumption	12 lt (9 lt with AquaZone)							9 lt				
Sound Level	12-13-14 PS(2 baskets)	57/54/52/49/47/45									49/47/45/44/42/41	46/44
	13 PS (2 baskets + 3rd rack)	57/54/52/49/47/45									49/47/45/44/42/41/39	44/42
	15 PS (2 baskets + 3rd rack)	49/47/45									49/47/45/44/42/41/39	44/42
Circulation pump	Asynchronous										BLDC	
Auto Door	-										+	-
Water Box	-											
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets + knifesheff) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)											
Structure	Freestanding											

60CM Integrated

w/o display models	-	-	-	-	-	-	-	-	-	-	-	-
w/ hidden display models	S23	S24	S25	S26	S27	S28	S29	S30	S31	S32	S33	S34
Program Number	0	4	5	6	7	8	9	0	0	7	8	9
Energy Labeling	E (w/Autodoor D)									D		C (18 w/Turbo)
Water Consumption	12 lt (9 lt with AquaZone)							9 lt				
Sound Level	12-13-14 PS	57/54/52/49/47/45						49/47/45/44/42/41				46/45/44/43
	14 PS with 3rd rack	-						-				46/47/45/44/42
	15 PS with 3rd rack	49/47/45						49/45/44/42/41/39				-
	16 PS with 3rd rack	49/47/45						49/47/45/44/42/41/39				46/47/45/44/42
Circulation pump	Asynchronous									BLDC		
Auto Door	- (Optional)											-
Water Box	-											
Place Setting	12 - 13 PS (2 baskets)											12 PS (2 baskets)
	14 PS (2 baskets + Knifesheff)											14 PS (2 baskets + Knifesheff)
	15 - 16 PS (2 baskets + 3rd rack)											14 - 16 PS (2 baskets + 3rd rack)

w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	
w/ front display models	I1K	I1L	I1M	I1N	I1O	I1P	I1R	I2K	I2L	I2M	I2P	I2R	I2S	I2T	I2W	
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	
Energy Labeling	E (w/Autodoor D)										D			C	B	
Water Consumption	12 lt (9 lt with AquaZone)							9 lt								
Sound Level	12-13-14 PS	57/54/52/49/47/45										49/47/45/44/42/41			49/47/45/44	
	13 PS with 3rd rack	57/54/52/49/47/45										49/47/45/44/42/41/39			-	
	14 PS with 3rd rack	-										-			49/47/45/44/42	
	15 PS with 3rd rack	49/47/45										49/47/45/44/42/41/39			-	
	16 PS with 3rd rack	49/47/45										-			49/47/45/44/42	
Circulation pump	Asynchronous										BLDC					
Auto Door	- (Optional)										-			+		
Water Box	-										-			+		
Place Setting	12 - 13 PS (2 baskets)										12 - 13 PS (2 baskets)			12 PS (2 baskets)		
	14 PS (2 baskets + Knifesheff)										14 PS (2 baskets + Knifesheff)			14 PS (2 baskets + Knifesheff)		
	15 - 16 PS (2 baskets + 3rd rack)										15 - 16 PS (2 baskets + 3rd rack)			14 - 16 PS (2 baskets + 3rd rack)		

45cm Semi-Integrated

[illegible]

w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	11 lt (9 lt with AquaZone)					
Sound Level	57/54/52/49/47/45					
Circulation pump	Asynchronous					
Auto Door	-					
Water Box	-					
Place Setting	10 PS (2 baskets)					
Structure	Freestanding					

w/o display models	Y11	Y12	Y13	Y14	Y15	Y16	-	-	-	-	-
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25
Program Number	2	3	4	5	6	7	6	7	8	9	9
Energy Labeling	E										D
Water Consumption	11 lt (9 lt with AquaZone)						9 lt				
Sound Level	2 Basket	57/54/52/49/47/45									44
	2 Basket	49/47/45									
	+3rd rack										
Circulation pump	Asynchronous										BLDC
Auto Door	-										+
Water Box	-										
Place Setting	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)										

45cm Integrated

w/o display models	-	-	-	-	-	-	-	-	-	-
w/ hidden display models	S23	S24	S25	S26	S27	S31	S32	S33	S34	S3X
Program Number	3	4	5	6	7	5	6	7	7	7
Energy Labeling	E								D	C
Water Consumption	11 lt (9 lt with AquaZone)					9 lt				
	10 PS	57/54/52/49/47/45							44	
	10 PS + 3 rd Rack	49/47/45							44	44/42
Circulation pump	Asynchronous								BLDC	
Auto Door	-								+	
Water Box	-								+	
Place Setting	10 PS (2 baskets)									
	10 PS (2 baskets + 3rd rack)									

w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-		
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24	I2X	I51	I52	I53	I54	I5X		
Program Number	2	3	4	5	6	7	8	7	8	9	9	9	7	8	9	9	9		
Energy Labeling	E										D		C	E			D		C
Water Consumption	11 lt (9 lt with AquaZone)						9 lt					11 lt (9 lt with AquaZone)		9 lt					
Sound Level	10 PS	57/54/52/49/47/45										44		57/54/52/49/47/45			44		
	10 PS + 3 rd Rack	49/47/45										44		44/42	49/47/45			44	
Circulation pump	Asynchronous										BLDC			Asynchronous			BLDC		
Auto Door	-										+			-			+		
Water Box	-										+			-			+		
Place Setting	10 PS (2 baskets)																		
	10 PS (2 baskets + 3rd rack)																		
Structure	Full Door (freestanding)																		

INTEGRATED

w/o display models	S12	S13	S14	S15	S16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
w/ hidden display models	-	-	-	-	-	S23	S24	S25	S26	S27	S28	S29	S31	S32	S33	S36	S37	S38	S39	
Program Number	2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	7	8	9	9	
Energy Labeling	E (w/Autodoor D)															D		C (B w/Turbo)		
Water Consumpt.	12 lt (9 lt with AquaZone)												9 lt							
Sound Level	12-13-14 PS	57/54/52/49/47/45/44*													49/47/45/44/42 /41		-			
	14 PS with 3rd rack	-															44			
	15 PS with 3rd rack	49/47/45/44*													49/47/45/44/42 /41/39		-			
Circulation pump	Asynchronous															BLDC				
Auto Door	- (Optional)																			+
Water Box	-																			+
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifesheff) 13 - 15 PS (2 baskets + 3rd rack)																			14 PS (2 baskets + 3rd rack)

w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-	-	
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I2X	I25		
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9		
Energy Labeling	E (w/Autodoor D)											D					C	B	
Water Consumption	12 lt (9 lt with AquaZone)								9 lt										
Sound Level	12-13-14 PS	57/54/52/49/47/45/44*										49/47/45/44/42/41					-		
	14 PS with 3rd rack	-																44	
	15 PS with 3rd rack	49/47/45/44*										49/47/45/44/42/41/39					-		
Circulation pump	Asynchronous											BLDC							
Auto Door	- (Optional)											-					+		
Water Box	-																+		
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifesheff) 13 - 15 PS (2 baskets + 3rd rack)																14 PS (2 baskets + 3rd rack)		

w/ hidden display models	I51	I52	I53	I56	I57	I58	I59	I54	I5X	I55
Program Number	7	8	9	6	7	8	9	9	9	9
Energy Labeling	E (w/Autodoor D)			D					C	B
Water Consumption	9 lt									
Sound Level	12-13-14 PS	57/54/52/49/47/45/44*			49 / 47 / 45 / 44 / 42 / 41				-	
	14 PS with 3rd rack	-							44	
	15 PS with 3rd rack	49/47/45/44*			49 / 47 / 45 / 44 / 42 / 41 / 39				-	
Circulation pump	Asynchronous			BLDC						
Auto Door	- (Optional)								+	
Water Box	-								+	
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifesheff) 13 - 15 PS (2 baskets + 3rd rack)								14 PS (2 baskets + 3rd rack)	

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands

Phone: +31 - 10 412 23 66

<https://vestelbenelux.nl>

info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

<https://vestel.co.uk>

info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/ Germany

Phone: +49 - 89 55295 - 0

<https://vestel-germany.de>

info@vestel-germany.de

VESTEL HOLLAND B.V. SPAIN BRANCH OFFICE

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: +34 - 91 320 63 98

<https://vestel.es>

vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France

Phone: +33 - 1 46 75 00 29

<http://vestel-france.fr>

info@vestel.fr

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania

Phone: +40 - 31 425 42 93

<https://vestel.ro>

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2, 02-823 Warszawa

Phone: +48 22 272 73 00

Fax: +48 22 272 74 00

<https://vestel-poland.com>

info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544

<https://vestel-gulf.ae>

info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghai) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational