

DISHWASHERS

2024 - 2025

>

www.vestelinternational.com

VESTEL



COMPANY PROFILE

2-3

GLOBAL OPERATIONS

4-5

FEATURES

6-24

60 CM DISHWASHERS

26-109

45 CM DISHWASHERS

110 - 205

SPECIFICATIONS

162 - 167

ADDRESSES

169



COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000
Employees

1.300.000 m²
Closed Production Area

Export Leader of Turkey with
\$2,3 Billion

2.550.000
Device Production
Capacity

\$3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes in the world.

Comprised of 25 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Türkiye, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.7 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4kg to 12kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with drum capacities of 7kg, 8kg and 7kg/5kg.

Vestel tumble dryers have annual capacity of 1.1 million units, with models ranking from 7kg to 12kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free-standing cookers, built-in hobs and 90x60, 100x60 and double ovens.

The dishwasher appliances product range includes freestanding, semi&fully integrated and full door platforms with 45 cm, 60 cm, Tall Tub and Deep tall tub dimensional options. New Dishwasher plant construction have been completed and serial production started at the end of 2023. The dishwasher plant has the

capacity to produce 2.5 million units in a year now. The new dishwasher plant is able to produce over 4 million units in a year with additional investments.

In addition, the air conditioner factory is capable of producing 530K sets of split-type models. And also the water heater factory has the capacity to produce 355K water heaters annually.

R&D facilities located in Türkiye, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel Mobility factory located in the free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Türkiye's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on a decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, Set-top Boxes

Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting

Manisa, Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer,

Cooking Appliances, Air Conditioner, Water Heater

Manisa, Turkey

R&D Centers

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

Marketing & Sales Companies

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai



A


Auto Door

Top class ratings for "energy consumption", "cleaning & drying performance". The minimum energy class is A++ and the cleaning & drying performance is A for entire model range.

Auto Door provides automatically opening the door during drying phase which lets the hot air to out of the dishwasher


Water Box

The working principle of Water Box Technology is based on getting the last clean cycle rinse water, filtering it to avoid any particles and saving it in an isolated box.

Then it can be used as the prewash cycle cleaning water next for the cycle.

5,4 lt water consumption with A+++ -20% energy rating for 15 P.S. is achieved with the help of this technology.



Inverter

Inverter motors in dishwashers precise speed control, optimizing wash cycles and supporting various programs.



PureBeam

UV feature prevents bacterial growth and kill the bacteria remaining after washing cycle. It disinfects the load using the UV technology built into machine, automatically sterilizing each load before unload. It will be a real easiness for parents with babies.



Silent Wash

It is possible to have silent washing with variable speed motor technology! Extra silent option decreases noise level of program without decreasing cleaning quality in day or night time when silence is required.



Aqua Zone

Aquazone is a mechanic diverter that directs water to lower or upper spray arms.

With this mechanism, it is possible to achieve 9 lt water consumption for entry or entry-mid segment (X1 & Y1) without using any electrical motor.



Washing performance



Direct Wash

Direct wash spray system is used for washing baby bottles and glasses more effective.



Triple Wash

Triple wash feature offers wide washing option to user. User can wash hard soiled pans and cookers with triple wash sprays.



Auto Glass Safe

Automatic Regeneration system which is called Auto Glass Safe lets the dishwasher adjust the hardness levels by itself to keep your glassware sparkling and free from corrosion over time thanks to clever hardness sensing system.





Auto Clean Filter

The dishwasher automatically cleans the filter and ensures that the dishwasher performs like the first day every time.





Programs

Delay





Steam Wash

Steam wash technology softening the most stubborn dirt by steam power. High temperature and directly applied steam ensure hygiene and gentle cleaning for your sensitive dishes.



Extra Drying

This option increases water temperature at final rinse step and drying step duration up to 10 min.



Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures hygiene with high temperature washing. It increases water temperature at final rinse step.



Extra Rinse

Extra rinse option adds an extra rinse step. Program duration is increased between min. %4 and max. %16 according to the washing program.



Tablet Option

With this option, water reaches optimum temperature to dissolve the combined detergent ideally and eliminates such drawbacks when tablet detergents are used.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure washing in a shorter duration.



QuickClean

Cleaning program in only 44 min without diverter.



Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated.



DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



Hydro Power

This technology enables all other options and program. Also by changing water pressure noise level can be reduced to have silent washing with BLDC pump technology.



Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start time of between 1 hour and 24 hours can be selected.



Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



Half Load

Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option.



Self Heating System

Storing hot waste water from last rinse cycle and drawing fresh air to warm up in the system. Humid air in the tub is taken out at the same time.



KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



Vario Space

VarioSpace is a general feature that gives many options to the end user regarding lower and upper basket variations.



JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. It cleans your dishes with 4 place settings capacity in 14 minutes.



Multifunctional rack

The multifunctional rack creates more dish-loading possibilities, enabling you to expand your dishwasher's capacity to up to 16 place settings.



PyroDry

The moist air in the dishwasher is heated and used to increase the drying performance of the dishwasher, thus providing improved drying performance even for plastic dishes. Vestel's shortest full program will be 44 minutes thanks to this technology.



Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water gets drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.

3rd Rack **Eco/Easy/Comfort Tray**

Eco Tray

New fixed design option for 3rd rack that provides up to 16PS setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 16PS setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.



Super Active Drying System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.



Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is forced.



Smooth Slide

Ball rail system facilitates smooth upper basket movement even the upper basket is fully loaded. New ball bearing rail system provides the movement of the upper basket more smoothly and safely.



Metal Spray Arm

It is the new design of the spray arm to be produced from stainless steel with premium look.

CONNECTIVITY

Available in fully integrated with S series

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart Als

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control
by WiFi



Smart Service Network




Compatibility
with Android and iOS



Big Data Collection



Downloadable Programs





Accessories



Top Nozzle



Impeller



Aqua Stop



Plastic Filter
Optional



Stainless Steel Filter
Default



Upper Spray Arm




Anti Bacterial Filter (v2)
Optional




Anti Bacterial Filter (v1)
Optional



Lower Spray Arm



Interior Light
1 Spot



Interior Light
4 Spot



Color Options



WHITE



DARK SILVER



INOX LOOK



DARK GRAY



INOX



DARK INOX



BLACK



ACCRYLIC GLASS DOOR



MATT BLACK

RETRO RANGE



60cm Dishwashers





Components



3rd Rack Options

Comfort Tray

Easy Tray

Eco Tray

Basket Options

Max. plate dimensions

Basket types

Upper basket

Lower basket

Line-up

A Series

Y Series

X Series

S series

Full Door Series

Professional Series

Tall-tub Series

Built in I

Built in S Series



 **3rd Rack**
 **Comfort Tray**

New side by side sliding design option for 3rd rack that provides up to 16 place setting.

*Cutlerly basket is optional



3rd Rack Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

*Cutlerly basket is optional

*Up to 16 place settings



3rd Rack
Eco Tray

New fixed design option for 3rd rack
that provides up to 16 place settings.

*Cutlerly basket is optional

Maximum Plate Dimensions

2 Baskets




	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

2 Baskets + 3rd Rack




	Upper Basket Position↓	Upper Basket Position↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

Basket Types



**V-type
baskets**

purebeam / purebeam+



**Flat-type
baskets**

with purebeam





Vario Space

Upper basket




Adjustable Mug Shelves



Adjustable Upper Basket with Load
2 and 3 level high adjustment options




Adjustable Upper Basket without Load




Handle with Customized Logo
* For 15 place settings and only for upper basket




Foldable Wire
(0,2,6)



No Handle



Plastic Handle



Metal Handle

Lower basket




Foldable Wire
(0,4)



Multi-Functional Kit
For Lower Basket




Bottle Holder



Plastic Handle



Wine Glass Holder



Mug Shelf Support
*W/Or W/O Soft Touch



Tray Holder



KnifeShelf



Universal Cutlery Basket



Hygiene Box*



**Standard Cutlery Basket
(fixed)**



Sliding Cutlery Basket




**Modular Cutlery Basket
(for 12 Settings)**

Basket handle



Basket Type	Type	Material	Colour	Picture	
Flat Type	T1	Plastic	Grey		
		Plastic	Blue		
	T2	Plastic	Grey		
		Metal Insert	Grey		
	T6	Plastic	Grey		
		Metal Insert	Grey		



Basket Type	Type	Material	Colour	Picture	
V Shape Type	T3	Plastic	Grey		
		Plastic	Dark Blue		
		Metal Insert	Grey		
		Metal Insert	Dark Blue		
	T4 (New)	Plastic	Grey		
		Plastic	Orange		
		Metal Insert	Orange		





60 cm dishwashers

A Series

A Series

A4 Series

A3 Series

A2 Series

A1 Series

Aesthetics

Angel

Carya

Daisy

Erica

Holy

Io

Luna

Gardenia

Violet

Begonia

A 4 SERIES



PureBeam

Energy Labeling

A **B** **C** **D** **E**


Color Options



Painted

Stainless steel

Major Features

- | | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| Delay Timer | Half Load | Auto Door | Water Box | Hydro Power | Direct Wash | Triple Wash |
-
- | | | | |
|---|---|---|---|
|  | 3rd Rack
Eco/Easy/Comfort Tray |  | Interior Lighting
1 or 4 Spot |
|---|---|---|---|

See product specifications for default and optional features

A 4 1 - A 4 Y

6 - 10 program

icon-LED display (full touch control)

A/B/C/D/E energy labeling

BLDC circulation pump

Mini active / super active / turbo drying

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption + with waterbox 5.4 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),

15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A4



A41 6 programs, BLDC.

A42 7 programs, BLDC.

A43 10 programs, BLDC.

A44 10 programs, BLDC, Auto Door.

A45 10 programs, BLDC, Auto Door, Water Box.

A4Y 10 programs, BLDC, Auto Door, Water Box.

A46 6 programs, BLDC.

A47 7 programs, BLDC.

A48 8 programs, BLDC.

A49 9 programs, BLDC.

A4X 10 programs, BLDC, Water Box, Auto Door.

A 3 SERIES



PureBeam

Energy Labeling

A **B** **C** **D** **E**

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - Y

6 - 9 programs

icon-LED display (optional touch control)

A/B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption + with waterbox 5.4lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),

15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A3



**A3
Touch
control**



A31 6 programs, AC.

A32 8 programs, AC.

A33 6 programs, BLDC, Auto Door.

A34 8 programs, BLDC, Auto Door.

A35 8 programs, BLDC, Auto Door, Water Box.

A36 6 programs, BLDC.

A37 7 programs, BLDC.

A38 8 programs, BLDC.

A39 9 programs, BLDC, Auto Door.

A3X 9 programs, BLDC, Water Box, Auto Door.

A3Y 9 programs, BLDC, Water Box, Auto Door.

A 2 SERIES



PureBeam

Energy Labeling

A **B** **C** **D** **E**

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 2 1 - Y

6- 9 programs

LED display

A/B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)

9 lt water consumption with waterbox 5.4 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),

15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A2



**A2
Large
Display**



A21 6 programs, AC.

A22 7 programs, AC.

A23 8 programs, AC.

A24 8 programs, BLDC, Auto Door.

A25 8 programs, BLDC, Auto Door, Water Box.

A26 6 programs, BLDC.

A27 7 programs, BLDC,.

A28 8 programs, BLDC,.

A29 9 programs, BLDC,.

A2X 9 programs, BLDC, Water Box, Auto Door, 38dBA.

A2Y 9 programs, BLDC, Water Box, Auto Door.

A1 SERIES



Energy Labeling

D E

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 1 2 - 7

3 to 8 programs

LED indicator

D/E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

A 1 B - G

3 to 8 programs

LED display

D/E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 lt water consumption (9 lt with aquazone)

1 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),

13 PS (2 baskets),

13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

15 PS (2 baskets + 3rd rack)

16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A1 w/o display



A1 w display



A12 3 programs, AC.

A13 4 programs, AC.

A14 5 programs, AC.

A15 6 programs, AC.

A16 7 programs, AC.

A17 8 programs, AC.

A1B 3 programs, AC.

A1C 4 programs, AC.

A1D 5 programs, AC.

A1E 6 programs, AC.

A1F 7 programs, AC.

A1G 8 programs, AC.

A Series
Angel



A Series
Carya



A Series
Daisy



A Series
Erica



A Series
Holy



A Series
lo



A Series
Luna









60 cm dishwashers

Y Series

Series

Y2 Series

Y1 Series

Aesthetics

Camelia -Y

Flora - Y

Bellis - Y

Tigris - Y

Viola - Y

Era - Y

Y 2 S E R I E S



Energy Labeling

D E

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 6

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y, Era Y

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y2



Y21 6 programs, AC.

Y22 7 programs, AC.

Y23 8 programs, AC

Y24 9 programs, AC

Y25 9 programs, BLDC, Auto Door

Y26 9 programs, BLDC.

Y1 SERIES



Energy Labeling

E

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y, Era Y

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y1 w/o display



Y1 w display



Y11 2 programs, AC.

Y12 3 programs, AC.

Y13 4 programs, AC.

Y14 5 programs, AC.

Y15 6 programs, AC.

Y1A 2 programs, AC.

Y1B 3 programs, AC.

Y1C 4 programs, AC.

Y1D 5 programs, AC.

Y1E 6 programs, AC.

Y1F 7 programs, AC.

Y Series
Camelia -Y



Y Series
Flora - Y



PL 170000
PL 170000 (17)
PL 170000 (17)
PL 170000
PL 170000 (17)
PL 170000 (17)

Y Series
Bellis - Y





Y Series Viola - Y



Y Series
Era - Y







60 cm dishwashers

X Series

Aesthetics

Flora

Camelia

Bellis

Tigris

Viola

Era

X SERIES



Energy Labeling

E

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

X 1 1 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

FS Belis, Camelia, Flora, Tigris, Viola, Era

SI Camelia, Silva, Silva (Inox add-on)

Model Versions

X1w/o display



X1w display



X11	2 programs, AC.
X12	3 programs, AC.
X13	4 programs, AC.
X14	5 programs, AC.
X15	6 programs, AC.
X16	7 programs, AC.

X1A	2 programs, AC.
X1B	3 programs, AC.
X1C	4 programs, AC.
X1D	5 programs, AC.
X1E	6 programs, AC.
X1F	7 programs, AC.

X Series
Flora



X Series
Viola



X Series
Camelia



X Series
Bellis



X Series
Tigris



X Series
Era







60 cm dishwashers

Full Door Series

Series

Glass Door Series

Glass Full Door Series

Standard Full Door Series

Aesthetics

IntelliTouch

Anjer

Troy

Retro Troy

Visioart

Mirana

GLASS DOOR SERIES

Intellitouch



PureBeam

Energy Labeling

D

Color Options



Acrylic glass door

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



Direct Wash



Triple Wash



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I 5 4

8 programs

LED display and front display with touch
sensitive front door opening

D energy labeling

BLDC circulation pump

Mini active / super active / turbo drying

46/44/42 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

Design Options

IntelliTouch (Acrylic Front Door)

Model Versions

I54



8 programs, BLDC, Auto Door.



GLASS FULL DOOR SERIES

Visioart



PureBeam

Energy Labeling

A **B** **C** **D** **E**

Color Options



Acrylic glass door

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G

2 to 8 programs
LED Indicator / Hidden LED Display
E/D energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-9

7/8/9 programs
LED Indicator / Hidden LED Display
A/B/C/D/E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/45/44/42/41/39 (with BLDC)
9 lt water consumption with waterbox 5.4 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS+3rd rack

Design Options

Visioart (Acrylic Front Door)

Model Versions

I11-6 w/display



I1A-G w/o display



I21-9



I11-A 2 programs, AC.

I12-B 3 programs, AC.

I13-C 4 programs, AC.

I14-D 5 programs, AC.

I15-E 6 programs, AC.

I16-F 7 programs, AC.

I1G 8 programs, AC.

I21 7 programs, AC.

I22 8 programs, AC.

I23 9 programs, AC.

I24 9 programs, BLDC, Auto Door.

I2X 9 programs, BLDC, Auto Door, Water Box.

I25 9 programs, BLDC, Water Box, Auto Door.

I26 6 programs, BLDC.

I27 7 programs, BLDC.

I28 8 programs, BLDC.

I29 9 programs, BLDC.

I2Y 9 programs, BLDC, Auto Door, Water Box.

STANDARD FULL DOOR I SERIES



PureBeam

Energy Labeling

B **C** **D** **E**

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

Color Options



Painted

Stainless steel



Painted (retro options)

See product specifications for default and optional features

I11-6 / I1A-G / I1K-R

2 to 8 programs
LED Indicator / Hidden LED Display
E/D energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-X / I2K-U

7/8/9 programs
LED Indicator / Hidden LED Display
A/B/C/D/E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/45/44/42/41/39 (with BLDC)
9 lt water consumption with waterbox 5.4 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
5 PS (2 baskets + 3rd rack), 16 PS (2 basket + 3rd rack)

Design Options

Anjer, Troy, Retro Troy

*Front display option only available with Anjer (I1K-R & I2K-U)

Model Versions

I11-6 w/display



I1A-G w/o display



I11-A 2 programs, AC.

I12-B 3 programs, AC.

I13-C 4 programs, AC.

I14-D 5 programs, AC.

I15-E 6 programs, AC.

I16-F 7 programs, AC.

I1G 8 programs, AC.

I1K -I1R



I21 7 programs, AC.

I22 8 programs, AC.

I23 9 programs, AC.

I24 9 programs, BLDC, Auto Door.

I25 9 programs, BLDC, Water Box, Auto Door.

I26 6 programs, BLDC.

I27 7 programs, BLDC.

I28 8 programs, BLDC.

I29 9 programs, BLDC.

I2X 9 programs, BLDC, Water Box, Auto Door.

I2Y 9 programs, BLDC, Water Box, Auto Door.

I2K -I2U



STANDARD FULL DOOR S SERIES



PureBeam

Energy Labeling

B **C** **D** **E**

Major Features


Delay Timer


Half Load


Aqua Zone

 **3rd Rack**
Eco/Easy/Comfort Tray

 **Interior Lighting**
1 or 4 Spot

Color Options

					
					
Painted				Stainless steel	
					
Painted (retro options)					

See product specifications for default and optional features

S 23 - 9

3 to 9 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24hr hours delay timer with LED indicator
WiFi option

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

Design Options

Mirana

Model Versions

S23-9



S23	3 programs, AC.
S24	4 programs, AC.
S25	5 programs, AC.
S26	6 programs, AC.
S27	7 programs, AC.
S28	8 programs, AC.
S29	9 programs, AC.

Full Door Series
Mirana



Full Door Series
IntelliTouch



Full Door Series
Anjer



Full Door Series
Troy



Full Door Series
Visioart



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy



Full Door Series
Retro Troy





VESTEL



60 cm dishwashers **Professional Series**

Series

I Series

Aesthetics

Anjer

I SERIES



Energy Labeling

D

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load

See product specifications for default and optional features

I 21 - 2 K

5 programs

LED display / Front LED display
with D4A

D/ A +++ energy labeling

AC circulation pump

Natural drying

54/52/49/47/45 dBA

9 lt water consumption

3 mode half load

Place Setting Options

12 PS (3 layer baskets)

Design Options

I Series Anjer



Professional Series
Anjer





45cm Dishwashers



Wash Rinse Dry End

Program **30** +

Start / Pause
Reset (3 sec.)

VESTEL

☐ Hygiene	☐ Rinse Aid	P1 - Prewash
☐ Rinse	☐ Salt	P2 - Quick 30' 40°C
☐ Dry	☐ Half Load	P3 - Delicate 40°C
	☐ Tablet	P4 - Eco
Extra	Delay Timer	P5 - Super 50' 65°C
	Option	P6 - Intensive 65°C
	On-Off	

0 3 sec.



3rd Rack Options

Easy tray

Basket Options

Max. plate dimensions

Basket types

Upper basket

Lower basket

Series Line-up

A Series

T Series

Y Series

X Series

Full Door Series

Tall-Tub Series



3rd Rack
Easy Tray


Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.



BASKET TYPES

Flat-type baskets



V-type baskets



Lower Basket
10 Place Settings



Upper Basket
10 Place Settings



Universal Cutlery Basket



Uniflat Cutlery Basket



Tray Holder



MAXIMUM PLATE DIMENSIONS

2 Baskets



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

2 Baskets + 3rd Rack



	Upper Basket Position ↓ Upper Basket Position ↑ w/o height adjustment		
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm



VESTEL



2:50

PAUSED





45 cm dishwashers

A Series

A Series

A4 Series

A3 Series

A2 Series

A1 Series

Aesthetics

Angel

Carya

Daisy

Erica

Holy

Io

Luna

Violet

Begonia

Gardenia

A 4 SERIES



Energy Labeling

C D E

Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 4 1 - 4

6/7/10 programs
icon-LED display (full touch control)
C/D/E energy labeling
BLDC circulation pump
Turbo drying
42-44 dBA
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A4



A41	6 programs, BLDC.
A42	7 programs, BLDC.
A44	10 programs, BLDC, Auto Door.
A4X	10 programs, BLDC, Auto Door, Waterbox

A 3 SERIES



Energy Labeling

C D E

Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - 4

6/8 programs
icon-LED display (optional touch control)
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
42-44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

w buttons



w touch



A3

- A31** 6 programs, AC.
- A32** 8 programs, AC.
- A33** 6 programs, BLDC, Auto Door.
- A34** 8 programs, BLDC, Auto Door.
- A3X** 8 programs, BLDC, Auto Door, Waterbox.

A 2 SERIES



Energy Labeling

C **D** **E**

Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 2 1 - 4

6 to 9 programs

LED display

C/D/E Energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

42-44 dba (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

standard display



large display



A2

- | | |
|------------|-----------------------------------|
| A21 | 6 programs, AC. |
| A22 | 7 programs, AC. |
| A23 | 8 programs, AC. |
| A24 | 8 programs, BLDC, Auto Door. |
| A26 | 6 programs, BLDC, Auto Door. |
| A27 | 7 programs, BLDC, Auto Door. |
| A29 | 9 programs, BLDC, Auto Door. |
| A2X | 9 prog, BLDC, Autodoor, Waterbox. |

A1 SERIES



Energy Labeling



Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

A 1 2 - 7

3 to 8 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - G

3 to 8 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia, BLDC, Autodoor
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A1 w/o display



A12	3 programs, AC.
A13	4 programs, AC.
A14	5 programs, AC.
A15	6 programs, AC.
A16	7 programs, AC.
A17	8 programs, AC.

A1 w/display



A1B	3 programs, AC.
A1C	4 programs, AC.
A1D	5 programs, AC.
A1E	6 programs, AC.
A1F	7 programs, AC.
A1G	8 programs, AC.

A Series
Angel



A Series
Holy



A Series
Daisy



A Series
Luna



A Series
Erica



A Series
Carya



A Series
lo



A Series
Begonia



A Series
Violet









45 cm dishwashers

Y Series

Series

Y2 Series

Y1 Series

Aesthetics

Camelia -Y

Flora - Y

Tigris - Y

Lydia - Y

Klikya - Y

Iris - Y

Era - Y

Y 2 SERIES



Energy Labeling

D E

Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 5

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21-5



Y21	6 programs, AC.
Y22	7 programs, AC.
Y23	8 programs, AC.
Y24	9 programs, AC.
Y25	9 programs, BLDC, Auto Door.

Y1 SERIES



Energy Labeling



Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y
SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w/o display



Y11	2 programs, AC.
Y12	3 programs, AC.
Y13	4 programs, AC.
Y14	5 programs, AC.
Y15	6 programs, AC.

w/ display



Y1A	2 programs, AC.
Y1B	3 programs, AC.
Y1C	4 programs, AC.
Y1D	5 programs, AC.
Y1E	6 programs, AC.
Y1F	7 programs, AC.

Y Series
Lydia-Y



Y Series
Iris - Y



T Series Klikya - T



Y Series
Camelia - Y



Y Series
Flora - Y



The image shows a white Vestel front-loading washing machine. The control panel at the top features a digital display showing '30' in red. To the left of the display are four buttons labeled 'Start', 'Pause', 'Stop', and 'Spin'. To the right of the display is a large rectangular door handle. Further right are several buttons: 'Program', 'Temp', 'Spin', 'Half Load', 'Tub', 'Wash Aid', and 'Tub'. Below these buttons are four knobs labeled 'Auto', 'Quick Wash', 'Eco', and 'Spin'. On the far right, there is a list of programs: 'P1: Standard', 'P2: Heavy Duty', 'P3: Delicate', 'P4: Spin', 'P5: Super Spin', and 'P6: Super Spin'. The machine is set against a plain white background.

71 - Hawaii
 72 - Iowa 22 270
 73 - Illinois 490
 74 - Ind
 75 - Iowa 22 270
 76 - Indiana 270





45 cm dishwashers

X Series

Series

X Series

Aesthetics

Iris - C

Tigris

X SERIES




Energy Labeling



Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

X 1 1 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

FS Tigris

SI Orchis

Model Versions

w/o display



X11	2 programs, AC.
X12	3 programs, AC.
X13	4 programs, AC.
X14	5 programs, AC.
X15	6 programs, AC.
X16	7 programs, AC.

w/ display



X1A	2 programs, AC.
X1B	3 programs, AC.
X1C	4 programs, AC.
X1D	5 programs, AC.
X1E	6 programs, AC.
X1F	7 programs, AC.

X Series
Tigris









45 cm dishwashers

Full Door Series

Series

Full Door Series

Aesthetics

Anjer

Mirana

FULL DOOR SERIES



Energy Labeling

C D E

Color Options



Painted



Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G

3/5/6/7/8 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (D12 w/o half load)
3-6-9 hours / 1-19 hours delay timer
(D12 w/o delay timer)

I 21 - X

7/8/9 programs
LED display
E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
54/52/49/47/45 dBA (w/o BLDC)
44dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Anjer

Model Versions

I11-6 w/display



I1A-G w/o display



I21-4



I11-A 2 programs, AC.

I12-B 3 programs, AC.

I13-C 4 programs, AC.

I14-D 5 programs, AC.

I15-E 6 programs, AC.

I16-F 7 programs, AC.

I1G 8 programs, AC.

I21 7 programs, AC.

I22 8 programs, AC.

I23 9 programs, AC.

I24 9 programs, BLDC, Auto Door.

I2X 9 programs, BLDC, Auto Door, Waterbox.

Full Door Series
Anjer





Specifications



60 cm

w/o display models	A11	A12	A13	A14	A15	A16	A17	-	-	-	-	-	-	-	-	-	-	-	-	
w/ display models	A1A	A1B	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A26	A27	A28	A29	A24	A2X	A25	A2Y	A2Z	
Program Number	2	3	4	5	6	7	8	6	7	8	6	7	8	9	8	9	8	8	8	
Energy Labeling	E (w/Autodoor D)										D				C		B	A	E	
Water Consumption	12 lt (9 lt with AquaZone)								9 lt								9,2 lt		9,5 lt	
Sound Level	12-13-14 PS	57/54/52/49/47/45/44										49/47/45/44/42/41				49/47/45/44				-
	13 PS with 1 st rack	57/54/52/49/47/45/44										49/47/45/44/42/41/39				-				-
	14 PS with 3rd rack	-										-				49/47/45/44/42				-
	15 PS with 3rd rack	49/47/45/44										49/47/45/44/42/41/39				-				38
	16 PS with 3rd rack	49/47/45/44										49/47/45/44/42/41/39				49/47/45/44/42				-
Circulation pump	Asynchronous										BLDC									
Auto Door	- (Optional)										-				+					
Water Box	-										-				+					
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf)										-				12 PS (2 baskets) 14 PS (2 baskets + Knifeshelf)				15 PS (2 baskets + 3rd rack)	
	13 - 15 - 16 PS (2 baskets + 3rd rack)										-				14 - 16 PS (2 baskets + 3rd rack)				-	

w/o display models	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
w/ display models	A31	A32	A33	A36	A37	A38	A39	A34	A3X	A35	A3Y	A3Z	A41	A42	A43	A46	A47	A48	A49			
Program Number	6	8	6	6	7	8	9	8	8	8	8	6	7	10	6	7	8	9	10			
Energy Labeling	E (w/Autodoor D)							C		B		A		E		D				C		
Water Consumption	9 lt							9,2 lt		9,5 lt		9 lt							9,2 lt		9,5 lt	
Sound Level	12-13-14 PS with 3 rd rack	57/54/52/49/47/45/44							49/47/45/44/42/41				-		49/47/45/44/42/41				49/47/45/44		-	
	13 PS with 3 rd rack	57/54/52/49/47/45/44							49/47/45/44/42/41/39				-		49/47/45/44/42/41/39				-		-	
	14 PS with 3 rd rack	-							49/47/45/44/42				-		-				49/47/45/44/42		-	
	15 PS with 3 rd rack	49/47/45/44							49/47/45/44/42/41/39				-		49/47/45/44/42/41/39				38		-	
	16 PS with 3 rd rack	49/47/45/44							49/47/45/44/42/41/39				-		49/47/45/44/42/41/39				49/47/45/44/42		-	
Circulation pump	Asynchronous							BLDC														
Auto Door	- (Optional)							+				-		-				+				
Water Box	-							+				-		-				+				
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets with Knifeshelf) 15 - 16 PS (2 baskets + 3rd rack)							13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 15 - 16 PS (2 baskets + 3rd rack)		15 PS (2 baskets) 16 PS (2 baskets + 3rd rack)		12 - 13 PS (2 baskets) 14 PS (2 baskets with Knifeshelf) 15 - 16 PS (2 baskets + 3rd rack)				12 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 15 PS (2 baskets + 3rd rack)		13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 15 PS (2 baskets + 3rd rack)				

w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	12 lt (9 lt with AquaZone)					
Sound Level	12-13-14 PS*					
Circulation pump	Asynchronous					
Auto Door	-					
Water Box	-					
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 15 PS (2 baskets + 3rd rack)					
Structure	Freestanding					

60 cm

w/o display models	Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
Program Number	2	3	4	5	6	7	6	7	8	9	9	9
Energy Labeling	E										D	
Water Consumption	12 lt (9 lt with AquaZone)							9 lt				
Sound Level	12-13-14 PS(2 baskets)	57/54/52/49/47/45								49/47/45/44/42/41		46/44
	13 PS (2 baskets + 3rd rack)	57/54/52/49/47/45								49/47/45/44/42/41/39		44/42
	15 PS (2 baskets + 3rd rack)	49/47/45								49/47/45/44/42/41/39		44/42
Circulation pump	Asynchronous										BLDC	
Auto Door	-										+	-
Water Box	-											
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets + knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)											
Structure	Freestanding											

w/o display models		-	-	-	-	-	-	-	-	-	-	-	
w/ hidden display models		S23	S24	S25	S26	S27	S28	S29	S31	S32	S33	S36	
Program Number		0	4	5	6	7	8	9	0	0	0	0	
Energy Labeling		E (w/Autodoor D)							D			C (B w/Turbo)	
Water Consumption		12 lt (9 lt with AquaZone)					9 lt						
Sound Level	12-13-14 PS	57/54/52/49/47/45					49/47/45/44/42/41					46/43/41/44	
	14 PS with 3rd rack	-					-					46/47/41/44/42	
	15 PS with 3rd rack	49/47/45					49/43/45/44/42/41/39					-	
	16 PS with 3rd rack	49/47/45					49/47/45/44/42/41/39					46/47/41/44/42	
Circulation pump		Asynchronous					BLDC						-
Auto Door		-					-(Optional)					-	
Water Box		-											
Place Setting	12 - 13 PS (2 baskets)											12 PS (2 baskets)	
	14 PS (2 baskets + Knifesheff)											14 PS (2 baskets + Knifesheff)	
	15 - 16 - 18 PS (2 baskets + 3rd rack)											16 - 18 PS (2 baskets + 3rd rack)	

w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-			
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I2X			
w/ front display models	I1K	I1L	I1M	I1N	I1O	I1P	I1R	I2K	I2L	I2M	I2P	I2R	I2S	I2T	I2W	I2U			
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9			
Energy Labeling	E (w/Autodoor D)										D			C			B		
Water Consumption	12 lt (9 lt with AquaZone)								9 lt								-		
Sound Level	12-13-14 PS	57/54/52/49/47/45						49/47/45/44/42/41			49/47/45/44								
	13 PS with 3rd rack	57/54/52/49/47/45						49/47/45/44/42/41/39											
	14 PS with 3rd rack	-						-			49/47/45/44/42								
	15 PS with 3rd rack	49/47/45						49/47/45/44/42/41/39											
	16 PS with 3rd rack	49/47/45						-			49/47/45/44/42								
Circulation pump	Asynchronous										BLDC								
Auto Door	-(Optional)										-			+					
Water Box	-																		
Place Setting	12 - 13 PS (2 baskets)										12 - 13 PS (2 baskets)			12 PS (2 baskets)					
	14 PS (2 baskets + Knifesheff)										14 PS (2 baskets + Knifesheff)			14 PS (2 baskets + Knifesheff)					
	15 - 15 - 16 PS (2 baskets + 3rd rack)										15 - 15 PS (2 baskets + 3rd rack)			14 - 16 PS (2 baskets + 3rd rack)					

45 cm

w/o display models	A11	A12	A13	A14	A15	A16	A17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
w/ display models	A1A	A1B	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A24	A26	A27	A29	A2X	A31	A32	A33	A34	A3X	A41	A42	A44	A4X			
Program Number	2	3	4	5	6	7	8	6	7	8	8	6	7	9	8	6	8	6	8	8	6	7	10	10			
Energy Labeling	E (w/Autodoor D/A1E is ready)										D				C	E	D	C	E	D	C						
Water Consumption	11 lt (9 lt with AquaZone)										9 lt																
Sound Level	2 Basket	57/54/52/49/47/45										44				57/54/52/49/47/45		44									
	2 Basket + 3rd rack	49/47/45										44/42				49/47/45		44/42		44		44/42					
Circulation pump	Asynchronous										BLDC				Asynchronous		BLDC										
Auto Door	-										+				-		+		-		+						
Water Box	-														+		-		+		-		+				
Place Setting	10 PS (2 baskets)																										
	10 PS (2 baskets + 3rd rack)																										

w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	11 lt (9 lt with AquaZone)					
Sound Level	57/54/52/49/47/45					
Circulation pump	Asynchronous					
Auto Door	-					
Water Box	-					
Place Setting	10 PS (2 baskets)					
Structure	Freestanding					

[illegible]

45 cm

w/o display models	-	-	-	-	-	-	-	-	-	-
w/ hidden display models	S23	S24	S25	S26	S27	S31	S32	S33	S34	S3X
Program Number	3	4	5	6	7	5	6	7	7	7
Energy Labeling	E								D	C
Water Consumption	11 lt (9 lt with AquaZone)					9 lt				
	10 PS	57/54/52/49/47/45							44	
	10 PS + 3 rd Rack	49/47/45							44	44/42
Circulation pump	Asynchronous								BLDC	
Auto Door	-								+	
Water Box	-									+
Place Setting	10 PS (2 baskets)									
	10 PS (2 baskets + 3rd rack)									

INTEGRATED

w/o display models		S12	S13	S14	S15	S16	-	-	-	-	-	-	-	-	-	-	-	-	-		
w/ hidden display models		-	-	-	-	-	S23	S24	S25	S26	S27	S28	S29	S31	S32	S33	S36	S37	S38	S39	
Program Number		2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	7	8	9	9	
Energy Labeling		E (w/Autodoor D)															D		C (B w/Turbo)		
Water Consumpt.		12 lt (9 lt with AquaZone)												9 lt							
Sound Level	12-13-14 PS	57/54/52/49/47/45/44*															49/47/45/44/42/41		-		
	14 PS with 3rd rack	-																	44		
	15 PS with 3rd rack	49/47/45/44*															49/47/45/44/42/41/39		-		
Circulation pump		Asynchronous															BLDC				
Auto Door		- (Optional)																			+
Water Box		-																			+
Place Setting		12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack)																			14 PS (2 baskets + 3rd rack)

w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-		
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I2X	I25		
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9		
Energy Labeling	E (w/Autodoor D)										D					C	B		
Water Consumption	12 lt (9 lt with AquaZone)								9 lt										
Sound Level	12-13-14 PS	57/54/52/49/47/45/44*										49/47/45/44/42/41					-		
	14 PS with 3rd rack	-																44	
	15 PS with 3rd rack	49/47/45/44*										49/47/45/44/42/41/39					-		
Circulation pump	Asynchronous										BLDC								
Auto Door	- (Optional)										-					+			
Water Box	-																+		
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifesheff) 13 - 15 PS (2 baskets + 3rd rack)																14 PS (2 baskets + 3rd rack)		

w/ hidden display models	I51	I52	I53	I56	I57	I58	I59	I54	I5X	I55	
Program Number	7	8	9	6	7	8	9	9	9	9	
Energy Labeling	E (w/Autodoor D)			D					C	B	
Water Consumption	9 lt										
Sound Level	12-13-14 PS	57/54/52/49/47/45/44*			49 / 47 / 45 / 44 / 42 / 41				-		
	14 PS with 3rd rack	-							44		
	15 PS with 3rd rack	49/47/45/44*			49 / 47 / 45 / 44 / 42 / 41 / 39				-		
Circulation pump	Asynchronous			BLDC							
Auto Door	- (Optional)								+		
Water Box	-								+		
Place Setting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack)								14 PS (2 baskets + 3rd rack)		

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands

Phone: +31 - 10 412 23 66

<https://vestelbenelux.nl>

info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

<https://vestel.co.uk>

info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/ Germany

Phone: +49 - 89 55295 - 0

<https://vestel-germany.de>

info@vestel-germany.de

VESTEL HOLLAND B.V. SPAIN BRANCH OFFICE

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: +34 - 91 320 63 98

<https://vestel.es>

vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France

Phone: +33 - 1 46 75 00 29

<http://vestel-france.fr>

info@vestel.fr

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania

Phone: +40 - 31 425 42 93

<https://vestel.ro>

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2, 02-823 Warszawa

Phone: +48 22 272 73 00

Fax: +48 22 272 74 00

<https://vestel-poland.com>

info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544

<https://vestel-gulf.ae>

info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghai) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational