REFRIGERATORS

2024-2025

>

www.vestelinternational.com

VESTEL



COMPANY PROFILE
2-3

GLOBAL OPERATIONS
4-5

TECHNOLOGIES
6-13

PRODUCT LINE-UP
14-96

DESIGN OPTIONS
97-103

SPECIFICATIONS
104-119

ADDRESSES
121





COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000
Employees

1.300.000 m²
Closed Production Area

Export Leader of Turkey with
$2,3 Billion

4.655.020
Device Production Capacity

$3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes in the world.

Comprised of 25 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Türkiye, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.7 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg,10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers have annual capacity of 1.1 million units, with models ranking from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free-standing cookers, built-in hobs and 90x60, 100x60 and double ovens.

The dishwasher appliances product range includes freestanding, semi&fully integrated and full door platforms with 45 cm, 60 cm, Tall Tub and Deep tall tub dimensional options. New Dishwasher plant construction have been completed and serial production started at the end of 2023. The dishwasher plant has the capacity to produce 2.5 million units in a year now. The new dishwasher plant is able to produce over 4 million units in a year with additional investments.

In addition, the air conditioner factory is capable of producing 530K sets of split-type models. And also the water heater factory has the capacity to produce 355K water heaters annually.

R&D facilities located in Türkiye, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel Mobility factory located in the free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Türkiye's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on a decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, Set-top Boxes

Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting

Manisa, Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer, Cooking Appliances, Air Conditioner, Water Heater

Manisa, Turkey

R&D Centers

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

Marketing & Sales Companies

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Benelux, Netherlands
Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai



Features

COOLING TECHNOLOGIES

>





NoFrost Multicooling

On the contrary with conventional technology, NoFrost MultiCooling technology includes two independent air circulation with two separate fans and evaporators. Since there is no transfer of cold air between fridge and freezer cabinets, NoFrost MultiCooling provides extra freshness with optimum humidity levels in each compartment, prevents odor mixing, and keeps flavor of foods.

Freezer Shield

Conventional refrigerator appliances are able to work at a minimum ambient temparetaure of 10˚C. However, with the new Freezer Shield Tech, Vestel appliances can work even if the ambient temperature is as low as -15˚C, which makes it possible to place the appliances in closed locations such as the garage.

Less Frost

Thanks to the wrap around evaporator, LessFrost technology offers more efficient cooling, less manual defrost requirement, and more flexible storage room.



DuoMode

Technology that allows the freezer to be set as a cooler for more refrigerator volume in line with the needs of the consumers, to be used as a cooler or freezer, and to be completely closed when not needed.



Convert Zone

Using the compartment as an ideal storage area for fruit and vegetables when the flap is closed, and for meat products when it is open, with its flap feature.



VitaMod

Thanks to a special light source close to the natural spectrum of sunlight, VitaMod ensures that fruits and vegetables stored in the refrigerator continue their natural ripening process, thus preserving their nutritional values at higher levels.



Humidity Controlled Crisper

Thanks to air channels and special filter, humidity level can be adjusted precisely to keep your fruits and vegetables fresh and crisp.

*Tested and certified by Third Party Laboratory.



Chill Zone

Ensures that the food inside is preserved at ideal temperature of around 0 °C. The frozen meat or fish can also be kept in this compartment for proper thawing before consuming. Chill Zone also ensures that your meat & fish stays fresh for while keeping out unwanted odour.

UltraFresh Technology

UltraFresh technology helps reducing unpleasant odors by absorbing ethylene gas (a volatile organic compound released naturally from fresh foods) from the crisper.



V-Lift

With the adjustable height mechanism, height of bottle shelf can be maximized for higher bottles or can be reduced to save space for the dairy shelf. Position of rack can be set to **6** different height.



V-Shelf

Provides more flexible storage room and higher shelf space thanks to the two-part shelf mechanism sliding on each other.

Door Reversible

Depending on the location of your refrigerator, you can adjust door opening direction thanks to the reversible door feature.



Zero Clearance

You can place your refrigerator next to the wall or cabinets and the door can be opened easily without need of any additional space at **90˚.**

Ice Slide

Provides convenient storage spaces with a simple movement. The slide icematic ensures flexible storage and max capacity anytime you need.



Product Line-up

Category	Width	No Frost Multi Cooling							No Frost				Frost Free			
Single Door	54 cm								 241							
	60 cm								 323	 371	 372	 375				
	70 cm								 491							
Double Door Top Freezer	54 cm	 273														
	60 cm	 343														
	70 cm	 463	 473	 483												
	76 cm	 543														
	84 cm	 643														
Double Door Bottom Freezer	54 cm	 289														
	60 cm	 373	 377	 379	 383	 387	 389									
	70 cm	 462	 482	 492												
	76 cm	 553														
	84 cm	 653	 694													
Multi Door	84 cm	 620														

Category	Width	Less Frost						Direct Cooling					
Table Top	48 cm	 1005						 1001	 1101			 1002	
	50 cm							 125					
	54 cm	 143						 130				 153	
Single Door	54 cm									 2451	 2441		 2653
	60 cm									 322	 332	 327	 376
Double Door Top Freezer	54 cm	 233	 263	 283									
	60 cm	 346											
	70 cm	 453	 457										
Double Door Bottom Freezer	54 cm	 236	 252	 266	 277	 278	 286						
	60 cm	 374	 3741										

Multi Door Models

Vestel multi door products with 4 doors offer extra large capacity and more storage place with no-frost multi cooling technology.



620

>



TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 690 x 1790

Volume Total net L
488

Refrigerator Volume net L
322

Freezer Volume net L
166

STANDARD CONFIGURATION

Multi Cooling NoFrost Technology
Electronic Control (Inner Display)
Fridge LED Lighting (Top)
Tempered Glass Shelves (Fridge)
6 Door Racks (Fridge)
Sliding Trays (Freezer)
Freezer Shield
Egg Holders
Ice Tray
ConvertZone
Crisper zone
Door Alarm

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Ambiance Lighting
Twisted Icematic
Portable Wine Holder
UltraFresh Technology
Metal Cooling

COLOR OPTIONS



E D

Two Door Bottom-Freezer Models

Bottom mounted fridge freezer models offer no frost and direct cooling technologies with different dimensions, ideal for both large and small families and groups.



387

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 2030

Volume Total net L
361

Refrigerator Volume net L
258

Freezer Volume net L
103



CBA

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders Transparent Accessories
Freezer Shield
Zero Clearance Reversible Doors
Leveling Feet Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
V-Display
Metal Cooling
Metal Cooling on Door
Freezer Pad

COLOR OPTIONS

377

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1850

Volume Total net L
319

Refrigerator Volume net L
216

Freezer Volume net L
103



CBA

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders Transparent Accessories
Freezer Shield
Zero Clearance Reversible Doors
Leveling Feet Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
V-Display
Metal Cooling
Metal Cooling on Door
Freezer Pad

COLOR OPTIONS

694

>

TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 780 x 1940

Volume Total net L
650

Refrigerator Volume net L
460

Freezer Volume net L
190



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front&Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Wine Rack
Portable Wine Holder
Bottle Holder
Twisted Icematic
UltraFresh Technology

COLOR OPTIONS

653

>

TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 750 x 1860

Volume Total net L
588

Refrigerator Volume net L
407

Freezer Volume net L
181



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Wine Rack
Portable Wine Holder
Bottle Holder
Twisted Icematic
Water Dispenser
UltraFresh Technology

COLOR OPTIONS

553

>

TECHNICAL DATA

Product Dimensions WxDxH mm
760 x 737 x 1860

Volume Total net L
534

Refrigerator Volume net L
403

Freezer Volume net L
131



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
V-Lift
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
VitaMod

COLOR OPTIONS

492

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 712 x 1920

Volume Total net L
481

Refrigerator Volume net L
344

Freezer Volume net L
137



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Twisted Icematic
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
V-Shelf
UltraFresh Technology
VitaMod

COLOR OPTIONS

492 GLASS DOOR
>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 721 x 1920

Volume Total net L
481

Refrigerator Volume net L
344

Freezer Volume net L
137



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Twisted Icematic
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology

COLOR OPTIONS

482

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 712 x 1860

Volume Total net L
472

Refrigerator Volume net L
357

Freezer Volume net L
115



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift

COLOR OPTIONS

462

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 712 x 1730

Volume Total net L
428

Refrigerator Volume net L
313

Freezer Volume net L
115



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

383

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 2010

Volume Total net L
367

Refrigerator Volume net L
266

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Led Touch HP Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
Metal Cooling
Sliding Tray

COLOR OPTIONS

383 GLASS DOOR

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 660 x 2010

Volume Total net L
367

Refrigerator Volume net L
266

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass
Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Led Touch HP Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
Metal Cooling

COLOR OPTIONS

389

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 2010

Volume Total net L
327

Refrigerator Volume net L
239

Freezer Volume net L
88



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Top Electronic Led Indicator Display
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Convert Zone
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Convert Zone

OPTIONAL FEATURES

Electronic Control (Inner Display)
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
Door Alarm

COLOR OPTIONS

373

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
331

Refrigerator Volume net L
230

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Led Touch HP Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology
Metal Cooling
Sliding Tray
Humidity Control Crisper +

COLOR OPTIONS

373 GLASS DOOR
>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 660x 1860

Volume Total net L
331

Refrigerator Volume net L
230

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Led Touch HP Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology
Metal Cooling

COLOR OPTIONS

379

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1860

Volume Total net L
295

Refrigerator Volume net L
207

Freezer Volume net L
88



E D C

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Top Electronic Led Indicator Display
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Convert Zone
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Convert Zone

OPTIONAL FEATURES

Electronic Control (Inner Display)
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS

289

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1800

Volume Total net L
270

Refrigerator Volume net L
195

Freezer Volume net L
75



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Sliding Tray
Top Electronic Led Indicator Display

OPTIONAL FEATURES

Door Alarm
Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

374

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
341

Refrigerator Volume net L
234

Freezer Volume net L
107



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Mechanical Control

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Door Alarm
Push Botton HP Display
Fridge LED Lighting
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
Sliding Tray
Top Electronic Led Indicator
Display

COLOR OPTIONS

3741

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 570 x 1860

Volume Total net L
283

Refrigerator Volume net L
192

Freezer Volume net L
91



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
Sliding freezer tray
Top Electronic Led Indicator
Display

COLOR OPTIONS

286

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1800

Volume Total net L
288

Refrigerator Volume net L
204

Freezer Volume net L
84



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

277

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540x595x1770

Volume Total net L
277

Refrigerator Volume net L
163

Freezer Volume net L
114



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

278

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1700

Volume Total net L
268

Refrigerator Volume net L
184

Freezer Volume net L
84



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

266

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1660

Volume Total net L
256

Refrigerator Volume net L
142

Freezer Volume net L
114



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

252

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1520

Volume Total net L
230

Refrigerator Volume net L
146

Freezer Volume net L
84



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

236

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1360

Volume Total net L
203

Refrigerator Volume net L
134

Freezer Volume net L
69



E D

STANDARD CONFIGURATION

Less Frost
Fridge AC LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

Two Door Top-Freezer Models

Top mounted fridge freezer models offer no frost and direct cooling technologies with different dimensions, ideal for both large and small families and groups.



643

>

TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 750 x 1860

Volume Total net L
587

Refrigerator Volume net L
445

Freezer Volume net L
142



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Sliding Icematic
UltraFresh Technology
Duo Mode

COLOR OPTIONS

543

>

TECHNICAL DATA

Product Dimensions WxDxH mm
760 x 750 x 1860

Volume Total net L
524

Refrigerator Volume net L
400

Freezer Volume net L
124



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Freezer LED Lighting
Portable Wine Holder
Bottle Holder
Sliding Icematic
UltraFresh Technology
V-Lift

COLOR OPTIONS

483

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 720 x 1870

Volume Total net L
451

Refrigerator Volume net L
353

Freezer Volume net L
98



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
UltraFresh Technology
V-Lift
Duo Mode

COLOR OPTIONS

473

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 720 x 1830

Volume Total net L
435

Refrigerator Volume net L
337

Freezer Volume net L
98



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Electronic Control (Inner Display)
Door Alarm
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
UltraFresh Technology
V-Lift

COLOR OPTIONS

463

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 720 x 1730

Volume Total net L
403

Refrigerator Volume net L
305

Freezer Volume net L
98



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Electronic Control (Inner Display)
Door Alarm
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
UltraFresh Technology

COLOR OPTIONS

343

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1720

Volume Total net L
311

Refrigerator Volume net L
240

Freezer Volume net L
71



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
LED Lighting
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Fridge LED Lighting (Sides / Top)
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
Humidity Controlled Crisper

COLOR OPTIONS

273

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 630 x 1665

Volume Total net L
252

Refrigerator Volume net L
192

Freezer Volume net L
60



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Fridge LED Lighting (Sides)
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

457

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 735 x 1830

Volume Total net L
498

Refrigerator Volume net L
370

Freezer Volume net L
128



E D

STANDARD CONFIGURATION

Less Frost
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers
Rear Rollers
Fridge LED Lighting

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

453

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 650 x 1830

Volume Total net L
434

Refrigerator Volume net L
321

Freezer Volume net L
113



E D

STANDARD CONFIGURATION

Less Frost
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers
Rear Rollers
Fridge LED Lighting

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting (Sides)
Portable Wine Holder
Bottle Holder
Twisted Icematic
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS

346

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595x598x1750

Volume Total net L
312

Refrigerator Volume net L
242

Freezer Volume net L
70



E D

STANDARD CONFIGURATION

Less Frost
Adjustable Tempered Glass Shelves
LED Lighting
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS

283

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 570 x 1600

Volume Total net L
243

Refrigerator Volume net L
201

Freezer Volume net L
42



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Portable Wine Holder
Bottle Holder
V-Lift
UltraFresh Technology

COLOR OPTIONS

263

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 570 x 1440

Volume Total net L
213

Refrigerator Volume net L
171

Freezer Volume net L
42



E D

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
UltraFresh Technology

COLOR OPTIONS

233

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 570 x 1220

Volume Total net L
168

Refrigerator Volume net L
126

Freezer Volume net L
42



E

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

Single Door Models

Single door models coming with and without freezer compartment options.



375

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
390

Refrigerator Volume net L
390

Freezer Volume net L
-



E D

STANDARD CONFIGURATION

No Frost Cooling Tech
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glas Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Fridge LED Lighting
Push Button HP Display

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Chill Zone
Additional Crispers
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
Metal Cooling
Door Alarm
Led Touch HP Display

COLOR OPTIONS

376

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
396

Refrigerator Volume net L
396

Freezer Volume net L
-



E D

STANDARD CONFIGURATION

Direct Cooling
Turbo Fan-Air Cooling
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
LED Lighting
Mechanical Control

OPTIONAL FEATURES

Electronic Control (Display on Door)
Electronic Control (Head Panel Display)
Fridge LED Lighting (Sides and Top)
Wine Rack
Air Duct
Portable Wine Holder
Bottle Holder
UltraFresh Technology
Door Alarm

COLOR OPTIONS

327

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1550

Volume Total net L
309

Refrigerator Volume net L
309

Freezer Volume net L
0



E D

STANDARD CONFIGURATION

Direct Cooling
Turbo Fan-Air Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Rear Rollers
Humidity Controlled Crisper
Zero Clearance
Adjustable Door Racks
Side Electronic Led Indicator Display

OPTIONAL FEATURES

Push Button HP Display
Door Alarm
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift

COLOR OPTIONS

2653

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1455

Volume Total net L
255

Refrigerator Volume net L
255

Freezer Volume net L
-



E D

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Humidity Controlled Crisper

OPTIONAL FEATURES

Fridge LED Lighting
Portable Wine Holder
Bottle Holder
Head Panel Display
UltraFresh Technology
V-Lift

COLOR OPTIONS

Freezer Models

Single door freezer models with different dimensions offering both no frost and direct cooling technologies.



491

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 755 x 1950

Volume Total net L
406

Refrigerator Volume net L
-

Freezer Volume net L
-



E D

STANDARD CONFIGURATION

No Frost Technology
Push Button Display
Door Alarm
Zero Clearance
Ice tray
6 Drawers
2 Tempered glass shelves
Door reversibility
Transparent Accessories
Leveling Feet
Rear Rollers
Freezer Shield

OPTIONAL FEATURES

LED Lighting on head panel
LED Lighting on top (Door display models)
Electronic Control (Display on Door)
Icemaker
Duo Mode

COLOR OPTIONS

372

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
278

Refrigerator Volume net L
-

Freezer Volume net L
278



E D

STANDARD CONFIGURATION

No Frost Cooling Tech
Push Button HP Display
Ice Tray
Transparent Accessories
2 Door Racks
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
5 drawers
2 tempered glass shelves

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer Led Lighting
Twisted Icematic
Metal Cooling
Icematic on Door Rack
Door Alarm
Lead Touch HP Display

COLOR OPTIONS

371

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
280

Refrigerator Volume net L
-

Freezer Volume net L
280



E D

STANDARD CONFIGURATION

No Frost Cooling Tech
Push Button HP Display
Ice Tray
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
5 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Twisted Icematic
Door Alarm
Duo Mode
Led Touch HP Display

COLOR OPTIONS

323

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1550

Volume Total net L
226

Refrigerator Volume net L
-

Freezer Volume net L
226



E D

STANDARD CONFIGURATION

No Frost Cooling Tech
Push Button HP Display
Ice Tray
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
4 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Twisted Icematic
Door Alarm
Led Touch HP Display

COLOR OPTIONS

332

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1750

Volume Total net L
248

Refrigerator Volume net L
-

Freezer Volume net L
248



E D

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance
5 drawers
2 flap covers

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS

322

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1550

Volume Total net L
214

Refrigerator Volume net L
-

Freezer Volume net L
214



E D

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance
4 drawers
2 flap covers

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS

241

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1455

Volume Total net L
174

Refrigerator Volume net L
-

Freezer Volume net L
174



E D

STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers
4 drawers
2 flap covers

OPTIONAL FEATURES

Twisted Icematic
Door Alarm

COLOR OPTIONS

2451

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1455

Volume Total net L
188

Refrigerator Volume net L
-

Freezer Volume net L
188



E D

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
4 drawers
2 flap covers

OPTIONAL FEATURES

Head Panel Display

COLOR OPTIONS

2441

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 550 x 1455

Volume Total net L
175

Refrigerator Volume net L
-

Freezer Volume net L
175



E D

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
3 drawers
2 flap covers

OPTIONAL FEATURES

Head Panel Display

COLOR OPTIONS

Table Top Models

Small size under counter models with fridge freezer, freezer and larder options.



153
>



TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 838

Volume Total net L
135

Refrigerator Volume net L
135

Freezer Volume net L
-

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

E D

143
>



TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 615 x 838

Volume Total net L
103

Refrigerator Volume net L
-

Freezer Volume net L
103

STANDARD CONFIGURATION

Less Frost
Ice Tray
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
2 Drawers
1 Flap Cover

COLOR OPTIONS

E D

130
>



TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 838

Volume Total net L
122

Refrigerator Volume net L
105

Freezer Volume net L
17

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

E D

1002

>



TECHNICAL DATA

Product Dimensions WxDxH mm
480 x 500 x 821

Volume Total net L
90

Refrigerator Volume net L
90

Freezer Volume net L
-

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

E

1005

>



TECHNICAL DATA

Product Dimensions WxDxH mm
480 x 510 x 821

Volume Total net L
64

Refrigerator Volume net L
-

Freezer Volume net L
64

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

E

1001

>



Zero Star/Two Star

TECHNICAL DATA

Product Dimensions WxDxH mm
480 x 500 x 821

Volume Total net L
89

Refrigerator Volume net L
89

Freezer Volume net L
-

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

E

1101

>



TECHNICAL DATA

Product Dimensions WxDxH mm
480 x 560 x 838

Volume Total net L
82

Refrigerator Volume net L
74

Freezer Volume net L
8

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS

E

125

>



TECHNICAL DATA

Product Dimensions WxDxH mm
497 X 579 X 820

Volume Total net L
114 lt

Freezer Volume net L
100 lt / 14 lt

STANDARD CONFIGURATION

Direct Cooling
Fridge AC LED Lighting
Removable Safety Glass Shelf
Egg Holder
Transparent Accessories
Bottle Rack
Leveling Feet
Reversible doors

E D

RETRO RANGE

Models with retro door and handle design on both top mounted and bottom mounted fridge freezers and a single door fridge freezer.



COLOR OPTIONS


Vanilla


Matte Black


Red


Blue


Claret


Orange



343 346 373 / 379 / 374 482

HANDLE OPTIONS

Bmp



Due



Cosma



HANDLES

INTEGRATED



AGE HC



AGE (HOTSTAMP)



ERA HC



SUN



SUN (HOTSTAMP)



NEO



FLATLINE



AGE CLASSIC



ERA CLASSIC



VESTEL



DIAMOND



SOFTLINE



NOVA



ZENITH



SLIMLINE



SLIMLINE BXD

HANDLES

EXTERNAL



VMK



THOR*



VEGA



STELLA



Z DESIGN*



V-MOVE*



CURLY



FLX



GLXY

* Handle can be used for SBS product in niche cabinet



NICHE*



TRIA



PXH*



NICHE-PIPE*

* Handle can be used for SBS product in niche cabinet

COLOR OPTIONS

Powder Painted

SNOW WHITE

VANILLA



DARK SILVER



BLACK

VCM



INOX LOOK



DARK INOX LOOK

HG BEIGE



PET INOX

Stainless Steel



INOX



DARK INOX

Refrigeration System	NFMC	NFMC
Model	620	620
Control System	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN
Energy Class	F	E
Door	STANDARD	STANDARD
Performance(star rating)	4	4
Volume Refrigerator Total (net)(L)	322	322
Volume Freezer(net)(L)	166	166
Energy Consumption(kWh/24h)	1,046	0,835
Energy Consumption(kWh/year)	382	305
Freezing Capacity (kg/24h)	8,7	8,7
Temp. Rise Time(-18°C to -9°C)(h)	10,8	10,8
Noise Level (dBA)	41	39
Noise Class	C	C
Defrost System Type Fridge/Freezer	Auto	Auto
Product Dimensions (WxDxH)(mm)	840X690X1790	840X690X1790
Packaged Dimensions (WxDxH)(mm)	900X730X1865	900X730X1865
Freezer Shield	YES	YES
Loading quantity/20ft Container(pcs)	18	18
Loading quantity/40ft Container(pcs)	39	39
Loading quantity/40ft HC Container(pcs)	51	51

Specifications are subject to change without prior notice

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	653	653	653	553	553	553	492	492	492
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	D	F	E	D	F	F	E
Door	Standard	Standard	STANDARD	Standard	Standard	STANDARD	Standard	Glass	Standard
Performance (star rating)	4	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	407	407	407	403	403	403	344	344	344
Volume Freezer(net)(L)	181	181	181	131	131	131	137	137	137
Energy Consumption (kWh/24h)	1,117	0,893	0,715	0,972	0,778	0,622	0,983	0,983	0,786
Energy Consumption(kWh/year)	408	326	261	355	284	227	359	359	287
Freezing Capacity (kg/24h)	12,0	12,0	12,0	6,5	6,5	6,5	8,0	8,0	8,0
Temp. Rise Time (-18°C to -9°C)(h)	14,0	14,0	14,0	12,5	12,5	12,5	14,0	14,0	14,0
Noise Level (dBA)	42	41	39	43	41	39	42	42	41
Noise Class	D	C	C	D	C	C	D	D	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	840X750X1860	840X750X1860	840X750X1860	760X737X1860	760X737X1860	760X737X1860	700X712X1920	700X721X1920	700X712X1920
Packaged Dimensions (WxDxH)(mm)	900X780X1940	900X780X1940	900X780X1940	832X780X1940	832X780X1940	832X780X1940	768X801X1997	768X822X1997	768X801X1997
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	18	18	18	21	21	21	21	21	21
Loading quantity/40ft Container(pcs)	39	39	39	42	42	42	45	42	45
Loading quantity/40ft HC Container(pcs)	39	39	39	42	42	42	45	42	45

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	492	694	492	492	482	482	482	482	462
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	E	D	D	F	E	E	D	F
Door	Glass	Standard	Standard	Glass	Standard	RETRO	Standard	STANDARD	Standard
Performance(star rating)	4	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	344	460	344	344	357	357	357	357	313
Volume Freezer(net)(L)	137	190	137	137	115	115	115	115	115
Energy Consumption(kWh/24h)	0,786	TBD	0,63	0,63	0,909	0,728	0,728	TBD	0,906
Energy Consumption(kWh/year)	287	TBD	230	230	332	266	266	TBD	331
Freezing Capacity (kg/24h)	8,0	TBD	8,0	8,0	8,0	5,2	5,2	TBD	8,0
Temp. Rise Time(-18°C to -9°C)(h)	14,0	TBD	14,0	14,0	11,5	11,0	11,0	TBD	11,5
Noise Level (dBA)	41	39	39	39	43	41	41	TBD	41
Noise Class	C	C	C	C	D	C	C	TBD	C
Defrost System Type Fridge/ Freezer	Auto	TBD	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	700X721X1920	840X780X1940	700X712X1920	700X721X1920	700X712X1860	710X746X1901	700X712X1860	700X712X1860	700X712X1730
Packaged Dimensions (WxDxH) (mm)	768X822X1997	913X803X2023	768X801X1997	768X822X1997	768X792X1937	779X847X1945	768X792X1937	768X792X1937	768X801X1807
Freezer Shield	YES	TBD	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	12	21	21	21	21	21	21	21
Loading quantity/40ft Container(pcs)	42	28	45	42	45	45	45	45	45
Loading quantity/40ft HC Container(pcs)	42	28	45	42	45	45	45	45	64

Only for informative purposes

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	462	462	383	383	383	383	383	383
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	F	F	E	E	D	D
Door	Standard	STANDARD	Glass	Standard	Glass	Standard	Glass	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	313	313	266	266	266	266	266	266
Volume Freezer(net)(L)	115	115	101	101	101	101	101	101
Energy Consumption(kWh/24h)	0,726	TBD	0,857	0,857	0,684	0,684	0,547	0,547
Energy Consumption(kWh/year)	265	TBD	313	313	250	250	81	81
Freezing Capacity (kg/24h)	8,0	TBD	8,0	8,0	8,00	8,00	8,0	8,0
Temp. Rise Time(-18°C to -9°C)(h)	11,5	TBD	10,0	10,0	10,0	10,0	10,0	10,0
Noise Level (dBA)	41	TBD	41	41	39	39	37	37
Noise Class	C	TBD	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	700X712X1730	700X712X1730	595X660X2010	595X650X2010	595X660X2010	595X650X2010	595X660X2010	595X650X2010
Packaged Dimensions (WxDxH)(mm)	768X801X1807	768X801X1807	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X2066
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	21	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	45	45	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	64	64	54	54	54	54	54	54

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	383	383	383	383	373	373	373	373	373
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	C	C	B	B	F	F	F	E	E
Door	Standard	Glass	Standard	Glass	Standard	Retro	Glass	Standard	Retro
Performance(star rating)	4	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	266	266	266	266	230	230	230	230	230
Volume Freezer(net)(L)	101	101	101	101	101	101	101	101	101
Energy Consumption(kWh/24h)	0,438	0,438	0,347	0,347	0,857	0,857	0,857	0,684	0,684
Energy Consumption(kWh/year)	160	160	127	127	313	313	313	250	250
Freezing Capacity (kg/24h)	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
Noise Level (dBA)	36	36	35	35	41	41	41	39	39
Noise Class	C	C	B	B	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X650X2010	595X650X2010	595X650X2010	595X650X2010	595X650X1860	605X681X1901	595X660X1860	595X650X1860	605X681X1901
Packaged Dimensions (WxDxH)(mm)	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X1916	680X782X1975	664X762X1916	664X728X1916	680X782X1975
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	24	24	24	21	24	24	21
Loading quantity/40ft Container(pcs)	54	54	54	54	54	45	54	54	45
Loading quantity/40ft HC Container(pcs)	54	54	54	54	72	62	72	72	62

Specifications are subject to change without prior notice

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	373	373	373	389	389	389	389	379
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	D	F	E	D	C	C
Door	Glass	Standard	Retro	Standard	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	230	230	230	239	239	239	239	207
Volume Freezer(net)(L)	101	101	101	88	88	88	88	88
Energy Consumption(kWh/24h)	0,684	0,547	0,547	TBD	0,651	0,517	0,416	0,419
Energy Consumption(kWh/year)	250	81	81	TBD	238	189	152	153
Freezing Capacity (kg/24h)	8,0	8,0	8,0	TBD	5,0	6,5	5,0	5,0
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	TBD	10,0	11,5	10,0	10,0
Noise Level (dBA)	39	37	37	41	39	37	36	36
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	TBD	TBD	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X660X1860	595X650X1860	605X681X1901	595X600X2010	595X600X2010	595X600X2010	595X600X2010	595X600X1860
Packaged Dimensions (WxDxH)(mm)	664X762X1916	664X728X1916	680X782X1975	610x730x2070	610x730x2070	610x730x2070	610x730x2070	664X678X1916
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	YES	YES	YES	24	24	24	24	24
Loading quantity/40ft Container(pcs)	24	24	21	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	72	72	62	54	54	54	54	72

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	379	379	379	379	379	379	379	379	379
Control System	ELECTRONIC	MECHANICAL	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	F	F	E	E	E	D	D	D
Door	Standard	Standard	Retro	Standard	Standard	Retro	Standard	Standard	Retro
Performance(star rating)	4	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	207	207	207	207	207	207	207	207	207
Volume Freezer(net)(L)	88	88	88	88	88	88	88	88	88
Energy Consumption(kWh/24h)	0,819	0,819	0,819	0,597	0,597	0,597	0,547	0,547	0,547
Energy Consumption(kWh/year)	299	299	299	239	239	239	200	200	200
Freezing Capacity (kg/24h)	4,5	4,5	4,5	5,0	5,0	5,0	5	5	5
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	10,0	10,0	10,0	10	10	10
Noise Level (dBA)	41	41	41	39	39	39	37	37	37
Noise Class	C	C	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860
Packaged Dimensions (WxDxH)(mm)	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	24	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	54	54	54	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	72	72	72	72	72	72	72	72	72

Only for informative purposes

Refrigeration System	NFMC	NFMC	NFMC	NFMC
Model	289	289	289	289
Control System	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	ST/N	ST/N	ST/N	ST/N
Energy Class	F	F	E	E
Door	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4
Volume Refrigerator Total (net)(L)	195	195	195	195
Volume Freezer(net)(L)	75	75	75	75
Energy Consumption(kWh/24h)	0,767	0,767	0,613	0,613
Energy Consumption(kWh/year)	280	280	224	224
Freezing Capacity (kg/24h)	5,9	5,9	4,6	4,6
Temp. Rise Time(-18°C to -9°C)(h)	7,0	7,0	7,0	7,0
Noise Level (dBA)	40	40	40	40
Noise Class	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X595X1800	540X595X1800	540X595X1800	540X595X1800
Packaged Dimensions (WxDxH)(mm)	578X632X1852	578X632X1852	578X632X1852	578X632X1852
Freezer Shield	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	36	36	36	36
Loading quantity/40ft Container(pcs)	76	76	76	76
Loading quantity/40ft HC Container(pcs)	95	95	95	95

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	373	373	373	373	373	373
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	C	C	C	B	B	B
Door	Standard	Retro	Glass	Standard	Retro	Glass
Performance(star rating)	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	230	230	230	230	230	230
Volume Freezer(net)(L)	101	101	101	101	101	101
Energy Consumption(kWh/24h)	0,438	0,438	0,438	0,347	0,347	0,347
Energy Consumption(kWh/year)	160	160	160	127	127	127
Freezing Capacity (kg/24h)	8	8	8	8	8	8
Temp. Rise Time(-18°C to -9°C)(h)	10	10	10	10	10	10
Noise Level (dBA)	36	36	36	35	35	35
Noise Class	C	C	C	B	B	B
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X660X1860	605X681X1901	595X660X1860	595X660X1860	605X681X1901	595X660X1860
Packaged Dimensions (WxDxH)(mm)	664X762X1916	680X782X1975	664X762X1916	664X762X1916	680X782X1975	664X762X1916
Freezer Shield	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	21	24	24	21	24
Loading quantity/40ft Container(pcs)	54	45	54	54	45	54
Loading quantity/40ft HC Container(pcs)	72	62	72	72	62	72

Specifications are subject to change without prior notice

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	374	374	374	374	374	374	374
Control System	ELECTRONIC	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	E	E	D	F	F	F
Door	STANDARD	STANDARD	RETRO	STANDARD	STANDARD	STANDARD	RETRO
Performance(star rating)	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	234	234	234	232	234	234	234
Volume Freezer(net)(L)	107	107	107	107	107	107	107
Energy Consumption(kWh/24h)	0,663	0,663	0,663	0,528	0,827	0,827	0,827
Energy Consumption(kWh/year)	242	242	242	193	302	302	302
Freezing Capacity (kg/24h)	5.2	5.2	5.2	5.2	5.2	5.2	5.2
Temp. Rise Time(-18°C to -9°C)(h)	15.25	15.25	15.25	13.20	15.25	15.25	15.25
Noise Level (dBA)	39	39	39	37	39	39	39
Noise Class	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	595X650X1860	595X650X1860	605X681X1901	595X650X1860	595X650X1860	595X650X1860	605X681X1901
Packaged Dimensions (WxDxH)(mm)	664X728X1916	664X728X1916	680X782X1975	664X728X1916	664X728X1916	664X728X1916	680X782X1975
Freezer Shield	YES	YES	YES	YES	NO	YES	NO
Loading quantity/20ft Container(pcs)	24	24	21	24	24		21
Loading quantity/40ft Container(pcs)	54	54	51	54	54		51
Loading quantity/40ft HC Container(pcs)	72	72	69	72	72		69

Only for informative purposes

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	286	286	286	277	277	277	278	278
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/SN	ST/N	ST/N	ST/N	ST/N	ST/N	ST/SN	ST/SN
Energy Class	E	D	F	E	D	F	E	D
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	204	204	204	163	163	163	184	184
Volume Freezer(net)(L)	84	84	84	114	114	114	84	84
Energy Consumption(kWh/24h)	0,613	0,490	0,767	0,619	0,495	0,772	0,605	0,484
Energy Consumption(kWh/year)	224	179	280	226	181	282	221	177
Freezing Capacity (kg/24h)	3.9	3.9	3.9	5.2	5.2	5.2	3.9	3.9
Temp. Rise Time(-18°C to -9°C)(h)	12.00	12.00	12.00	12.50	12.50	12.50	12.00	12.00
Noise Level (dBA)	40	38	40	40	TBD	39	40	38
Noise Class	C	C	C	C	TBD	C	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X595X1800	540X595X1800	540X595X1800	540X595X1770	540X595X1770	540X595X1770	540X595X1700	540X595X1700
Packaged Dimensions (WxDxH)(mm)	578X632X1852	578X632X1852	578X632X1852	578X632X1822	578X632X1822	578X632X1822	578X632X1750	578X632X1750
Freezer Shield	YES	YES	NO	YES	YES		YES	YES
Loading quantity/20ft Container(pcs)	36	36	36				46	46
Loading quantity/40ft Container(pcs)	76	76	76				96	96
Loading quantity/40ft HC Container(pcs)	95	95	95				96	96

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	278	266	266	266	252	252	252	236
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/SN	ST/N	ST/N	ST/N	ST/SN	ST/SN	ST/SN	ST/N
Energy Class	F	E	D	F	E	D	F	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	184	142	142	142	146	146	146	134
Volume Freezer(net)(L)	84	114	114	114	84	84	84	69
Energy Consumption(kWh/24h)	0,758	0,602	0,479	0,753	0,580	0,463	0,726	0,558
Energy Consumption(kWh/year)	277	220	175	275	212	169	265	204
Freezing Capacity (kg/24h)	3.9	5.0	5.0	5.0	3.9	3.9	3.9	3.2
Temp. Rise Time(-18°C to -9°C)(h)	12.00	11.00	11.00	11.00	14.00	14.00	14.00	12.00
Noise Level (dBA)	40	40	TBD	40	39	38	40	40
Noise Class	C	C	TBD	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X595X1700	540X595X1660	540X595X1660	540X595X1660	540X595X1520	540X595X1520	540X595X1520	540X595X1360
Packaged Dimensions (WxDxH)(mm)	578X632X1750	578X632X1712	578X632X1712	578X632X1712	578X632X1572	578X632X1572	578X632X1572	578X632X1412
Freezer Shield	NO	YES	YES	NO	YES	YES	NO	YES
Loading quantity/20ft Container(pcs)	46	46	46	46	48	48	48	49
Loading quantity/40ft Container(pcs)	96	96	96	96	102	102	102	103
Loading quantity/40ft HC Container(pcs)	96	96	96	96	102	102	102	130

Specifications are subject to change without prior notice

Refrigeration System	LESS FROST	LESS FROST	NFMC	NFMC	NFMC
Model	236	236	643	643	643
Control System	MECHANICAL	MECHANICAL	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	ST/N	ST/N	T/SN	T/SN	T/SN
Energy Class	D	F	F	E	D
Door	STANDARD	STANDARD	Standard	Standard	STANDARD
Performance(star rating)	4	4	4	4	4
Volume Refrigerator Total (net)(L)	134	134	445	445	445
Volume Freezer(net)(L)	69	69	142	142	142
Energy Consumption(kWh/24h)	0,447	0,698	1,013	0,81	0,650
Energy Consumption(kWh/year)	163	255	370	296	237
Freezing Capacity (kg/24h)	3.2	3.2	9,0	9,0	9,0
Temp. Rise Time(-18°C to -9°C)(h)	12.00	12.00	12,0	12,0	12,0
Noise Level (dBA)	38	40	42	41	39
Noise Class	C	C	D	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X595X1360	540X595X1360	840X750X1860	840X750X1860	840X750X1860
Packaged Dimensions (WxDxH)(mm)	578X632X1412	578X632X1412	900X780X1940	900X780X1940	900X780X1940
Freezer Shield	YES	NO	YES	YES	YES
Loading quantity/20ft Container(pcs)	49	49	18	18	18
Loading quantity/40ft Container(pcs)	103	103	39	39	39
Loading quantity/40ft HC Container(pcs)	130	130	39	39	39

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	543	543	543	543	543	483	483	483
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	D	F	E	E	F	E	D
Door	Standard	STANDARD	Glass	Standard	Glass	Standard	Standard	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	400	400	400	400	400	353	353	353
Volume Freezer(net)(L)	124	124	124	124	124	98	98	98
Energy Consumption(kWh/24h)	0,947	0,610	0,947	0,758	0,758	0,854	0,682	0,548
Energy Consumption(kWh/year)	346	223	346	277	277	312	249	200
Freezing Capacity (kg/24h)	8,0	8,0	8,0	8,0	8,0	7,0	7,0	7,0
Temp. Rise Time(-18°C to -9°C)(h)	15,0	15,0	15,0	15,0	15,0	12,0	12,0	12,0
Noise Level (dBA)	43	39	43	43	43	41	41	39
Noise Class	D	C	D	D	D	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	760X750X1860	760X750X1860	760X750X1860	760X750X1860	760X750X1860	700X720X1870	700X720X1870	700X720X1870
Packaged Dimensions (WxDxH)(mm)	832X780X1940	832X780X1940	832X830X1940	832X780X1940	832X830X1940	768X801X1947	768X801X1947	768X801X1947
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	21	14	21	14	21	21	21
Loading quantity/40ft Container(pcs)	42	42	28	42	28	45	45	45
Loading quantity/40ft HC Container(pcs)	42	42	28	42	28	45	45	45

Only for informative purposes

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NO FROST	NO FROST
Model	473	473	473	463	463	463	343	343
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	D	F	D	E	F	F
Door	Standard	Standard	STANDARD	Standard	STANDARD	Standard	Standard	RETRO
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	337	337	337	305	305	305	240	240
Volume Freezer(net)(L)	98	98	98	98	98	98	71	71
Energy Consumption(kWh/24h)	0,852	0,682	TBD	0,849	TBD	0,679	0,747	0,747
Energy Consumption(kWh/year)	311	249	TBD	310	TBD	248	273	273
Freezing Capacity (kg/24h)	7,0	7,0	TBD	7,0	TBD	7,0	3,5	3,5
Temp. Rise Time(-18°C to -9°C)(h)	12,0	12,0	TBD	12,5	TBD	12,5	8,0	8,0
Noise Level (dBA)	41	41	TBD	41	TBD	41	41	41
Noise Class	C	C	TBD	C	TBD	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	700X720X1830	700X720X1830	700X720X1830	700X720X1730	700X720X1730	700X720X1730	595X660X1720	605X681X1751.5
Packaged Dimensions (WxDxH)(mm)	768X801X1907	768X801X1907	768X801X1907	768X801X1807	768X801X1807	768X801X1807	664X762X1776	684X782X1836
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	21	21	21	21	21	24	24
Loading quantity/40ft Container(pcs)	45	45	45	45	45	45	54	51
Loading quantity/40ft HC Container(pcs)	59	59	59	64	64	64	73	69

Refrigeration System	NO FROST	NFMC	NFMC	NFMC	NFMC	LESS FROST	LESS FROST
Model	343	343	273	273	273	457	457
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	F	E	D	E	D
Door	Standard	STANDARD	Standard	Standard	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	240	240	192	192	192	372	372
Volume Freezer(net)(L)	71	71	60	60	60	128	128
Energy Consumption(kWh/24h)	0,597	TBD	0,706	0,564	TBD	0,734	0,586
Energy Consumption(kWh/year)	218	TBD	258	206	TBD	268	214
Freezing Capacity (kg/24h)	3,5	TBD	2,7	2,7	TBD	5.9	5.9
Temp. Rise Time(-18°C to -9°C)(h)	8,0	TBD	9,5	9,5	TBD	14.00	14.00
Noise Level (dBA)	39	TBD	41	41	TBD	39	TBD
Noise Class	C	TBD	C	C	TBD	C	TBD
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	595X660X1720	595X660X1720	540X630X1665	540X630X1665	540X630X1665	700X735X1830	700X735X1830
Packaged Dimensions (WxDxH)(mm)	664X762X1776	664X762X1776	586X672X1716	586X672X1716	586X672X1716	768X800X1900	768X800X1900
Freezer Shield	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	44	44	44	21	21
Loading quantity/40ft Container(pcs)	54	54	92	92	92	45	45
Loading quantity/40ft HC Container(pcs)	73	73	92	92	92	59	59

Specifications are subject to change without prior notice

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	457	453	453	453	346	346	346	346
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	N T/SN	N T/SN	ST/N	ST/N
Energy Class	F	E	D	F	F	F	E	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	Standard	Retro	STANDARD	RETRO
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	372	320	320	320	242	242	242	242
Volume Freezer(net)(L)	128	113	113	113	70	70	70	70
Energy Consumption(kWh/24h)	0,917	0,698	0,553	0,873	0,715	0,715	0,572	0,572
Energy Consumption(kWh/year)	335	255	202	319	261	261	209	209
Freezing Capacity (kg/24h)	5.9	5.2	5.2	5.2	4,5 3,8	4,5 3,8	4.5	4.5
Temp. Rise Time(-18°C to -9°C)(h)	14.00	14.00	14.00	14.00	19 15	19 15	15.00	15.00
Noise Level (dBA)	41	41	TBD	41	40	40	40	40
Noise Class	C	C	TBD	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	700X735X1830	700X650X1830	700X650X1830	700X650X1830	595X598X1750	605X635.5X1794	595X598X1750	605X635.5X1794
Packaged Dimensions (WxDxH)(mm)	768X800X1900	756X702X1870	756X702X1870	756X702X1870	660X655X1810	680X736X1880	660X661X1810	680X736X1880
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21				24	24	24	24
Loading quantity/40ft Container(pcs)	45				54	51	54	51
Loading quantity/40ft HC Container(pcs)	59				73	70	73	69

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	346	346	346	346	346	346	283	283
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/N	N	N	T/SN	T/SN	ST/N	ST/N
Energy Class	E	D	F	F	F	F	E	D
Door	STANDARD	STANDARD	STANDARD	RETRO	STANDARD	RETRO	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	242	242	242	242	241	241	201	201
Volume Freezer(net)(L)	70	70	70	70	70	70	42	42
Energy Consumption(kWh/24h)	0,575	0,457	0,715	0,715	0,715	0,715	0,487	0,389
Energy Consumption(kWh/year)	210	167	261	261	261	261	178	142
Freezing Capacity (kg/24h)	3.8	3,5	4.5	4.5	3.8	3.8	2.6	2.6
Temp. Rise Time(-18°C to -9°C)(h)	15.00	15.00	19.00	19.00	15.00	15.00	14.00	14.00
Noise Level (dBA)	40	37	40	40	41	41	40	38
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	595X598X1750	595X598X1750	595X598X1750	605X635.5X1794	595X598X1750	605X635.5X1794	540X565X1610	540X565X1610
Packaged Dimensions (WxDxH)(mm)	660X661X1810	660X661X1810	660X661X1810	680X736X1880	660X661X1810	680X736X1880	578X600X1669	578X600X1669
Freezer Shield	YES	YES	YES	YES	YES	YES	NO	NO
Loading quantity/20ft Container(pcs)	24	24	24	24	24	24	49	49
Loading quantity/40ft Container(pcs)	54	54	54	51	54	51	107	107
Loading quantity/40ft HC Container(pcs)	73	73	73	69	73	69	107	107

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	283	263	263	263	263	263	263	233
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/N	ST/N	T/N	ST/N	N	ST/N	T/N	ST/N
Energy Class	F	E	E	D	F	F	F	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	201	171	171	171	171	171	171	126
Volume Freezer(net)(L)	42	42	42	42	42	42	42	42
Energy Consumption(kWh/24h)	0,610	0,484	0,484	0,389	0,608	0,608	0,608	0,493
Energy Consumption(kWh/year)	223	177	177	142	222	222	222	180
Freezing Capacity (kg/24h)	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
Temp. Rise Time(-18°C to -9°C)(h)	14.00	9.00	9.00	9.00	9.00	9.00	9.00	12.00
Noise Level (dBA)	40	41	41	38	41	41	41	40
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X570X1610	540X565X1450	540X570X1450	540X570X1450	540X570X1450	540X570X1450	540X570X1450	540X570X1230
Packaged Dimensions (WxDxH)(mm)	578X600X1669	578X600X1509	578X600X1509	578X600X1509	578X600X1509	578X600X1509	578X600X1509	578X600X1284
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	49	49	49	49	49	49	49	50
Loading quantity/40ft Container(pcs)	107	107	107	107	107	107	107	109
Loading quantity/40ft HC Container(pcs)	107	134	134	134	134	134	134	160

Refrigeration System	LESS FROST	LESS FROST	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	233	233	387	387	387	377	377	377
Control System	MECHANICAL	MECHANICAL	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	ST/N	ST/N	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	D	F	C	B	A	C	B	A
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4						
Volume Refrigerator Total (net)(L)	126	126	258	258	258	216	216	216
Volume Freezer(net)(L)	42	42	103	103	103	103	103	103
Energy Consumption(kWh/24h)	0,394	0,616						
Energy Consumption(kWh/year)	144	225						
Freezing Capacity (kg/24h)	2.6	2.6						
Temp. Rise Time(-18°C to -9°C)(h)	12.00	12.00						
Noise Level (dBA)	TBD	40	TBD	TBD	TBD	TBD	TBD	TBD
Noise Class	TBD	C	TBD	TBD	TBD	TBD	TBD	TBD
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X565X1230	540X570X1230	595X650X2030	595X650X2030	595X650X2030	595X650X1850	595X650X1850	595X650X1850
Packaged Dimensions (WxDxH)(mm)	578X600X1284	578X600X1284	660X740X2098	660X740X2098	660X740X2098	660X740X1918	660X740X1918	660X740X1918
Freezer Shield	NO	NO	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	50	50						
Loading quantity/40ft Container(pcs)	109	109						
Loading quantity/40ft HC Container(pcs)	160	160						

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC
Model	327	327	327	327	327
Control System	MECHANICAL	ELECTRONIC	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	T/N	T/N	T/SN	T/N	T/N
Energy Class	E	E	D	F	F
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)					
Volume Refrigerator Total (net)(L)	309	309	309	309	309
Volume Freezer(net)(L)					
Energy Consumption(kWh/24h)	0,306	0,306	0,243	0,383	0,383
Energy Consumption(kWh/year)	112	112	89	140	140
Freezing Capacity (kg/24h)					
Temp. Rise Time(-18°C to -9°C)(h)					
Noise Level (dBA)	40	40	TBD	41	41
Noise Class	C	C	TBD	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X650X1550	595X650X1550	595X650X1550	595X650X1550	595X650X1550
Packaged Dimensions (WxDxH)(mm)	660X713X1606	660X713X1606	660X713X1606	660X713X1606	660X713X1606
Freezer Shield	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)					
Loading quantity/40ft Container(pcs)	77	77	77	77	77
Loading quantity/40ft HC Container(pcs)	77	77	77	77	77

Refrigeration System	STATIC	STATIC	STATIC
Model	2653	2653	2653
Control System	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	N	N	N
Energy Class	E	D	F
Door	STANDARD	STANDARD	STANDARD
Performance(star rating)			
Volume Refrigerator Total (net)(L)	255	255	255
Volume Freezer(net)(L)			
Energy Consumption(kWh/24h)	0,287	0,230	0,361
Energy Consumption(kWh/year)	105	84	132
Freezing Capacity (kg/24h)			
Temp. Rise Time(-18°C to -9°C)(h)			
Noise Level (dBA)	41	TBD	41
Noise Class	C	TBD	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X595X1455	540X595X1455	540X595X1455
Packaged Dimensions (WxDxH)(mm)	578X632X1509	578X632X1509	578X632X1509
Freezer Shield	NO	NO	NO
Loading quantity/20ft Container(pcs)	48	48	48
Loading quantity/40ft Container(pcs)	103	103	103
Loading quantity/40ft HC Container(pcs)	128	128	128

Only for informative purposes

Refrigeration System	NO FROST	FROST FREE	NO FROST	NO FROST	FROST FREE	NO FROST	NO FROST	FROST FREE
Model	372	372	372	371	371	371	491	491
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	F	E	D	F	E	D
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Freezer Total(net)(L)								
Volume Freezer(net)(L)	278	278	278	280	280	280	406	406
Energy Consumption(kWh/24h)	0.611	0.488	0.764	0,614	0,490	0,767	0,720	0,574
Energy Consumption(kWh/year)	248	198	310	249	199	311	292	233
Freezing Capacity (kg/24h)	13.0	13.0	13.0	13.0	13.0	13.0	19.0	19.0
Temp. Rise Time(-18°C to -9°C)(h)	15.00	15.00	15.00	15.00	15.00	15.00	14.00	14.00
Noise Level (dBA)	41	38	41	41	39	41	41	38
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X650X1860	595X650X1860	595X650X1860	595X650X1860	595X650X1860	595X650X1860	700X755X1910	700X755X1910
Packaged Dimensions (WxDxH)(mm)	664X728X1916	664X728X1916	664X728X1916	664X728X1916	664X728X1916	664X728X1916	768X817X1980	768X817X1980
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	54	54	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	72	72	72	72	72	72	42	72

Refrigeration System	NO FROST	FROST FREE	NO FROST	STATIC	STATIC	STATIC	STATIC	STATIC
Model	323	323	323	332	332	332	332	332
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANICAL	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	F	E	E	D	D	F
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Freezer Total(net)(L)								
Volume Freezer(net)(L)	226	226	226	248	248	248	248	248
Energy Consumption(kWh/24h)	0,567	0,453	0,707	0.532	0.532	0.426	0.426	0.665
Energy Consumption(kWh/year)	230	184	287	216	216	173	173	270
Freezing Capacity (kg/24h)	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0
Temp. Rise Time(-18°C to -9°C)(h)	10.00	10.00	10.00	15.00	15.00	15.00	15.00	15.00
Noise Level (dBA)	41	TBD	41	41	41	41	41	41
Noise Class	C	TBD	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Manual	Manual	Manual	Manual	Manual
Product Dimensions (WxDxH)(mm)	595X650X1550	595X650X1550	595X650X1550	595X600X1750	595X600X1750	595X600X1750	595X600X1750	595X600X1750
Packaged Dimensions (WxDxH)(mm)	660X713X1606	660X713X1606	660X713X1606	660X655X1810	660X655X1810	660X655X1810	660X655X1810	660X655X1810
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	35	35	35	24	24	24	24	24
Loading quantity/40ft Container(pcs)	77	77	77	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	77	77	77	73	73	73	73	73

Only for informative purposes

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	No FROST	No FROST	No FROST
Model	322	322	322	322	322	241	241	241
Control System	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	E	D	D	F	E	D	F
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Freezer Total(net)(L)						-	-	-
Volume Freezer(net)(L)	214	214	214	214	214	174	175	175
Energy Consumption(kWh/24h)	0.505	0.505	0.406	0.406	0.633	0,522	0,419	0,656
Energy Consumption(kWh/year)	205	205	165	165	257	212	170	266
Freezing Capacity (kg/24h)	13.4	13.4	13.4	13.4	13.3	8.0	8.0	8.0
Temp. Rise Time(-18°C to -9°C)(h)	16.00	16.00	16.00	16.00	16.00	7.00	7.00	7.00
Noise Level (dBA)	41	41	TBD	41	41	41	TBD	41
Noise Class	C	C	TBD	C	C	C	TBD	C
Defrost System Type Fridge/Freezer	Manual	Manual	Manual	Manual	Manual	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X600X1550	595X600X1550	595X600X1550	595X600X1550	595X600X1550	540X595X1455	540X595X1455	540X595X1455
Packaged Dimensions (WxDxH)(mm)	660X661X1606	660X661X1606	660X661X1606	660X661X1606	660X661X1606	578X632X1509	578X632X1509	578X632X1509
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	35	35	35	35		48	48	48
Loading quantity/40ft Container(pcs)	79	79	79	79	78	103	103	103
Loading quantity/40ft HC Container(pcs)	79	79	79	79	79	128	128	128

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	2451	2451	2451	2451	2451	2451
Control System	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	E	D	D	F	F
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4
Volume Freezer Total(net)(L)						
Volume Freezer(net)(L)	188	188	188	188	188	188
Energy Consumption(kWh/24h)	0,486	0,486	0,388	0,388	0,607	0,607
Energy Consumption(kWh/year)	197	197	158	158	246	246
Freezing Capacity (kg/24h)	9.1	9.1	9.1	9.1	9.1	9.1
Temp. Rise Time(-18°C to -9°C)(h)	9.00	9.00	9.00	9.00	9.00	9.00
Noise Level (dBA)	40	40	38	38	40	40
Noise Class	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Manual	Manual	Manual	Manual	Manual	Manual
Product Dimensions (WxDxH)(mm)	540X595X1455	540X595X1455	540X595X1455	540X595X1455	540X595X1455	540X595X1455
Packaged Dimensions (WxDxH)(mm)	578X632X1509	578X632X1509	578X632X1509	578X632X1509	578X632X1509	578X632X1509
Freezer Shield	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	48	48	48	48	48	48
Loading quantity/40ft Container(pcs)	103	103	103	103	103	103
Loading quantity/40ft HC Container(pcs)	128	128	128	128	128	128

Specifications are subject to change without prior notice

Freezer EN 62552:2013

Refrigeration System	STATIC	STATIC	STATIC	STATIC
Model	2441	2441	2441	2441
Control System	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN
Energy Class	E	E	D	D
Door	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4
Volume Freezer Total(net)(L)				
Volume Freezer(net)(L)	175	175	175	175
Energy Consumption(kWh/24h)	0,475	0,475	0,378	0,378
Energy Consumption(kWh/year)	192	192	154	154
Freezing Capacity (kg/24h)	9.5	9.5	9.5	9.5
Temp. Rise Time(-18°C to -9°C)(h)	9.00	9.00	9.00	9.00
Noise Level (dBA)	40	40	40	40
Noise Class	C	C	C	C
Defrost System Type Fridge/Freezer	Manual	Manual	Manual	Manual
Product Dimensions (WxDxH)(mm)	540X550X1455	540X550X1455	540X550X1455	540X550X1455
Packaged Dimensions (WxDxH)(mm)	578X587X1509	578X587X1509	578X587X1509	578X587X1509
Freezer Shield	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	54	54	54	54
Loading quantity/40ft Container(pcs)	110	110	110	110
Loading quantity/40ft HC Container(pcs)	138	138	138	138

Table Top EN 62552:2013

Refrigeration System	STATIC	STATIC	STATIC	LESS FROST	LESS FROST	LESS FROST	STATIC	STATIC
Model	1002	1002	1002	1005	1005	1005	1001	1001
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	F	E	D	F	E	D
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)				4	4	4		
Volume Refrigerator Total (net)(L)	90	90	90				77	77
Volume Freezer(net)(L)				64	64	64	12	12
Energy Consumption(kWh/24h)	0,235	0,186	0,293	0,395	0,350	0,493	0,295	0,238
Energy Consumption(kWh/year)	86	68	107	160	128	200	108	87
Freezing Capacity (kg/24h)				3.3	3.3	3.3		
Temp. Rise Time(-18°C to -9°C)(h)				11.00	11.00	11.00		
Noise Level (dBA)	41	35	41	41	38	41	41	TBD
Noise Class	C	B	C	C	C	C	C	TBD
Defrost System Type Fridge/Freezer	Auto	Auto	Auto	Manual	Manual	Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	480X500X821	480X500X821	480X500X821	480X510X821	480X510X821	480X510X821	480X500X821	480X500X821
Packaged Dimensions (WxDxH)(mm)	519X544X878	519X544X878	519X544X878	519X544X878	519X544X878	519X544X878	519X544X878	519X544X878
Freezer Shield	NO	NO	NO	YES	YES	YES	NO	NO
Loading quantity/20ft Container(pcs)	112	112	112	112	112	112	112	112
Loading quantity/40ft Container(pcs)	238	238	238	238	238	238	238	238
Loading quantity/40ft HC Container(pcs)	274	274	274	274	274	274	274	274

Only for informative purposes

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	LESS FROST
Model	1001	1101	1101	1101	153	153	153	143
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/N	N	T/N	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	D	F	E	D	F	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)		3	2	2				4
Volume Refrigerator Total (net)(L)	77	74	74	74	135	135	135	
Volume Freezer(net)(L)	12	8	8	8				103
Energy Consumption(kWh/24h)	0,372	0,350	0,230	0,361	0,249	0,199	0,312	0,419
Energy Consumption(kWh/year)	136	128	84	132	91	73	114	170
Freezing Capacity (kg/24h)								5.2
Temp. Rise Time(-18°C to -9°C)(h)		4.00						11.00
Noise Level (dBA)	41	41	39	41	41	35	41	41
Noise Class	C	C	C	C	C	B	C	C
Defrost System Type Fridge/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto	Auto	Auto	Manual
Product Dimensions (WxDxH)(mm)	480X500X821	480X560X838	480X560X838	480X560X838	540X595X838	540X595X838	540X595X838	540X615X838
Packaged Dimensions (WxDxH)(mm)	519X544X878	519X587X878	519X587X878	519X587X878	578X632X883	578X632X883	578X632X883	578X632X883
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	YES
Loading quantity/20ft Container(pcs)	112	112	112	112	93	93	93	93
Loading quantity/40ft Container(pcs)	238	238	238	238	196	196	196	196
Loading quantity/40ft HC Container(pcs)	274	274	274	274	225	225	225	225

Refrigeration System	LESS FROST	LESS FROST	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	143	143	130	130	130	125	125	125
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/N	T/N	T/N	ST/N	ST/N	ST/SN
Energy Class	D	F	E	D	F	E	D	F
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)			105	105	105	100	100	100
Volume Freezer(net)(L)	103	103	17	17	17	14	14	14
Energy Consumption(kWh/24h)	0,336	0,525	0,397	0,318	0,495	0,380	0,306	0,476
Energy Consumption(kWh/year)	136	213	145	116	181	139	111	174
Freezing Capacity (kg/24h)	5.2	5.2	2.6	2.6	2.6	2.6	2.6	2.6
Temp. Rise Time(-18°C to -9°C)(h)	11.00	11.00	6.00	6.00	6.00	7.0	7.0	7.0
Noise Level (dBA)	38	40	40	38	40	41	37	41
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Fridge/Freezer	Manual	Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X615X838	540X615X838	540X595X838	540X595X838	540X595X838	497X579X820	497X579X820	497X579X820
Packaged Dimensions (WxDxH)(mm)	578X632X883	578X632X883	578X632X883	578X632X883	578X632X883	540X610X879	540X610X879	540X610X879
Freezer Shield	YES	YES	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	93	93	93	93	93	96	96	96
Loading quantity/40ft Container(pcs)	196	196	196	196	196	207	207	207
Loading quantity/40ft HC Container(pcs)	225	225	225	225	225	245	244	245

Notes

VESTEL TRADE CO.
Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com

VESTEL HOLLAND BV
Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands
Phone: +31 - 10 412 23 66
https://vestelbenelux.nl
info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE
Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ
Phone: +44 - 3330 146 400
https://vestel.co.uk
info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE
Parkring 6 D-85748 Garching bei München/ Germany
Phone: +49 - 89 55295 - 0
https://vestel-germany.de
info@vestel-germany.de

VESTEL IBERIA, S. L.
Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain
Phone: +34 - 91 320 63 98
https://vestel.es
vestel@vestel.es

VESTEL FRANCE SASU
17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France
Phone: +33 - 1 46 75 00 29
http://vestel-france.fr
info@vestel.fr

VESTEL CIS LTD.
2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia
Phone: 7 - 495 956 8230
https://vestel.ru
info@vestel.ru

VESTEL ELECTRONICA
Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania
Phone: +40 - 31 425 42 93
https://vestel.ro
office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE
Oddział w Polsce Ul. Salsy 2,
02-823 Warszawa
Phone: +48 22 272 73 00
Fax: +48 22 272 74 00
https://vestel-poland.com
info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC
Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE
Phone: +971 - 4 564 6544
https://vestel-gulf.ae
info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA
050026 Kazakhsatan/Almaty Aiteke bi 187, office:215
Phone: 7 - 727 263 39 39
info@vestel.kz

VESTEL CHINA
Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048
Phone: 86-755-2266 6726

VESTEL VIETNAM
The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM
Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.
390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018
Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA

/vestelinternational