IFX + SERIES EXCLUSIVE SERIES 4TH GENERATION INTERACTIVE FLAT PANEL DISPLAYS

2024-2025

www.vestelvisualsolutions.com






IFX+ Series

IFX Series Overview

Our latest IFX Plus Series displays (65", 75", 86") helps instructors to create an engaging and responsive learning environment, offering fast response touch screen technology with front accessibility module with front speakers, front input/outputs, far field microphone, embedded proximity sensor, and NFC reader. The series is also equipped with scratch resistant 4 mm anti-glare tempered glass and IR 20-point touch points.

General Features



Multiple **Display Sizes**



A Great Many Rear I/OPorts Available



Anti-Glare Tempered Glass



Slim Bezel / Seamless Touch Depth



Improved Fluent 20pt Touch Experience



Impressive **4K Performance**



WiFi/BT

Hardware Features





64 GB eMMC Options



Wifi 5 / BT 5.0

Customized Android OS



Core CPU

Enhanced Graphics

Display Features



Flicker free

Impressive 4K Performance

Exceptional viewing creates superior picture quality with 4K resolution and 178-degree viewing angle.

Anti-glare glass

Eye-care Solution

Designed to reduce eye strain with flicker-free screen@ at maximum brightness level.




Anti-shatter toughened glass

Anti Glare Tempered Glass

The anti-glare coating prevents excessive light reflection and provides a smooth touch performance. Toughened glass is incorporated into the robust design of the display to avoid accidental damage to the screen.

Touch Features



Improved Fluent Touch Experience

Incorporating the latest 20 point IR Touch technology with faster response, IFX+ range is designed to allow multiple users to interact simultaneously.

Smooth Touch Support

Super-smooth surface of IFX+ allows for highly precise and user-friendly writing experience.



High precision touch



Palm erase

Super glide surface


Natural Writing Experience


Professional Pen Design

Passive magnetic pen with 2 different tip sizes can be assigned to different colors automatically.

Smooth Dual Pen

Whiteboard with dual-pen feature autorecognize the color and pen thickness separately.







Connectivity

IFX+ Series includes many ports to cover the highest requirements.


In addition to easily accessible front ports, IFX+ Series is equipped with embedded Wi-Fi and BT modules and many rear I/O ports.

USB Type-C

USB Type-C (3.0) can transfer 4K video with touch and charging capabilities

OPS Slot

IFX+ Series is compatible with OPS standard. Adding extra Windows PC on OPS slot enhances processing capabilities of the display.






Software Features

Array of Android Applications Delivers Different Ways of Student Engagement. The series offers built-in Android 9 OS with adaptable user interface that covers all the fundamental features needed for teachers and students. The product has many applications such as its own annotation tool as well as Screen sharing/mirroring application, File/ Cloud Manager, OfficeSuite to work on documents, Web-Browser, Video-conferencing and Account Management System.

*optional



Whiteboard Application for Flawless Teaching Experience

The new IFX+ Series offers a compact whiteboard application design for teachers with the required tools to annotate, draw or highlight using 2 different tip sizes with auto-recognition, add texts and media to work on during classes. Whiteboard application can quickly open any cropped screenshots with any annotation done over any source. Latest features also include infinite canvas, background templates and QR/Email sharing.

Cut Tahoma 10 A ^ A▼ Paste Format B I U ▼ A ~ A▼	-			🖘 Wrap Text		General	•.0 •.0	Conditional		Cell Insert	• EX	Format	∑ Auto Fill ▼	
	_							Formatting	as Table S	tyles			J Clea	r*
A135 V X Jx Only available in Full Flat &														
A	B	c	D	E	F	G	н	1	1	K	L	M N	0	P
Hob Features		E.c.	5	Franci	Encourt.	1 free courses in	10	Text and the s	6	E			_	
Hob Gas on Glass Hob		Enamel Optional	Enamel	Enamel	Enamel	Vitroceramic	Vitroceramic	Induction	Enamel	Enamel				
Rapid Gas Burner Ø10cm	w	3000	3000						3000	3000				
Semi-rapid Gas Burner Ø7.5cm	Ŵ	1750	1750						1750	1750				
Autiliary Gas Burner Ø5.5cm	w	1000	1000						1000	1000				
Wok (Triple Flame) Gas Burner Ø14cm	w	3800							3800					
Ø 80 mm Hotplate	w													
Ø 145 mm Hotplate	Ŵ	•		1000	1000									
Ø 180 mm Hotplate	W	1500	1500	1500	1500				1500	1500				
Ø 220 mm Hotplate	W	•												
Ø 145 mm Rapid Holplate	W			1500	1500									
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000				2000	2000				
Ø 220 mm Rapid Hotplate	W	1.00								-				
Ø145 mm Highlite Element	W					1200	1200							
Ø180 mm Highlite Element	W					1800	1800							
Ø210 mm Highite Element	W	•				2300								
Ø180 mm Dual Highite Element	W					1700	1700							
Oval Highlite Element	W		•		· ·	1800	1800	•		•				
Ø210 mm Dual Highike Element	W		•			2200			•					
Ø160 mm Induction Hob (Boost)	W				•			1400/1800		•				
Ø200 mm Induction Hob (Boost)	W		:		:			2100/2500	:	:				
Hot Surface Indicator Light Hotplate Operation Indicator Light				Default	Default	Default	Default							
Thermostat Operation Indicator Light			-	Default	Default	Default	Default	Default	Default	Default				
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional		Delaux	Derauk	- CAETOUR.	Delaux	Delaur	Deraut	Deleux				
Metal Lid		Optional	Optional	Optional	Optional				Optional	Optional				
Glass Ud (Transparent)		Optional	Optional	Optioner	Optionial	-			Optional	Optional				
Glass Lid Shut-off Valve		Optional	Optional			-			Optional****	Optional****				
Burner Safety Valves		Default	Default						Default	Default				
Button Ignition		Optional	Optional						Optional	Optional				
One-touch-Ignition through knobs		Optional	Optional						Optional	Optional				
Ignition by DC battery										-				
Enamel Pan Supports		Default	Default		•				Default	Default				
Cast Iron Pan Supports		Optional	Optional						Optional	Optional				
Cast Iron Burner Caps		Optional	Optional						Optional	Optional				
Coffee Adaptor		Optional	Optional		•				Optional	Optional				
Wok Adaptor		Optional	Optional						Optional	Optional				
Vibroceramic Glass Cleaning Spatula						Optional	Optional	Optional	-	-				
Oven Features														
			Main O	/en										
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric	Electric				
Oven Volume, Depends On Model (min/max)	k	61/71	47/56	66/76	48/58	66/76	48/58	66/76	66,76	48/58				
Cavity Dimensions, Depends On Model (min(max) (WkDxH)	mm	450x328x415 475x328x454	370x328x388 390x328x441	450x352x415 475x352x454	370x391x33 395x441x33		370x391x335 395x441x335	450x352x415 475x352x454	450x352x415 475x352x454	370x391x335 395x441x335				
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional				
Easy to Ocan Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default				
Catalitic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional				
THE R. L.		A.P		A.P	A.P	A.P		A.P						
DO Specs (D061) +														
Contraction of the second s		VES					(5)		Contraction in the local division in the loc	No. of Concession, Name				
		VES					1							



Open/Edit Documents with OfficeSuite

Experience unparalleled productivity with the OfficeSuite application, designed to empower users to open, edit, and write into any document, spreadsheet, or presentation on their IFPD files and folders. With OfficeSuite, you can seamlessly work on your files and folders with ease, while streamlining your workflow and maximizing your productivity.

← → c	a google.	com									;	4
									G	imail Görse	eller :	
					C							
					G	oogle	2					
						•						
				٩			1	•				
					Google'da Ara	Kendimi Şanslı Hissed	liyorum					
					Google's kulle	anabileceğiniz diğer diller. Eng	lish					
					Google i Kala	andonecognitz orgen diner. Eng						
Türkiye												
Hakkında	Reklam	İşletme	Arama nasıl çalışır?		\$ 200	07'den bugüne karbon nötr			Gizlilik	Şartlar	Ayarlar	
					VESTEL		R)					
					=	프릴코 ·· : : : : : : : : : : : : : : : : : :		the start find of the Louis Carlor				

0

Internet Browser to Access Internet Content for Classroom

Elevate your teaching experience with the IFX+ series, equipped with Chromium as the default internet browser, providing seamless access to the internet. With the help of the quick palette tool, teachers can effortlessly annotate on top of internet content, allowing for a more interactive and engaging classroom. Save annotated content and work on it more effectively, taking your lessons to the next level.




Quick Tools and Settings

The usage of IFX+ Series becomes more efficient and easy, with the new quick tools (Calculator, Chronometer, Timer, Screen Capture, and Crop) and quick settings (volume/brightness settings, Screen Lock, NFC Settings, and more) for teachers.

Enhanced User Experience


The IFX+ Series creates a tailored teaching experience while offering a unified Navigation Toolbar. New User Interface unites all the necessary tools for teachers to shape the classroom environment.





Flexible Pen Usage on Any Content

The newly introduced Quick Palette tool provides teachers with the needed tools to annotate on any classroom content and/or any Source. Quick Palette tools include features such as pen and highlighter, screenshot, and screen-crop.




Picture by Picture

Split Screen Feature allow 2 different applications to be opened at the same.



Powerful Speakers

2x20W front-facing speakers can easily be effective even in the largest classrooms without any need to add external speakers.



Vestel Account Management System

Transform your classroom management with the cloudbased Vestel Account Management system, designed to empower IT managers to securely set up teacher profiles.

The system offers a range of features, including user/ password creation and NFC ID settings, UI customization for background and profile images, and favorite app selection



for users. With display and group management, you can easily manage and control your devices with commands, streamlining your workflow and enhancing your productivity.

And with upcoming features such as urgency/warning messages, app installation, predefined background images, and device control commands, the Vestel Account Management system is the ultimate classroom management tool that you don't want to miss out on. Take your classroom management to the next level with Vestel Account Management system.



Empowers users to share any external content without any cables.

Utilizing embedded Wi-Fi technology the new IFX+ Series provides Eshare application, multi-screen interactive screensharing tool.

Using only QR codes, users can connect to the display by any device (Windows, Android, MacOS, iOS, Chrome), create Multiscreen experience, and annotate on the display wirelessly.



Distance Learning

With Vmeet, IFX+ series can create meetings, join the meetings and share the educational material to any student. Addition of distance learning solution facilitates the teacher's reach to the students outside the class.



Specifications





https://www.vestelvisualsolutions.com/eu/products/interactive-flat-panel-displays

For further information about products specifications **please scan the QR code.**

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye **Phone:** 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84 vesteltrade@vestel.com.tr www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands **Phone:** +31 - 10 412 23 66 https://vestelbenelux.nl info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ **Phone:** +44 - 3330 146 400 https://vestel.co.uk info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/ Germany **Phone:** +49 - 89 55295 - 0 https://vestel-germany.de info@vestel-germany.de

VESTEL HOLLAND B.V. SPAIN BRANCH OFFICE

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain **Phone:** +34 - 91 320 63 98 https://vestel.es vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 -94563 RUNGIS Cedex/France **Phone:** +33 - 1 46 75 00 29 http://vestel-france.fr info@vestel.fr

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania **Phone:** +40 - 31 425 42 93 https://vestel.ro office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2, 02-823 Warszawa Phone: +48 22 272 73 00 Fax: +48 22 272 74 00 https://vestel-poland.com info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE **Phone:** +971 - 4 564 6544 https://vestel-gulf.ae info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215 **Phone:** 7 - 727 263 39 39 info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048 **Phone:** 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower, 02 Hai Trieu, Ben Nghe Ward, District 1, Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018 **Phone:** 212 689 4622 x12

Notes

Notes

Notes





Organize Sanayi Bölgesi, 45030 Manisa/Türkiye VESTEL Organize Sanayi Bölgesi, 45030 Manisa/Türkiye Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 vesteltrade@vestel.com.tr · www.vestelvisualsolutions.com /vestelinternational

