2024-2025

WASHING MACHINES & TUMBLE DRYERS

>

www.vestelinternational.com

VESTEL









20.000 Employees 1.300.000 m²
Closed Production Area

\$ 2,3 Billion

3.762.000
Device Production
Capacity

\$ 3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes in the world.

Comprised of 25 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Türkiye, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.7 million units, the company's two refrigerator plants produce a variety of models ranging from french door, nofrost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg,10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers have annual capacity of 1.1 million units, with models ranking from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free-standing cookers, built-in hobs and 90x60, 100x60 and double ovens.

The dishwasher appliances product range includes freestanding, semi&fully integrated and full door platforms with 45 cm, 60 cm, Tall Tub and Deep tall tub dimensional options. New Dishwasher plant construction have been completed and serial production started at the end of 2023. The dishwasher plant has the

capacity to produce 2.5 million units in a year now. The new dishwasher plant is able to produce over 4 million units in a year with additional investments.

In addition, the air conditioner factory is capable of producing 530K sets of split-type models. And also the water heater factory has the capacity to produce 355K water heaters annually.

R&D facilities located in Türkiye, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel Mobility factory located in the free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Türkiye's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on a decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



TV, Set-top Boxes

Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting Manisa Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer, Cooking Appliances, Air Conditioner, Water Heater Manisa, Turkey

R&D Centers

Manisa, Turkey Istanbul, Turkey Bristol, United Kingdom Shanghai, China

Marketing & Sales Companies

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia Vestel Electronica, Romania Vestel Central Asia, Kazakhstan Vestel Electronics Gulf, Dubai













Twinjet technology is a revolutionary unique jet feature of Vestel washing machines.




GIANT DOOR

The largest of the door selections; the Giant Door has a 510mm diameter, PC cover, floating hook design and selenoid feature to achieve a cutting edge aesthetic and high end look.



QUIET BLDC MOTOR

The magnetic BLDC motor reduces the sound level during washing and extraction up to 5 dB and ensures a decrease in loudness for more than "twofold. During the extraction in high speed, it works in a higher performance and a spectacular silence. Thus, you are able to wash your laundry even very late at night.





JOG DIAL

Program selection with userfriendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



PEARL DRUM

New drum pattern provides greater protection for your washing. It provides gentle washing for your clothes.



BOOMERANG CABINET

Many points and forms have been redesigned and strengthened to increase rigidity. The decreased vibration level and increased stability.

Features



Twin Jet System

Better washing performance is achieved by directly injecting water with detergent using a recirculation system and two nozzles connected to it.



Anti Bacterial 95°C

Provides very good washing quality at high temperatures for heavily soiled laundry, and includes a machine "hygiene" feature since you can clean the drum spotlessly.



Hot & Cold (Optional)

When the water inlet is connected to a hot water supply, it saves electricity and prolongs the washing machine's lifetime, as the internal water heater won't need to function much.



Stain Level Selection

Select from 3 stain levels for T3 version washer models. Take control of the washing machine's power and adjust it according to your needs.



Super Rapid 12 Minutes

The shortest program ever! Ideal for clothes worn once that you need in a hurry.



Daily 60°C 60'

Achieves A-class washing performance for your cotton clothes in a short time, like 60 minutes.



Anti Allergic (Optional)

Applies a special rinsing method to thoroughly remove detergent residues.



Overflow Protection

The overflow protection system detects potential problems with water supply that may cause overflowing. If a problem is detected, the drain pump automatically turns on.



Liquid Detergent Reservoir

Efficiently use liquid detergent with the built-in reservoir.



Easy Ironing

With the help of this function, clothes come out less wrinkled.



No Spin

The spinning process is omitted for very sensitive clothes.



Delay Timer

Enables you to postpone the starting time of the washing process.



60 Hz

Washing machines can also be prepared to support 60 Hz (110-220-240V) versions.



Buzzer

The optional buzzer feature sounds when the washing machine finishes its cycle and the laundry is ready to be taken out.



Child Lock

Prevents unauthorized changes to the control panel settings while the machine is in operation.



Door Lock Indicator

The system indicates the status of the washing machine door. For RL versions, the indicator shows whether the door is open, closed, or locked.



Nickel Diffusion Heater

The nickel diffusion heater allows the machine to have a longer lifetime by avoiding calcareous build-up on the heating element.



Extra Rinse

Additional rinsing is done in addition to standard rinsing processes, recommended for clothes that will be worn on sensitive skin.



Solenoid Door Lock

The solenoid door lock function detects the status of the door and alerts you if it is open, closed, or locked.



Prewash

Recommended when an additional washing process is needed for heavily soiled laundry.



Cold Wash

Ideal for washing slightly dirty clothes with tap water.



Eco Time

The cost of electrical energy consumption changes throughout the day according to time intervals (tariffs) set by electricity providers. Lower tariff intervals can be obtained from electricity providers, and ECO TIME™ running hours must be set accordingly.



Eco-Logic System (Half Load)

When the machine is halfloaded, energy consumption is automatically reduced by up to 50%. Additionally, water consumption and program duration are dramatically decreased because the machine can detect whether it is halfloaded or not. This feature is included in all models.



Unbalance Control System

In case of unevenly distributed laundry, the unbalance control system redistributes the load inside the drum and adjusts the spin speed to achieve optimum spinning efficiency.



Rinse Hold

Recommended when clothes cannot be taken out immediately after the end of the washing cycle to reduce wrinkles.



Plus Water

Washing is done with an extra amount of water, decreasing the friction between clothes. Recommended for sensitive clothes and those you desire to be rinsed very well.



Allergy Safe

Vestel Washing Machine is effective for allergens and bacteria types with specific program with the "Allergy Safe" technology. It is available for F4, FL and FG models.





Allergens

Pollen
Cat
Dog
Dust
House dust mite
Living house dust mite



Bacteria

Escherichia coli Entercoccus faecilis Staphylococcus aureus



Fungi

Cladosporium cladosporioides



Soak

Leaves clothes in water with detergent for a certain period of time after the machine takes in the initial water and starts the washing process. Recommended for very dirty clothes.



Anti-Allergic (Only RI Version)

Recommended for baby laundry and sensitive skin. A special rinsing method is applied to thoroughly remove detergent residues.



Failure Detection System

The user can easily detect a failure on the washing machine with the help of blinking error signals on the control panel buttons.



Floating Hook Design

Giant Door uses floating hook design; there will be no need for a handle to open the door. There will be improvement over the closing feeling. Due to the Solenoid feature inside the door lock, door will be opened as soon as the program finishes or the moment which the customer wants (if the water level and temperature is appropriate).







Hydro Boost

Mixture of the water and detergent is sprayed onto laundry from 20 different points in the drum.



As a result of powerful sprays from multiple locations water/detergent mixture penetrates to the fabric in a much more efficient way.









Dose On



Easy to Use

No need to add detergent and softener before each washing period.



High Capacity
20 washes with one filling.



Sensitive Control

Sensitive detergent / softener levelling according to the selected program and detected amount of the laundry.

Dose-On delivers the perfect amount of detergent and fabric softener every time, ensuring superior cleaning and fabric care. Say goodbye to guesswork and detergent residue while extending the life of your clothes. Enjoy a hassle-free laundry experience with less effort and more efficiency.



^{*} See roadmap for availability.

DIGITAL DRIVE MOTOR TECHNOLOGY

Vestel has the most silent
Washing Machine on Earth
according to Washing
Noise Declaration.
The Washing Noise is only

38 dBA



20 dBA Mosquito



30 dBA Whisper



38 dBA VESTEL WM



40 dBALibrary Noise



50 dBA Room Noise

T3
8kg
60 lt
with BLDC



TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart Als

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control by WiFi




Smart Service Network




Compatibility with Android and iOS




Big Data Collection











PureBeam +

UV technology for hygenic washing



Decrease on wrinkle generation & improved hygiene with high temperature steam



Steam Wash

Steam support with special algorithm









Microfiber Filter

Microfiber Filter prevents the micro-level fibers passing from the laundry to the water to be filtered and thrown away with the discharged water.

Color Options



DARK INOX



DARK SILVER



 $\mathsf{W}\;\mathsf{H}\;\mathsf{I}\;\mathsf{T}\;\mathsf{E}$



MATTE BLACK



BLACK

T Series Washers Washer Dryers



FREESTANDING WASHING MACHINE & WASHER DRYER RANGE



Washer Capacities: 4 KG to 12 KG

Washer Dryer Capacities: 7/5 KG to 10/6 KG

Motor Type: Universal or Digital Drive

Porthole: 300mm or 330mm **Door:** 440mm or 470mm or 510mm **EU Energy Classes:** From D to A

NON-EU Energy Classes: From A++ to A+++(-70%)



To 12KG

BUILT-IN WASHING MACHINE& WASHER DRYER RANGE



Washer Capacities: 7 KG to 8 KG

Washer Dryer Capacities: 7/5 KG to 8/5 KG

Motor Type: Universal or Digital Drive

Porthole: 300mm or 330mm

Door: 440mm or 470mm or 510mm **EU Energy Classes**: From D to A

NON-EU Energy Classes: From A++ to A+++(-70%)

BUILT-UNDER WASHING MACHINE RANGE



Washer Capacities: 7 KG & 8 KG

Motor Type: Digital Drive

Porthole: 300mm

Door : 440mm or 470mm **EU Energy Classes :** C

NON-EU Energy Classes : A+++

Control Panel Versions



T₀

Default Options

- 1. Temperature (including cold wash)
- 2. Spin Speed (including no spin)
- 3. Delay timer (1-23 hours)



T1

Default Options

- 1. Temperature (including cold wash)
- 2. Spin Speed (including no spin)
- 3. Optional (Delay Timer, Extra Rinse, AntiAllergic, Rapid wash, pre-wash, easy ironing, Steam)



T2

Default Options

- 1. Temperature (including cold wash)
- 2. Spin Speed (including no spin)
- 3. Delay timer (1-23 hours)
- 2 Options:
- 4-5. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing, steam



T2 Touch

Default Options

- 1. Temperature (including cold wash)
- 2. Spin Speed (including no spin)
- 3. Delay timer (1-23 hours)
- +2 Options:
- 4-5. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing, steam



T3

Default

- 1. Delay (1-23 hours)
- 2. Temperature (including cold wash)
- 3. Spin Speed (including no spin)
- 3. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing, steam
- 3. Eco and speed options
- +2 Options:
- 2. Stain level and type selection or auto dosage menu

Additional Indicators:

1. Lack of water, pump failure (or wi-fi), door closed, door open

Control Panels

Amy T10



то



T1



T2



T2T



Т3

Marla T20



TO



T1



T2



T2T



Julia T30



то



T1



T2



T2T



Whitney T60



то



T1



T2



T2T



Т3

Liz T70



TO



T1



T2



T2T



Norah T80



TO



T1



T2



T2T



T3

Kate T90



то



T1



T2



T2T



Т3

Cohen T100



TO



T1



T2



T2T



T3

David T130 (built-in)



то



T1



T2



T2T



Henry T130 (built-in)











Alice T140



TO



T1



T2



T2T



Т3

Riley T150



то



T1



T2



T2T



Т3

Wonder T160



то



T1



T2



T2T



Door Selection

C1 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C1	C12 (w/o PC cover)	-	C10 (w/o PC cover)	=
	C13 (w/ PC cover)		C11 (w/ PC cover)	







C2 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C2	C22 (w/o PC cover)	-	-	-
	C23 (w/ PC cover)			







C3 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C3	C32 (w/o PC cover)	C36 (w/o PC cover)	C30 (w/o PC cover)	C34 (w/o PC cover)
	C33 (w/ PC cover)	C37 (w/ PC cover)	C31 (w/ PC cover)	C35 (w/ PC cover)





C4 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C4	C42 (w/o PC cover)	C46 (w/o PC cover)	C40 (w/o PC cover)	C44 (w/o PC cover)
	C43 (w/ PC cover)	C47 (w/ PC cover)	C41 (w/ PC cover)	C45 (w/ PC cover)





Door Selection

C5 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C5	=	=	C50 (w/o PC cover)	C54 (w/o PC cover)
			C51 (w/ PC cover)	C55 (w/ PC cover)





C6 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C6	-	-	C60 (w/o PC cover)	-



C8 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C8	-	C80 (w/o PC cover)	-	-
		C81 (w/PC cover)		





C9 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C9	-	C90 (w/o PC cover)	-	-
		C91 (w/ PC cover)		





Door Selection

C11 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C11	-	C110 (w/o PC cover)	C121 (w/PC cover)	=

WISHE.



* Only available for Built-in Washer Dryer.

C13 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C13	-	-	-	C134 (w/o PC cover) C135 (w/ PC cover)



^{*} Only available for Built-in.

Overall Door Options

DOOR COLOR OPTIONS



Program Knobs





HERGY

NASH 30°

K1









K3 METAL (Jog Dial Available)












K5 METAL (Jog Dial Available)



K6 (Jog Dial Available)







K7







К8







Program Knobs

K9 BUILT-IN







K10







K12







K13







K15 (Jog Dial Available)







K16 (Jog Dial Available)







K23







K24 BUILT-IN





K25 BUILT-IN





T Series **Amy**







T Series **Whitney**





T Series **Norah**



T Series **Kate**





T Series **David (Built-in)**



T Series **Henry (Built-in)**







T Series **Wonder**



New USA-CAN Product Range

Volume-US Volume-CAN V/Hz Spin C.panel Twinjet Circ. Pump Water inlet Body LED color Bottom Cover Drum Caver 2.2 CuFt 62 LT 120V-60Hz 1400 RPM T3 (Default) BLDC Hot&Cold Boomerang White Yes Standard





Amy

Julia





Norah

Liz





Ray

Kate



Alice

New G Series Product Range

Introducing the G series - the next generation of washing machines that takes innovation and style to a whole new level. Designed with the modern home in mind, the G series features cutting-edge technology and sleek, minimalist design that is sure to impress. With an array of advanced programs, options, and features, the G series offers unparalleled washing performance and efficiency. From its intuitive touch-screen interface to its energy-saving settings, the G series sets a new standard for washing machines that will make laundry day a breeze. Whether you're looking for speed, flexibility, or precision, the G series has it all. Join the revolution and experience the future of washing with the G series.









Tumble Dryer Product RANGE



CONDENSER - B7 Kg, 8 Kg, 9 Kg, 10 Kg



HEAT PUMP - A+7 Kg, 8 Kg, 9 Kg, 10 Kg



HEAT PUMP - A++7 Kg, 8 Kg, 9 Kg, 10 Kg,
11 Kg, 12 Kg



HEAT PUMP (INVERTER) - A+++7 Kg, 8 Kg, 9 Kg, 10 Kg



HEAT PUMP(INVERTER) - A+++ %-10
8 Kg, 9 Kg

Features



Pearl Drum

for gentle drying





Aero Lifter

Special designed for less wrinkle







Water Tank Indicator

The indicator warns the user at the end of each cycle and if water tank is full during the cycle.



Boomerang Cabinet

Boomerang forms are designed to increase rigidity and stability, and to decrease vibration



Drain Hose

If drain hose is installed, user don't need to empty water tank at the end of each cycle.



Two way tumbling

Clockwise and counter clockwise drum rotation mixes laundry better and provides uniform drying.



Buzzer

The optional Buzzer feature goes off when the tumble dryer finishes the cycle and the laundry is ready to be taken out.



Drum Light

Loading and unloading of garments becomes easier by means of drum light.



Filter Clean Indicator

The indicator warns the user at the end of each cycle and if filter is blocked because of any reason, not to prevent air flow.



60 Hz

Tumble dryers can also be prepared to support 60Hz (220 - 240 V) versions.



Failure Detection Systems

Blinking leds and different buzzer tones provides detection of failure easily.



Condenser Clean Indicator

The indicator warns the user periodically to clean condenser.



Child Lock

Child lock option prevents unapproved interventions on the control panel during the machine operation by locking the buttons.



Safety for Heater

One NTC and two thermostats (manual and self) provide a high level protection for heater.



Delay Timer

Enables you to postpone the starting time of the drying process.

Standard for F1, F2, F4, and F4 Touch series.



Allergy Safe

Allergy safe program removes all allergens on the laundry and provides hygenic drying performance





Express Dry

2 rapid programs in the same machine

Condenser;

Shirts 12' - 3 shirtts in 12 min Express 29' - 8 shirts in 29 min

Heat Pump;

Shirts 20' - 3 shirtts in 20 min

Express 30' - 8 shirts in 30 min

500% Eco friendly



R290 / 3 GWP*

R134a / 1430 GWP R407C / 1774 GWP

* GWP: global warming potential (GWP of CO2:1)

Energy efficient Eco friendly Sustainable Natural Gas The most eco-friendly!

Natural refrigerant gas used which is 500 times more eco friendly on heat pump products.

PureBeam +

UV technology for hygienic drying



T Series Tumble Dryers



Control Panel Versions



T1

- + Delay timer, drying label, anti crease selections
- + Larger digit
- + Visual screen for delay timer
- + Display with hour & minute indicator



T2

- + Delay timer, drying label, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + Display with hour & minute indicator
- + 2 different extra options



T2 Touch

- + Delay timer, drying label, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + Display with hour & minute indicator
- + 2 different extra options



T3

- + Delay timer, drying target, drying level, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + 4 different extra options

Control Panels

Amy T10




T1



T2



T2T



Marla T20



T1



T2



T2T



Julia T30



T1




T2




T2T



Whitney T60



T1




T2



T2T



Liz T70



T1



T2



T2T



Norah T80



T1



T2



T2T



T3

Kate T90



T1



T2



T2T



Cohen T100



T1



T2



T2T



Alice T140



T1



T2



T2T



Riley T150



T1



T2



T2T



Wonder T160



T1



T2



T2T



Door Selection

C1 Series

Standard Door 47 cm		Giant Door 51 cm		
Plastic	Glass	Plastic	Glass	
C16	C10 (w/o PC cover)	-	-	
	C11 (w/ PC cover)			
	C18 (w/ PC cover, rev.)			



C3 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
C36	C30 (w/o PC cover)	=	-
	C31 (w/ PC cover)		- C39 (w/ PC cover, rev.)
	-		



Door Selection

C4 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
C46	C40 (w/o PC cover)	-	-
	C41 (w/ PC cover)		-
	-		C49 (w/ PC cover, rev.)



C5 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
C56	C50 (w/o PC cover)	-	C54 (w/o PC cover)
	C51 (w/ PC cover)		C55 (w/ PC cover)
	-		-



^{*} Glass doors are only available with PC cover for Condenser models.

Program Knobs





HERGY

IRTS 30°

NASH 30°

K1









K3 METAL (Jog Dial Available)





K4 (Jog Dial Available)





Program Knobs


K 5 M E T A L (Jog Dial Available)



K 6 (Jog Dial Available)







K 7







K 8







K 1 0







K 1 2







K 13







Program Knobs



K 16 (Jog Dial Available)





K23







T Series **Amy** T10



T Series **Marla** T20



T Series **Julia** T30



T Series **Whitney** T60







T Series **Kate** T90



T Series **Cohen** T100



T Series **Alice** T140







Accessories

Stacking Kit





Stacking kit is a laundry accessory that fits between a front load washer and tumble dryer. Other than saving your valuable space, it also ensures your two appliances sit safely as one fixed unit. Stacking kits are designed to distribute the weight of a dryer on top of a washer, and to absorb vibrations from both Appliances while they are running.



Dryer Rack



3D Rack





Dryer rack and 3D Rack options are the perfect solution for drying delicates, wool, lingerie, soft toys, and sport shoes in an easy way at home.

They protect the items from rotation during the drying cycle.

Color Options





WHITE

DARK SILVER



DARK INOX



BLACK & MATTE BLACK

New USA-CAN Product Range

Volume- US	Volume-CAN	V/Hz	User Interface	Туре	Body	LED color
4 Cuft	112 LT	208-240V 60Hz	Т3	Condenser	Boomerang	White
4,2 Cuft*	120 LT	208-240V	T3	Condenser	Boomerang	White







WSTE PROPERTY OF THE PROPERTY







Liz



Alice

* See roadmap for availability.

Notes

Notes	

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 vesteltrade@vestel.com.tr www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The

Netherlands

Phone: +31 - 10 412 23 66 https://vestelbenelux.nlinfo@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley,

Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

https://vestel.co.uk info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/

Germany

Phone: +49 - 89 55295 - 0 https://vestel-germany.de info@vestel-germany.de

VESTEL HOLLAND B.V. SPAIN BRANCH OFFICE

Paeso Doce Estrellas, 2, 3o. 28042. Madrid,

Spain

Phone: +34 - 91 320 63 98

https://vestel.es vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 -

94563 RUNGIS Cedex/France

Phone: +33 - 146 75 00 29 http://vestel-france.fr

info@vestel.fr

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest/Romania **Phone:** +40 - 31 425 42 93

https://vestel.ro office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00 Fax: +48 22 272 74 00 https://vestel-poland.com info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-AO, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544 https://vestel-gulf.ae info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187,

office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower, 02 Hai Trieu, Ben Nghe Ward, District 1, Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW

YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030 Manisa/Turkey

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr www.vestelinternational.com FOLLOW US ON SOCIAL MEDIA











/vestelinternational