DISHWASHERS

2024-2025

>

www.vestelinternational.com











VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.



Export Leader of Turkey with \$2,3 Billion

2.550.000
Device Production Capacity

\$3,5 Billion

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes in the world.

Comprised of 25 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Türkiye, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.7 million units, the company's two refrigerator plants produce a variety of models ranging from french door, nofrost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4kg to 12kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with drum capacities of 7kg, 8kg and 7kg/5kg.

Vestel tumble dryers have annual capacity of 1.1 million units, with models ranking from 7kg to 12kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free-standing cookers, built-in hobs and 90x60, 100x60 and double ovens.

The dishwasher appliances product range includes freestanding, semi&fully integrated and full door platforms with 45 cm, 60 cm, Tall Tub and Deep tall tub dimensional options. New Dishwasher plant construction have been completed and serial production started at the end of 2023. The dishwasher plant has the

capacity to produce 2.5 million units in a year now. The new dishwasher plant is able to produce over 4 million units in a year with additional investments.

In addition, the air conditioner factory is capable of producing 530K sets of split-type models. And also the water heater factory has the capacity to produce 355K water heaters annually.

R&D facilities located in Türkiye, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel Mobility factory located in the free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.


Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Türkiye's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on a decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



TV, Set-top Boxes Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting Manisa, Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer, Cooking Appliances, Air Conditioner, Water Heater Manisa, Turkey

R&D Centers

Marketing & Sales Companies

Manisa, Turkey Istanbul, Turkey Bristol, United Kingdom Shanghai, China

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia Vestel Electronica, Romania Vestel Central Asia, Kazakhstan Vestel Electronics Gulf, Dubai







Top class ratings for "energy consumption", "cleaning & drying performance".

The minimum energy class is A++ and the cleaning & drying performance is A for entire model range.



Auto Door

Auto Door provides more efficient drying process by automatically opening the door during drying phase which lets the hot air to out of the dishwasher (necessary energy amount to dry the dishes is reduced significantly).

A+++ -20% energy labeling for 14 place setting is achieved with the help of this technology.



Water Box

The working principle of Water Box Technology is based on getting the last clean cycle rinse water, filtering it to avoid any particles and saving it in an isolated box.

Then it can be used as the prewash cycle cleaning water next for the cycle.

5,4 It water consumption with A+++ -20% energy rating for 15 P.S. is achieved with the help of this technology.





Inverter motors in dishwashers offer greater energy efficiency and quieter operation due to precise speed control, enhancing performance and durability while optimizing wash cycles and supporting various programs for better cleaning results.



PureBeam

UV feature prevents bacterial growth and kill the bacteria remaining after washing cycle.

It disinfects the load using the UV technology built into machine, automatically sterilizing each load before unload.

It will be a real easiness for parents with babies.

Silent Wash

It is possible to have more silent washing with variable speed motor technology! Extra silent option decreases noise level of program without decreasing cleaning quality in day or night time when silence is required.

Eco friendly lower water consumption for entry segment



(X1 & Y1) without using any electrical motor.



Washing performance



Direct Wash

Direct wash spray system is used for washing baby bottles and glasses more effective.





Triple Wash

Triple wash feature offers wide washing option to user. User can wash hard soiled pans and cookers more effective with triple wash sprays.





The dishwasher automatically cleans the filter and ensures that the dishwasher performs like the first day every time.







Steam Wash

Steam wash technology softening the most stubborn dirts by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.



Extra Drying

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.



Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.



Extra Rinse

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.



Tablet Option

With this option, water reaches optimum temperature to dissolve he combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.



QuickClean

VESTEL dishwashers achieves A class cleaning performance with advanced cleaning program in only 44 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaning performance in only 44 minutes for standart soiled dishes according to EN standards.



Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.



DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



Hydro Power

This technology enables all other options and program to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.



Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start VarioSpace is a general feature that gives many time of between 1 hour and 24 hours can be selected.



Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.



Self Heating System

Storing hot waste water from last rinse cycle and drawing fresh air to warm up in the system. Humid air in the tub is taken out at the same time.



KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



Vario Space

options to the end user ragarding lower and upper basket variations.



JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.



Multifunctional rack

The multifunctional rack creates more dishloading possibilities, enabling you to expand your dishwasher's capacity to up to 16 place settings.



The moist air in the dishwasher is heated and used to increase the drying performance of the dishwasher, thus providing improved drying performance even for plastic dishes. Vestel's shortest full program will be 44 minutes thanks to this technology.



Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water get is drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



3rd Rack Eco/Easy/Comfort Tray

Eco Tray

New fixed design option for 3rd rack that provides up to 16PS setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 16PS setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.



Super Active Drying
System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.



Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is much more forced, hence results in most efficient drying performance.



Smooth Slide

Ball rail system facilitates smooth upper basket movement even the upper basket is fully loaded. New ball bearing rail system provides the movement of the upper basket more smoothly and safely.



Metal Spray Arm

It is the new design of the spray arm to be produced from stainless steel with premium look.

CONNECTIVITY

Available in fully integrated with S series

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart Als

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control by WiFi



Smart Service Network




Compatibility with Android and iOS



Big Data Collection



Downloadable Programs









Accessories



Top Noozle



Impeller



Aqua Stop



Plastic Filter Optional



Stainless Steel Filter Default



Upper Spray Arm



Anti Bacterial Filter (v2) Optional



Anti Bacterial Filter (v1) Optional



Lower Spray Arm



Color Options



RETRO RANGE







Components



3rd Rack Options

Comfort Tray

Easy Tray

Eco Tray

Basket Options

Max. plate dimensions

Basket types

Upper basket

Lower basket

Line-up

A Series

Y Series

X Series

S series

Full Door Series

Professional Series

Tall-tub Series

Built in I

Built in S Series





New side by side sliding design option for 3rd rack that provides up to 16 place setting.

*Cutlerly basket is optional





The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

^{*}Cutlerly basket is optional

^{*}Up to 16 place settings





3rd **Rack** Eco Tray New fixed design option for 3rd rack that provides up to 16 place settings.

*Cutlerly basket is optional

Maximum Plate Dimensions

2 Baskets




| | Upper Basket Position ↓ | Upper Basket Position ↑ | w/o height adjustment |
|---------------------------------------|-------------------------|-------------------------|-----------------------|
| Max. Plate Dimension for Upper Basket | 26,5 cm | 21,5 cm | 21,5 cm |
| Max. Plate Dimension for Lower Basket | 26,5 cm | 31,5 cm | 31,5 cm |

2 Baskets + 3rd Rack



| | Upper Basket Position↓ | Upper Basket Position | w/o height adjustment |
|--|------------------------|-----------------------|-----------------------|
| Max. Plate Dimension for Upper Basket | 19,5 cm | 14,5 cm | 14,5 cm |
| Max. Plate Dimension for Lower Basket | 26,5 cm | 31,5 cm | 31,5 cm |

Basket Types




V-type baskets



purebeam / purebeam+





Flat-type baskets



with purebeam





Upper basket




Adjustable Mug Shelves



Adjustable Upper Basket with Load 2 and 3 level hight adjustment options



Adjustable Upper Basket without Load




Handle with Customized Logo

* For 15 place settings and only for upper basket



Foldable Wire (0,2,6)



Lower basket






Multi-Functional KitFor Lower Basket




Bottle Holder



Plastic Handle



Wine Glass Holder



Mug Shelf Support
*W/Or W/O Soft Touch



Tray Holder



KnifeShelf









Universal Cutlery Basket



Hygiene Box*







Standard Cutlery Basket (fixed)







Sliding Cutlery Basket







Modular Cutlery Basket (for 12 Settings)

Basket handle



| Basket Type | Туре | Materia | Colour | Picture | | |
|-------------|------|-----------------|--------|---------|--|--|
| Flat Type | T1 | Plastic | Grey | | | |
| | | Plastic | Blue | | | |
| | T2 | Plastic | Grey | | | |
| | | Metal Insert | Grey | | | |
| | Т6 | Plastic | Grey | | | |
| | | Metal Insert | Grey | | | |



| Basket Type | Туре | Materia | l Colour | Picture | |
|--------------|-------------|-----------------|--------------|---------|--|
| V Shape Type | Т3 | Plastic | Grey | | |
| | | Plastic | Dark Blue | | |
| | | Metal Insert | Grey | | |
| | | Metal Insert | Dark Blue | | |
| | T4 (New) | Plastic | Grey | | |
| | | Plastic | Orange | | |
| | | Metal Insert | Orange | | |



60 cm dishwashers **A Series**

A Series

A4 Series

A3 Series

A2 Series

A1 Series

Aesthetics

Angel

Carya

Daisy

Erica

Holy

lo

Luna


Gardenia

Violet

Begonia

A4 SERIES





A 41 - A 4 Y

6 - 10 program

icon-LED display (full touch control)

A/B/C/D/E energy labeling

BLDC circulation pump

Mini active / super active / turbo drying

49/4<mark>7/46/45/4</mark>4/42/41/39 dBA (w/ BLDC)

9 It water consumption + with waterbox 5.4 It water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions


Α4



| A41 | 6 programs, BLDC. | A46 | 6 programs, BLDC. |
|-----|--|-----|--|
| A42 | 7 programs, BLDC. | A47 | 7 programs, BLDC. |
| A43 | 10 programs, BLDC. | A48 | 8 programs, BLDC. |
| A44 | 10 programs, BLDC, Auto Door. | A49 | 9 programs, BLDC. |
| A45 | 10 programs, BLDC, Auto Door, Water Box. | A4X | 10 programs, BLDC, Water Box, Auto Door. |
| A4Y | 10 programs, BLDC, Auto Door, Water Box. | | |

A3 SERIES





A 31-Y

6 - 9 programs

icon-LED display (optional touch control)

A/B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption + with waterbox 5.4l It water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna


Model Versions



| A31 | 6 programs, AC. | A37 | 7 programs, BLDC. |
|-----|---|-----|---|
| A32 | 8 programs, AC. | A38 | 8 programs,BLDC. |
| A33 | 6 programs, BLDC, Auto Door. | A39 | 9 programs, BLDC, Auto Door. |
| A34 | 8 programs, BLDC, Auto Door. | АЗХ | 9 programs, BLDC, Water Box, Auto Door. |
| A35 | 8 programs, BLDC, Auto Door, Water Box. | АЗҮ | 9 programs, BLDC, Water Box, Auto Door. |
| A36 | 6 programs, BLDC. | | |

A2 SERIES





A 21-Y

6-9 programs LED display

A/B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)

9 It water consumption with waterbox 5.4 It water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A2 VESTE. **A2**

Large Display

A21 6 programs, AC. 7 programs, BLDC,..

A22 7 programs, AC. A28 8 programs, BLDC,.

A23 8 programs, AC.

9 programs, BLDC,.

A24 8 programs, BLDC, Auto Door. **A2X** 9 programs, BLDC, Water Box, Auto Door, 38dBA.


A25 8 programs, BLDC, Auto Door, Water Box.

A2Y 9 programs, BLDC, Water Box, Auto Door.

A26 6 programs, BLDC.

A1 SERIES





A 12 - 7

3 to 8 programs LED indicator

D/E energy labeling AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

A 1 B - G

3 to 8 programs

LED display

D/E energy labeling
AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),

13 PS (2 baskets),

13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

15 PS (2 baskets + 3rd rack)

16PS (2 basket+3rdrack+Multifunctional rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A1 w/o display

A1 w display



A12 3 programs, AC.

4 programs, AC.

A14 5 programs, AC.

A13

A15 6 programs, AC.

A16 7 programs, AC.

A17 8 programs, AC.

A1B 3 programs, AC.

A1C 4 programs, AC.

A1D 5 programs, AC.

A1E 6 programs, AC.

A1F 7 programs, AC.

A1G 8 programs, AC.





















60 cm dishwashers **Y Series**

Series

Y2 Series

Y1 Series

Aesthetics

Camelia -Y

Flora - Y

Bellis - Y


Tigris - Y

Viola - Y

Era - Y

Y2 SERIES





Y 21-6

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/4<mark>7/46/45/4</mark>4/42/41/39 dBA (w/ BLDC)

9 It water consumption3 mode half load1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y, Era Y SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

| V 0 | 7717 | VESTEL | E. = | 127 |
|------------|---------|--------|------|------|
| Y2 | 197 888 | - | | 1000 |

Y21 6 programs, AC.

Y22 7 programs, AC.

Y23 8 programs, AC


Y24 9 programs, AC

Y25 9 programs, BLDC, Auto Door

Y26 9 programs, BLDC.

Y1 SERIES





Y 11 - 5

2 to 6 programs LED indicator E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y, Era Y SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y1 w/o display

VISTO.

Y1 w display



Y11 2 programs, AC.

Y12

3 programs, AC.

Y13 4 programs, AC.

Y14 5 programs, AC.

Y15 6 programs, AC.

Y1A 2 programs, AC.

Y1B 3 programs, AC.

Y1C 4 programs, AC.

Y1D 5 programs, AC.

Y1E 6 programs, AC.

Y1F 7 programs, AC.



Y Series Flora - Y VESTEL



Y Series **Tigris - Y**











60 cm dishwashers **X Series**

Aesthetics

Flora

Camelia

Bellis


Tigris

Viola

Era

X SERIES





X11 - 6

2 to 7 programs LED indicator

E energy labeling AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

X 1 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

FS Belis, Camelia, Flora, Tigris, Viola, Era SI Camelia, Silva, Silva (Inox add-on)

Model Versions

X1w/o display

X1w display





| X11 | 2 programs, AC. | X1A | 2 programs, AC. |
|-----|-----------------|-----|-----------------|
| X12 | 3 programs, AC. | X1B | 3 programs, AC. |
| X13 | 4 programs, AC. | X1C | 4 programs, AC. |
| X14 | 5 programs, AC. | X1D | 5 programs, AC. |
| X15 | 6 programs, AC. | X1E | 6 programs, AC. |
| X16 | 7 programs, AC. | X1F | 7 programs, AC. |















60 cm dishwashers **Full Door Series**

Series

Glass Door Series Glass Full Door Series Standard Full Door Series

Aesthetics

IntelliTouch

Anjer

Troy

Retro Troy

Visioart

Mirana

GLASS DOOR SERIES

Intellitouch



Energy Labeling







Acrylic glass door

Major Features













Delay Timer











3rd **Rack** Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot

8 programs

LED display and front display with touch sensitive front door opening

D energy labeling

BLDC circulation pump

Mini active / super active / turbo drying

46/44/42 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

Design Options

IntelliTouch (Acrylic Front Door)

Model Versions

8 programs, BLDC, Auto Door.



GLASS FULL DOOR SERIES Visioart



Energy Labeling

ABCDE

Color Options



Acrylic glass door

Major Features







Delay Timer

Half Load

Aqua Zone



3rd Rack Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot

111-6 / I1A-G

2 to 8 programs

LED Indicator / Hidden LED Display

E/D energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer with LED indicator

1-19hours delay timer with Hidden LED display

121-9

7/8/9 programs

LED Indicator / Hidden LED Display

A/B/C/D/E energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/45/44/42/41/39 (with BLDC)

9 It water consumption with waterbox 5.4 It

water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16PS+3rd rack

Design Options

Visioart (Acrylic Front Door)

Model Versions

| , | I11-6 w/display | | I21-9 |
|-------|-------------------------------------|------------|---|
| | I1A-G w/o display | | |
| - 3 | veste. [L[o]s]e[o]o III 0 0 0 0 1 | I21 | 7 programs, AC. |
| 111-A | 2 programs, AC. | 122 | 8 programs, AC. |
| I12-B | 3 programs, AC. | 123 | 9 programs, AC. |
| 113-C | 4 programs, AC. | 124 | 9 programs, BLDC, Auto Door. |
| 114-D | 5 programs, AC. | I2X | 9 programs, BLDC, Auto Door, Water Box. |
| 115-E | 6 programs, AC. | 125 | 9 programs, BLDC, Water Box, Auto Door. |
| 116-F | 7 programs, AC. | 126 | 6 programs, BLDC. |
| I1G | 8 programs, AC. | 127 | 7 programs, BLDC. |
| | | 128 | 8 programs, BLDC. |
| | | 129 | 9 programs, BLDC. |
| | | I2Y | 9 programs, BLDC, Auto Door, Water Box. |

STANDARD FULL DOOR I SERIES



Energy Labeling











Color Options













Painted (retro options)

Stainless steel

Major Features











 3^{rd} Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

111-6 / I1A-G / I1K-R

2 to 8 programs

LED Indicator / Hidden LED Display

E/D energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer with LED indicator

1-19hours delay timer with Hidden LED display

121-X / 12K-U

7/8/9 programs

LED Indicator / Hidden LED Display

A/B/C/D/E energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/45/44/42/41/39 (with BLDC)

9 It water consumption with waterbox 5.4 It

water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 5 PS (2 baskets + 3rd rack), 16 PS (2 basket + 3rd rack)

Design Options

Anjer, Troy, Retro Troy

*Front display option only available with Anjer (11K-R & 12K-U)

Model Versions

l11-6 w/display

| VE | SIEL LOLLWIS ON ON ON | | | |
|----------------------|-----------------------|--|--|--|
| IIA-G w/o display | | | | |
| 18 | | | | |
| 111-A | 2 programs, AC. | | | |
| I12-B | 3 programs, AC. | | | |
| 113-C | 4 programs, AC. | | | |
| 114-D | 5 programs, AC. | | | |
| 115-E | 6 programs, AC. | | | |
| 116-F | 7 programs, AC. | | | |
| I1G | 8 programs, AC. | | | |
| I1K -I1R | | | | |

| | FACULT III I SANCO MONOS — HIN MONOS — HIN DOCCON DESCRICTOR III |
|------------|--|
| I21 | 7 programs, AC. |
| 122 | 8 programs, AC. |
| 123 | 9 programs, AC. |
| 124 | 9 programs, BLDC, Auto Door. |
| 125 | 9 programs, BLDC, Water Box, Auto Door. |
| 126 | 6 programs, BLDC. |
| 127 | 7 programs, BLDC. |
| 128 | 8 programs, BLDC. |
| 129 | 9 programs, BLDC. |
| I2X | 9 programs, BLDC, Water Box, Auto Door. |
| I2Y | 9 programs, BLDC, Water Box, Auto Door. |
| | |

STANDARD FULL DOOR S SERIES



Energy Labeling









Major Features







Color Options





Painted (retro options)



Stainless steel

Delay Timer





 3^{rd} Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

S23-9

3 to 9 programs

Button Control / Touch Control

Hidden LED Display

E/D energy labeling

AC circulation pump

Mini Active / Super Active / Turbo Drying

57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-24hr hours delay timer with LED indicator

Place Setting Options

WiFi option

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack),14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

Design Options

Mirana

Model Versions

S23-9

| VESTIL : III : III | ₽6 . = ======== |
|--------------------|-----------------|
| | |
| S23 | 3 programs, AC. |
| S24 | 4 programs, AC. |
| S25 | 5 programs, AC. |
| S26 | 6 programs, AC. |
| S27 | 7 programs, AC. |
| S28 | 8 programs, AC. |
| S29 | 9 programs, AC. |



Full Door Series IntelliTouch









Full Door Series **Retro Troy**





















60 cm dishwashers **Professional Series**

Series

I Series

Aesthetics

Anjer

ISERIES



Energy Labeling

D

Color Options





Stainless steel

Major Features





Delay Timer

Half Load

121-2K

5 programs

LED display / Front LED display with D4A

D/A +++ energy labeling
AC circulation pump
Natural drying
54/52/49/47/45 dBA
9 It water consumption
3 mode half load

Place Setting Options

12 PS (3 layer baskets)

Design Options

I Series Anjer











VESTEL








Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

BASKET TYPES

Flat-type baskets







V-type baskets



Lower Basket 10 Place Settings

Upper Basket 10 Place Settings





Universal Cutlery Basket

Uniflat Cutlery Basket





Tray Holder



2 Baskets



Upper Basket Position \downarrow Upper Basket Position \uparrow w/o height adjustment

| Max. Plate Dimension for Upper Basket | 26,5 cm | 21,5 cm | 21,5 cm |
|---------------------------------------|---------|---------|---------|
| Max. Plate Dimension | 25,5 cm | 30,5 cm | 30,5 cm |

2 Baskets + 3rd Rack



| | Upper Basket Position ↓ | Upper Basket Position | 1` w/o height adjustment |
|---------------------------------------|-------------------------|-----------------------|--------------------------|
| Max. Plate Dimension for Upper Basket | 19,5 cm | 14,5 cm | 14,5 cm |
| Max. Plate Dimension | 25,5 cm | 30,5 cm | 30,5 cm |



45 cm dishwashers **A Series**

A Series

A4 Series

A3 Series

A2 Series

A1 Series

Aesthetics

Angel

Carya

Daisy

Erica

Holy

lo

Luna

Violet

Begonia

Gardenia

A4 SERIES



Energy Labeling







Color Options







Painted

Stainless steel

Major Features









Delay Timer





Hydro Power



3rd Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

A 41-4

6/7/10 programs
icon-LED display (full touch control)
C/D/E energy labeling
BLDC circulation pump
Turbo drying
42-44 dBA
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions



A41 6 programs, BLDC.

A42 7 programs, BLDC.

A44 10 programs, BLDC, Auto Door.

A4X 10 programs, BLDC, Auto Door, Waterbox

A3 SERIES



Energy Labeling







Color Options





Painted

Stainless steel

Major Features









Delay Timer

Half Load



Hydro Power



3rd Rack Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot

A 31-4

6/8 programs

icon-LED display (optional touch control)

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

42-44 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

w buttons

w touch







A31 6 programs, AC.

A32 8 programs, AC.

A33 6 programs, BLDC, Auto Door.

A34 8 programs, BLDC, Auto Door.

A3X 8 programs, BLDC, Auto Door, Waterbox.

A2 SERIES



Energy Labeling







Color Options





Painted

Stainless steel

Major Features









Delay Timer

Half Load



Hydro Power



3rd Rack Eco/Easy/Comfort Tray



Interior Lighting 1 or 4 Spot

A 21-4

6 to 9 programs

LED display

C/D/E Energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

42-44 dba (w/ BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

standard display

VESTEL DESCRIPTION OF STREET

A2

large display



- **A21** 6 programs, AC.
- **A22** 7 programs, AC.
- A23 8 programs, AC.
- **A24** 8 programs, BLDC, Auto Door.
- **A26** 6 programs, BLDC, Auto Door.
- **A27** 7 programs, BLDC, Auto Door.
- **A29** 9 programs, BLDC, Auto Door.
- **A2X** 9 prog, BLDC, Autodoor, Waterbox.

A1 SERIES



Energy Labeling

<u>E</u>

Color Options





Painted

Stainless steel

Major Features







Delay Timer

Half Load

Aqua Zone

A 12 - 7

3 to 8 programs LED indicator E energy labeling AC circulation pump Mini active / super active

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

57/54/52/49/47/45 dBA

A 1 B - G

3 to 8 programs LED display

E energy labeling AC circulation pump Mini active / super active 57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia, BLDC, Autodoor SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A1 w/o display

A1 w/display





| A12 | 3 programs, AC. | A1B | 3 programs, AC. |
|-----|-----------------|-----|-----------------|
| A13 | 4 programs, AC. | A1C | 4 programs, AC. |
| A14 | 5 programs, AC. | A1D | 5 programs, AC. |
| A15 | 6 programs, AC. | A1E | 6 programs, AC. |
| A16 | 7 programs, AC. | A1F | 7 programs, AC. |
| A17 | 8 programs, AC. | A1G | 8 programs, AC. |



A Series **Holy**





A Series **Luna**

























45 cm dishwashers **Y Series**

Series

Y2 Series

Y1 Series

Aesthetics

Camelia -Y

Flora - Y

Tigris - Y

Lydia - Y

Klikya - Y

Iris - Y

Era - Y

Y2 SERIES



Energy Labeling





Color Options

Painted





Major Features









Delay Timer

Half Load

Auto Door

Hydro Power



 3^{rd} Rack







Interior Lighting 1 or 4 Spot

Y 21-5

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/ BLDC)

9 It water consumption3 mode half load1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21-5



Y21 6 programs, AC.

Y22 7 programs, AC.

Y23 8 programs, AC.

Y24 9 programs, AC.

Y25 9 programs, BLDC, Auto Door.

Y1 SERIES



Energy Labeling

tech

Color Options





Painted

Stainless steel

Major Features









Delay Timer

Half Load

Auto Door

Hydro Power



 3^{rd} Rack Eco/Easy/Comfort Tray





Interior Lighting 1 or 4 Spot

Y 11 - 5

2 to 6 programs LED indicator E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w/o display

w/ display





| Y11 | 2 programs, AC. | Y1A | 2 programs, AC. |
|-----|-----------------|-----|-----------------|
| Y12 | 3 programs, AC. | Y1B | 3 programs, AC. |
| Y13 | 4 programs, AC. | Y1C | 4 programs, AC. |
| Y14 | 5 programs, AC. | Y1D | 5 programs, AC. |
| Y15 | 6 programs, AC. | Y1E | 6 programs, AC. |
| | | Y1F | 7 programs, AC. |



Y Series Iris - Y





Y Series **Camelia - Y**





Y Series **Tigris - Y**













P1 Prompts P5 Quick SP 60°C P5 Delever 60°C P4 Gos

45 cm dishwashers **X Series**

Series

X Series

Aesthetics

Iris - C

Tigris

X SERIES



Energy Labeling

E

Color Options





Painted

Stainless steel

Major Features











Delay Timer

Half Load

Aqua Zone

See product specifications for default and optional features

X11 - 6

2 to 7 programs LED indicator

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

X 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

FS Tigris

SI Orchis

Model Versions

w/o display

VESTEL C C C

w/ display



| X11 | 2 programs, AC. | X1A | 2 programs, AC. |
|-----|-----------------|-----|-----------------|
| X12 | 3 programs, AC. | X1B | 3 programs, AC. |

X13 4 programs, AC. X1C 4 programs, AC.

X14 5 programs, AC. X1D 5 programs, AC.

X15 6 programs, AC. X1E 6 programs, AC.

X16 7 programs, AC. X1F 7 programs, AC.







45 cm dishwashers **Full Door Series**

Series

Full Door Series

Aesthetics

Anjer

Mirana

FULL DOOR SERIES



Energy Labeling







Color Options







Painted

Stainless steel

Major Features







Delay Timer

Half Load

Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray





Interior Lighting1 or 4 Spot

See product specifications for default and optional features

111-6 / I1A-G

3/5/6/7/8 programs

LED indicator / LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load (D12 w/o half load)

3-6-9 hours / 1-19 hours delay timer

(D12 w/o delay timer)

121-X

7/8/9 programs

LED display

E energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

54/52/49/47/45 dBA (w/o BLDC)

44dBA (w/BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Anjer

Model Versions

I11-6 121-4 w/display e le se le le le le Labra le le la la THE RESERVE VESTEL I1A-G w/o display 111-A 121 2 programs, AC. 7 programs, AC. **I12-B** 122 3 programs, AC. 8 programs, AC. 113-C 4 programs, AC. 123 9 programs, AC. 114-D 5 programs, AC. 124 9 programs, BLDC, Auto Door. 115-E 6 programs, AC. I2X 9 programs, BLDC, Auto Door, Waterbox. 116-F 7 programs, AC. I1G 8 programs, AC.







| | Englay dels | A11 | A13 | A13 | A14 | A15 | A16 | Alf | | | | - | | | | | 200 | | | 3 |
|----------------|---------------------------|-----|-----|--------|--------|---------|---------|--------------------------------|---------|--------|-------|-----|---------|--------|--------|-----|---------|---|--------|------------------------------------|
| | isplay dels | AIA | A18 | ASC | ASD | ALE | A1F | A16 | AZI | AZZ | A23 | A26 | A27 | A28 | A29 | A24 | AZX | AZS | AIY | AZZ |
| | gram. nber | 2 | .3 | 4 | 5 | | 7 | | | 7 | | | 7 | | , | | | | | |
| Energy | Labeling | | | | t | (w/Aut | recber | 0) | | | | | | D | | | c | . 8 | Α. | 1 |
| | eter mption | | 1 | e (9 e | with A | queZor | se) | | | | | | | | 91 | | | | 9,2 ft | 9,5 R |
| | 12-13-14 PS | | | | 57/5 | 4/52/4 | 19/47/4 | 5/44 | | | | | 49/47 | /45/44 | 42/41 | | | 69/47/45/64 | | |
| | 13 PS with 3" rack | | | | 57/5 | 4/52/4 | 19/47/4 | 5/44 | | | | | 9/47/4 | 5/44/4 | 2/41/3 | 9 | | ie. | | |
| Sound Level | E4 PS with 3rd rack | | | | | | | | 1 | | | | | | | | | 9/87/45/44/43 | | |
| | 15 PS with 3rd rack | | | | | 49/47 | /45/44 | Š | | | | | 18/47/4 | 5/44/4 | 2/41/3 | 9 | | 120 | | 38 |
| | 56 PS with 3rd rack | | | | | 49/47 | /45/44 | ě. | | | | | 13/41/4 | 5/44/4 | 2/41/3 | 9 | 4 | 3/47/45/44/42 | | - |
| | lation | | | | | Asynch | vanous | | | | | | | | | | BLDC | | | |
| | Door | | | | | - (Opt | Sonal I | 17 | | | | | | | | | | 100 | | |
| Wate | e Bos | | | | | - | - | 1500 | | - | | | | | | | | + | | 1000 |
| Place | Setting | | | | | | 141 | 12 - 13 P5 (2 bi - 15 P5 | nkets + | Knifes | helf) | | | | | | 14 PS (| 2 PS (2 buskets) 2 buskets + Knifeshel 5 (2 buskets + 3rd n | | 15 PS (2 backets + 3rd rack) |

| w/o di model | | - | - | 10 | | + | | | + | | - | - | - | - 3 | - | | | + | * | - | - | 10 | | | - |
|-------------------|------------------------------|----------------|----------------|-------|----------------------|-----------|----------|------|-----|-------|--|------------|-------|-----|------|------|------------------------------|---------|---------|-------|-----|---------|--|--------|-------------------------------------|
| w/ dita | | AN | A32 | A11 | A36 | AST | ASE | A31 | A34 | A3X | A35 | ASY | A32 | A41 | A42 | A43 | A46 | 847 | A48 | A09 | A44 | ACT | ARS | ARE | MAI |
| Progra Numbr | | 6 | | 4 | 0. | 7 | | 9 | | | | 1. | | 6. | 7 | 10 | 6 | 7 | | 9 | 10 | 10 | 10: | = | |
| Energy Labello | | Electric | | | | | 0 | | -1 | ¢ | | A | t | | t: | | | | 0 | | | ¢. | 0. | | 0. |
| Water Consu | mption | | | | | | h | | | | | 9,2 lt | 9,5 R | | | | | . , | n | | | | 7 | 111 | 9,510 |
| | 32-15- 34 PS | 57/54/5 /45 | 2/49/KI /44 | | 4 | 1/41/45 | /44/42/ | 41. | | 49, | 47/45 | /44 | | 46, | /44 | | 41 | V47/45 | /44/42/ | 41 | | 49) | 47/45 | /44 | |
| | E3 PS with If most | 100 | 2/48/87 /44 | | 90/ | 47/45/4 | 16/12/1 | 1/30 | | | | - | | 44 | /42 | | 49/ | 67/45/4 | 4/42/43 | 1/39 | | | | ė | |
| Sourc | 04 PS with 3" rack | | | | | 2 | | | | 49/4 | 7/45/4 | 14/42 | | | | | | | | | | 49/4 | 7/45/4 | 4/42 | 62 |
| | SS PS with 3" rack | | /45/44 | | 45/ | 47/45/4 | 4/42/4 | 1/39 | | | 27 | | 38 | 44 | 142 | | 49/ | 67/45/4 | 4/42/4 | 1/309 | | | 8 | | |
| | S6 PS with Sed tack | 49/47 | /45/144 | | 45/ | 47/4S/4 | M/42/4 | 1/19 | | 49/4 | 7/45/4 | 14/42 | | 44 | /12 | | 49/ | K7/M5/4 | A/42/40 | 1/39 | | 49,14 | 7/45/4 | 4/42 | ٠ |
| Circula pump | tion | Asynut | ronova | | | | | | | | | | | 84 | DC : | | | | | | | | | | |
| Awto D | Poor | -10p | Donal | | | | | | | | | | | | | | | | | | | | | | |
| Water | Box | | | | | - | | | | | | | | | | | | F | | | | | | | + |
| Place Set | *** | | | 94.99 | U-DR Cheen NRO | with book | esterii) | | | MPLO: | Pli (2 touris tuotieris + K Pli (2 touris rischi) | (Mahahari) | | 3 | | 1419 | SI-ISM SI bann SI-MISS | | whell. | | | (APRICE | PECETORIA materia + E PECETORIA materia | wheten | 15 Phi () Installed Indicated |

| w/o display mode | els | X11 | X12 | X13 | X14 | X15 | X16 |
|------------------|--------------|-----|-----|-----------------|--------------|-------------|-----|
| w/ display model | s | X1A | X1B | X1C | X1D | X1E | X1F |
| Program Number | Ċ. | 2 | 3 | 4 | 5 | 6 | 7 |
| Energy Labeling | | | | 1 | Ē | | |
| Water Consumpt | ion | | 1 | 12 lt (9 lt wit | h AquaZon | e) | |
| Sound Level | 12-13-14 PS* | | | 57/54/52 | /49/47/45 | | |
| Circulation pump | 1 | | | Asynch | ronous | | |
| Auto Door | | | | | | | |
| Water Box | | | | 1 | 3 | | |
| | | | | 12 PS (2 | baskets) | | |
| Place Setting | | | | 13 PS (2 | baskets) | | |
| r tave setting | | | | PS (2 baske | | 0.000.00000 | |
| | | | 13 | PS (2 bask | ets + 3rd ra | ck) | |
| Structure | | | | Freest | anding | | |

| w/o dis models | | Y11 | Y12 | Y13 | Y14 | Y15 | - | - | - | 37 | 2 | - | 120 |
|-------------------|------------------------------------|-----|--------------|-------|--------|--|--|-----------------------------|-------------------------------|-----|-----|--------------------------|-------|
| w/ disp | lay models | YIA | Y1B | Y1C | Y1D | Y1E | Y1F | Y21 | Y22 | Y23 | Y24 | Y25 | Y26 |
| Program | m Number | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 8 | 9 | 9 | 9 |
| Energy | Labeling | | | | - 1 | E | | | | | | D | |
| Water Consun | nption | 12 | lt (9 lt wit | h Aqu | aZone) | | | | | | 3 | 9 lt | |
| 202202 | 12-13-14 P5(2 baskets) | | | 57/ | 54/52 | /49/47 | /45 | 5.00 | | | | 49/47/45/44/42/4 1 | 46/44 |
| Sound Level | 13 PS (2 baskets + 3rd rack) | | | 57/ | /54/52 | /49/47 | /45 | | | | | 49/47/45/44/42/4 1/39 | 44/42 |
| | 15 PS (2 baskets + 3rd rack) | | | | 49/4 | 7/45 | | | | | | 49/47/45/44/42/4 1/39 | 44/42 |
| Circulat | tion pump | | | 23 | Asynch | ronou | 5 | | | | | BLDC | |
| Auto D | oor | | | | | - 2" | | | | | | + | - |
| Water I | Вох | | | | | | | - : | | | | | |
| Place S | etting | | | | | 14 PS (13 PS | 12 PS (13 PS (2 bask (2 bas (2 bas | 2 bask ets + k kets + | ets) nifesh 3rd rac | k) | | | |
| Structu | re | | | | | The same of the sa | a designation of the last | tandin | and the later of the later of | 200 | | | |

| m/s display m | -04 | | + | - | 4 | | | - | 1. | | | | - | - | - | |
|------------------|---------------------------|---|------|-------|----------|-------|-----|-----|-----|-------------|------------------|-------|-------------|----------------|-----|--------------------------------------|
| ar Statement | May markets | sm . | 521 | us | 126 | 527 | 121 | 629 | 121 | 602 | SIII | 105 | 106 | 107 | 100 | 108 |
| Program States | her . | 1 | ٠ | 1 | | 7 | • | 1 | 1 | | | | - 3 | | 1 | |
| Eriorgy Labority | | | | i je | Aum | die | 21 | | | | | | | | | C18 w/Yerlo) |
| Water Communi | Ψ. | 13 10 11 44 | in A | eisői | ret. | | | | L | | | | 9.6 | | | |
| | DOM | | | 505 | y log | 49/47 | 145 | | | | | | esiconomico | peq | | #URSHOM |
| 3 | SATS with Sed Stock | | | | | | | | | | | | | ellet/st/selet | | |
| I | 25-P2 with the section | #847/45- #847/41/99 | | | | | | | | | | | 1.00 | | | |
| | perty with the | ####7796 ####7796 ####7796 ####7796 ### | | | | | | | | | | | | elletisiteriet | | |
| Deputation just | nu nu | | | An | pring(by | - | | | | | | | | NIK | | |
| Auto-Dear | 100 | | | | | | | | | -60 | (determine | | | | | |
| Wyther Street | | | | | | | | | | | - | | | | | |
| | | | | | | | | | | u-me | S (2 turkets) | | | | | 12 95 (2 baskers) |
| Mace Setting | | | | | | | | | 10 | 175 (2 limi | kets + Kichschel | 0.7 | | | | 34 PS (2 backets + Kofnshaf |
| | | | | | | | | | ±#- | n-mes | 2 bankets + Smi | rieso | | | | 24 - 18-75 (2 Saukers + Srd rock) |

| tay | m | 113 | 153 | 114 | пъ | 126 | | | 33 | | + | 17 | 19 | 77 | | - 25 | 3.00 |
|----------------------------|--|---|--|--|----------|---|-----|---|-----|---|-----|---|---------|---------|---|----------------|---------------------------------------|
| n display | BA. | 13.0 | 1110 | 110 | ne | 137 | 116 | 121 | 02 | 123 | 126 | 27 | 28 | 129 | (24 | 12X | os |
| display | пя | m. | пм | ISN | по | ILP | ma | QК | ns. | 12M | QP. | 128 | 125 | 121 | 12N | 120 | 150 |
| Number | 2 | | -4 | 30 | 6 | 7 | | 2. | | 9. | - 6 | .7 | | 9 | 9 | 9 | 9 |
| ibeling | | | | | (iw/Aut | odoor b | 0 | | | | | | D | | | c | |
| tion | | | 12 H (9 t | with A | puallone | 1 | | | | | | | | 9 it | | | |
| 32-13- 34 PS | | | | 5 | 7/54/52 | 49/47/ | 45 | | | | | 49/47 | /45/44 | 47/41 | | 49/47 | //45/44 |
| 13 PS with 3rd rack | | | | 5 | 7/54/52 | (49/47/ | 45 | | | | | 49/47/ | 45/44/4 | 2/41/39 | ŝ | 49/47/45/44/42 | |
| 24 PS with 3nd rack | | | | | | | | 150 | | | | | | | | | |
| 3.5 PS with 3nd rack | | | | | 49/4 | 1/45 | | | | | | 49/47/ | 45/44/4 | 2/41/39 | 8 | | E. |
| 24 PS with Brd rack | | | | | 45/4 | 7/45 | | | | | | | | | | 49/47/ | 65/44/42 |
| on pump | | | | | Asynch | ronous | | | | | | | | | BLDC | | |
| M. | | | | | - Opt | ional) | | | | | | | 7 | | | | |
| | | | | - | | | | 1.1 | | | | | | | | | |
| 201, | | | | | | | | | | | | | | | | | Daskets) |
| ting | | | | | | | | | | | | | | | | | ets + Knifeshelf) skets + 3rd raci |
| | 24 PS with 3rd rack 24 PS with 3rd rack 25 PS with 3rd rack 25 PS with 3rd rack 24 PS with 3rd rack 34 PS with 3rd | n display IIA. Muniber IIA. Number 2 sheling Sion \$2-13- \$1 PS with brd rack \$24 PS with brd rack \$24 PS with brd rack \$24 PS with brd rack \$25 PS with brd rack \$25 PS with brd rack rack | n display IIA IIB display IIX III Nuesber 2 3 sheling display IIX III Nuesber 2 3 sheling display IIX III Nuesber 3 3 sheling display IIX III Nuesber 3 3 sheling display IIX III Sheling display IIX III Sheling display IIX IIX Sheling display disp | n display IIA IIB IIC display III III III IIA IIC display IIIC III IIA IIA IIA IIA IIA IIA IIA II | 11 | 112 132 134 135 136 135 136 135 136 135 136 | 11 | 112 113 114 115 116 | 11 | 112 113 114 115 116 116 125 122 | 11 | 111 112 113 114 115 116 116 123 123 123 126 | 11 | 11 | III III | 11 | 11 |

| w/o displa mode | | A11 | A12 | A13 | A14 | A15 | A16 | A17 | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------------|-----|-------|---------|--------|-------|-------|---------|-------|-----|-----|-----|---------------|-------|-----|------|------|-------------------|-----|-------|-----|------|-----|-----|-----|
| w/ di: mode | splay | A1A | A18 | A1C | A1D | A1E | A1F | A1G | A21 | A22 | A23 | A24 | A26 | A27 | A29 | A2X | A31 | A32 | A33 | A34 | АЗХ | A41 | A42 | A44 | A4X |
| Progr Numb | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 6 | 7 | 8 | 8 | 6 | 7 | 9 | 8 | 6 | 8 | 6 | 8 | 8 | 6 | 7 | 10 | 10 |
| Energ Label | | | | E (w/ | Auto | door | D/A1 | E is re | eady) | | | | ı |) | | С | - | E | ı |) | С | - | E | D | С |
| Wate Consu | | | 11 lt | (9 lt v | with A | AquaZ | (one) | | | | | | | | | | 9 lt | | | | | | | | |
| | 2 Bask et | | | | 57/5 | 4/52, | /49/4 | 7/45 | | | | | | 44 | | | /49/ | 4/52 47/4 5 | | | | 44 | | | |
| d Level | 2 Bask et +3rd rack | | | | | 49/4 | 7/45 | | | | | | , | 44/42 | ! | | 49/4 | 7/45 | , | 44/42 | ! | 4 | 4 | 44, | /42 |
| Circul | | | | | A | synch | rono | us | | | | | | BLDC | | | | ichro ius | | | | BLDC | ; | | |
| Auto | Door | | | | | | | | | | | | | + | | | | - | | + | | | | | + |
| Wate | | | | | | | | | | | | | | | | + | | | - | | + | | - | | + |
| Place Settin | | | | | | | | | | | 10 | | PS (2 bask | | | ick) | | | | | | | | | _ |

| w/o display models | X11 | X12 | X13 | X14 | X15 | X16 |
|--------------------|---------------|------------|------|-----|-----|-----|
| w/ display models | X1A | X1B | X1C | X1D | X1E | X1F |
| Program Number | 2 | 3 | 4 | 5 | 6 | 7 |
| Energy Labeling | E | | | | | |
| Water Consumption | 11 lt (9 lt v | with AquaZ | one) | | | |
| Sound Level | 57/54/52/ | 49/47/45 | | | | |
| Circulation pump | Asynchro | nous | | | | |
| Auto Door | - | | | | | |
| Water Box | | | | | | |
| Place Setting | 10 PS (2 b | askets) | | | | |
| Structure | Freestand | ling | | | | |

| w/o dis models | | Y11 | Y12 | Y13 | Y14 | Y15 | Y16 | • | ** | 180 | * | 1.7 | | |
|-------------------|------------|-----|--|-----|-----|----------|-------------------------|--|-----|-----|-----|------|--|--|
| w/ disp | lay models | Y1A | Y18 | Y1C | Y1D | Y1E | Y1F | Y21 | Y22 | Y23 | Y24 | Y25 | | |
| Progran | n Number | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 8 | 9 | 9 | | |
| Energy I | Labeling | | E 13 le (G le with Anna Youn) | | | | | | | | | | | |
| Water Consum | nption | | E 11 It (9 It with AquaZone) 9 It 57/54/52/49/47/45 | | | | | | | | | | | |
| | 2 Basket | | | | | 57/54/52 | /49/47/45 | 5 | | | | | | |
| Sound Level | 2 Basket | | | | | 49/4 | 7/45 | | | | | 44 | | |
| Circulat | ion pump | | | | | Asynch | ronous | | | | | BLDC | | |
| Auto Do | oor | | | | | - | | | | | | | | |
| Water 8 | Вох | | | | | | - | | | | | | | |
| Place Se | etting | | | | | | P5 (2 bask baskets + | A 7 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | |

| w/o displa | y models | | | | | | | | | | |
|---------------------|---------------------------------|-----|----------|-------------|----------|---------------|---------------|-----|------|-----|-------|
| w/ hidden models | display | 523 | 524 | 525 | 526 | 527 | 531 | 532 | 533 | 534 | S3X |
| Program N | umber | 3 | 4 | 5 | 6 | 7 | 5 | 6 | 7 | 7 | 7 |
| Energy Lab | eling | | | | | E | | | | D | с |
| Water Con | sumption | | 11 lt (9 | It with Aqu | aZone) | | | | 9 lt | | |
| | 10 PS | | | | 57/54/52 | /49/47/45 | | | | 4 | 4 |
| | 10 PS + 3 rd Rack | | | | 49/4 | 7/45 | | | | 44 | 44/42 |
| Circulation | pump | | | | Asynch | ronous | | | | BL | DC |
| Auto Door | | | | | | | | | | | + |
| Water Box | | | | | | | | | | | + |
| Place Settir | | | | | | 10 PS (2 | baskets) | | | | |
| nace secon | • | | | | 10 | 0 PS (2 baskı | ets + 3rd rac | k) | | | |

INTEGRATED

| w/o d mode | | 512 | 513 | 514 | 515 | 516 | | | | | | | | | | | | | | | | |
|--|------------------------|--------|--|---------|-------------------------------|---------|-----|-----|-----|--------|-----|-----|----------------------|--------|-----|------------------------------------|-----|--------|-----|------------------------------------|-------------|--|
| | lden display Is | - | - | | | | 523 | 524 | 525 | 526 | 527 | 528 | 529 | 531 | 532 | 533 | 536 | 537 | 538 | : : | 539 | |
| Progra | ım Number | 2 | 3 | 4 | 5 | 6 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 7 | 8 | 9 | 7 | 8 | 9 | | 9 | |
| Energ | y Labeling | E (w, | /Auto | door C |)) | | | | | | | | | | | | D | | | C(| B Turbo) | |
| Water Consumpt. | | 12 lt | 12 it (9 it with AquaZone) 9 it | | | | | | | | | | | | | | | | | | | |
| model Progra Energy Water Place: W/o di model Progra Energy Water W/o di w/o | 12-13-14 PS | 57/5 | 7/54/52/49/47/45/44* 49/47/45/444* /41 | | | | | | | | | | | | | | | | | | | |
| | 14 PS with 3rd rack | - | | | | | | | | | | | | | | 44 | 44 | | | | | |
| S | 15 PS with 3rd rack | 49/4 | 19/47/45/44.* 49/47/45/44/42 /41/39 | | | | | | | | | | | | | | | | | | | |
| Circul | ation pump | Asyn | synchronous BLDC | | | | | | | | | | | | | | | | | | | |
| Auto Door | | -(0 | (Optional) | | | | | | | | | | | | + | + | | | | | | |
| Water Box Place Setting | | | | | | | | | | | | | | | | | + | | | | | |
| | | 14 P | 2 - 13 PS (2 baskets) 4 PS (2 baskets + Knifeshelf) 3 - 15 PS (2 baskets + 3rd rack) | | | | | | | | | | | | | 14 PS (2 baskets + 3rd rack) | | | | | | |
| w/o d | isplay models | | 11 | 112 | 113 | 114 | 115 | 116 | Τ. | \top | . T | . | | | | Τ. | Τ. | \top | . T | | | |
| w/ his | den display | \pm | 1A | 118 | пс | I1D | IZE | IIF | + | G I | 21 | 122 | 123 | 126 | 127 | 128 | 12 | 9 1 | 24 | I2X | 125 | |
| Progra | am Number | \top | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | 7 | 8 | 9 | 6 | 7 | 8 | 9 | | 9 | 9 | 9 | |
| Energy Labeling | | E | E (w/Autodoor D) D | | | | | | | | | | | \neg | С | В | | | | | | |
| Water Consumption | | 1 | 2 lt (9 | It with | h Agua | Zone) | | | | Т | | | | | 9 | 9 lt | | | _ | | | |
| 12-13-14 PS | | s | 57/54/52/49/47/45/44* 49/47/45/44/42/41 | | | | | | | | | | | | | | | | | | | |
| Sound Level | 14 PS witi 3rd rack | h - | | | | | | | | | | | | | | 44 | | | | | | |
| | 15 PS with 3rd rack | h 4 | 49/47/45/44* | | | | | | | | | | 49/47/45/44/42/41/39 | | | | | | - | | | |
| Circulation pump | | A | Asynchronous BLDC | | | | | | | | | | | | | | | | | | | |
| Auto Door | | - | - (Optional) | | | | | | | | | | | | | | + | | | | | |
| Water Box | | ٦. | | | | | | | | | | | | | | П | + | | | | | |
| Place Setting | | 1 | 4 PS (| 2 bask | basket: ets + K basket: | nifeshe | | | | | | | | | | | | | | 14 PS (2 baskets + 3rd rack) | | |

| w/ hidden dis models | play | 151 | 152 | 153 | 156 | 157 | 158 | 159 | 154 | ISX | 155 | |
|-------------------------|------------------------|------------------------------------|---------------------------------|-------|-------------|-----|-----|-----|-----|-----|-----|--|
| Program Number | | 7 | 8 | 9 | 6 | 7 | 8 | 9 | 9 | 9 | 9 | |
| Energy Labelin | 16 | E (w/Aut | odoor D) | | D | С | В | | | | | |
| Water Consumption | | 9 lt | | | | | | | | | | |
| | 12-13-14 PS | 57/54/52 | 2/49/47/4 | 5/44* | 49 / 47 / 4 | - | | | | | | |
| Sound Level | 14 PS with 3rd rack | - | | | | | | 44 | | | | |
| | 15 PS with 3rd rack | 49/47/45 | 5/44* | | 49 / 47 / 4 | - | | | | | | |
| Circulation pu | mp | Asynchro | | | | | | | | | | |
| Auto Door | | - (Option | nal) | | | | | | | | | |
| Water Box | | - | + | | | | | | | | | |
| Place Setting | | 12 - 13 P 14 PS (2 13 - 15 P | 14 PS (2 baskets + 3rd rack) | | | | | | | | | |

Notes

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 vesteltrade@vestel.com.tr www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The

Netherlands

Phone: +31 - 10 412 23 66 https://vestelbenelux.nl info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley,

Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

https://vestel.co.uk info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/

Germany

Phone: +49 - 89 55295 - 0 https://vestel-germany.de info@vestel-germany.de

VESTEL HOLLAND B.V. SPAIN BRANCH OFFICE

Paeso Doce Estrellas, 2, 3o. 28042. Madrid,

Spain

Phone: +34 - 91 320 63 98

https://vestel.es vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 -

94563 RUNGIS Cedex/France **Phone:** +33 - 146 75 00 29

http://vestel-france.fr

info@vestel.fr

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest/Romania

Phone: +40 - 31 425 42 93 https://vestel.ro

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00 Fax: +48 22 272 74 00 https://vestel-poland.com info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-AO, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544 https://vestel-gulf.ae info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187,

office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower, 02 Hai Trieu, Ben Nghe Ward, District 1, Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW

YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030 Manisa/Turkey

Phone: 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr www.vestelinternational.com FOLLOW US ON SOCIAL MEDIA











/vestelinternational