VESTEL

ELECTRIC VEHICLE CHARGER

EVC02 SERIES

A'DESIGN AWARD WINNER 2015 SILVER

GOOD DESIGN

PLUS X AWARD VESTEL BEST DESIGN BRAND 2015/2016

PLUS X AWARD VESTEL BEST DESIGN BRAND 2016-2017

PLUS X AWARD 2015 achieved for: Design

DESIGN TURKEY 2016 Good Design Award

reddot design award winner 2017

PLUS X AWARD VESTEL MOST INNOVATIVE BRAND 2017

Drive Green!

Wall Mounted

EVC02-XX

- Wall Mounted
- CE Marking
- Smart Application
- Smart Home Integrated

Build

Main Unit

- Full Aluminium Housing
- IP54 Rating
- IEC 61851 Safety Class I
- IEC 62196 Electric Vehicle Socket
- Standart White Colour

Outdoor Stand

- Rectangular Extrusion Metal Sheet
- Galvanized Coating
- Anti-Corrosion Painting

Free Standing

Single Outdoor

Double Outdoor

	Option	Type
OPTIONAL FEATURES	Wi-Fi	802.11n 1x1
	GSM	2G/3G
	RFID Reader	ISO14443A/B & ISO-15693
	NFC Module	ISO / IEC18092 - ISO / IEC21481
	Protection	RCD Type A/B + DC Leakage Sense
	Network Protocol	OCPP 1.6 (with GSM)
	Smart Application	Android & IOS (with connectivity)
	Colour	White - Blue - Orange

Technical Information

		EVC02-3	EVC02-7	EVC02-11	EVC02-22
PRODUCT SPECIFICATIONS	Power	3.7 kW	7.4 kW	11 kW	22 kW
	Voltage	230V AC, 1-Phase	230V AC, 1-Phase	400V AC, 3-Phase	400V AC, 3-Phase
	Current	1 x 16A	1 x 32A	3 x 16A	3 x 32A
	Socket Type	TYPE 2 EU	TYPE 2 EU	TYPE 2 EU	TYPE 2 EU
	Dimension - (HxWxD) mm	647x180x184	647x180x184	647x180x184	647x180x184
	Weight	10.7Kg	10.7 Kg	11.2 Kg	11.2 Kg
	IP Rating	IP54	IP54	IP54	IP54
	IK Rating	IK10	IK10	IK10	IK10

			EVC02-3 EVC02-7 EVC02-11 EVC02-22
PRODUCT SPECIFICATIONS	Operating Conditions	Temperature	-30 °C ⟷ +50 °C
		Humidity	5% ⟷ 95% (Relative Humidity, without dewdrops)
		Altitude	0 ⟷ 3000 m
	Storage Conditions	Temperature	-40 °C ⟷ +80 °C
		Humidity	5% ⟷ 95% (Relative Humidity, without dewdrops)
		Altitude	0 ⟷ 5000 m

VESTEL

Vestel Trade Co.
Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com