

BUILT-IN HOUSEHOLD APPLIANCES
DISHWASHERS

2022

>

WWW.VESTELINTERNATIONAL.COM

VESTEL





A man with grey hair and a beard, wearing a brown t-shirt, is leaning over a kitchen counter, smiling and looking at a tablet. He is surrounded by various ingredients like tomatoes, onions, and herbs. The background shows a teal wall with some decorative tiles.

COMPANY PROFILE
2-3

GLOBAL OPERATIONS
4-5

60 CM DISHWASHERS
6-73

45 CM DISHWASHERS
74-111

SPECIFICATIONS
112-184

ADDRESSES
189

COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA,
IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



18.500

Employees

13,5 MILLION

Home Appliances
Production Capacity

1.163.000 M²

Closed Production Area

Export Leader of Turkey with

\$ 2,5 BILLION

30 MILLION

Device Production
Capacity

\$ 3,2 BILLION

Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 10 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from French door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.25 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both Condenser and Heat Pump type of Tumble Dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.2 million units, producing free-standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub dishwashers developed for the US market have started to be produced for the first time. The plant has the capacity to produce 1.8 million units a year.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 30% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 23 years.



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

MARKETING & SALES COMPANIES

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland

Vestel Benelux, Netherlands
Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai



Features





Steam Wash

Steam wash technology softening the most stubborn dirts by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



Extra Drying

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.



Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.



Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.



QuickClean

VESTEL dishwashers achieves A class cleaning performance with advanced cleaning program in only 50 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaning performance in only 50 minutes for standard soiled dishes according to EN standards.



Extra Rinse

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.



Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.



Tablet Option

With this option, water reaches optimum temperature to dissolve the combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



Hydro Power

This technology enables all other options and programs to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.



KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start time of between 1 hour and 24 hours can be selected.



Vario Space

VarioSpace is a general feature that gives many options to the end user regarding lower and upper basket variations.



Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.



Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.



Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.

Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water gets drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



3rd Rack

Eco/Easy/Comfort Tray

Eco Tray

New fixed design option for 3rd rack that provides up to 15 place setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 15 place setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.

Super Active Drying System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.

Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is much more forced, hence results in most efficient drying performance.

Accessories



TOP NOZZLE



IMPELLER



AQUA STOP



PLASTIC FILTER
Optional



STAINLESS STEEL FILTER
Default

Pop-in-pop-out-knob for semi integrated dishwasher



ANTI BACTERIAL FILTER (V2)
Optional



ANTI BACTERIAL FILTER (V1)
Optional



Adjustable Rear Foot From The Front



Front Decor Fixations Different Weights



Adjustable Plinth

0-100 mm dept adjustment
820-870 mm machine height adjustment with high feet


The machine can be elevated by 50 mm (820 → 870-920 mm with high feet)

High Feet




Interior Lighting

1 spot



4 spots





INFOLED 2.1

New floor reflection for built-in range.



Programme
is running



Programme
has ended

infoLED

Colour Options

Semi-Integrated Panel Color Options

WHITE



BLACK



INOX



ALUMINIUM LOOK



DARK SILVER



WHITE



Fully-Integrated Panel Color Options

WHITE




BLACK



DARK SILVER



INOX LOOK



For each aesthetics, please ask for different color options.

Integrated Inox Options



Inox cladding



Inox half cladding



Inox add-on

Available for 60 and 45 cm ranges

Integrated Dark Inox Options



Dark inox cladding



Dark inox half cladding



Dark inox add-on

Available for 60 and 45 cm ranges





Semi-integrated



Fully Integrated



60 cm Dishwashers
Semi-integrated &
Integrated Ranges



Basket Types




V-type baskets



with ion tech



with purebeam



Flat-type baskets

with ion tech



with purebeam





Vario Space

Upper basket



Adjustable Mug Shelves




Adjustable Upper Basket with Load
2 and 3 level hight adjustment options




Adjustable Upper Basket without Load




Handle with Customized Logo
* For 15 place settings and only for upper basket





Wire Handle



Plastic Handle

Lower basket



**Foldable Wire
(2 Or 4)**



**Multi-Functional Kit
For Lower Basket**



Bottle Holder



Plastic Handle



Wine Glass Holder



**Mug Shelf Support
*W/O Or W/O Soft Touch**




Tray Holder



Knife Shelf





Universal Cutlery Basket

Hygiene Box*



**Standard Cutlery Basket
(fixed)**



Sliding Cutlery Basket




**Modular Cutlery Basket
(for 12 Settings)**



 **3rd Rack**
Comfort Tray

**New side by side sliding design option for 3rd rack
that provides up to 15 place setting.**

*Cutlerly basket is optional



 **3rd Rack**
Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

*Cutlerly basket is optional

*Up to 15 place settings




 **3rd Rack**
 *Eco Tray*

New fixed design option for 3rd rack
that provides up to 15 place setting.

*Cutlerly basket is optional

SLIDING DOOR




w/o Sliding Door

Max Decorative Panel Height (A)
717 mm

Plinth Depth (B)
30-80 mm

Minimum Plinth Height (C)
80 mm




w/ Sliding Door (Option 1)

Max Decorative Panel Height (A)
797 mm

Plinth Depth (B)
0-80 mm

Sliding Range
80 mm

Minimum Plinth Height (C)
20 mm



w/ Sliding Door (Option 2)

Max Decorative Panel Height (A)
757 mm

Plinth Depth (B)
0-80 mm

Sliding Range
40 mm

Minimum Plinth Height (C)
60 mm



2 Baskets



Upper Basket Position ↓

Upper Basket Position ↑

w/o height adjustment

**Max. Plate Dimension
for Upper Basket**

26,5 cm

21,5 cm

21,5 cm

**Max. Plate Dimension
for Lower Basket**

26,5 cm

31,5 cm

31,5 cm

2 Baskets + 3rd Rack



Upper Basket Position ↓ Upper Basket Position ↑ w/o height adjustment

**Max. Plate Dimension
for Upper Basket**

19,5 cm

14,5 cm

14,5 cm

**Max. Plate Dimension
for Lower Basket**

26,5 cm

31,5 cm

31,5 cm

A 4 SERIES

semi integrated

VESTEL



PureBeam

Energy Labeling

A B C D E

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

A 4 1 - Y

6/7/10 programs
icon-LED display (full touch control)
A/B/C/D/E energy labeling
BLDC circulation pump
Mini active / super active / turbo drying
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf),
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A4




**A4
inox add-on**



A41	6 programs, BLDC.	A46	6 programs.
A42	7 programs, BLDC.	A47	7 programs, BLDC.
A43	10 programs, BLDC.	A48	10 programs, BLDC.
A44	10 programs, BLDC, Auto Door	A49	10 programs, BLDC.
A45	10 programs, BLDC, Auto Door, Water Box.	A4X	10 programs, BLDC, Water Box.
A4Y	10 programs, BLDC, Auto Door, Water Box.		

A 3 SERIES

semi integrated



PureBeam

Energy Labeling

B C D E

Major Features

Delay Timer	Half Load	Auto Door	Water Box	Hydro Power	Direct Wash	Triple Wash
3 rd Rack Eco/Easy/Comfort Tray	Interior Lighting 1 or 4 Spot					

See product specifications for default and optional features

A 3 1 - X

6/8 programs
icon-LED display (optional touch control)
B/C/D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A3




A3
inox add-on



A31	6 programs, AC.	A37	7 programs, AC.
A32	8 programs, AC.	A38	8 programs, AC.
A33	6 programs, BLDC, Auto Door	A39	9 programs, BLDC, Auto Door
A34	8 programs, BLDC, Auto Door	A3X	9 programs, BLDC, Water Box.
A35	8 programs, BLDC, Auto Door, Water Box.		
A36	6 programs, BLDC.		

A 2 SERIES

semi integrated



PureBeam

Energy Labeling

B C D E

Major Features

Delay Timer	Half Load	Auto Door	Water Box	Hydro Power	Direct Wash	Triple Wash
	3rd Rack			Interior Lighting	1 or 4 Spot	

See product specifications for default and optional features

A 2 1 - 6

6/7/8 programs
LED display
B/C/D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A2X



**inox
add-
on**



A21	6 programs, AC.	A27	7 programs, AC.
A22	7 programs, AC.	A28	8 programs, AC.
A23	8 programs, AC.	A29	9 programs, AC.
A24	8 programs, BLDC, Auto Door	A2X	9 programs, BLDC, Water Box.
A25	8 programs, BLDC, Auto Door, Water Box.		
A26	6 programs, BLDC.		

A 1 S E R I E S

semi integrated



Energy Labeling

D E

Major Features



Delay Timer




Half Load



Aqua Zone

 **3rd Rack**
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 1 2 - 7

3 to 8 programs
LED indicator
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - G

3 to 8 programs
LED display
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),
13 PS (2 baskets),
13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)
15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A1 w/o display



A1 w display



A12	3 programs, AC.
A13	4 programs, AC.
A14	5 programs, AC.
A15	6 programs, AC.
A16	7 programs, AC.
A17	8 programs, AC.

A1B	3 programs, AC.
A1C	4 programs, AC.
A1D	5 programs, AC.
A1E	6 programs, AC.
A1F	7 programs, AC.
A1G	8 programs, AC.

A Series
Daisy



A Series
Gardenya




A Series
Luna





T 3 S E R I E S

semi integrated



Energy Labeling

B D E

Major Features

Delay Timer	Half Load	Auto Door	Water Box	Hydro Power	Direct Wash	Triple Wash
3rd Rack Eco/Easy/Comfort Tray	Interior Lighting 1 or 4 Spot					

See product specifications for default and optional features

T 3 1 - 6

6/8 programs
icon-LED display
E/D/B energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

Design Options

SI Ares, Patara

Model Versions

T3X
Amber
display



T3X
White
display



T31 6 programs, AC.

T32 8 programs, AC.

T34 8 programs, BLDC, Auto Door.

T35 8 programs, BLDC, Auto Door Water Box.

T36 8 programs, BLDC.

T3 Series Ares




T3 Series
Patara



T 2 / 1 S E R I E S

semi integrated



Energy Labeling

B D E

Major Features

Delay Timer	Half Load	Auto Door	Water Box	Hydro Power	Direct Wash	Triple Wash
3 rd Rack Eco/Easy/Comfort Tray	Interior Lighting 1 or 4 Spot					

See product specifications for default and optional features

T 11 - 3

3/4/6 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
46/44/42/41/39 dBA (w/ BLDC)
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer (T11 w/o delay timer)

T 21 - 6

8 programs
LED display
B/D energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

Design Options

SI Amaranth

Model Versions

T1 Series

T11



3 programs, AC.

T12



4 programs, AC.

T13



6 programs, AC.

T2 Series

T21



8 programs, AC.

T24



8 programs, BLDC, Auto Door.

T25



8 programs, BLDC, Auto Door, Water Box

T26



8 programs, BLDC.


T2-T1 Series **Amaranth**





Y 2 S E R I E S

semi integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 6

6 to 9 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21		6 programs, AC.
Y22		7 programs, AC.
Y23		8 programs, AC.
Y24		9 programs, AC.
Y25		9 programs, BLDC, Auto Door.
Y26		9 programs, BLDC.

Y1 SERIES

semi integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w display

Y11



2 programs, AC.

Y12



3 programs, AC.

Y13



4 programs, AC.

Y14



5 programs, AC.

Y15



6 programs, AC.

w/o display

Y1A



2 programs, AC.

Y1B



3 programs, AC.

Y1C



4 programs, AC.

Y1D



5 programs, AC.

Y1E



6 programs, AC.

Y1F



7 programs, AC.

Y Series **Silva Y**



Y Series **Camelia Y**



X SERIES

semi integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray

See product specifications for default and optional features

X 11 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 11 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

SI Camelia, Silva, Silva (Inox add-on)

Model Versions

w display

X11



2 programs, AC.

X12



3 programs, AC.

X13



4 programs, AC.

X14



5 programs, AC.

X15



6 programs, AC.

X16



7 programs, AC.

w/o display

X1A



2 programs, AC.

X1B



3 programs, AC.

X1C



4 programs, AC.

X1D



5 programs, AC.

X1E



6 programs, AC.

X1F



7 programs, AC.

X Series
Camelia



X Series
Silva



I 1 - 2 S E R I E S

fully integrated



Energy Labeling

B **C** **D** **E**



Sliding Door

Self Balance

Major Features

Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone



infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot



See product specifications for default and optional features

I11-6 / I1A-G

2 to 8 programs
LED Indicator / Hidden LED Display
E/D energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-X

7/8/9 programs
LED Indicator / Hidden LED Display
E/D/C/B energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

112 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

Astrum, Rhea, Rhea (Inox Cladding, Inox Half Cladding, Inox add-on)

Model Versions

I11-6 w/display



I1A-G w/o display



- I11-A** 2 programs, AC.
I12-B 3 programs, AC.
I13-C 4 programs, AC.
I14-D 5 programs, AC.
I15-E 6 programs, AC.
I16-F 7 programs, AC.
I1G 8 programs, AC.

- I21** 7 programs, AC.
I22 8 programs, AC.
I23 9 programs, AC.
I24 9 programs, BLDC, Auto Door.
I25 9 programs, BLDC, Water Box.
I26 6 programs, BLDC.
I27 7 programs, BLDC.
I28 8 programs, BLDC.
I29 9 programs, BLDC.
I2X 9 programs, BLDC, Water Box.

I Series
Astrum



I Series
Rhea



I 5 S E R I E S

semi integrated



Energy Labeling

B **C** **D** **E**



Sliding Door

Self Balance

Major Features

Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash



Aqua Zone



infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot



See product specifications for default and optional features

I 51 - 9

7/8/9 programs
LED display
E/D/C/B energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption (I51: 12 lt (9 lt with aquazone))
3 mode half load (1 mode for I51)
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

Design Options


Freya, Freya (Inox look)

Model Versions

Black control panel



Inox look control panel



- | | |
|------------|---|
| I51 | 7 programs, AC. |
| I52 | 8 programs, AC. |
| I53 | 9 programs, AC. |
| I54 | 9 programs, BLDC, Auto Door. |
| I55 | 9 programs, BLDC, Auto Door, Water Box. |
| I56 | 6 programs, BLDC. |
| I57 | 7 programs, BLDC. |
| I58 | 8 programs, BLDC. |
| I59 | 9 programs, BLDC. |
| I5X | 9 programs, BLDC, Water Box. |

US (TALL-TUB) INTEGRATED RANGE



Energy Labeling



Major Features



Delay Timer



Half Load



Hydro Power



3rd Rack

Eco/Easy/Comfort Tray

See product specifications for default and optional features

Color Options



Painted



Stainless steel

Dimensions

Height (inch, mm)	33 7/8" ; 861 mm
Width (inch, mm)	23 9/16" ; 598 mm
Depth (inch, mm)	22 1/2" ; 570 mm

Z A 5 - Z B 5 - Z B 7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets) 13 PS (2 baskets),
15 PS (2 baskets + 3rd rack)

Design Options

Rhea, Astrum

Z C 5 - Z D 5 - Z D 7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets) 13 PS (2 baskets),
15 PS (2 baskets + 3rd rack)

Design Options

Freya

Model Versions

Astrum



6 programs, AC or BLDC.



8 programs, AC or BLDC.

Rhea



6 programs, AC or BLDC.



8 programs, AC or BLDC.

Freya



6 to 8 programs, AC or BLDC.

Tall-tub Integrated Range **Rhea**



Tall-tub Integrated Range

Astrum




Tall-tub Integrated Range
Freya






Standard Tub

Semi-Integrated




Integrated




Tall Tub

Full Door



Integrated





45 cm Dishwashers
Semi-integrated &
Integrated Ranges





 **3rd Rack**
 **Easy Tray**

Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

FEATURES

Maximum Plate Diameter



Standard Cutlery Basket




Adjustable Upper Basket



Lower Basket - 10 Place Settings



Adjustable Basket



Adjustable only when empty

Adjustable only when loaded

Inox Look Control Panels

60 & 45 cm I5 series (FI)
Dead front display & full touch control



2 Baskets



Upper Basket Position ↓

Upper Basket Position ↑

w/o height adjustment

**Max. Plate Dimension
for Upper Basket**

26,5 cm

21,5 cm

21,5 cm

**Max. Plate Dimension
for Lower Basket**

25,5 cm

30,5 cm

30,5 cm

2 Baskets + 3rd Rack



Upper Basket Position ↓ Upper Basket Position ↑ w/o height adjustment

***Max. Plate Dimension
for Upper Basket***

19,5 cm

14,5 cm

14,5 cm

***Max. Plate Dimension
for Lower Basket***


25,5 cm

30,5 cm

30,5 cm

A 4 SERIES

integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load



Auto Door




Hydro Power



3rd Rack

Easy Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

A 4 1 - 5

6/7/10 programs
icon-LED display (full touch control)
D/E energy labeling
BLDC circulation pump
Turbo drying
44 dBA
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A4X



A4X
inox
add-on



A41 6 programs, BLDC.


A42 7 programs, BLDC.

A43 10 programs, BLDC, Auto Door.

A44 10 programs, BLDC, Auto Door.

A 3 S E R I E S

integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power

3rd Rack
 Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - 3 6

6/8 programs
icon-LED display (optional touch control)
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A3X




A3X
inox
add-on



- | | |
|------------|------------------------------|
| A31 | 6 programs, AC. |
| A32 | 8 programs, AC. |
| A33 | 6 programs, BLDC, Auto Door. |
| A34 | 8 programs, BLDC, Auto Door. |

A 2 S E R I E S

integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load




Auto Door



Hydro Power

 **3rd Rack**
 **Easy Tray**

 **Interior Lighting**
1 or 4 Spot

See product specifications for default and optional features

A 2 1 - 4

6 to 8 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A21



6 programs, AC.

A22



7 programs, AC.

A23



8 programs, AC.

A24




8 programs, BLDC, Auto Door.

**A24
inox
add-on**



A 1 S E R I E S

integrated



Energy Labeling

E

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

A 1 2 - 5

3 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - E

3 to 6 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A12



3 programs, AC.

A13



4 programs, AC.

A14



5 programs, AC.

A15



6 programs, AC.

**inox
add-on
version**



A1B



3 programs, AC.

A1C



4 programs, AC.

A1D



5 programs, AC.

A1E




6 programs, AC.



T 2 / 1 S E R I E S

integrated



Energy Labeling

D **E**

Major Features

Delay Timer	Half Load	Auto Door	Aqua Zone	Hydro Power
			Interior Lighting	1 or 4 Spot

See product specifications for default and optional features

T 14 - 5

7 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (T15 w/o half load)
1-24 hours delay timer (3-6-9 hours for T15)

T 21 - 4

8 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Vento

Model Versions

T14



7 programs, AC.

T21



8 programs, AC.

T15



7 programs, AC.

T22



8 programs, AC.


T24



8 programs, BLDC, Auto Door.

Y 2 S E R I E S

integrated



Energy Labeling

D **E**

Major Features



Delay Timer



Half Load




Auto Door



Hydro Power

 **3rd Rack**
 **Easy Tray**



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 5

6 to 9 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21



6 programs, AC.

Y22



7 programs, AC.

Y23



8 programs, AC.

Y24



9 programs, AC.


Y25



9 programs, BLDC, Auto Door.

Y1 SERIES

integrated



Energy Labeling

E

Major Features



Delay Timer




Half Load



Auto Door



Hydro Power



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
 LED indicator
 E energy labeling
 AC circulation pump
 Mini active / super active / turbo drying
 57/54/52/49/47/45 dBA
 11 lt water consumption (9 lt with aquazone)
 1 mode half load
 3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
 LED display
 E energy labeling
 AC circulation pump
 Mini active / super active / turbo drying
 57/54/52/49/47/45 dBA
 11 lt water consumption (9 lt with aquazone)
 1 mode half load
 1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w/o display

Y11



2 programs, AC.

Y12



3 programs, AC.

Y13



4 programs, AC.

Y14



5 programs, AC.

Y15



6 programs, AC.

w display

Y1A



2 programs, AC.

Y1B



3 programs, AC.

Y1C



4 programs, AC.

Y1D



5 programs, AC.

Y1E



6 programs, AC.

Y1F



7 programs, AC.

Y Series
Silva



Y Series
Lydia




Y Series
Camelia



Y Series
Klikya



X SERIES



Energy Labeling

E

Major Features

Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

X 11 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

SI Orchis

Model Versions

w/o display

X11



2 programs, AC.

X12



3 programs, AC.

X13



4 programs, AC.

X14



5 programs, AC.

X15



6 programs, AC.

X16



7 programs, AC.

w display

X1A



2 programs, AC.

X1B



3 programs, AC.

X1C



4 programs, AC.

X1D



5 programs, AC.

X1E



6 programs, AC.

X1F



7 programs, AC.

I 1 - 2 S E R I E S

fully integrated



Energy Labeling

E



Sliding Door

Self Balance

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Easy Tray

See product specifications for default and optional features

I11-6 / I1A-G

3/5/6/7/8 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (D12 w/o half load)
3-6-9 hours / 1-19 hours delay timer
(D12 w/o delay timer)

I21-4

7/8/9 programs
LED display
E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
54/52/49/47/45 dBA (w/o BLDC)
44dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Alinda, Spero, Spero (Inox Cladding, Inox Half Cladding, Inox add-on)

Model Versions

I11-6 w/display



I1A-G w/o display



I21-4



I11-A 2 programs, AC.

I21 7 programs, AC.

I12-B 3 programs, AC.

I22 8 programs, AC.

I13-C 4 programs, AC.

I23 9 programs, AC.

I14-D 5 programs, AC.

I24 9 programs, BLDC, Auto Door.

I15-E 6 programs, AC.

I16-F 7 programs, AC.

I1G 8 programs, AC.

I Series
Spero



I Series
Alinda



I 5 S E R I E S

fully integrated



Energy Labeling

D E



Sliding Door

Self Balance

Major Features

Delay Timer



Half Load



Auto Door



Hydro Power



Aqua Zone



infoLED



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I 51 - 4

6/8 programs
LED display
D / E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 (w/ BLDC)
9 lt water consumption (I51: 12 lt (9 lt with aquazone))
3 mode half load (1 mode for I51)
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Hemen, Hemen (Inox look)

Model Versions

Black control panel



Inox look control panel



I51 7 programs, AC.

I52 8 programs, AC.

I53 9 programs, AC.

I54 9 programs, BLDC, Auto Door.

TALL-TUB INTEGRATED RANGE



Energy Labeling



Major Features



Delay Timer



Half Load



Hydro Power



See product specifications for default and optional features

Color Options



Painted



Stainless steel

Dimensions

Height (inch, mm)	32 1/4" ; 820 mm
Width (inch, mm)	17 27/32" ; 450 mm
Depth (inch, mm)	22 1/2" ; 570 mm

Z A 5 - Z B 7

Standard-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Spero

Model Versions



6 programs, AC or BLDC.



8 programs, AC or BLDC.


Tall-tub Integrated Range **Spero**






Standard Tub

Semi-Integrated




Integrated




Standard Tub
USA Models

Semi-Integrated



Integrated



A1 SERIES 60cm Models BUILT-IN DISHWASHERS		A12	A1B	A13	A1C	A14	A1D	A15	A1E
General Characteristics									
Number of place settings (PS)(1)	12 PS (2 baskets)	Default							
	13 PS (2 baskets)	(o)							
	13 PS (2 baskets + 3rd rack)	(o) with Aquazone							
	14 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan							
Number of programmes		3	3	4	4	5	5	6	6
Temperatures (°C)		50-65	50-65	40-50-65	40-50-65	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70
Control type	Default	Button Control							
	Option	-	-	-	-	-	-	-	-
Hidden heating element		Yes							
Filter type	Metal	Default							
	Plastic	(o)							
Tub material		Stainless Steel							
Turbidity sensor (Smart Wash)		(o) for 15 PS							
Drying system	Mini Active	Default							
	Super Active	(o)							
	Turbo	Default for 15 Ps							
Electrical Diverter system		-	-	-	-	-	-	-	-
Overflow & leakage protection		Yes							
Heater protection		Yes							
Circulation pump	Asynchronous	Yes							
	BLDC	-	-	-	-	-	-	-	-
Aquazone		(o)							
New Indoor Design		(o)							
Interior light	one spot	(o)							
	four spot	(o)							
Available Aesthetics*	Freestanding	Angel, Cary, Daisy, Erica							
	Semi-Integrated	Daisy, Gardenya, Gardenya (Inox add-on)							
	Fully Integrated	-	-	-	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes									
Prewash		-	-	-	-	-	-	Yes	Yes
Mini 14' (Jet Wash)		-	-	-	-	-	-	-	-
Quick 30' 40°C		-	-	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes							
Super 50' 65°C (Quick Clean)		Yes							
Hygiene 70°C		-	-	-	-	Yes	Yes	Yes	Yes
Intensive 65°C		Yes							
Auto**		(o) for 15 PS							
User Interface									
Start/Pause button		Yes							
DISPLAY TYPE [Mini / Large] (delay start, remaining time)		-	Mini: LED						
Display Color	Default	-	Red	-	Red	-	Red	-	Red
	Option	-	White	-	White	-	White	-	White
Prewash button		-	-	-	-	-	-	-	-
Programme selection button		Yes							
Delay timer option	3hr,6hr,9hr	Yes	-	Yes	-	Yes	-	Yes	-
	1-2-3-...-19hr	-	-	-	-	-	-	-	-
	1-2-3-...-24hr	-	Yes	-	Yes	-	Yes	-	Yes
Eco Wash - Half load option	1 mode	Yes							
	3 modes	-	-	-	-	-	-	-	-
Tablet option		Yes							
Rinse-aid indicator		Yes							
Salt indicator		Yes							
Washing cycle indicators		Yes							
End of cycle indicator		Yes							
Child Lock		Yes							
Buzzer		(o)							

A1 SERIES 60cm Models BUILT-IN DISHWASHERS		A12	A1B	A13	A1C	A14	A1D	A15	A1E
Baskets & Accessories									
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-	-	-
	13 PS	(o)							
	14 PS	-	-	-	-	-	-	-	-
	15 PS	Yes							
Upper basket type [mesh type / peg type]		(o)							
Adjustable upper basket [empty / loaded 2 level / loaded 3 level*]		(o)							
Number of mug shelves		2 (std) / 4 (o)							
Adjustable mug shelves		Yes (peg type) / (o) (mesh type)							
Mug shelves with soft touch rubber (only with peg type basket)		(o)							
Foldable racks on upper basket (only with peg type basket)		fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)
Foldable racks on lower basket		(o)							
Upper basket handle type [No / Wire / Plastic / Metal]		(o)							
Lower basket handle type [No / Wire / Plastic / Metal]		(o)							
Removable cutlery basket (Single piece)		(o)(12/13ps) / No(15ps)							
Removable cutlery basket (Universal)		No(12/13ps) / (o)(15ps)							
Removable cutlery basket (Modular) (2)		(o)							
Removable cutlery basket (Sliding) (3)		(o)(12/13ps) / No(15ps)							
Multi functional kit (Extra mug shelves + higher rear part on lower basket)		(o)							
Bottle holder on lower basket		(o)							
Wine stem support & Spoon rack on upper basket (2)		(o)							
Wine glass holder on lower basket		(o) with 4 foldable racks							
Top nozzle	fixed type with 2 baskets	(o) with Aquazone							
	rotating type	Default with 3rd basket							
Aquastop external hose		(o)							
Antibacterial filter		(o)							
Anti-siphon system		(o)							
Technical Data (4)									
Sound level (dB(A) re 1 pW)	12 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45
	13 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45
	14 PS	-	-	-	-	-	-	-	-
	15 PS	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45
Energy efficiency class		A++							
Energy efficiency index	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
	13 PS	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6
	14 PS	-	-	-	-	-	-	-	-
	15 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
Cleaning efficiency class		A	A	A	A	A	A	A	A
Cleaning efficiency index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class		A	A	A	A	A	A	A	A
Technical Data (4)									
Drying efficiency index		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0
	with Aquazone	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
Annual water consumption (lt / year)	Default	3360	3360	3360	3360	3360	3360	3360	3360
	with Aquazone	2520	2520	2520	2520	2520	2520	2520	2520
Duration of the standard programme (min)	Default	205	205	205	205	205	205	205	205
	with Aquazone	221	221	221	221	221	221	221	221
Standard programme energy consumption (kWh / cycle)	12 PS	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907
	13 PS	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917
	14 PS	-	-	-	-	-	-	-	-
	15 PS	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949
Annual energy consumption (kWh / year)	12 PS	258	258	258	258	258	258	258	258
	13 PS	261	261	261	261	261	261	261	261
	14 PS	-	-	-	-	-	-	-	-
	15 PS	270	270	270	270	270	270	270	270
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50

A1 SERIES 60cm Models BUILT-IN DISHWASHERS		A12	A1B	A13	A1C	A14	A1D	A15	A1E
Technical Data (4)									
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A								
Duration of left-on mode (min)	15	15	15	15	15	15	15	15	15
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)	165	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147
Water inlet hose length (cm)	with Aquastop ext. hose	170	170	170	170	170	170	170	170
Water outlet hose length (cm)	200	200	200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions									
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
Height (cm)	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Height (cm)	Fully Integrated	-	-	-	-	-	-	-	-
Width (cm)	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0
Depth (cm)	Fully Integrated	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2	2
Height adjustment (+cm)	Semi-Integrated	5	5	5	5	5	5	5	5
Height adjustment (+cm)	Fully Integrated	-	-	-	-	-	-	-	-
Adjustable Plinth for undetable usage (mm) Undetable	(o) (80 or/ and 130)								
Possible adjustment of the plinth Undetable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undetable	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated	8	8	8	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	64,4 x 66,1 x 88,1							
Packed dimensions (Width x Depth x Height) (cm)	Semi-Integrated	64,4 x 66,1 x 85,1							
Packed dimensions (Width x Depth x Height) (cm)	Fully Integrated	-	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6 (2 baskets) / 4 (3rd basket)							
Stacking quantity (pcs)	Semi-Integrated	6	6	6	6	6	6	6	6
Stacking quantity (pcs)	Fully Integrated	-	-	-	-	-	-	-	-
Gross/Net weight (kg)(5)	Freestanding	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53
Gross/Net weight (kg)(5)	Semi-Integrated	43 /41	43 /41	43 /41	43 /41	43 /41	43 /41	43 /41	43 /41
Gross/Net weight (kg)(5)	Fully Integrated	-	-	-	-	-	-	-	-
Container loading (40"HC / 40" / 20")	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone"

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

A2 SERIES 60cm Models BULIT-IN DISHWASHERS		A21	A22	A23	A24	A25	A26	
General Characteristics								
Number of place settings (PS)(1)	12 PS (2 baskets)	Default	Default	Default	Default	-	Default	
	13 PS (2 baskets)	(o)	(o)	(o)	(o)	-	(o)	
	13 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	(o)	-	(o)	
	14 PS (2 baskets + 3rd rack)	-	-	-	-	Default	-	
	15 PS (2 baskets + 3rd rack)	(o) with Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o)	-	(o)	
Number of programmes		6	7	8+	8+	8+	8+	
Temperatures (°C)		40-50-65	40-50-60-65	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	
Control type	Default	Button Control						
	Option	-	-	-	-	-	-	
Hidden heating element	Yes							
Filter type	Metal	Default	Default	Default	Default	Default	Default	
	Plastic	(o)	(o)	(o)	-	-	-	
Tub material	Stainless Steel		Stainless Steel		Stainless Steel		Stainless Steel	
Turbidity sensor (Smart Wash)	(o)		(o)		Yes		Yes	
Drying system	Mini Active	Default	Default	Default	-	-	-	
	Super Active	(o)	(o)	(o)	-	-	-	
	Turbo	(o)	(o)	(o)	Default	Default	Default	
Electrical Diverter system	Yes							
Overflow & leakage protection	Yes							
Heater protection	Yes							
Circulation pump	Asynchronous	Yes	Yes	Yes	-	-	-	
	BLDC	-	-	-	Yes	Yes	Yes	
Auto Door	-	-	-	-	Yes	Yes	-	
Water Box	-	-	-	-	-	Yes	-	
Triple & Direct Wash*	-	-	-	(o)	(o)	(o)	(o)	
Aquazone	-	-	-	-	-	-	-	
Wi-fi*	(o)							
New Indoor Design	(o)							
Sliding Door	-	-	-	-	-	-	-	
Ion Tech	(o)							
Uvon Tech*	-	-	-	(o)	(o)	(o)	(o)	
InfoLED	1,0	-	-	-	-	-	-	
	2,0 (Floor Indicator)	-	-	-	-	-	-	
Interior light	one spot	(o)	(o)	(o)	(o)	(o)	(o)	
	four spot	(o)	(o)	(o)	(o)	(o)	(o)	
Available Aesthetics*	Freestanding	Angel, Carya, Daisy, Erica						
	Semi-Integrated	Daisy, Gardenya, Gardenya (Inox add-on)						
	Fully Integrated	-	-	-	-	-	-	
Appliance Color Options	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	
Programmes								
Prewash	Yes	Yes	Yes	-	-	-	-	
Mini 14' (Jet Wash)	-	-	-	Yes	Yes	Yes	Yes	
Quick 30' 40°C	Yes							
Eco (Standard Programme)	Yes							
Super 50' 65°C (Quick Clean)	Yes							
Delicate 40°C	Yes	Yes	-	-	-	-	-	
Daily 60°C / Hybrid Wash 60°C	-	Yes	Yes	-	-	-	-	
Dual Pro Wash 60°C	-	-	-	Yes	Yes	Yes	Yes	
Intensive 65°C	Yes	Yes	-	-	-	-	-	
Auto**	(o)	(o)	-	-	-	-	-	
Auto Delicate 30°C - 50°C	-	-	Yes	Yes	Yes	Yes	Yes	
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C	-	-	Yes	Yes	-	-	Yes	
Auto Intensive 60°C - 70°C	-	-	Yes	Yes	Yes	Yes (50°C-70°C)	Yes	
Eco 5.4 It / Save+ 5.4 It	-	-	-	-	-	Yes	-	
User Interface								
Start/Pause button	Yes							
DISPLAY TYPE [Mini / Large] (delay start, remaining time)	Mini or Large: LED							
Display Color	Default	Red	Red	Red	Red	Red	Red	
	Option	White	White	White	White	White	White	
Prewash button	-	-	-	-	-	-	-	
Programme selection button	Yes							

A2 SERIES 60cm Models BULIT-IN DISHWASHERS		A21	A22	A23	A24	A25	A26
User Interface							
Delay timer option	3hr,6hr,9hr	-	-	-	-	-	-
	1-2-3...-19hr	-	-	-	-	-	-
	1-2-3...-24hr	Yes	Yes	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes	Yes	Yes
Tablet option	Yes						
Extra Hygiene option	Yes						
Extra Rinse option	Yes	Yes	Yes	-	-	-	-
Extra Drying option	Yes	Yes	Yes	-	-	-	Yes
Extra Silent option (Silent Wash)	-	-	-	Yes	Yes	Yes	Yes
Extra Fast option	-	-	-	Yes	Yes	Yes	Yes
Energy Save option	-	-	-	Yes	Yes	Yes	-
Rinse-aid indicator	Yes						
Salt indicator	Yes						
Washing cycle indicators	Yes						
End of cycle indicator	Yes						
Child Lock	Yes						
Buzzer	(o)	(o)	(o)	Yes	Yes	(o)	
Baskets & Accessories							
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-
	13 PS	(o)	(o)	(o)	(o)	-	(o)
	14 PS	-	-	-	-	Yes	-
	15 PS	Yes	Yes	Yes	Yes	-	Yes
Upper basket type [mesh type / peg type]	(o)	(o)	(o)	(o)	Peg	(o)	
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	
Number of mug shelves	2 (std) / 4 (o)	4	2 (std) / 4 (o)				
Adjustable mug shelves	Yes (peg type) / (o) (mesh type)	Yes	Yes (peg type) / (o) (mesh type)				
Mug shelves with soft touch rubber (only with peg type basket)	(o)	(o)	(o)	(o)	(o)	(o)	
Foldable racks on upper basket (only with peg type basket)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	
Foldable racks on lower basket	(o)	(o)	(o)	(o)	Yes	(o)	
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)	
Removable cutlery basket (Universal)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	(o)	No(12/13ps) / (o)(15ps)	
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)	
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	
Wine stem support & Spoon rack on upper basket (2)	(o)	(o)	(o)	(o)	-	(o)	
Wine glass holder on lower basket	(o) with 4 foldable racks						
Top nozzle	fixed type with 2 baskets	(o)	(o)	(o)	(o)	-	(o)
	rotating type	Default with 3rd basket	Default	Default with 3rd basket			
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	
Anti-siphon system	(o)	(o)	(o)	(o)	(o)	(o)	
Technical Data (4)							
Sound level (dB(A) re 1 pW)	12 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	49 / 47 / 45 / 44 / 42 / 41	-	49 / 47 / 45 / 44 / 42 / 41
	13 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	49 / 47 / 45 / 44 / 42 / 41	-	49 / 47 / 45 / 44 / 42 / 41
	14 PS	-	-	-	-	44	-
	15 PS	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45 / 44 / 42 / 41 / 39	-	49 / 47 / 45 / 44 / 42 / 41 / 39
Energy efficiency class	A++	A++	A++	A+++	A+++ -20%		A+++
Energy efficiency index	12 PS	55,8	55,8	55,8	49,7	-	49,7
	13 PS	55,6	55,6	55,6	49,8	-	49,8
	14 PS	-	-	-	-	39,6	-
	15 PS	55,8	55,8	55,8	49,8	-	49,8
Cleaning efficiency class	A	A	A	A	A	A	
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A	
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09

A2 SERIES 60cm Models BULIT-IN DISHWASHERS		A21	A22	A23	A24	A25	A26
Technical Data (4)							
Standard programme water consumption (lt / cycle)	Default	9,0	9,0	9,0	9,0	9,0	9,0
	with Aquazone	-	-	-	-	-	-
Annual water consumption (lt / year)	Default	2520	2520	2520	2520	2520	2520
	with Aquazone	-	-	-	-	-	-
Duration of the standard programme (min)	Default	171	171	171	239	207	270
	with Aquazone	-	-	-	-	-	-
Standard programme energy consumption (kWh / cycle)	12 PS	0,907	0,907	0,907	0,807	-	0,807
	13 PS	0,917	0,917	0,917	0,821	-	0,821
	14 PS	-	-	-	-	0,660	-
	15 PS	0,949	0,949	0,949	0,846	-	0,846
Annual energy consumption (kWh / year)	12 PS	258	258	258	230	-	230
	13 PS	261	261	261	234	-	234
	14 PS	-	-	-	-	189	-
	15 PS	270	270	270	241	-	241
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)		N/A	N/A	N/A	N/A	N/A	N/A
Duration of left-on mode (min)		15	15	15	15	15	15
Power rating (W) / Heating element (W)		1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type		EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)		165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170
Water outlet hose length (cm)		200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)		0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions							
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-	-
Width (cm)		59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5	5
	Fully Integrated	-	-	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable		(o) (80 or/and 130)					
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated		59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated		8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	64,4 x 66,1 x 88,1					
	Semi-Integrated	64,4 x 66,1 x 85,1					
	Fully Integrated	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6 (2 baskets) / 4 (3rd basket)	4	6 (2 baskets) / 4 (3rd basket)			
	Semi-Integrated	6	6	6	6	6	6
	Fully Integrated	-	-	-	-	-	-
Gross/Net weight (kg)(5)	Freestanding	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	56 /53	49 /46 - 56 /53
	Semi-Integrated	43 /41	43 /41	43 /41	43 /41	43 /41	43 /41
	Fully Integrated	-	-	-	-	-	-
Container loading (40"HC/ 40" / 20")		162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

(†) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone[®]

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

A3 SERIES 60cm Models BULIT-IN DISHWASHERS		A31	A32	A33	A34	A35	A36
General Characteristics							
Number of place settings (PS)(1)	12 PS (2 baskets)	Default	Default	Default	Default	-	Default
	13 PS (2 baskets)	(o)	(o)	(o)	(o)	-	(o)
	13 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	(o)	-	(o)
	14 PS (2 baskets + 3rd rack)	-	-	-	-	Default	-
	15 PS (2 baskets + 3rd rack)	(o) with Turbo fan	(o) with Turbo fan	(o)	(o)	-	(o)
Number of programmes		6+	8+	6+	8+	8+	8+
Temperatures (°C)		Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default	Button Control					
	Option	Touch Control					
Hidden heating element		Yes	Yes	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default	Default	Default
	Plastic	(o)	(o)	-	-	-	-
Tub material		Stainless Steel					
Turbidity sensor (Smart Wash)		Yes	Yes	Yes	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	-	-	-	-
	Super Active	(o)	(o)	-	-	-	-
	Turbo	(o)	(o)	Default	Default	Default	Default
Electrical Diverter system		Yes	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	-	-	-	-
	BLDC	-	-	Yes	Yes	Yes	Yes
Auto Door		-	-	Yes	Yes	Yes	-
Water Box		-	-	-	-	Yes	-
Triple & Direct Wash*		(o)	(o)	(o)	(o)	(o)	(o)
Aquazone		-	-	-	-	-	-
Wi-fi*		(o)	(o)	(o)	(o)	(o)	(o)
New Indoor Design		(o)	(o)	(o)	(o)	(o)	(o)
Sliding Door		-	-	-	-	-	-
Ion Tech		(o)	(o)	(o)	(o)	(o)	(o)
Uvon Tech*		-	-	(o)	(o)	(o)	(o)
Interior light	one spot	(o)	(o)	(o)	(o)	(o)	(o)
	four spot	(o)	(o)	(o)	(o)	(o)	(o)
Available Aesthetics*	Freestanding	Angel, Carya, Daisy, Erica					
	Semi-Integrated	Daisy, Gardenya, Gardenya (Inox add-on)					
	Fully Integrated	-	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes							
Prewash		Yes	Yes	-	-	-	-
Mini 14' (Jet Wash)		Yes	Yes	Yes	Yes	Yes	Yes
Quick 30' 40°C		Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		Yes	Yes	Yes	Yes	Yes	Yes
Dual Pro Wash 60°C		-	-	Yes	Yes	Yes	Yes
Auto Delicate 30°C - 50°C		-	Yes	-	Yes	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	Yes	-	Yes	-	Yes
Auto Intensive 60°C - 70°C		Yes	Yes	Yes	Yes	Yes (50°C - 70°C)	Yes
Eco 5.4 lt / Save+ 5.4 lt		-	-	-	-	Yes	-
User Interface							
Start/Pause button		Yes	Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE [Mini / Large] (delay start, remaining time)		Large: Icon LED					
Display Color	Default	Red	Red	Red	Red	Red	Red
	Option	White	White	White	White	White	White
Prewash button		-	-	-	-	-	-
Programme selection button		Yes	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-	-	-
	1-2-3...-19hr	-	-	-	-	-	-
	1-2-3...-24hr	Yes	Yes	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes	Yes	Yes
Tablet option		Yes	Yes	Yes	Yes	Yes	Yes
Extra Hygiene option		Yes	Yes	Yes	Yes	Yes	Yes
Extra Rinse option		Yes	Yes	-	-	-	-
Extra Drying option		Yes	Yes	-	-	-	Yes
Extra Silent option (Silent Wash)		-	-	Yes	Yes	Yes	Yes
Extra Fast option		-	-	Yes	Yes	Yes	Yes

A3 SERIES 60cm Models BUILT-IN DISHWASHERS		A31	A32	A33	A34	A35	A36
User Interface							
Energy Save option	-	-	Yes	Yes	Yes	-	-
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Buzzer	Yes (Touch Control) / (o) Button Control	Yes (Touch Control) / (o) Button Control	Yes	Yes	Yes	Yes (Touch Control) / (o) Button Control	
Baskets & Accessories							
3rd basket	12 PS	-	-	-	-	-	-
[EasyTray, EcoTray or Comfort Tray]	13 PS	(o)	(o)	(o)	(o)	-	(o)
	14 PS	-	-	-	-	Yes	-
	15 PS	Yes	Yes	Yes	Yes	-	Yes
Upper basket type [mesh type / peg type]	(o)	(o)	(o)	(o)	Peg	(o)	
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	
Number of mug shelves	2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)	4	2 (std) / 4 (o)	
Adjustable mug shelves	Yes (peg type) / (o) (mesh type)	Yes (peg type) / (o) (mesh type)	Yes (peg type) / (o) (mesh type)	Yes (peg type) / (o) (mesh type)	Yes	Yes (peg type) / (o) (mesh type)	
Mug shelves with soft touch rubber (only with peg type basket)	(o)	(o)	(o)	(o)	(o)	(o)	
Foldable racks on upper basket (only with peg type basket)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	
Foldable racks on lower basket	(o)	(o)	(o)	(o)	Yes	(o)	
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)	
Removable cutlery basket (Universal)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	(o)	No(12/13ps) / (o)(15ps)	
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)	
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	
Wine stem support & Spoon rack on upper basket (2)	(o)	(o)	(o)	(o)	-	(o)	
Wine glass holder on lower basket	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 2 or more foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	
Top nozzle	fixed type with 2 baskets	(o)	(o)	(o)	-	(o)	
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default	Default with 3rd basket
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	
Anti-siphon system	(o)	(o)	(o)	(o)	(o)	(o)	
Technical Data (4)							
Sound level (dB(A) re 1 pW)	12 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	49 / 47 / 45 / 44 / 42 / 41	49 / 47 / 45 / 44 / 42 / 41	-	49 / 47 / 45 / 44 / 42 / 41
	13 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	49 / 47 / 45 / 44 / 42 / 41	49 / 47 / 45 / 44 / 42 / 41	-	49 / 47 / 45 / 44 / 42 / 41
	14 PS	-	-	-	-	44	-
	15 PS	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45 / 44 / 42 / 41 / 39	49 / 47 / 45 / 44 / 42 / 41 / 39	-	49 / 47 / 45 / 44 / 42 / 41 / 39
Energy efficiency class	A++	A++	A+++	A+++	A+++ -20%	A+++	
Energy efficiency index	12 PS	55,8	55,8	49,7	49,7	-	49,7
	13 PS	55,6	55,6	49,8	49,8	-	49,8
	14 PS	-	-	-	-	39,6	-
	15 PS	55,8	55,8	49,8	49,8	-	49,8
Cleaning efficiency class	A	A	A	A	A	A	
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	
Drying efficiency class	A	A	A	A	A	A	
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	9,0	9,0	9,0	9,0	9,0	9,0
	with Aquazone	-	-	-	-	-	-
Annual water consumption (lt / year)	Default	2520	2520	2520	2520	2520	2520
	with Aquazone	-	-	-	-	-	-
Duration of the standard programme (min)	Default	171	171	239	239	207	270
	with Aquazone	-	-	-	-	-	-
Standard programme energy consumption (kWh / cycle)	12 PS	0,907	0,907	0,807	0,807	-	0,807
	13 PS	0,917	0,917	0,821	0,821	-	0,821
	14 PS	-	-	-	-	0,660	-
	15 PS	0,949	0,949	0,846	0,846	-	0,846
Annual energy consumption (kWh / year)	12 PS	258	258	230	230	-	230
	13 PS	261	261	234	234	-	234
	14 PS	-	-	-	-	189	-
	15 PS	270	270	241	241	-	241
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

A3 SERIES 60cm Models BULIT-IN DISHWASHERS		A31	A32	A33	A34	A35	A36	
Technical Data (4)								
Duration of left-on mode (min)	15	15	15	15	15	15	15	
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	
Power cord length (cm)	165	165	165	165	165	165	165	
Water inlet hose length (cm)	Default with Aquastop ext. hose	147 170	147 170	147 170	147 170	147 170	147 170	
Water outlet hose length (cm)	200	200	200	200	200	200	200	
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	
Dimensions								
Height (cm)	Freestanding Semi-Integrated Fully Integrated	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	
Width (cm)	59,8		59,8		59,8		59,8	
Depth (cm)	Freestanding Semi-Integrated Fully Integrated	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	
Height adjustment (+cm)	Freestanding Semi-Integrated Fully Integrated	2 5 -	2 5 -	2 5 -	2 5 -	2 5 -	2 5 -	
Adjustable Plinth for undertable usage (mm) Undertable	(o) (80 or/and 130)							
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	
Height without worktop (cm) Undertable	82,0	82,0	82,0	82,0	82,0	82,0	82,0	
Decorative panel height (max) (cm) Semi-Integrated	59,7	59,7	59,7	59,7	59,7	59,7	59,7	
Plinth height (min) (cm) Semi-Integrated	8	8	8	8	8	8	8	
Plinth depth (cm) Semi-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	
Packed dimensions (Width x Depth x Height) (cm)	Freestanding Semi-Integrated Fully Integrated	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	
Stacking quantity (pcs)	Freestanding Semi-Integrated Fully Integrated	6 (2 baskets) / 4 (3rd basket) 6 -	6 (2 baskets) / 4 (3rd basket) 6 -	6 (2 baskets) / 4 (3rd basket) 6 -	6 6 -	4 6 -	6 (2 baskets) / 4 (3rd basket) 6 -	
Gross/Net weight (kg)(5)	Freestanding Semi-Integrated Fully Integrated	49 /46 - 56 /53 43 /41 -	49 /46 - 56 /53 43 /41 -	49 /46 - 56 /53 43 /41 -	56 /53 43 /41 -	49 /46 - 56 /53 43 /41 -	49 /46 - 56 /53 43 /41 -	
Container loading (40"HC / 40" / 20")	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models: 3rd basket can be selected only with Aquazone"

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

A4 SERIES 60cm Models BULIT-IN DISHWASHERS		A41	A42	A43	A44	A45
General Characteristics						
Number of place settings (PS)(1)	12 PS (2 baskets)	Default	Default	Default	Default	-
	13 PS (2 baskets)	(o)	(o)	(o)	(o)	-
	13 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	(o)	-
	14 PS (2 baskets + 3rd rack)	-	-	-	-	Default
	15 PS (2 baskets + 3rd rack)	(o) with Turbo fan	(o) with Turbo fan	(o)	(o)	-
Number of programmes	6+	7+	10+	10+	10+	
Temperatures (°C)	Auto-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-70	Auto-30-40-50-60-65-70	
Control type	Default	Touch Control	Touch Control	Touch Control	Touch Control	Touch Control
	Option	-	-	-	-	-
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default	Default
	Plastic	(o)	(o)	-	-	-
Tub material	Stainless Steel		Stainless Steel		Stainless Steel	
Turbidity sensor (Smart Wash)	Yes	Yes	Yes	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	-	-	-
	Super Active	(o)	(o)	-	-	-
	Turbo	(o)	(o)	Default	Default	Default
Electrical Diverter system	Yes	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	-	-	-	-	-
	BLDC	Yes	Yes	Yes	Yes	Yes
Auto Door	-	-	-	Yes	Yes	Yes
Water Box	-	-	-	-	Yes	
Triple & Direct Wash*	(o)	(o)	(o)	(o)	(o)	(o)
Aquazone	-	-	-	-	-	-
Wi-fi*	(o)	(o)	(o)	(o)	(o)	(o)
New Indoor Design	(o)	(o)	(o)	(o)	(o)	(o)
Sliding Door	-	-	-	-	-	-
Ion Tech	(o)	(o)	(o)	(o)	(o)	(o)
Uvon Tech*	-	-	-	(o)	(o)	(o)
InfoLED	1,0	-	-	-	-	-
	2.0 (Floor Indicator)	-	-	-	-	-
Interior light	one spot	(o)	(o)	(o)	(o)	(o)
	four spot	(o)	(o)	(o)	(o)	(o)
Available Aesthetics*	Freestanding	Angel, Carya, Daisy, Erica	Angel, Carya, Daisy, Erica	Angel, Carya, Daisy, Erica	Angel, Carya, Daisy, Erica	Angel, Carya, Daisy, Erica
	Semi-Integrated	Daisy, Gardenya, Gardenya (Inox add-on)	Daisy, Gardenya, Gardenya (Inox add-on)	Daisy, Gardenya, Gardenya (Inox add-on)	Daisy, Gardenya, Gardenya (Inox add-on)	Daisy, Gardenya, Gardenya (Inox add-on)
	Fully Integrated	-	-	-	-	-
Appliance Color Options	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	
Programmes						
Prewash	Yes	Yes	Yes	Yes	Yes	Yes
Mini 14' Jet Wash)	-	Yes	Yes	Yes	Yes	Yes
Quick 30' 40°C	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)	Yes	Yes	Yes	Yes	Yes	Yes
Daily 60°C / Hybrid Wash 60°C	-	-	Yes	Yes	Yes	-
Dual Pro Wash 60°C	Yes	Yes	Yes	Yes	Yes	Yes
Auto Delicate 30°C - 50°C	-	-	Yes	Yes	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C	-	-	Yes	Yes	Yes	Yes
Auto Intensive 60°C - 70°C	Yes	Yes	Yes	Yes	Yes	-
Steam Wash	-	-	-	-	Yes	
Eco 5.4 lt / Save+ 5.4 lt	-	-	-	-	-	Yes
User Interface						
Start/Pause button	Yes	Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE [Mini / Large] (delay start, remaining time)	Large: Full Touch + Icon LED	Large: Full Touch + Icon LED	Large: Full Touch + Icon LED	Large: Full Touch + Icon LED	Large: Full Touch + Icon LED	Large: Full Touch + Icon LED
Display Color	Default	White	White	White	White	White
	Option	-	-	-	-	-
Programme selection button	Yes	Yes	Yes	Yes	Yes	Yes

A4 SERIES 60cm Models BULIT-IN DISHWASHERS		A41	A42	A43	A44	A45
User Interface						
Delay timer option	3hr,6hr,9hr	-	-	-	-	-
	1-2-3....-19hr	-	-	-	-	-
	1-2-3....-24hr	Yes	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes	Yes
Tablet option		Yes	Yes	Yes	Yes	Yes
Extra Hygiene option		Yes	Yes	Yes	Yes	Yes
Extra Rinse option		-	-	-	-	-
Extra Drying option		-	Yes	Yes	Yes	Yes
Extra Silent option (Silent Wash)		-	Yes	Yes	Yes	Yes
Extra Fast option		Yes	Yes	Yes	Yes	Yes
Energy Save option		-	-	-	Yes	Yes
Rinse-aid indicator		Yes	Yes	Yes	Yes	Yes
Salt indicator		Yes	Yes	Yes	Yes	Yes
Washing cycle indicators		Yes	Yes	Yes	Yes	Yes
End of cycle indicator		Yes	Yes	Yes	Yes	Yes
Child Lock		Yes	Yes	Yes	Yes	Yes
Buzzer		Yes	Yes	Yes	Yes	Yes
Baskets & Accessories						
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-
	13 PS	(o)	(o)	(o)	(o)	-
	14 PS	-	-	-	-	Yes
	15 PS	Yes	Yes	Yes	Yes	-
Upper basket type [mesh type / peg type]		(o)	(o)	(o)	(o)	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]		(o)	(o)	(o)	(o)	(o)
Number of mug shelves		2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)	4
Adjustable mug shelves		Yes (peg type) / (mesh type)	(o)	Yes (peg type) / (mesh type)	(o)	Yes (peg type) / (mesh type)
Mug shelves with soft touch rubber (only with peg type basket)		(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket (only with peg type basket)		fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	4 or 6 (o)
Foldable racks on lower basket		(o)	(o)	(o)	(o)	Yes
Upper basket handle type [No / Wire / Plastic / Metal]		(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Wire / Plastic / Metal]		(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)		(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-
Removable cutlery basket (Universal)		No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	(o)
Removable cutlery basket (Modular) (2)		(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Sliding) (3)		(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-
Multi functional kit (Extra mug shelves + higher rear part on lower basket)		(o)	(o)	(o)	(o)	(o)
Bottle holder on lower basket		(o)	(o)	(o)	(o)	(o)
Wine stem support & Spoon rack on upper basket (2)		(o)	(o)	(o)	(o)	-
Wine glass holder on lower basket		(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks
Top nozzle	fixed type with 2 baskets	(o)	(o)	(o)	(o)	-
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default
Aquastop external hose		(o)	(o)	(o)	(o)	(o)
Antibacterial filter		(o)	(o)	(o)	(o)	(o)
Anti-siphon system		(o)	(o)	(o)	(o)	(o)
Technical Data (4)						
Sound level (dB(A) re 1 pW)	12 PS	47	46 / 44	49 / 47 / 45 / 44 / 42 / 41	49 / 47 / 45 / 44 / 42 / 41	-
	13 PS	47	46 / 44	49 / 47 / 45 / 44 / 42 / 41	49 / 47 / 45 / 44 / 42 / 41	-
	14 PS	-	-	-	-	44
	15 PS	47	44 / 42	49 / 47 / 45 / 44 / 42 / 41 / 39	49 / 47 / 45 / 44 / 42 / 41 / 39	-
Energy efficiency class		A++	A++	A+++	A+++	A+++ -20%
Energy efficiency index	12 PS	55,8	55,8	49,7	49,7	-
	13 PS	55,6	55,6	49,8	49,8	-
	14 PS	-	-	-	-	39,6
	15 PS	55,9	55,8	49,8	49,8	-
Cleaning efficiency class		A	A	A	A	A
Cleaning efficiency index		1,13	1,13	1,13	1,13	1,13
Drying efficiency class		A	A	A	A	A
Drying efficiency index		1,09	1,09	1,09	1,09	1,09

A4 SERIES 60cm Models BULIT-IN DISHWASHERS		A41	A42	A43	A44	A45
Technical Data (4)						
Standard programme water consumption (l / cycle)	Default with Aquazone	9,0 -	9,0 -	9,0 -	9,0 -	9,0 -
Annual water consumption (l / year)	Default with Aquazone	2520 -	2520 -	2520 -	2520 -	2520 -
Duration of the standard programme (min)	Default with Aquazone	159 -	239 -	270 -	239 -	207 -
Standard programme energy consumption (kWh / cycle)	12 PS 13 PS 14 PS 15 PS	0,906 0,917 -	0,907 0,917 -	0,807 0,821 -	0,807 0,821 -	- 0,660 -
Annual energy consumption (kWh / year)	12 PS 13 PS 14 PS 15 PS	258 261 -	258 261 -	230 234 -	230 234 -	- - 189 -
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	N/A
Duration of left-on mode (min)	15	15	15	15	15	15
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)	165	165	165	165	165	165
Water inlet hose length (cm)	Default with Aquastop ext. hose	147 170	147 170	147 170	147 170	147 170
Water outlet hose length (cm)	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions						
Height (cm)	Freestanding Semi-Integrated Fully Integrated	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -
Width (cm)	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	Freestanding Semi-Integrated Fully Integrated	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -
Height adjustment (+cm)	Freestanding Semi-Integrated Fully Integrated	2 5 -	2 5 -	2 5 -	2 5 -	2 5 -
Adjustable Plinth for underrable usage (mm) Underrable	(o) (80 or/and 130)					
Possible adjustment of the plinth Underrable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Underrable	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding Semi-Integrated Fully Integrated	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1 -
Stacking quantity (pcs)	Freestanding Semi-Integrated Fully Integrated	6 (2 baskets) / 4 (3rd basket) 6 -	4 6 -			
Gross/Net weight (kg)(5)	Freestanding Semi-Integrated Fully Integrated	57 / 55 - 64 / 62 43 / 41 -	57 / 55 - 64 / 62 43 / 41 -	57 / 55 - 64 / 62 43 / 41 -	49 / 46 - 56 / 53 43 / 41 -	56 / 53 43 / 41 -
Container loading (40"HC/ 40" / 20")	162 / 108 / 54	162 / 108 / 54	162 / 108 / 54	162 / 108 / 54	162 / 108 / 54	162 / 108 / 54

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone*

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

X SERIES 60cm Models BULIT-IN DISHWASHERS		X11	X1A	X12	X1B	X13	X1C	X14	X1D	X15	X1E	X16	X1F
General Characteristics													
Number of place settings (PS)(1)	12 PS (2 baskets)	Default											
	13 PS (2 baskets)	(o)											
	13 PS (2 baskets + 3rd rack)	(o) with Aquazone											
	14 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	-	-	-	-
Number of programmes		2	2	3	3	4	4	5	5	6	6	7	7
Temperatures (°C)		50-65	50-65	50-65	50-65	40-50-65-65	40-50-65-65	40-50-65-65	40-50-65-65	40-50-65-65	40-50-65-65	40-50-65-65	40-50-65-65
Control type	Default	Knob Control											
	Option	-	-	-	-	-	-	-	-	-	-	-	-
Hidden heating element		Yes											
Filter type	Metal	Default											
	Plastic	(o)											
Tub material		Stainless Steel											
Turbidity sensor (Smart Wash)		-	-	-	-	-	-	-	-	-	-	-	-
Drying system	Mini Active	Default											
	Super Active	(o)											
	Turbo	-	-	-	-	-	-	-	-	-	-	-	-
Overflow & leakage protection		Yes											
Heater protection		Yes											
Circulation pump		Asynchronous	Yes										
Aquazone		(o)											
New Indoor Design		(o)											
Available Aesthetics	Freestanding	Belis, Camelia, Flora, Giada, Tigris, Viola											
	Semi-Integrated	Camelia, Silva, Silva (Inox add-on)											
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes													
Prewash		-	-	-	-	-	-	-	-	Yes	Yes	Yes	Yes
Quick 30' 40°C		-	-	-	-	Yes							
Eco (Standard Programme)		Yes											
Super 50' 65°C (Quick Clean)		-	-	Yes									
Delicate 40°C		-	-	-	-	-	-	-	-	-	-	-	Yes
Hygiene 70°C		-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Intensive 65°C		Yes											
Start/Pause button		Yes											
DISPLAY TYPE (delay start, remaining time)		-	LED										
Display Color	Default	-	Red										
	Option	-	-	-	-	-	-	-	-	-	-	-	-
Programme selection button													
Delay timer option	3hr,6hr,9hr	Yes	-										
	1-2-3-...-19hr	-	Yes										
	1-2-3-...-24hr	-	-	-	-	-	-	-	-	-	-	-	-
Eco Wash - Half load option	1 mode	Yes											
	3 modes	-	-	-	-	-	-	-	-	-	-	-	-
Rinse-aid indicator		Yes											
Salt indicator		Yes											
Washing cycle indicators		Yes											
End of cycle indicator		Yes											
Child Lock		-	Yes										
Baskets & Accessories													
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-	-	-	-	-	-	-
	13 PS	(o)											
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-
	Upper basket type [mesh type / peg type]	(o)											
Adjustable upper basket [empty / loaded 2 level / loaded 3 level*]		(o)											
Number of mug shelves		2(std)/4(o)											

X SERIES 60cm Models BULIT-IN DISHWASHERS		X11	X1A	X12	X1B	X13	X1C	X14	X1D	X15	X1E	X16	X1F
Baskets & Accessories													
Adjustable mug shelves		Yes (peg type) / (o) (mesh type)											
Mug shelves with soft touch rubber (only with peg type basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket (only with peg type basket)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Universal)	-	-	-	-	-	-	-	-	-	-	-	-	-
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Sliding) (3)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Wine stem support & Spoon rack on upper basket (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Wine glass holder on lower basket	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks
Top nozzle	fixed type with 2 baskets	(o) with Aquazone											
	rotating type	Default with 3rd basket											
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Anti-siphon system	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Technical Data (4)													
Sound level (dB(A) re 1 pW)	12 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45
	13 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-
Energy efficiency class	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++
Energy efficiency index	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
	13 PS	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-
Cleaning efficiency class	A	A	A	A	A	A	A	A	A	A	A	A	A
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A	A	A	A	A	A	A	A
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default with Aquazone	12,0 9,0											
Annual water consumption (lt / year)	Default with Aquazone	3360 2520											
Duration of the standard programme (min)	Default with Aquazone	165 221											
Standard programme energy consumption (kWh / cycle)	12 PS	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900
	13 PS	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-
Annual energy consumption (kWh / year)	12 PS	258	258	258	258	258	258	258	258	258	258	258	258
	13 PS	261	261	261	261	261	261	261	261	261	261	261	261
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Duration of left-on mode (min)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa												
Power cord length (cm)	165	165	165	165	165	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170	170	170	170
Water outlet hose length (cm)	200	200	200	200	200	200	200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10	220-240 / 50/10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10

X SERIES 60cm Models BULIT-IN DISHWASHERS		X11	X1A	X12	X1B	X13	X1C	X14	X1D	X15	X1E	X16	X1F
Dimensions													
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Width (cm)		59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5	5	5	5	5	5	5	5
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated	8	8	8	8	8	8	8	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	64,4 x 66,1 x 88,1											
	Semi-Integrated	64,4 x 66,1 x 85,1											
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6 (2 baskets) / 4 (3rd basket)											
	Semi-Integrated	6	6	6	6	6	6	6	6	6	6	6	6
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Gross/Net weight (kg)(5)	Freestanding	49 / 46 - 56 / 53											
	Semi-Integrated	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Container loading (40"HC/ 40"/ 20")	162 / 108 / 54												

Notes

(o) : Optional

(*) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor)

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone.

Touch control is available with negative LCD display (Aron and Daphne only)

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

Y SERIES 60cm Models BUILT-IN DISHWASHERS		Y11	Y1A	Y12	Y1B	Y13	Y1C	Y14	Y1D	Y15	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
General Characteristics																		
Number of place settings (PS)(1)	12 PS (2 baskets)	Default																
	13 PS (2 baskets)	(o)																
	13 PS (2 baskets + 3rd rack)	(o) with Aquazone										(o)						
	14 PS (2 baskets + 3rd rack)	-																
	15 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan										(o) with Turbo fan				(o)		
Number of programmes		2	2	3	3	4	4	5	5	6	6	7	6	7	8	9+	9+	9+
Temperatures (°C)		50-65				40-50-65					40-50-65	40-50-65	40-50-60-65				Auto-30-40-50-60-65-70	
Control type	Default	Button Control																
	Option	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hidden heating element		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Filter type	Metal	Default																
	Plastic	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	-	-
Tub material		Stainless Steel																
Turbidity sensor (Smart Wash)	Mini Active	Default																
	Super Active	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	-	-
	Turbo	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	Default	
Electrical Diverter system		-	-	-	-	-	-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
	BLDC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
Auto Door		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	-
Water Box		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Triple & Direct Wash		-	-	-	-	-	-	-	-	-	-	-	-	-	-	(o)*	(o)	-
Aquazone		(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	-	-	-	-	-	-
Wi-fi		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Indoor Design		(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Ion Tech		(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Uv-on Tech		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
InfoLED	1,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2.0 (Floor Indicator)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Interior light	one spot	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
	four spot	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y																
	Semi-Integrated	Camelia Y, Silva Y, Silva Y (Inox add-on)																
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White																
Programmes																		
Prewash		-	-	-	-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mini 14' (Jet Wash)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
Quick 30' 40°C		-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 55' 60°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delicate 40°C		-	-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
Normal 55°C / Flexi Wash 55°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Daily 60°C / Hybrid Wash 60°C		-	-	-	-	-	-	-	-	-	-	-	Yes	-	Yes	Yes	-	-
Dual Pro Wash 60°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
Hygiene 60°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hygiene 70°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
Intensive 65°C		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
Auto**		(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	-	-
Auto Delicate 30°C - 50°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	-
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	-
Auto Intensive 60°C - 70°C		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
Steam Wash		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes
User Interface																		
Start/Pause button		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)		-	LED	-	LED	-	LED	-	LED	-	LED	LED	LED	LED	LED	LED	LED	LED
Display Color	Default	-	Red	-	Red	-	Red	-	Red	-	Red	Red	Red	Red	Red	Red	Red	Red
	Option	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Programme selection button		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	-	-	-
	1-2-3....19hr	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes
	1-2-3....24hr	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Y SERIES 60cm Models BULIT-IN DISHWASHERS		Y11	Y1A	Y12	Y1B	Y13	Y1C	Y14	Y1D	Y15	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
User Interface																		
Eco Wash - Half load option	1 mode	Yes	-	-	-	-	-	-										
	3 modes	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	
Tablet option	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes							
Extra Hygiene option	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	-	-	
Extra Rinse option	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	-	-	
Extra Drying option	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	-	Yes	
Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes	
Extra Fast option	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	Yes	
Energy Save option	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	-	
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Child Lock	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes							
Buzzer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	
Baskets & Accessories																		
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13 PS	(o)	(o)															
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	15 PS	Yes	Yes															
Upper basket type [mesh type / peg type]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Adjustable upper basket [empty / loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Number of mug shelves	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	2 (std) 1/4 (o)	
Adjustable mug shelves	Yes (peg type) / (o) (mesh type)																	
Mug shelves with soft touch rubber (only with peg type basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Foldable racks on upper basket (only with peg type basket)	fixed (std) / 2 or 4 or 6 (o)																	
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)																	
Removable cutlery basket (Universal)	No(12/13ps) / (o)(15ps)																	
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)																	
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Wine stem support & Spoon rack on upper basket (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Wine glass holder on lower basket	(o) with 4 foldable racks																	
Top nozzle	fixed type with 2 baskets rotating type	(o) with Aquazone											(o)					
		Default with 3rd basket																
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Anti-siphon system	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Technical Data (4)																		
Sound level (dB(A) re 1 pW)	12 PS	57/54 /52/ 49/ 47/45	46 / 44 49 / 47/45 144 / 42/41															
	13 PS	57/54 /52/ 49/ 47/45	46 / 44 49 / 47/45 144 / 42/41															
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	44 / 42 49 / 47/45 144 / 42 / 41 / 39		
Energy efficiency class	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++	A+++	A+++	
Energy efficiency index	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,9	49,7	49,7	
	13 PS	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,6	55,7	49,9	49,9	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	15 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,9	49,9	49,9	
Cleaning efficiency class	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	
Drying efficiency class	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	
Standard programme water consumption (lt / cycle)	Default	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	9,0	9,0	9,0	
	with Aquazone	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	-	-	-	
Annual water consumption (lt / year)	Default	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	3360	2520	2520	2520	2520	
	with Aquazone	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	-	-	-	

Y SERIES 60cm Models BULIT-IN DISHWASHERS		Y11	Y1A	Y12	Y1B	Y13	Y1C	Y14	Y1D	Y15	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
Duration of the standard programme (min)		Default	165	165	165	165	165	165	165	165	165	165	171	171	171	239	254	
with Aquazone			221	221	221	221	221	221	221	221	221	221	-	-	-	-	-	
Standard programme energy consumption (kWh / cycle)		12 PS	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,901	0,800	0,800	
13 PS		0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,912	0,815	0,815	
14 PS		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15 PS		0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,943	0,840	0,840	
Annual energy consumption (kWh / year)		12 PS	258	258	258	258	258	258	258	258	258	258	258	258	258	230	230	
13 PS		261	261	261	261	261	261	261	261	261	261	261	261	261	261	234	234	
14 PS		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15 PS		270	270	270	270	270	270	270	270	270	270	270	270	270	270	241	241	
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
Network standby mode power consumption (W)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Duration of left-on mode (min)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Power rating (W) / Heating element (W)		1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	
Plug Type		EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa																
Power cord length (cm)		165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	165	
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147	147	147	147	147	147	147	147	147	
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	
Water outlet hose length (cm)		200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 / 10																
Water pressure range (bar)		0,3 - 10																
Dimensions																		
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Width (cm)		59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	Semi-Integrated	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Adjustable Plinth for undertable usage (mm) Undertable		(o) (80 or/and 130)																
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50																
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	
Decorative panel height (max) (cm) Semi-Integrated		59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	
Plinth height (min) (cm) Semi-Integrated		8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	
Plinth depth (cm) Semi-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	64,4 x 66,1 x 88,1																
	Semi-Integrated	64,4 x 66,1 x 85,1																
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stacking quantity (pcs)		6 (2 baskets) / 4 (3rd basket)																
Gross/Net weight (kg)(5)	Freestanding	49 / 46 - 56 / 53																
	Semi-Integrated	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	43 / 41	
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Container loading (40°HC / 40°/ 20°)		162 / 108 / 54																

Notes

(o) : Optional

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor)

(I) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone.

Touch control is available with negative LCD display (Aron and Daphne only)*

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

T1-2 SERIES 60cm Models BULIT-IN DISHWASHERS		T11	T12	T13	T21	T24	T25	T26
General Characteristics								
Number of place settings (PS)(1)	12 PS (2 baskets)	Default	Default	Default	Default	Default	-	Default
	13 PS (2 baskets)	(o)	(o)	(o)	(o)	(o)	-	(o)
	13 PS (2 baskets + 3rd rack)	(o) with Aquazone	(o) with Aquazone	(o) with Aquazone	(o)	(o)	-	(o)
	14 PS (2 baskets + 3rd rack)	-	-	-	-	-	Default	-
	15 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan	(o) with Aquazone and Turbo fan	(o) with Aquazone and Turbo fan	(o) with Turbo fan	(o)	-	(o)
Number of programmes		3	4	6	8+	8+	8+	8+
Temperatures (°C)		50-65	40-50-65	40-50-65	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default	Button Control						
	Option	-	-	-	-	-	-	-
Hidden heating element		Yes						
Filter type	Metal	Default						
	Plastic	(o)	(o)	(o)	(o)	-	-	-
Tub material		Stainless Steel						
Turbidity sensor (Smart Wash)		(o)	(o)	(o)	Yes	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	Default	Default	-	-	-
	Super Active	(o)	(o)	(o)	(o)	-	-	-
	Turbo	(o)	(o)	(o)	(o)	Default	Default	Default
Electrical Diverter system		-	-	-	Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes						
Heater protection		Yes						
Circulation pump	Asynchronous	Yes	Yes	Yes	Yes	-	-	-
	BLDC	-	-	-	-	Yes	Yes	Yes
Auto Door		-	-	-	-	Yes	Yes	-
Water Box		-	-	-	-	-	Yes	-
Triple & Direct Wash		-	-	-	-	(o)	(o)	-
Aquazone		(o)	(o)	(o)	-	-	-	-
Wi-fi		-	-	-	-	-	-	-
New Indoor Design		(o)						
Sliding Door		-	-	-	-	-	-	-
Ion Tech		(o)						
Uvon Tech		-	-	-	-	-	-	-
InfoLED	1,0	-	-	-	-	-	-	-
	2,0 (Floor Indicator)	-	-	-	-	-	-	-
Interior light	one spot	(o)						
	four spot	(o)						
Available Aesthetics	Freestanding	Amaranth, Themis						
	Semi-Integrated	Amaranth						
	Fully Integrated	-	-	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes								
Prewash		-	-	Yes	Yes	-	-	-
Mini 14' (Jet Wash)		-	-	-	-	Yes	Yes	Yes
Quick 30' 40°C		-	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes						
Super 50' 65°C (Quick Clean)		Yes						
Super 55' 60°C		-	-	-	-	-	-	-
Delicate 40°C		-	-	Yes	-	-	-	-
Normal 55°C / Flexi Wash 55°C		-	-	-	-	-	-	-
Daily 60°C / Hybrid Wash 60°C		-	-	-	Yes	-	-	-
Dual Pro Wash 60°C		-	-	-	-	Yes	Yes	Yes
Hygiene 60°C		-	-	-	-	-	-	-
Hygiene 70°C		-	-	-	-	Yes	Yes	Yes
Intensive 65°C		Yes	Yes	Yes	-	-	-	-
Auto**		(o)	(o)	(o)	-	-	-	-
Auto Delicate 30°C - 50°C		-	-	-	Yes	Yes	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	-	-	Yes	-	-	-
Auto Intensive 60°C - 70°C		-	-	-	Yes	Yes (50°C-70°C)	Yes (50°C-70°C)	Yes (50°C-70°C)

T1-2 SERIES 60cm Models BUILT-IN DISHWASHERS		T11	T12	T13	T21	T24	T25	T26
User Interface								
Start/Pause button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)	-	LED	LED	LED	LED	LED	LED	LED
Display Color	Default	-	Red	Red	Red	Red	Red	Red
	Option	-	-	-	-	-	-	-
Programme selection button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-	-	-	-
	1-2-3....-19hr	-	-	-	-	-	-	-
	1-2-3....-24hr	-	Yes	Yes	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	Yes	Yes	Yes	-	-	-	-
	3 modes	-	-	-	Yes	Yes	Yes	Yes
Tablet option	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Extra Hygiene option	-	-	Yes	Yes	-	-	-	-
Extra Rinse option	-	-	-	Yes	-	-	-	-
Extra Drying option	-	-	-	Yes	-	-	-	Yes
Extra Silent option (Silent Wash)	-	-	-	-	Yes	Yes	Yes	Yes
Extra Fast option	-	-	-	-	Yes	Yes	Yes	Yes
Energy Save option	-	-	-	-	Yes	Yes	Yes	-
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Buzzer	-	-	-	-	Yes	Yes	Yes	-
Baskets & Accessories								
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-	-
	13 PS	(o)	(o)	(o)	(o)	(o)	-	(o)
	14 PS	-	-	-	-	-	Yes	-
	15 PS	Yes	Yes	Yes	Yes	Yes	-	Yes
Upper basket type [mesh type / peg type]	(o)	(o)	(o)	(o)	(o)	Peg	(o)	
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	2 (std) / 4 (o)	4	2 (std) / 4 (o)					
Adjustable mug shelves	Yes (peg type) / (o) (mesh type)	Yes	Yes (peg type) / (o) (mesh type)					
Mug shelves with soft touch rubber (only with peg type basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket (only with peg type basket)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	Yes	(o)	
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	-	(o)	
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)					
Removable cutlery basket (Universal)	No(12/13ps) / (o)(15ps)	(o)	No(12/13ps) / (o)(15ps)					
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)					
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Wine stem support & Spoon rack on upper basket (2)	(o)	(o)	(o)	(o)	(o)	-	(o)	
Wine glass holder on lower basket	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks					
Top nozzle	fixed type with 2 baskets	(o) with Aquazone	(o) with Aquazone	(o) with Aquazone	(o)	(o)	-	(o)
	rotating type	Default with 3rd basket	Default with 3rd basket	Default	Default with 3rd basket			
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Anti-siphon system	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Technical Data (4)								
Sound level (dB(A) re 1 pW)	12 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	46 / 44	-	49 / 47 / 45 / 44 / 42 / 41
	13 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	46 / 44	-	49 / 47 / 45 / 44 / 42 / 41
	14 PS	-	-	-	-	-	44	-
	15 PS	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	49 / 47 / 45	44 / 42	-	49 / 47 / 45 / 44 / 42 / 41 / 39
Energy efficiency class	A++	A++	A++	A++	A+++	A+++ -20%	A+++	
Energy efficiency index	12 PS	55,8	55,8	55,8	55,8	49,8	-	49,7
	13 PS	55,6	55,6	55,6	55,6	49,9	-	49,9
	14 PS	-	-	-	-	-	39,7	-
	15 PS	55,8	55,8	55,8	55,3	49,5	-	49,9
Cleaning efficiency class	A	A	A	A	A	A	A	
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A	A	

T1-2 SERIES 60cm Models BULIT-IN DISHWASHERS		T11	T12	T13	T21	T24	T25	T26
Technical Data (4)								
Drying efficiency index		1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	12,0	12,0	12,0	9,0	9,0	9,0	9,0
	with Aquazone	9,0	9,0	9,0	-	-	-	-
Annual water consumption (lt / year)	Default	3360	3360	3360	2520	2520	2520	2520
	with Aquazone	2520	2520	2520	-	-	-	-
Duration of the standard programme (min)	Default	165	165	165	171	239	207	254
	with Aquazone	221	221	221	-	-	-	-
Standard programme energy consumption (kWh / cycle)	12 PS	0,900	0,900	0,900	0,900	0,806	-	0,800
	13 PS	0,910	0,910	0,910	0,910	0,820	-	0,815
	14 PS	-	-	-	-	0,659	-	-
	15 PS	0,942	0,942	0,942	0,932	0,838	-	0,840
Annual energy consumption (kWh / year)	12 PS	258	258	258	258	230	-	230
	13 PS	261	261	261	261	234	-	234
	14 PS	-	-	-	-	189	-	-
	15 PS	270	270	270	267	239	-	241
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,10	0,10	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A							
Duration of left-on mode (min)	N/A							
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170
Water outlet hose length (cm)	200	200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions								
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-	-	-
Width (cm)	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5	5	5
	Fully Integrated	-	-	-	-	-	-	-
Adjustable Plinth for undetable usage (mm) Undetable	(o) (80 or/and 130)							
Possible adjustment of the plinth Undetable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undetable	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated	8	8	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	64,4 x 66,1 x 88,1						
	Semi-Integrated	64,4 x 66,1 x 85,1						
	Fully Integrated	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6 (2 baskets) / 4 (3rd basket)	4	6 (2 baskets) / 4 (3rd basket)				
	Semi-Integrated	6	6	6	6	6	6	6
	Fully Integrated	-	-	-	-	-	-	-
Gross/Net weight (kg)(5)	Freestanding	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	49 /46 - 56 /53	56 /53	49 /46 - 56 /53	49 /46 - 56 /53
	Semi-Integrated	43 /41	43 /41	43 /41	43 /41	43 /41	43 /41	43 /41
	Fully Integrated	-	-	-	-	-	-	-
Container loading (40"HC / 40" / 20")	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54	162 /108 /54

Notes

(o) : Optional

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor)

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone.

Touch control is available with negative LCD display (Aron and Daphne only)

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

T3 SERIES 60cm Models BULIT-IN DISHWASHERS		T31	T32	T34	T35	T36
General Characteristics						
Number of place settings (PS)(1)	12 PS (2 baskets)	Default	Default	Default	-	Default
	13 PS (2 baskets)	(o)	(o)	(o)	-	(o)
	13 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	-	(o)
	14 PS (2 baskets + 3rd rack)	-	-	-	Default	-
	15 PS (2 baskets + 3rd rack)	(o) with Turbo fan	(o) with Turbo fan	(o)	-	(o)
Number of programmes		6+	8+	8+	8+	8+
Temperatures (°C)		Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default	Button Control				
	Option	-	-	-	-	-
Hidden heating element		Yes	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default	Default
	Plastic	(o)	(o)	-	-	-
Tub material		Stainless Steel				
Turbidity sensor (Smart Wash)		Yes	Yes	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	-	-	-
	Super Active	(o)	(o)	-	-	-
	Turbo	(o)	(o)	Default	Default	Default
Electrical Diverter system		Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	-	-	-
	BLDC	-	-	Yes	Yes	Yes
Auto Door		-	-	Yes	Yes	-
Water Box		-	-	-	Yes	-
Triple & Direct Wash		(o)	(o)	(o)	(o)	-
Aquazone		-	-	-	-	-
Wi-fi		-	-	-	-	-
New Indoor Design		(o)	(o)	(o)	(o)	(o)
Sliding Door		-	-	-	-	-
Ion Tech		(o)	(o)	(o)	(o)	(o)
Uvon Tech		-	-	-	-	-
Interior light	one spot	(o)	(o)	(o)	(o)	(o)
	four spot	(o)	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Ares, Gizem, Hemera, Patara				
	Semi-Integrated	Ares, Patara				
	Fully Integrated	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes						
Prewash		Yes	Yes	-	-	-
Mini 14' (Jet Wash)		Yes	Yes	Yes	Yes	Yes
Quick 30' 40°C		Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		Yes	Yes	Yes	Yes	Yes
Dual Pro Wash 60°C		-	-	Yes	Yes	Yes
Hygiene 60°C		-	-	-	-	-
Hygiene 70°C		-	-	Yes	Yes	Yes
Auto Delicate 30°C - 50°C		-	Yes	Yes	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	Yes	-	-	-
Auto Intensive 60°C - 70°C		Yes	Yes	Yes (50°C - 70°C)	Yes (50°C - 70°C)	Yes (50°C - 70°C)
User Interface						
Start/Pause button		Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)		Icon LED				
Display Color	Default	Amber	Amber	Amber	Amber	Amber
	Option	White	White	White	White	White
Prewash button		-	-	-	-	-
Programme selection button		Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-	-
	1-2-3....-19hr	-	-	-	-	-
	1-2-3....-24hr	Yes	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes	Yes
Tablet option		Yes	Yes	Yes	Yes	Yes
Extra Hygiene option		Yes	Yes	-	-	-
Extra Rinse option		-	-	-	-	-
Extra Drying option		Yes	Yes	-	-	Yes
Extra Silent option (Silent Wash)		-	-	Yes	Yes	Yes
Extra Fast option		-	-	Yes	Yes	Yes
Energy Save option		-	-	Yes	Yes	-

T3 SERIES 60cm Models BUILT-IN DISHWASHERS		T31	T32	T34	T35	T36
User Interface						
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes	Yes	Yes
Buzzer	Yes	Yes	Yes	Yes	Yes	Yes
Baskets & Accessories						
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS 13 PS 14 PS 15 PS	- (o) - Yes	- (o) - Yes	- (o) - Yes	- (o) Yes -	- (o) -
Upper basket type [mesh type / peg type]	(o)	(o)	(o)	(o)	Peg	(o)
Adjustable upper basket [empty / loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)	4	2 (std) / 4 (o)	
Adjustable mug shelves	Yes (peg type) / (mesh type)	(o)	Yes (peg type) / (mesh type)	Yes (peg type) / (mesh type)	Yes	Yes (peg type) / (mesh type)
Mug shelves with soft touch rubber (only with peg type basket)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket (only with peg type basket)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	
Foldable racks on lower basket	(o)	(o)	(o)	Yes	(o)	
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	-	(o)	
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)	
Removable cutlery basket (Universal)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	No(12/13ps) / (o)(15ps)	(o)	No(12/13ps) / (o)(15ps)	
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)	
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	
Wine stem support & Spoon rack on upper basket (2)	(o)	(o)	(o)	-	(o)	
Wine glass holder on lower basket	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	
Top nozzle	fixed type with 2 baskets rotating type	(o)	(o)	(o)	-	(o)
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	
Anti-siphon system	(o)	(o)	(o)	(o)	(o)	
Technical Data (4)						
Sound level (dB(A) re 1 pW)	12 PS 13 PS 14 PS 15 PS	57 / 54 / 52 / 49 / 47 / 45 57 / 54 / 52 / 49 / 47 / 45 - 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45 57 / 54 / 52 / 49 / 47 / 45 - 49 / 47 / 45	46 / 44 46 / 44 - 44	- - 44	49 / 47 / 45 / 44 / 42 / 41 49 / 47 / 45 / 44 / 42 / 41 - 49 / 47 / 45 / 44 / 42 / 39
Energy efficiency class	A++	A++	A+++	A+++ -20%	A+++	
Energy efficiency index	12 PS 13 PS 14 PS 15 PS	55,8 55,6 - 55,3	55,8 55,6 - 55,3	49,8 49,9 - 49,5	- - 39,7 -	49,7 49,9 - 49,9
Cleaning efficiency class	A	A	A	A	A	A
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default with Aquazone	9,0 -	9,0 -	9,0 -	9,0 -	9,0 -
Annual water consumption (lt / year)	Default with Aquazone	2520 -	2520 -	2520 -	2520 -	2520 -
Duration of the standard programme (min)	Default with Aquazone	171 -	171 -	239 -	207 -	270 -
Standard programme energy consumption (kWh / cycle)	12 PS 13 PS 14 PS 15 PS	0,900 0,910 - 0,932	0,900 0,910 - 0,932	0,806 0,820 - 0,838	- - 0,659 -	0,800 0,815 - 0,840
Annual energy consumption (kWh / year)	12 PS 13 PS 14 PS 15 PS	258 261 - 267	258 261 - 267	230 234 - 239	- - 189 -	230 234 - 241
Off mode power consumption (W)	0,50	0,50	0,10	0,10	0,50	
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	
Duration of left-on mode (min)	N/A	N/A	N/A	N/A	N/A	

T3 SERIES 60cm Models BULIT-IN DISHWASHERS		T31	T32	T34	T35	T36
Technical Data (4)						
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)	165	165	165	165	165	165
Water inlet hose length (cm)	Default with Aquastop ext. hose	147 170	147 170	147 170	147 170	147 170
Water outlet hose length (cm)	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions						
Height (cm)	Freestanding Semi-Integrated Fully Integrated	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -	85,0 82,0 -
Width (cm)	59,8					
Depth (cm)	Freestanding Semi-Integrated Fully Integrated	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -	59,8 57,0 -
Height adjustment (+cm)	Freestanding Semi-Integrated Fully Integrated	2 5 -	2 5 -	2 5 -	2 5 -	2 5 -
Adjustable Plinth for undertable usage (mm) Undertable	(o) (80 or/and 130)					
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	0-100 / 0-50					
Height without worktop (cm) Undertable	82,0					
Decorative panel height (max) (cm) Semi-Integrated	59,7					
Plinth height (min) (cm) Semi-Integrated	8					
Plinth depth (cm) Semi-Integrated	3 - 8					
Packed dimensions (Width x Depth x Height) (cm)	Freestanding Semi-Integrated Fully Integrated	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1	64,4 x 66,1 x 88,1 64,4 x 66,1 x 85,1
Stacking quantity (pcs)	Freestanding Semi-Integrated Fully Integrated	6 (2 baskets) / 4 (3rd basket) 6 -	6 (2 baskets) / 4 (3rd basket) 6 -	6 (2 baskets) / 4 (3rd basket) 6 -	4 6 -	6 (2 baskets) / 4 (3rd basket) 6 -
Gross/Net weight (kg)(5)	Freestanding Semi-Integrated Fully Integrated	49 /46 - 56 /53 43 /41	49 /46 - 56 /53 43 /41	49 /46 - 56 /53 43 /41	56 /53 43 /41	49 /46 - 56 /53 43 /41
Container loading (40"HC/ 40"/ 20")	162 /108 /54					

Notes

(o) : Optional

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor)

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone.

Touch control is available with negative LCD display (Aron and Daphne only)*

(2) : Modular cutlery basket for 12/13 PS must be selected with wine stem support & spoon rack. Also wine stem support & spoon rack can be selected only for mesh type upper basket option.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

60cm Models INTEGRATED	I1	I1A	I12	I1B	I13	I1C	I14	I1D	I15
General Characteristics									
Rated Capacity (PS)(1)	12 PS (2 baskets) (o)	Default (o)							
	13 PS (2 baskets) (o)	No additional led, "0" will be shown on display							
	13 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-
	14 PS (2 baskets + 3rd rack)	(o) with Aquazone							
	15 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan							
Number of programmes	2	2	3	3	4	4	5	5	6
Temperatures (°C)	50-65	50-65	50-65	50-65	50-65	50-65	40-50-65	40-50-65	40-50-65-70
Control type	Default (Option)	Button Control							
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Number of filters	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter (o)	2. Coarse Filter (o)	3. Micro Filter (o)	1. Main Filter (o)	2. Coarse Filter (o)	3. Micro Filter (o)	1. Main Filter (o)	2. Coarse Filter (o)
Main filter type	Plastic (Metal)	Default (o)							
Tub material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Turbidity sensor (Smart Wash)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Drying system	Mini Active Super Active Turbo	Default (o)							
Electrical Diverter system	-	-	-	-	-	-	-	-	-
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous BLDC	Yes							
Auto Door	-	-	-	-	-	-	-	-	-
Water Box	-	-	-	-	-	-	-	-	-
Triple & Direct Wash	-	-	-	-	-	-	-	-	-
Aquazone	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Wi-fi	-	-	-	-	-	-	-	-	-
New Indoor Design	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Sliding Door	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Ion Tech*	-	-	-	-	-	-	-	-	-
Uvon Tech	-	-	-	-	-	-	-	-	-
InfoLED	1,0 2.1 (Floor Indicator)	(o)							
Interior light	one spot four spot	(o)							
Available Aesthetics	Freestanding Semi-Integrated Fully Integrated	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*
Appliance Color Options	-	-	-	-	-	-	-	-	-
Programmes	Prewash	-	-	-	-	Yes	Yes	Yes	Yes
	Mini 14° (Jet Wash)	-	-	-	-	-	-	-	-
	Quick 30° 40°C	-	-	-	-	-	-	-	-
	Eco (Standard Programme)	Yes							
	Super 50° 65°C (Quick Clean)	-	-	Yes	Yes	Yes	Yes	Yes	Yes
	Delicate 40°C	-	-	-	-	-	-	-	-
	Clean+ 55°C	-	-	-	-	-	-	-	-
	Easy Care 60°C	-	-	-	-	-	-	-	-
	Dual Pro Wash 60°C	-	-	-	-	-	-	-	-
	Intensive 65°C	Yes							
	Hygiene 70°C	-	-	-	-	-	-	-	Yes
	Auto**	(o)							
	Smart 30°C - 50°C	-	-	-	-	-	-	-	-
	Smart 50°C - 60°C	-	-	-	-	-	-	-	-
	Smart 60°C - 70°C	-	-	-	-	-	-	-	-
	Steam Wash	-	-	-	-	-	-	-	-
	Save+ 5.4 lt	-	-	-	-	-	-	-	-
	User Interface	-	-	-	-	-	-	-	-
	Start / Pause button	-	-	-	-	-	-	-	-
	DISPLAY TYPE (delay start, remaining time)	-	LED Hidden display						
	Display Color	Default (Option*)	Red White						
	Programme selection button	Yes							
	Delay timer option	3hr,6hr,9hr 1-2-3...-19hr 1-2-3...-24hr	-	Yes -	Yes -	Yes -	Yes -	Yes -	Yes -
	Half load option	1 mode 3 modes	Yes						
	Tablet option	-	-	-	-	-	-	-	-
	Extra Hygiene option	-	-	-	-	-	-	-	-
	Extra Rinse option	-	-	-	-	-	-	-	-
	Extra Drying option	-	-	-	-	-	-	-	-
	Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-
	Extra Fast option	-	-	-	-	-	-	-	-
	Energy Save option	-	-	-	-	-	-	-	-
	Self Clean option**	Yes							
	Rinse-aid refill indicator	Yes							
	Salt refill indicator	Yes							
	Washing cycle indicators	-	-	-	-	-	-	-	-
	End of cycle indicator	Yes	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display
	Child Lock	-	-	-	-	-	-	-	-
	Buzzer	Yes							

60cm Models INTEGRATED		I11	I1A	I12	I1B	I13	I1C	I14	I1D	I15
Baskets & Accessories										
	12 PS	-	-	-	-	-	-	-	-	-
3rd basket [EasyTray, Ecofray or Comfort Tray]	13 PS	(o) (with Aquazone)								
	14 PS	-	-	-	-	-	-	-	-	-
	15 PS	Yes (with Aquazone and Turbo fan)								
Upper basket type	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty / loaded 2 level / loaded 3 level]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)
Adjustable mug shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)
Foldable racks on lower basket	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)
Removable cutlery basket (Universal)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Wine glass holder on lower basket	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks
Multi holder on lower basket	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design
Stopper on lower basket	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design
Top nozzle	fixed type with 2 baskets	(o) with Aquazone								
	rotating type	Default with 3rd basket								
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Anti-siphon system (Column mount option)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Technical Data (4)										
Noise Declaration Level (dB(A) re 1pW)	12 PS (2 baskets)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47								
	13 PS (2 baskets)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47								
	13 PS (2 baskets + 3rd rack)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47								
	14 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47								
Energy efficiency class (1059/2010)	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++
Energy efficiency class (2019/2017)	E	E	E	E	E	E	E	E	E	E
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
	13 PS	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7
Energy efficiency index (2019/2017)	14 PS	-	-	-	-	-	-	-	-	-
	15 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9
Cleaning performance index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Eco programme water consumption (lt / cycle)	Default	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0
Annual water consumption (lt / year) (1059/2010)		Default	3360	3360	3360	3360	3360	3360	3360	3360
Duration of the eco programme (min) (1016/2010)		Default	205	205	205	205	205	205	205	205
Duration of the eco programme (h:min) (2019/2022)		Default	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907
	13 PS	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917
	14 PS	-	-	-	-	-	-	-	-	-
	15 PS	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949

60cm Models INTEGRATED		I11	I1A	I12	I1B	I13	I1C	I14	I1D	I15	
Eco programme energy cons. (kWh / cycle) (2019/2017)		12 PS	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	
13 PS		0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	
14 PS		-	-	-	-	-	-	-	-	-	
15 PS		0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	
Annual energy consumption (kWh / year) (1059/2010)		12 PS	258	258	258	258	258	258	258	258	
13 PS		261	261	261	261	261	261	261	261	261	
14 PS		-	-	-	-	-	-	-	-	-	
15 PS		270	270	270	270	270	270	270	270	270	
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)		12 PS	92	92	92	92	92	92	92	92	
13 PS		94	94	94	94	94	94	94	94	94	
14 PS		-	-	-	-	-	-	-	-	-	
15 PS		97	97	97	97	97	97	97	97	97	
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
Network standby mode power consumption (W)		N/A									
Duration of left-on mode (min)		15	15	15	15	15	15	15	15	15	
Power rating (W) / Heating element (W)		220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W
Plug Type		EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	
Power cord length (cm)		165	165	165	165	165	165	165	165	165	
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147	147	
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170	
Water outlet hose length (cm)		180	180	180	180	180	180	180	180	180	
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 or 60 / 10									
Water pressure range (bar)		0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	
Dimensions											
Height x Width x Depth (cm)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	
Height without worktop (cm) Undertable											
Height adjustment (+cm)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	5	5	5	5	5	5	5	5	5	
Adjustable Plinth for undertable usage (mm) Undertable											
Possible adjustment of the plinth (horizontal / vertical) (mm / mm)											
Decorative panel height (max) (cm) Fully-Integrated											
Plinth height (min) (cm) Fully-Integrated											
Plinth depth (cm) Fully-Integrated											
Assembly information Fully-Integrated	2 point fixation	Default									
	4 point fixation	(o)									
Packed dimensions (Height x Width x Depth) (cm)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	
Stacking quantity (pcs)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	6 Tall Tub: 4									
Gross/Net weight (kg)(5)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
Container loading (40"HC/ 40" 20")											
Sliding Door Dimensions											
Sliding range (cm)		4 or 8									
Decorative panel height (max) (cm)		75,7 or 79,7 Tall Tub: 79,7 or 83,7									
Plinth height (min) (cm)		6 or 2									
Plinth depth (cm)		0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor). Self Clean option for machine cleaning. Fill the detergent compartment but do not load any dishes. Select a programme which runs at high temperature (Intensive, Auto, Auto Intensive etc.) and run the dishwasher empty.

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models: 3rd basket can be selected only with Aquazone

(2) : Modular cutlery basket must be selected together with another cutlery type or 3rd basket as an accessory.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

(1059/2010) : Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers

(1016/2010) : Commission Regulation (EU) No 1016/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household dishwashers

(2019/2017) : Commission Delegated Regulation (EU) 2019/2017 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of household dishwashers and repealing Commission Delegated Regulation (EU) No 1059/2010

(2019/2022) : Commission Regulation (EU) 2019/2022 of 1 October 2019 laying down ecodesign requirements for household dishwashers pursuant to Directive 2009/125/EC of the European Parliament and of the Council amending Commission Regulation (EC) No 1275/2008 and repealing Commission Regulation (EU) No 1016/2010

60cm Models INTEGRATED		I1E	I16	I1F	I1G	I21	I22	I23	I26	I27
General Characteristics										
Rated Capacity (PS)(1)	12 PS (2 baskets)	Default								
	13 PS (2 baskets)	(o)								
	13 PS (2 baskets + 3rd rack)	(o) with Aquazone	(o) with Aquazone	(o) with Aquazone	(o) with Aquazone	(o)	(o)	(o)	(o)	(o)
	14 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o)	(o)			
	Number of programmes	6	7	7	8	7	8	9	6	7
Temperatures (°C)		40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70	40-50-60-65	40-50-55-60-65	Auto-40-50-60-65	Auto-40-50-60-65-70	Auto-40-50-60-65-70
Control type	Default	Button Control								
Hidden heating element	Yes									
Number of filters	1. Main Filter 2. Coarse Filter 3. Micro Filter									
Main filter type	Plastic Metal	(o) Default								
Tub material	Stainless Steel									
Turbidity sensor (Smart Wash)	(o)	Yes	Yes	Yes						
Drying system	Mini Active Super Active Turbo	Default (o) (o)								
Electrical Diverter system	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection	Yes									
Heater protection	Yes									
Circulation pump	Asynchronous BLDC	Yes -	-	-						
Auto Door	-	-	-	-	-	-	-	-	-	-
Water Box	-	-	-	-	-	-	-	-	-	-
Triple & Direct Wash	-	-	-	-	(o)	(o)	(o)	(o)	(o)	(o)
Aquazone	(o)	(o)	(o)	(o)	-	-	-	-	-	-
Wi-fi	-	-	-	-	-	-	-	-	-	-
New Indoor Design	(o)									
Sliding Door	(o)									
Ion Tech*	-	-	-	-	-	-	-	(o)	(o)	(o)
Uvon Tech	-	-	-	-	-	-	-	(o)	(o)	(o)
InfoLED	1,0 2,1 (Floor Indicator)	(o) (o)								
Interior light	one spot four spot	(o) (o)								
Available Aesthetics	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
Fully Integrated	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*
Appliance Color Options	-	-	-	-	-	-	-	-	-	-
Programmes										
Prewash	Yes	-	-							
Mini 14' (Jet Wash)	-	-	-	-	-	-	-	-	-	-
Quick 30' 40°C	Yes									
Eco (Standard Programme)	Yes									
Super 50' 65°C (Quick Clean)	Yes									
Delicate 40°C	-	Yes	-	-						
Clean+ 55°C	-	-	-	-	-	-	Yes	-	-	-
Easy Care 60°C	-	-	-	-	Yes	Yes	Yes	Yes	-	-
Dual Pro Wash 60°C	-	-	-	-	-	-	-	-	Yes	Yes
Intensive 65°C	Yes	-	-	-						
Hygiene 70°C	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	Yes
Auto**	(o)	-	-	-						
Smart 30°C - 50°C	-	-	-	-	-	-	-	Yes	-	-
Smart 50°C - 60°C	-	-	-	-	-	-	-	Yes	-	-
Smart 60°C - 70°C	-	-	-	-	-	-	-	Yes	Yes	Yes
Steam Wash	-	-	-	-	-	-	-	-	-	Yes
Save+ 5.4 lt	-	-	-	-	-	-	-	-	-	-
User Interface										
Start / Pause button	-	-	-	-	-	-	-	-	-	-
DISPLAY TYPE (delay start, remaining time)	LED Hidden display	-	LED Hidden display							
Display Color	Default Option*	Red White								
Programme selection button	Yes									
Delay timer option	3hr,6hr,9hr 1-2-3...19hr 1-2-3...24hr	- Yes -								
Half load option	1 mode 3 modes	Yes -								
Tablet option	-	-	-	-	-	-	-	-	-	-
Extra Hygiene option	-	-	-	-	Yes	Yes	Yes	-	-	-
Extra Rinse option	-	-	-	-	-	-	-	-	-	-
Extra Drying option	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-	Yes	Yes
Extra Fast option	-	-	-	-	-	-	-	-	Yes	Yes
Energy Save option	-	-	-	-	-	-	-	-	-	-
Self Clean option**	Yes									
Rinse-aid refill indicator	Yes									
Salt refill indicator	Yes									
Washing cycle indicators	-	-	-	-	-	-	-	-	-	-
End of cycle indicator	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display
Child Lock	-	-	-	-	-	-	-	-	-	-
Buzzer	Yes									

60cm Models INTEGRATED	I1E	I16	I1F	I1G	I21	I22	I23	I26	I27
Baskets & Accessories									
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-	-	-
	13 PS	(o) (with Aqua-zone)	(o) (with Aqua-zone)	(o) (with Aqua-zone)	(o) (with Aqua-zone)	(o)	(o)	(o)	(o)
	14 PS	-	-	-	-	-	-	-	-
	15 PS	Yes (with Aquazone and Turbo fan)	Yes (with Aquazone and Turbo fan)	Yes (with Aquazone and Turbo fan)	Yes	Yes	Yes	Yes	Yes
Upper basket type	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)
Adjustable mug shelves	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)
Foldable racks on lower basket	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)
Removable cutlery basket (Universal)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)
Multi functional kit (Extra mug shelves + higher rear part or lower basket)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Bottle holder on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Wine glass holder on lower basket	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks	(o) with 4 foldable racks
Multi holder on lower basket	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design	(o) with 4 foldable racks No with V1 door design
Stopper on lower basket	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design	(o) with V1 door design Yes with V2 (new) design
Top nozzle	fixed type with 2 baskets	(o) with Aquazone	(o) with Aquazone	(o) with Aquazone	(o)	(o)	(o)	(o)	(o)
	rotating type	Default with 3rd basket	Default with 3rd basket						
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Anti-siphon system (Column mount option)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Technical Data (4)									
Noise Declaration Level (dB(A) re 1 pW)	12 PS (2 baskets)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	49/47/45/44/42/41 Tall Tub: 49/47/45/44						
	13 PS (2 baskets)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44					
	13 PS (2 baskets + 3rd rack)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41					
	14 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41					
Energy efficiency class (1059/2010)	A++	A++	A++	A++	A++	A++	A++	A+++	A+++
Energy efficiency class (2019/2017)	E	E	E	E	E	E	E	D	D
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	49,8	49,8
	13 PS	55,7	55,7	55,7	55,7	55,7	55,7	49,9	49,9
	14 PS	-	-	-	-	-	-	-	-
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9
	13 PS	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9
	14 PS	-	-	-	-	-	-	-	-
Cleaning performance index (1059/2010)	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Eco programme water consumption (lt / cycle)	Default	12,0	12,0	12,0	9,0	9,0	9,0	9,0	9,0
Annual water consumption (lt / year) (1059/2010)	Default	3360	3360	3360	2520	2520	2520	2520	2520
Duration of the eco programme (min) (1016/2010)	Default	205	205	205	222	222	222	254	254
Duration of the eco programme (hours) (2019/2022)	Default	3:25	3:25	3:25	3:42	3:42	3:42	4:14	4:14
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,907	0,907	0,907	0,907	0,907	0,907	0,807	0,807
Eco programme energy cons. (kWh / cycle) (1059/2010)	13 PS	0,917	0,917	0,917	0,917	0,917	0,917	0,821	0,821
Eco programme energy cons. (kWh / cycle) (1059/2010)	14 PS	-	-	-	-	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)	15 PS	0,949	0,949	0,949	0,949	0,949	0,949	0,846	0,846

60cm Models INTEGRATED		I1E	I16	I1F	I1G	I21	I22	I23	I26	I27
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,824	0,824
	13 PS	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,836	0,836
	14 PS	-	-	-	-	-	-	-	-	-
	15 PS	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,861	0,861
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	258	258	258	258	258	230	230
	13 PS	261	261	261	261	261	261	261	234	234
	14 PS	-	-	-	-	-	-	-	-	-
	15 PS	270	270	270	270	270	270	270	241	241
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	92	92	92	92	92	82	82
	13 PS	94	94	94	94	94	94	94	84	84
	14 PS	-	-	-	-	-	-	-	-	-
	15 PS	97	97	97	97	97	97	97	86	86
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)		N/A								
Duration of left-on mode (min)		15	15	15	15	15	15	15	15	15
Power rating (W) / Heating element (W)	220-240 V 50 Hz: 1900 / 1800									
	220-240 V 60 Hz: 1900 / 1800									
	220V 60 Hz: 1750 / 1800									
	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil
Plug Type		165	165	165	165	165	165	165	165	165
Power cord length (cm)	Default	147	147	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170
Water inlet hose length (cm)		180	180	180	180	180	180	180	180	180
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 or 60 / 10								
Water pressure range (bar)		0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions										
Height x Width x Depth (cm)	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
	Fully Integrated	82,0 x 59,8 x 55,0								
Height without worktop (cm) Undertable		-	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
	Fully Integrated	5	5	5	5	5	5	5	5	5
Adjustable Plinth for undertable usage (mm) Undertable		-	-	-	-	-	-	-	-	-
Possible adjustment of the plinth (horizontal / vertical) (mm / mm)										
Decorative panel height (max) (cm) Fully-Integrated		71,7 Tall Tub: 75,7								
Plinth height (min) (cm) Fully-Integrated		8	8	8	8	8	8	8	8	8
Plinth depth (cm) Fully-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Assembly information Fully-Integrated	2 point fixation	Default								
	4 point fixation	(o)								
Packed dimensions (Height x Width x Depth) (cm)	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
	Fully Integrated	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1
Stacking quantity (pcs)	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
	Fully Integrated	6 Tall Tub: 4								
Gross/Net weight (kg)(5)	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
Fully Integrated		40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38
Container loading (40"HC/40' / 20")	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (card-board): 108 / 108 / 54
	75,7 or 79,7 Tall Tub: 79,7 or 83,7									
	6 or 2									
	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8
Sliding Door Dimensions										
Sliding range (cm)		4 or 8								
Decorative panel height (max) (cm)		75,7 or 79,7 Tall Tub: 79,7 or 83,7								
Plinth height (min) (cm)		6 or 2								
Plinth depth (cm)		0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

Self Clean is an option for machine cleaning. Fill the detergent compartment but do not load any dishes. Select a programme which runs at high temperature (Intensive, Auto, Auto Intensive etc.) and run the dishwasher empty.

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone

(2) : Modular cutlery basket must be selected together with another cutlery type or 3rd basket as an accessory.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

(1059/2010) : Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers

(1016/2010) : Commission Regulation (EU) No 1016/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household dishwashers

(2019/2017) : Commission Delegated Regulation (EU) 2019/2017 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of household dishwashers and repealing Commission Delegated Regulation (EU) No 1059/2010

(2019/2022) : Commission Regulation (EU) 2019/2022 of 1 October 2019 laying down ecodesign requirements for household dishwashers pursuant to Directive 2009/125/EC of the European Parliament and of the Council amending Commission Regulation (EC) No 1016/2010 and repealing Commission Regulation (EU) No 1016/2010

60cm Models INTEGRATED		I28	I29	I24	I25	I51	I52	I53	I56	I57
General Characteristics										
Rated Capacity (PS)(1)	12 PS (2 baskets)	Default	Default	Default	-	Default	Default	Default	Default	Default
	13 PS (2 baskets)	(o)	(o)	-	(o)	(o)	(o)	(o)	(o)	(o)
	13 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	-	(o) with Aquazone	(o)	(o)	(o)	(o)
	14 PS (2 baskets + 3rd rack)	-	-	-	Default	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	-	(o) with Aquazone and Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o)	(o)
	Number of programmes	8	9	9	9	7	8	9	6	7
Temperatures (°C)		Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	30-40-50-60-65-70	Auto-30-40-50-65-70	Auto-40-50-60-65-70	Auto-40-50-60-65-70	Auto-40-50-60-65-70
Control type	Default	Button Control	Button Control	Button Control	Touch Control	Touch Control	Touch Control	Touch Control	Touch Control	Touch Control
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Number of filters		1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter			
Main filter type	Plastic	-	-	-	-	(o)	(o)	-	-	-
Tub material	Metal	Default	Default	Default	Default	Default	Default	Default	Default	Default
Turbidity sensor (Smart Wash)	Yes	Yes	Yes	Yes	Yes	(o)	(o)	Yes	Yes	Yes
Drying system	Super Active	-	-	-	-	(o)	(o)	-	-	-
Turbo	Default	Default	Default	Default	(o)	(o)	(o)	Default	Default	Default
Electrical Diverter system	Yes	Yes	Yes	Yes	-	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous BLDC	-	-	-	-	Yes	Yes	Yes	-	-
Auto Door		Yes	Yes	Yes	Yes	-	-	-	Yes	Yes
Water Box	-	-	-	Yes	Yes	-	-	-	-	-
Triple & Direct Wash	(o)	(o)	(o)	(o)	-	(o)	(o)	(o)	(o)	(o)
Aquazone	-	-	-	-	(o)	-	-	-	-	-
Wi-fi	-	-	-	-	-	-	-	-	-	-
New Indoor Design	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Sliding Door	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Ion Tech*	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Uvon Tech	(o)	(o)	(o)	(o)	-	-	-	(o)	(o)	(o)
InfoLED	1,0 2,1(Floor Indicator)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Interior light	one spot	(o)	(o)	(o)	(o)	-	(o)	(o)	(o)	(o)
	four spot	(o)	(o)	(o)	(o)	-	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	-	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-	-
	Fully Integrated	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Astrum, Rhea, Rhea: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Freya, Freya: Inox look				
Appliance Color Options		-	-	-	-	-	-	-	-	-
Programmes										
Prewash		-	-	-	-	-	-	-	-	-
Mini 14' (Jet Wash)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
Quick 30' 40°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delicate 40°C	-	-	-	-	Yes	Yes	Yes	Yes	-	-
Clean+ 55°C	-	-	-	-	-	-	-	-	-	-
Easy Care 60°C	-	-	-	-	-	Yes	-	-	-	-
Dual Pro Wash 60°C	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	Yes
Intensive 65°C	-	-	-	-	Yes	Yes	Yes	-	-	-
Hygiene 70°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto**	-	-	-	-	(o)	(o)	-	-	-	-
Smart 30°C - 50°C	-	-	Yes	Yes	Yes	-	-	Yes	-	-
Smart 50°C - 60°C	-	-	Yes	-	-	-	-	Yes	-	-
Smart 60°C - 70°C	Yes	Yes	(50°C - 70°C)	Yes	Yes (50°C - 70°C)	-	-	Yes	Yes	Yes
Steam Wash	Yes	Yes	-	-	-	-	-	-	-	Yes
Save+ 5.4 lt	-	-	-	Yes	-	-	-	-	-	-
User Interface										
Start / Pause button		-	-	-	-	-	-	-	-	-
DISPLAY TYPE (delay start, remaining time)		LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display
Display Color	Default	Red	Red	Red	Red	Blue	Blue	Blue	Blue	Blue
Programme selection button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-	-	-	-	-	-
1-2-3...19hr	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
1-2-3...24hr	-	-	-	-	-	-	-	-	-	-
Half load option	1 mode	-	-	-	-	Yes	-	-	-	-
Half load option	3 modes	Yes	Yes	Yes	Yes	-	Yes	Yes	Yes	Yes
Tablet option	-	-	-	-	-	-	-	-	-	-
Extra Hygiene option	-	-	-	-	-	-	-	-	-	-
Extra Rinse option	-	-	-	-	-	Yes	Yes	-	-	-
Extra Drying option	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Extra Silent option (Silent Wash)	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	Yes
Extra Fast option	Yes	Yes	-	-	-	-	-	-	Yes	Yes
Energy Save option	-	-	Yes	Yes	Yes	-	-	-	-	-
Self Clean option**	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Rinse-aid refill indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Salt refill indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	-	-	-	-	-	-	-	-	-	-
End of cycle indicator	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display	No additional led, "0" will be shown on display
Child Lock	-	-	-	-	-	-	-	-	-	-
Buzzer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

60cm Models INTEGRATED		I28	I29	I24	I25	I51	I52	I53	I56	I57
Baskets & Accessories										
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS	-	-	-	-	-	-	-	-	-
	13 PS	(o)	(o)	(o)	-	(o) (with Aqua- zone)	(o)	(o)	(o)	(o)
	14 PS	-	-	-	Yes	-	-	-	-	-
	15 PS	Yes	Yes	Yes	-	Yes (with AquaZone and Turbo fan)	Yes	Yes	Yes	Yes
Upper basket type		Peg								
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level]		(o)								
Number of mug shelves		2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	4	2 or 4 (o)				
Adjustable mug shelves		Yes								
Mug shelves with soft touch rubber		(o)								
Foldable racks on upper basket		fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)
Foldable racks on lower basket		fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	4	fixed, 2 or 4 (12/13ps) / 4 (15ps)				
Upper basket handle type [No / Wire / Plastic / Metal]		(o)	(o)	(o)	-	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Wire / Plastic / Metal]		(o)								
Removable cutlery basket (Single piece)		(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)				
Removable cutlery basket (Universal)		No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	(o)	No(12/13ps) / (o) (15ps)				
Removable cutlery basket (Mod- ular) (2)		(o)								
Removable cutlery basket (Sliding) (3)		(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	(o)(12/13ps) / No(15ps)				
Multi functional kit (Extra mug shelves + higher rear part on lower basket)		(o)								
Bottle holder on lower basket		(o)								
Wine glass holder on lower basket		(o) with 4 foldable racks								
Multi holder on lower basket		(o) with 4 foldable racks No with V1 door design								
Stopper on lower basket		(o) with V1 door design Yes with V2 (new) design								
Top nozzle	fixed type with 2 baskets	(o)	(o)	(o)	-	(o) with Aquazone	(o)	(o)	(o)	(o)
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default	Default with 3rd basket				
Aquastop external hose		(o)								
Antibacterial filter		(o)								
Anti-siphon system (Column mount option)		(o)								
Technical Data (4)										
Noise Declara- tion Level (dB(A) re 1 pW)	12 PS (2 baskets)	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	-	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44
	13 PS (2 baskets)	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	-	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44
	13 PS (2 baskets + 3rd rack)	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	-	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41
	14 PS (2 baskets + 3rd rack)	-	-	-	44	-	-	-	-	-
	15 PS (2 baskets + 3rd rack)	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	-	50 Hz: 49/47/45 60 Hz: 49/47	50 Hz: 49/47/45 60 Hz: 49/47	50 Hz: 49/47/45 60 Hz: 49/47	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41
Energy efficiency class (1059/2010)		A+++	A+++	A+++	A+++ -20%	A++	A++	A++	A+++	A+++
Energy efficiency index (2019/2017)		D	D	D	B	E	E	E	D	D
Energy efficiency index (1059/2010)	12 PS	49,8	49,8	49,8	-	55,8	55,8	55,8	49,8	49,8
	13 PS	49,9	49,9	49,9	-	55,7	55,7	55,7	49,9	49,9
	14 PS	-	-	-	39,7	-	-	-	-	-
Energy efficiency index (2019/2017)	15 PS	49,9	49,9	49,9	-	55,9	55,9	55,9	49,9	49,9
	12 PS	49,9	49,9	49,9	-	55,9	55,9	55,9	49,9	49,9
	13 PS	49,9	49,9	49,9	-	55,9	55,9	55,9	49,9	49,9
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Eco programme water consump- tion (lt / cycle)		Default	9,0	9,0	9,0	12,0	9,0	9,0	9,0	9,0
Annual water consumption (lt / year) (1059/2010)		Default	2520	2520	2520	3360	2520	2520	2520	2520
Duration of the eco programme (h:min) (2019/2022)		Default	254	254	254	207	205	222	254	254
Duration of the eco programme (h:min) (2019/2022)		with Aquazone	-	-	-	221	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)		12 PS	0,807	0,807	0,807	-	0,907	0,907	0,807	0,807
Eco programme energy cons. (kWh / cycle) (1059/2010)		13 PS	0,821	0,821	0,821	-	0,917	0,917	0,821	0,821
Eco programme energy cons. (kWh / cycle) (1059/2010)		14 PS	-	-	-	0,660	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)		15 PS	0,846	0,846	0,846	-	0,949	0,949	0,846	0,846

60cm Models INTEGRATED		I28	I29	I24	I25	I51	I52	I53	I56	I57	
Eco programme energy cons. (kWh / cycle) (2019/2017)		12 PS	0,824	0,824	0,824	-	0,923	0,923	0,824	0,824	
13 PS		0,836	0,836	0,836	-	0,937	0,937	0,836	0,836		
14 PS		-	-	-	0,645	-	-	-	-		
15 PS		0,861	0,861	0,861	-	0,965	0,965	0,861	0,861		
Annual energy consumption (kWh / year) (1059/2010)		12 PS	230	230	230	-	258	258	230	230	
13 PS		234	234	234	-	261	261	234	234		
14 PS		-	-	-	189	-	-	-	-		
15 PS		241	241	241	-	270	270	241	241		
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)		12 PS	82	82	82	-	92	92	82	82	
13 PS		84	84	84	-	94	94	84	84		
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
Network standby mode power consumption (W)		N/A									
Duration of left-on mode (min)		15	15	15	15	15	15	15	15	15	
Power rating (W) / Heating element (W)		220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W	220-240 V 50 Hz: 1900 / 1800 W 220-240 V 60 Hz: 1900 / 1800 W 220V 60 Hz: 1750 / 1800 W
Plug Type		EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	
Power cord length (cm)		165	165	165	165	165	165	165	165	165	
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147	147	
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170	
Water outlet hose length (cm)		180	180	180	180	180	180	180	180	180	
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 or 60 / 10									
Water pressure range (bar)		0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	
Dimensions											
Height x Width x Depth (cm)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	
Height without worktop (cm) Undertable		-	-	-	-	-	-	-	-	-	
Height adjustment (+cm)		Freestanding	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	5	5	5	5	5	5	5	5	5	
Adjustable Plinth for undertable usage (mm) Undertable		-	-	-	-	-	-	-	-	-	
Possible adjustment of the plinth (horizontal / vertical) (mm / mm)		-	-	-	-	-	-	-	-	-	
Decorative panel height (max) (cm) Fully-Integrated		71,7 Tall Tub: 75,7									
Plinth height (min) (cm) Fully-Integrated		8	8	8	8	8	8	8	8	8	
Plinth depth (cm) Fully-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	
Assembly information Fully-Integrated		2 point fixation	Default								
	4 point fixation	(o)									
Packed dimensions (Height x Width x Depth) (cm)	Freestanding	-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
Fully Integrated	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	
	Freestanding	-	-	-	-	-	-	-	-	-	
Stacking quantity (pcs)		-	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	6	6	6	6	6	6	6	6	6	
Gross/Net weight (kg)(5)		Freestanding	-	-	-	-	-	-	-	-	
	Semi-Integrated	-	-	-	-	-	-	-	-	-	
	Fully Integrated	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	40 / 38	
Container loading (40"HC/ 40" 20")		162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54
Sliding Door Dimensions											
Sliding range (cm)		4 or 8									
Decorative panel height (max) (cm)		75,7 or 79,7 Tall Tub: 79,7 or 83,7									
Plinth height (min) (cm)		6 or 2									
Plinth depth (cm)		0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor). Self Clean is an option for machine cleaning. Fill the detergent compartment but do not load any dishes. Select a programme which runs at high temperature (Intensive, Auto, Auto Intensive etc.) and run the dishwasher empty.

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models: 3rd basket can be selected only with Aquazone

(2) : Modular cutlery basket must be selected together with another cutlery type or 3rd basket as an accessory.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

(1059/2010) : Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers

(1016/2010) : Commission Regulation (EU) No 1016/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household dishwashers

(2019/2017) : Commission Delegated Regulation (EU) 2019/2017 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of household dishwashers and repealing Commission Delegated Regulation (EU) No 1059/2010

(2019/2022) : Commission Regulation (EU) 2019/2022 of 1 October 2019 laying down ecodesign requirements for household dishwashers pursuant to Directive 2009/125/EC of the European Parliament and of the Council amending Commission Regulation (EC) No 1275/2008 and repealing Commission Regulation (EU) No 1016/2010

60cm Models INTEGRATED		I58	I59	I54	I55
General Characteristics					
Rated Capacity (PS)(1)		12 PS (2 baskets) 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)	Default (o) (o) -	Default (o) (o) -	Default -
Number of programmes		8	9	9	9
Temperatures (°C)		Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default Option	Touch Control -	Touch Control -	Touch Control -	Touch Control -
Hidden heating element	Yes	Yes	Yes	Yes	Yes
Number of filters		1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter
Main filter type	Plastic Metal	- Default	- Default	- Default	- Default
Tub material		Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Turbidity sensor (Smart Wash)	Yes	Yes	Yes	Yes	Yes
Drying system	Mini Active Super Active Turbo	- -	- -	- Default	- Default
Electrical Diverter system	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous BLDC	- Yes	- Yes	- Yes	- Yes
Auto Door	-	-	-	Yes	Yes
Water Box	-	-	-	-	Yes
Triple & Direct Wash	(o)	(o)	(o)	(o)	(o)
Aquazone	-	-	-	-	-
Wi-fi	-	-	-	-	-
New Indoor Design	(o)	(o)	(o)	(o)	(o)
Sliding Door	(o)	(o)	(o)	(o)	(o)
Ion Tech*	(o)	(o)	(o)	(o)	(o)
Uvon Tech	(o)	(o)	(o)	(o)	(o)
InfoLED	1.0 2.1 (Floor Indicator)	(o) (o)	(o) (o)	(o) (o)	(o) (o)
Interior light	one spot Four spot	(o) (o)	(o) (o)	(o) (o)	(o) (o)
Available Aesthetics	Freestanding Semi-Integrated Fully Integrated	- - Freya, Freya: Inox look	- - Freya, Freya: Inox look	- - Freya, Freya: Inox look	- - Freya, Freya: Inox look
Appliance Color Options					
Programmes					
Prewash	-	-	-	-	-
Mini 14' Jet Wash)	Yes	Yes	Yes	Yes	Yes
Quick 30' 40°C	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)	Yes	Yes	Yes	Yes	Yes
Delicate 40°C	-	-	-	-	-
Clean+ 55°C	-	-	-	-	-
Easy Care 60°C	-	-	-	-	-
Dual Pro Wash 60°C	Yes	Yes	Yes	Yes	Yes
Intensive 65°C	-	-	-	-	-
Hygiene 70°C	Yes	Yes	Yes	Yes	Yes
Auto**	-	-	-	-	-
Smart 30°C - 50°C	-	Yes	Yes	Yes	Yes
Smart 50°C - 60°C	-	-	Yes	-	-
Smart 60°C - 70°C	Yes	Yes (50°C - 70°C)	Yes	Yes (50°C - 70°C)	Yes (50°C - 70°C)
Steam Wash	Yes	Yes	-	-	-
Save+ 5.4 lt	-	-	-	-	Yes
User Interface					
Start / Pause button	-	-	-	-	-
DISPLAY TYPE (delay start, remaining time)	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display	LED Hidden display
Display Color	Default Option*	Blue White	Blue White	Blue White	Blue White
Programme selection button	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr 1-2-3...-19hr 1-2-3...-24hr	- Yes -	- Yes -	- Yes -	- Yes -
Half load option	1 mode 3 modes	- Yes	- Yes	- Yes	- Yes
Tablet option	-	-	-	-	-
Extra Hygiene option	-	-	-	-	-
Extra Rinse option	-	-	-	-	-
Extra Drying option	Yes	Yes	Yes	Yes	Yes
Extra Silent option (Silent Wash)	Yes	Yes	Yes	Yes	Yes
Extra Fast option	Yes	Yes	Yes	Yes	Yes
Energy Save option	-	-	Yes	Yes	Yes
Self Clean option**	Yes	Yes	Yes	Yes	Yes
Rinse-aid refill indicator	Yes	Yes	Yes	Yes	Yes
Salt refill indicator	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	-	-	-	-	-
End of cycle indicator	No additional led, O will be shown on display	No additional led, O will be shown on display	No additional led, O will be shown on display	No additional led, O will be shown on display	No additional led, O will be shown on display
Child Lock	-	-	-	-	-
Buzzer	Yes	Yes	Yes	Yes	Yes

60cm Models INTEGRATED		I58	I59	I54	I55
Baskets & Accessories					
3rd basket [EasyTray, EcoTray or Comfort Tray]	12 PS 13 PS 14 PS 15 PS	- (o) - Yes	- (o) - Yes	- (o) - Yes	- - Yes -
Upper basket type	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level]	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	2 or 4 (o)	2 or 4 (o)	2 or 4 (o)	4	
Adjustable mug shelves	Yes	Yes	Yes	Yes	
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	
Foldable racks on upper basket	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	fixed, 2 or 4 or 6 (o)	4 or 6 (o)	
Foldable racks on lower basket	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	fixed, 2 or 4 (12/13ps) / 4 (15ps)	4	
Upper basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	-	
Lower basket handle type [No / Wire / Plastic / Metal]	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	
Removable cutlery basket (Universal)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	No(12/13ps) / (o) (15ps)	(o)	
Removable cutlery basket (Modular) (2)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Sliding) (3)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	(o)(12/13ps) / No(15ps)	-	
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)	
Bottle holder on lower basket	(o)	(o)	(o)	(o)	
Wine glass holder on lower basket	(o) with 4 foldable racks				
Multi holder on lower basket	(o) with 4 foldable racks No with V1 door design				
Stopper on lower basket	(o) with V1 door design Yes with V2 (new) design	Yes with V2 (new) design			
Top nozzle	fixed type with 2 baskets rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default
Aquastop external hose	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	
Anti-siphon system (Column mount option)	(o)	(o)	(o)	(o)	
Technical Data (4)					
Noise Declaration Level (dB(A) re 1 pW)	12 PS (2 baskets)	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	-
	13 PS (2 baskets)	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	49/47/45/44/42/41 Tall Tub: 49/47/45/44	-
	13 PS (2 baskets + 3rd rack)	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	
	14 PS (2 baskets + 3rd rack)	-	-	-	44
	15 PS (2 baskets + 3rd rack)	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41	-
Energy efficiency class (1059/2010)	A+++	A+++	A+++	A+++	-20%
Energy efficiency class (2019/2017)	D	D	D	D	B
Energy efficiency index (1059/2010)	12 PS	49,8	49,8	49,8	-
	13 PS	49,9	49,9	49,9	-
	14 PS	-	-	-	39,7
Energy efficiency index (2019/2017)	15 PS	49,9	49,9	49,9	-
	12 PS	49,9	49,9	49,9	-
	13 PS	49,9	49,9	49,9	-
Cleaning performance index	14 PS	-	-	-	37,9
	15 PS	49,9	49,9	49,9	-
	12 PS	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)	1,07	1,07	1,07	1,07	
Eco programme water consumption (lt / cycle)	Default	9,0	9,0	9,0	9,0
Annual water consumption (lt / year) (1059/2010)	with Aquazone	-	-	-	-
	Default	2520	2520	2520	2520
Duration of the eco programme (min) (1016/2010)	Default	254	254	254	207
Duration of the eco programme (h:min) (2019/2022)	with Aquazone	-	-	-	-
	Default	4:14	4:14	4:14	3:27
Eco programme energy cons. (kWh / cycle) (1059/2010)	with Aquazone	-	-	-	-
	12 PS	0,807	0,807	0,807	-
Eco programme energy cons. (kWh / cycle) (2019/2017)	13 PS	0,821	0,821	0,821	-
	14 PS	-	-	-	0,660
Annual energy consumption (kWh / year) (1059/2010)	15 PS	0,846	0,846	0,846	-
	12 PS	0,824	0,824	0,824	-
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	13 PS	0,836	0,836	0,836	-
	14 PS	-	-	-	0,645
Annual energy consumption (kWh / year) (1059/2010)	15 PS	0,861	0,861	0,861	-
	12 PS	230	230	230	-
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	13 PS	234	234	234	-
	14 PS	-	-	-	189
Off mode power consumption (W)	15 PS	241	241	241	-
	12 PS	82	82	82	-
Left-on mode power consumption (W)	13 PS	84	84	84	-
	14 PS	-	-	-	65
Network standby mode power consumption (W)	15 PS	86	86	86	-
	12 PS	0,50	0,50	0,50	0,50
Duration of left-on mode (min)	1,00	1,00	1,00	1,00	
Power rating (W) / Heating element (W)	15	15	15	15	
	220-240 V 50 Hz: 1900 / 1800				
	220-240 V 60 Hz: 1900 / 1800				
	220V 60 Hz: 1750 / 1800				

60cm Models INTEGRATED	I58	I59	I54	I55
Plug Type	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil
Power cord length (cm)	165	165	165	165
Water inlet hose length (cm)	Default with Aquastop ext. hose	147 170	147 170	147 170
Water outlet hose length (cm)	180	180	180	180
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 or 60 / 10			
Water pressure range (bar)	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10
Dimensions				
Height x Width x Depth (cm)	Freestanding Semi-Integrated Fully Integrated	- 82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	- 82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0	- 82,0 x 59,8 x 55,0 Tall Tub: 86,0 x 59,8 x 55,0
Height without worktop (cm) Undertable	Freestanding Semi-Integrated Fully Integrated	- - 5	- - 5	- - 5
Height adjustment (+cm)	Freestanding Semi-Integrated Fully Integrated	- - -	- - -	- - -
Adjustable Plinth for undertable usage (mm) Undertable	-	-	-	-
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	-	-	-	-
Decorative panel height (max) (cm) Fully-Integrated	71,7 Tall Tub: 75,7	71,7 Tall Tub: 75,7	71,7 Tall Tub: 75,7	71,7 Tall Tub: 75,7
Plinth height (min) (cm) Fully-Integrated	8	8	8	8
Plinth depth (cm) Fully-Integrated	3 - 8	3 - 8	3 - 8	3 - 8
Assembly information Fully-Integrated	2 point fixation 4 point fixation	Default (o)	Default (o)	Default (o)
Packed dimensions (Height x Width x Depth) (cm)	Freestanding Semi-Integrated Fully Integrated	- - 85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	- - 85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1	- - 85,1 x 64,4 x 66,1 Tall Tub: 89,1 x 64,4 x 66,1
Stacking quantity (pes)	Freestanding Semi-Integrated Fully Integrated	- - 6	- - 6	- - 6
Gross/Net weight (kg)(5)	Freestanding Semi-Integrated Fully Integrated	- - 40 / 38	- - 40 / 38	- - 40 / 38
Container loading (40HC/ 40/ 20)	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54	162 / 108 / 54 Tall Tub (Shrink): 162 / 108 / 54 Tall Tub (cardboard): 108 / 108 / 54
Sliding Door Dimensions				
Sliding range (cm)	4 or 8	4 or 8	4 or 8	4 or 8
Decorative panel height (max) (cm)	75,7 or 79,7 Tall Tub: 79,7 or 83,7			
Plinth height (min) (cm)	6 or 2	6 or 2	6 or 2	6 or 2
Plinth depth (cm)	0 - 8	0 - 8	0 - 8	0 - 8

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

Self Clean is an option for machine cleaning. Fill the detergent compartment but do not load any dishes. Select a programme which runs at high temperature (Intensive, Auto, Auto Intensive etc.) and run the dishwasher empty.

(1) : Turbo Fan feature & 3rd basket (& Aquazone for w/o diverter models) are default for 15 PS models.

For w/o diverter models; 3rd basket can be selected only with Aquazone

(2) : Modular cutlery basket must be selected together with another cutlery type or 3rd basket as an accessory.

(3) : Can be selected for lower basket with fixed type or with 4 foldable wire.

(4) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(5) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

(1059/2010) : Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers

(1016/2010) : Commission Regulation (EU) No 1016/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household dishwashers

(2019/2017) : Commission Delegated Regulation (EU) 2019/2017 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy

labelling of household dishwashers and repealing Commission Delegated Regulation (EU) No 1059/2010

(2019/2022) : Commission Regulation (EU) 2019/2022 of 1 October 2019 laying down ecodesign requirements for household dishwashers pursuant to Directive 2009/125/EC of the European Parliament and of the Council amending Commission Regulation (EC) No 1275/2008 and repealing Commission Regulation (EU) No 1016/2010

Z Series (Top control) 60 cm Models	ZA5	ZB7	ZA5 BLDC*	ZB7 BLDC*
General Characteristics				
Number of place settings (PS)	Standard	Standard	Standard	Standard
Number of programmes	6	8	6	8
Control type	Default	Button Control	Button Control	Button Control
	Option	Touch Control (1)	Touch Control (1)	Touch Control (1)
Hidden heating element	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default
	Plastic	(o)	(o)	(o)
Tub material	Stainless Steel		Stainless Steel	Stainless Steel
Tub Type [Tall Tub/ Normal Tub]	(o)		(o)	(o)
Turbidity sensor (Smart Wash)	Yes	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	Default
	Super Active	(o)	(o)	(o)
	Turbo	(o)	(o)	(o)
Electrical Diverter system	-	Yes	-	Yes
Water Regeneration system	(o)	(o)	(o)	(o)
Overflow & leakage protection	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Asynchronous	Asynchronous	-
	BLDC	-	-	BLDC
Auto Door	-	-	-	-
Water Box	-	-	-	-
Direct Wash	-	-	-	-
Wi-fi	-	-	-	-
New Indoor Design	Yes	Yes	Yes	Yes
Sliding Door	-	-	-	-
Ion Tech	-	-	-	-
Uvon Tech	-	-	-	-
InfoLED	1,0	-	-	-
	2,0 (Floor Indicator)	-	-	-
Interior light	one spot	-	-	-
	four spot	-	-	-
Available Aesthetics	Front Control	-	-	-
	Top Control	Anjer	Anjer	Anjer
	Integrated	Rhea, Astrum	Rhea, Astrum	Rhea, Astrum
Appliance Color Options for Anjer Aesthetic	Black, White, Inox		Black, White, Inox	Black, White, Inox
Programmes				
P1. Regular	Yes	Yes	Yes	Yes
P2. Intensive	Yes	Yes	Yes	Yes
P3. Super	Yes	Yes	Yes	Yes
P4. Auto	Yes	Yes	Yes	Yes
P5. Rinse	Yes	Yes	Yes	Yes
P6. Delicate	Yes	Yes	Yes	Yes
P7. Daily	-	Yes	-	Yes
P8. Intensive Plus	-	Yes	-	Yes
User Interface				
Start/Pause button	Yes	Yes	Yes	Yes
DISPLAY (delay start, remaining time)	Yes: LED	Yes: LED	Yes: LED	Yes: LED
Display Color	Default	Red	Red	Red
	Option	-	-	-
Prewash button	-	-	-	-
Programme selection button	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-
	1-2-3....-19hr	Yes (1-2-3....-19hr)	Yes (1-2-3....-19hr)	Yes (1-2-3....-19hr)
	1-2-3....-24hr	-	-	-
Eco Wash - Half load option	1 mode	Yes	-	Yes
	3 modes	-	Yes	-
Hi-Temp option	Yes	Yes	Yes	Yes
Sanitize option	Yes	Yes	Yes	Yes
Extra Rinse option	Yes	Yes	-	-
Extra Drying option	Yes	Yes	-	-
Extra Silent	-	-	Yes	Yes
Extra Fast	-	-	Yes	Yes
Rinse-aid indicator	Yes	Yes	Yes	Yes
Salt indicator or Power on indicator	Yes	Yes	Yes	Yes
Washing cycle indicators	-	-	-	-
End of cycle indicator	Yes	Yes	Yes	Yes
Child Lock	-	-	-	-
Buzzer	Yes	Yes	Yes	Yes

Z Series (Top control) 60 cm Models	ZA5	ZB7	ZA5 BLDC*	ZB7 BLDC*
Baskets & Accessories				
3rd basket [EasyTray, EcoTray or Flex Tray]	-	(o)	-	(o)
Upper basket type	Peg Type	Peg Type	Peg Type	Peg Type
Adjustable upper basket [empty / loaded 2 level / loaded 3 level]	(o)	(o)	(o)	(o)
Number of mug shelves	2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)	2 (std) / 4 (o)
Adjustable mug shelves	Yes	Yes	Yes	Yes
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)
Foldable racks on upper basket	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)
Upper basket handle type [No / Wire / Plastic / Metal]	-	-	-	-
Lower basket handle type [No / Wire / Plastic / Metal]	-	-	-	-
Removable cutlery basket	Yes	Yes	Yes	Yes
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)
Bottle holder on lower basket	(o)	(o)	(o)	(o)
Wine stem support & Spoon rack on upper basket	-	-	-	-
Wine glass holder on lower basket	(o)	(o)	(o)	(o)
Top nozzle	fixed type with 2 baskets rotating type	(o) Default with 3rd basket	-	(o) Default with 3rd basket
Aquastop external hose	-	-	-	-
Antibacterial filter	-	-	-	-
Anti-siphon system	Yes	Yes	Yes	Yes
Technical Data				
Noise Level (dB(A))	51 / 53 / 55 / 57	51 / 53 / 55 / 57	44 / 45 / 47 / 49	44 / 45 / 47 / 49
Energy Star	Yes	Yes	Yes	Yes
Water consumption (gal)	≤ 3,5	≤ 3,5	≤ 3,5	≤ 3,5
Annual energy consumption (kWh/year)	≤ 270	≤ 270	≤ 270	≤ 270
Duration of the standard programme (min)	122-145	122-145	122-145	122-145
Power rating (W) / Heating element (W)	1400 / 1100	1400 / 1100	1400 / 1100	1400 / 1100
Plug Type	USA	USA	USA	USA
Power cord length (cm)	116	116	116	116
Water inlet hose length (cm)	-	-	-	-
Water outlet hose length (cm)	76 3/4" (1950 mm)	76 3/4" (1950 mm)	76 3/4" (1950 mm)	76 3/4" (1950 mm)
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	120V / 60 / 12	120V / 60 / 12	120V / 60 / 12	120V / 60 / 12
Water pressure range (bar)	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10
Dimensions				
Height (mm)	Tall Tub Normal Tub	33 7/8" (861 mm) 32 9/32" (820 mm)	33 7/8" (861 mm) 32 9/32" (820 mm)	33 7/8" (861 mm) 32 9/32" (820 mm)
Width (mm)		23 9/16" (598 mm)	23 9/16" (598 mm)	23 9/16" (598 mm)
Depth (mm)		22 1/2" (570 mm)	22 1/2" (570 mm)	22 1/2" (570 mm)
Height adjustment (+cm)	5	5	5	5
Adjustable Plinth for underrable usage (mm)	80,0	80,0	80,0	80,0
Cut-Out Dimensions				
Width (inch / mm) - Min		24" (610 mm)	24" (610 mm)	24" (610 mm)
Height (inch / mm) - Min	Tall Tub Normal Tub	34 " (864 mm) 32 43/68" (830 mm)	34 " (864 mm) 32 43/68" (830 mm)	34 " (864 mm) 32 43/68" (830 mm)
Height (inch / mm) - Max	Tall Tub Normal Tub	36 1/4 " (920 mm) 34 41/64" (880 mm)	36 1/4 " (920 mm) 34 41/64" (880 mm)	36 1/4 " (920 mm) 34 41/64" (880 mm)
Depth (inch / mm) - Min		24" (610 mm)	24" (610 mm)	24" (610 mm)

Notes

(o) : Optional

(*) : See roadmap for availability

(I) : Touch Control is only available with Freya Aesthetic.

* Version Naming:

- 1. Character Y : Front Control system
Z : Top Control system
1 : without Electrical diverter motor
2 : with Electrical diverter motor
- A : without Electrical diverter motor, with display board
B : with Electrical diverter motor, with display board
- 2. Character 1 : Standard Version (2 Programs)
2 : +1 program cycle
3 : +2 program cycle
4 : +3 program cycle
5 : +4 program cycle
6 : +5 program cycle
7 : +6 program cycle
- 3. Character

A1 SERIES 45cm Models BUILT-IN DISHWASHERS		A12 45cm	A1B 45cm	A13 45cm	A1C 45cm	A14 45cm	A1D 45cm	A15 45cm	A1E 45cm	
General Characteristics										
Number of place settings (PS)	10 PS (2 baskets)	Default								
	10 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	
Number of programmes	3	3	4	4	5	5	6	6		
Temperatures (°C)	50-65	50-65	50-65	50-65	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70		
Control type	Default	Button Control								
	Option	-	-	-	-	-	-	-		
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Filter type	Metal	Default								
	Plastic	-	-	-	-	-	-	-	-	
Tub material	Stainless Steel		Stainless Steel		Stainless Steel		Stainless Steel		Stainless Steel	
Turbidity sensor (Smart Wash)	-		-		-		-		-	
Drying system	Mini Active	Default								
	Super Active	(o)								
	Turbo	-	-	-	-	-	-	-	-	
Electrical Diverter system		-	-	-	-	-	-	-	-	
Overflow & leakage protection		Yes								
Heater protection		Yes								
Circulation pump	Asynchronous	Yes								
	BLDC	-	-	-	-	-	-	-	-	
Aquazone *	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
Available Aesthetics	Freestanding	Angel, Carya, IO, Daisy, Holly								
	Semi-Integrated	-	-	-	-	-	-	-	-	
	Fully Integrated	-	-	-	-	-	-	-	-	
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	
Programmes										
Prewash	-	-	-	-	-	-	-	Yes	Yes	
Quick 30' 40°C	-	-	Yes							
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Super 50' 65°C (Quick Clean)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Hygiene 70°C	-	-	-	-	Yes	Yes	Yes	Yes	Yes	
Intensive 65°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Auto*	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	
User Interface										
Start/Pause button		Yes								
DISPLAY TYPE (delay start, remaining time)		-	Mini: LED							
Display Color	Default	-	Red	-	Red	-	Red	-	Red	
	Option	-	White	-	White	-	White	-	White	
Prewash button		-	-	-	-	-	-	-	-	
Programme selection button		Yes								
User Interface										
Delay timer option	3hr,6hr,9hr	Yes	-	Yes	-	Yes	-	Yes	-	
	1-2-3....-19hr	-	-	-	-	-	-	-	-	
	1-2-3....-24hr	-	Yes	-	Yes	-	Yes	-	Yes	
Eco Wash - Half load option	1 mode	Yes								
	3 modes	-	-	-	-	-	-	-	-	
Tablet option	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Child Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Buzzer	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	

A1 SERIES 45cm Models BUILT-IN DISHWASHERS		A12 45cm	A1B 45cm	A13 45cm	A1C 45cm	A14 45cm	A1D 45cm	A15 45cm	A1E 45cm
Baskets & Accessories									
Upper basket type	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	4 (std)	4 (std)	4 (std)	4 (std)	4 (std)	4 (std)	4 (std)	4 (std)	4 (std)
Adjustable mug shelves	-	-	-	-	-	-	-	-	-
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Universal)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wine glass holder on lower basket	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks
Top nozzle	fixed type with 2 baskets	Default							
	rotating type	-	-	-	-	-	-	-	-
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Technical Data (2)									
Sound level (dB(A) re 1 pW)	10 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45
Energy efficiency class	A++	A++	A++	A++	A++	A++	A++	A++	A++
Energy efficiency index	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
Cleaning efficiency class	A	A	A	A	A	A	A	A	A
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A	A	A	A
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0
	with Aquazone	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
Annual water consumption (lt / year)	Default	3080	3080	3080	3080	3080	3080	3080	3080
	with Aquazone	2520	2520	2520	2520	2520	2520	2520	2520
Duration of the standard programme (min)	Default	198	198	198	198	198	198	198	198
	with Aquazone	222	222	222	222	222	222	222	222
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732
Annual energy consumption (kWh / year)	10 PS	211	211	211	211	211	211	211	211
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Duration of left-on mode (min)	15	15	15	15	15	15	15	15	15
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type		EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)		165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170	170
Water outlet hose length (cm)		200	200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10

A1 SERIES 45cm Models BUILT-IN DISHWASHERS		A12 45cm	A1B 45cm	A13 45cm	A1C 45cm	A14 45cm	A1D 45cm	A15 45cm	A1E 45cm
Dimensions									
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	-	-	-	-	-	-	-	-
	Fully Integrated	-	-	-	-	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	-	-	-	-	-	-	-	-
	Fully Integrated	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2	2
	Semi-Integrated	-	-	-	-	-	-	-	-
	Fully Integrated	-	-	-	-	-	-	-	-
Adjustable Plinth for undetable usage (mm) Undertable		(o) (80 or/ and 130)							
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated		-	-	-	-	-	-	-	-
Plinth height (min) (cm) Semi-Integrated		-	-	-	-	-	-	-	-
Plinth depth (cm) Semi-Integrated		-	-	-	-	-	-	-	-
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1							
	Semi-Integrated	-	-	-	-	-	-	-	-
	Fully Integrated	-	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6	6	6	6	6
	Semi-Integrated	-	-	-	-	-	-	-	-
	Fully Integrated	-	-	-	-	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40
	Semi-Integrated	-	-	-	-	-	-	-	-
	Fully Integrated	-	-	-	-	-	-	-	-
Container loading (40"HC/ 40" / 20")		216 or 251 /144 /72							

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

A2 SERIES 45cm Models BULIT-IN DISHWASHERS		A21 45cm	A22 45cm	A23 45cm	A24 45cm
General Characteristics					
Number of place settings (PS)	10 PS (2 baskets)	Default	Default	Default	Default
	10 PS (2 baskets + 3rd rack)	(o) with Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o)
	11 PS (2 baskets + 3rd rack)	-	-	-	(o)
Number of programmes		6	7	8+	8+
Temperatures (°C)		40-50-65	40-50-60-65	40-50-60-65	Auto-30-40-50-60-65-70
Control type	Default	Button Control	Button Control	Button Control	Button Control
	Option	-	-	-	-
Hidden heating element		Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default
	Plastic	-	-	-	-
Tub material		Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Turbidity sensor (Smart Wash)		(o)	(o)	Yes	Yes
Drying system	Mini Active	Default	Default	Default	-
	Super Active	(o)	(o)	(o)	-
	Turbo	(o)	(o)	(o)	Default
Electrical Diverter system		Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	Yes	-
	BLDC	-	-	-	Yes
Ion Tech*		(o)	(o)	(o)	(o)
InfoLED	1,0	-	-	-	-
	2,0 (Floor Indicator)	-	-	-	-
Interior light	one spot	(o)	(o)	(o)	(o)
	four spot *	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Angel, Carya, IO, Daisy, Holy			
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes					
Prewash		Yes	Yes	Yes	-
Mini 14' Jet Wash)		-	-	-	Yes
Quick 30' 40°C		Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		Yes	Yes	Yes	Yes
Super 55' 60°C		-	-	-	-
Delicate 40°C		Yes	Yes	-	-
Daily 60°C / Hybrid Wash 60°C		-	Yes	Yes	-
Dual Pro Wash 60°C		-	-	-	Yes
Intensive 65°C		Yes	Yes	-	-
Auto*		(o)	(o)	-	-
Auto Delicate 30°C - 50°C		-	-	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	-	Yes	Yes
Auto Intensive 60°C - 70°C		-	-	Yes	Yes
User Interface					
Start/Pause button		Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)		Mini or Large: LED			
Display Color	Default	Red	Red	Red	Red
	Option	White	White	White	White
Prewash button		-	-	-	-
Programme selection button		Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-
	1-2-3-...-19hr	-	-	-	-
	1-2-3-...-24hr	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes
Tablet option		Yes	Yes	Yes	Yes
Extra Hygiene option		Yes	Yes	Yes	Yes
Extra Rinse option		Yes	Yes	Yes	-
Extra Drying option		Yes	Yes	Yes	-
Rinse-aid indicator		Yes	Yes	Yes	Yes

A2 SERIES 45cm Models BULIT-IN DISHWASHERS		A21 45cm	A22 45cm	A23 45cm	A24 45cm
User Interface					
Salt indicator	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes	Yes
Buzzer	(o)	(o)	(o)	(o)	Yes
Baskets & Accessories					
3rd basket (EasyTray) (1)	10 PS	(o)	(o)	(o)	(o)
Upper basket type	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)
Adjustable mug shelves	-	-	-	-	-
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	(o)	(o)	(o)	(o)	(o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Universal)	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket
Wine glass holder on lower basket	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket
Aquastop external hose	(o)	(o)	(o)	(o)	(o)
Antibacterial filter	(o)	(o)	(o)	(o)	(o)
Technical Data (2)					
Sound level (dB(A) re 1 pW)	10 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	44
Energy efficiency class	A++		A++	A++	A+++
Energy efficiency index	10 PS	55,8	55,8	55,8	49,7
Cleaning efficiency class	A		A	A	A
Cleaning efficiency index	1,13		1,13	1,13	1,13
Drying efficiency class	A		A	A	A
Drying efficiency index	1,09		1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	9,0	9,0	9,0	9,0
	with Aquazone	-	-	-	-
Annual water consumption (lt / year)	Default	2520	2520	2520	2520
	with Aquazone	-	-	-	-
Duration of the standard programme (min)	Default	198	198	198	185
	with Aquazone	-	-	-	-
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,732	0,650
Annual energy consumption (kWh/ year)	10 PS	211	211	211	188
Off mode power consumption (W)	0,50		0,50	0,50	0,50
Left-on mode power consumption (W)	1,00		1,00	1,00	1,00
Network standby mode power consumption (W)	N/A		N/A	N/A	N/A
Duration of left-on mode (min)	15		15	15	15
Power rating (W) / Heating element (W)	1900 / 1800		1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa		EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa
Power cord length (cm)	165		165	165	165
Water inlet hose length (cm)	Default	147	147	147	147
	with Aquastop ext. hose	170	170	170	170
Water outlet hose length (cm)	200		200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10		220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10		0,3 - 10	0,3 - 10	0,3 - 10

A2 SERIES 45cm Models BULIT-IN DISHWASHERS		A21 45cm	A22 45cm	A23 45cm	A24 45cm
Dimensions					
Height (cm)	Freestanding	85,0	85,0	85,0	85,0
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable		(o) (80 or/and 130)			
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1			
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 /40	42 /40	42 /40	42 /40
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Container loading (40"HC/ 40"/ 20")		216 or 251/144 /72			

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

A3 SERIES 45cm Models BUILT-IN DISHWASHERS		A31 45cm	A32 45cm	A33 45cm	A34 45cm
General Characteristics					
Number of place settings (PS)	10 PS (2 baskets)	Default	Default	Default	Default
	10 PS (2 baskets + 3rd rack)	(o) with Turbo fan	(o) with Turbo fan	(o)	(o)
	11 PS (2 baskets + 3rd rack)	-	-	(o)	(o)
Number of programmes		6+	8+	6+	8+
Temperatures (°C)		40-50-65	40-50-60-65	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default	Button Control	Button Control	Button Control	Button Control
	Option	Touch Control	Touch Control	Touch Control	Touch Control
Hidden heating element		Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default
	Plastic	-	-	-	-
Tub material		Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Turbidity sensor (Smart Wash)		-	-	Yes	Yes
Drying system	Mini Active	Default	Default	-	-
	Super Active	(o)	(o)	-	-
	Turbo	(o)	(o)	Default	Default
Electrical Diverter system		Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	-	-
	BLDC	-	-	Yes	Yes
Auto Door		-	-	Yes	Yes
Ion Tech*		(o)	(o)	(o)	(o)
Interior light	one spot	(o)	(o)	(o)	(o)
	four spot *	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Angel, Carya, IO, Daisy, Holy			
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes					
Prewash		Yes	Yes	-	-
Mini 14' (Jet Wash)		Yes	Yes	Yes	Yes
Quick 30' 40°C		Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		Yes	Yes	Yes	Yes
Dual Pro Wash 60°C		-	-	Yes	Yes
Auto Delicate 30°C - 50°C		-	Yes	-	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	Yes	-	Yes
Auto Intensive 60°C - 70°C		Yes	Yes	Yes	Yes
User Interface					
Start/Pause button		Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)		Large: Icon LED	Large: Icon LED	Large: Icon LED	Large: Icon LED
Display Color	Default	Red	Red	Red	Red
	Option	White	White	White	White
Programme selection button		Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-
	1-2-3...-19hr	-	-	-	-
	1-2-3...-24hr	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes
Tablet option		Yes	Yes	Yes	Yes
Extra Hygiene option		Yes	Yes	Yes	Yes
Extra Rinse option		Yes	Yes	-	-
Extra Drying option		Yes	Yes	-	-
Extra Silent option (Silent Wash)		-	-	Yes	Yes
Extra Fast option		-	-	Yes	Yes
Energy Save option		-	-	Yes	Yes
Rinse-aid indicator		Yes	Yes	Yes	Yes
Salt indicator		Yes	Yes	Yes	Yes

A3 SERIES 45cm Models BULIT-IN DISHWASHERS		A31 45cm	A32 45cm	A33 45cm	A34 45cm
User Interface					
Washing cycle indicators		Yes	Yes	Yes	Yes
End of cycle indicator		Yes	Yes	Yes	Yes
Child Lock		Yes	Yes	Yes	Yes
Buzzer		Yes (Touch Control) / (o) Button Control	Yes (Touch Control) / (o) Button Control	Yes	Yes
Baskets & Accessories					
3rd basket (EasyTray) (1)	10 PS	(o)	(o)	(o)	(o)
Upper basket type		Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]		(o)	(o)	(o)	(o)
Number of mug shelves		4 (with 2 baskets)/ 2 (with 3rd basket)			
Adjustable mug shelves		-	-	-	-
Mug shelves with soft touch rubber		(o)	(o)	(o)	(o)
Foldable racks on upper basket		(o)	(o)	(o)	(o)
Foldable racks on lower basket		(o)	(o)	(o)	(o)
Upper basket handle type [No / Plastic / Metal]		(o)	(o)	(o)	(o)
Lower basket handle type [No / Plastic / Metal]		(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)		-	-	-	-
Removable cutlery basket (Universal)		(Yes) with 2 baskets/ (o) with 3rd basket			
Wine glass holder on lower basket		(o) with foldable racks			
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	Default with 3rd basket			
Aquastop external hose		(o)	(o)	(o)	(o)
Antibacterial filter		(o)	(o)	(o)	(o)
Anti-siphon system		-	-	-	-
Technical Data (2)					
Sound level (dB(A) re 1 pW)	10 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	44	44
Energy efficiency class		A++	A++	A+++	A+++
Energy efficiency index	10 PS	55,8	55,8	49,7	49,7
Cleaning efficiency class		A	A	A	A
Cleaning efficiency index		1,13	1,13	1,13	1,13
Drying efficiency class		A	A	A	A
Drying efficiency index		1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	9,0	9,0	9,0	9,0
	with Aquazone	-	-	-	-
Annual water consumption (lt / year)	Default	2520	2520	2520	2520
	with Aquazone	-	-	-	-
Duration of the standard programme (min)	Default	198	198	185	185
	with Aquazone	-	-	-	-
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,650	0,650
Annual energy consumption (kWh/ year)	10 PS	211	211	188	188
Off mode power consumption (W)		0,50	0,50	0,50	0,50
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00
Network standby mode power consumption (W)		N/A	N/A	N/A	N/A
Duration of left-on mode (min)		15	15	15	15
Power rating (W) / Heating element (W)		1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type		EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa
Power cord length (cm)		165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147
	with Aquastop ext. hose	170	170	170	170
Water outlet hose length (cm)		200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)		0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10

A3 SERIES 45cm Models BUILT-IN DISHWASHERS		A31 45cm	A32 45cm	A33 45cm	A34 45cm
Dimensions					
Height (cm)	Freestanding	85,0	85,0	85,0	85,0
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable	(o) (80 or/and 130)				
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable	82,0	82,0	82,0	82,0	82,0
Plinth depth (cm) Semi-Integrated	-	-	-	-	-
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1			
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42/40	42/40	42/40	42/40
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Container loading (40"HC/ 40" / 20")	216 or 251 /144 /72				

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

A4 SERIES 45cm Models BULIT-IN or SEMI-INTEGRATED		A41 45cm	A42 45cm	A43 45cm	A44 45cm
General Characteristics					
Number of place settings (PS)	10 PS (2 baskets)	Default	Default	Default	Default
	10 PS (2 baskets + 3rd rack)	(o)	(o)	(o)	(o)
	11 PS (2 baskets + 3rd rack)	-	-	(o)	(o)
Number of programmes		6+	7+	10+	10+
Temperatures (°C)		Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default	Touch Control	Touch Control	Touch Control	Touch Control
	Option	-	-	-	-
Hidden heating element		Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default
	Plastic	-	-	-	-
Tub material		Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Turbidity sensor (Smart Wash)		Yes	Yes	Yes	Yes
Drying system	Mini Active	-	-	-	-
	Super Active	-	-	-	-
	Turbo	Default	Default	Default	Default
Electrical Diverter system		Yes	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	-	-	-	-
	BLDC	Yes	Yes	Yes	Yes
Auto Door		-	-	Yes	Yes
Ion Tech*		(o)	(o)	(o)	(o)
InfoLED	1,0	-	-	-	-
	2,0 (Floor Indicator)	-	-	-	-
Interior light	one spot	(o)	(o)	(o)	(o)
	four spot *	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Angel, Carya, IO, Daisy, Holy			
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes					
Prewash		Yes	Yes	Yes	Yes
Mini 14' (Jet Wash)		-	Yes	Yes	Yes
Quick 30' 40°C		Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		Yes	Yes	Yes	Yes
Daily 60°C / Hybrid Wash 60°C		-	-	Yes	Yes
Dual Pro Wash 60°C		Yes	Yes	Yes	Yes
Auto Delicate 30°C - 50°C		-	-	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	-	Yes	Yes
Auto Intensive 60°C - 70°C		Yes	Yes	Yes	Yes
User Interface					
Start/Pause button		Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)		Large: Full Touch + Icon LED			
Display Color	Default	White	White	White	White
	Option	-	-	-	-
Programme selection button		Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-	-
	1-2-3-...-19hr	-	-	-	-
	1-2-3-...-24hr	Yes	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	-	-	-	-
	3 modes	Yes	Yes	Yes	Yes
Tablet option		Yes	Yes	Yes	Yes
Extra Hygiene option		Yes	Yes	Yes	Yes
Extra Rinse option		-	-	-	-
Extra Drying option		-	Yes	Yes	Yes
Extra Silent option (Silent Wash)		-	Yes	Yes	Yes
Extra Fast option		Yes	Yes	Yes	Yes
Energy Save option		-	-	-	Yes
Rinse-aid indicator		Yes	Yes	Yes	Yes

A4 SERIES 45cm Models BULIT-IN or SEMI-INTEGRATED		A41 45cm	A42 45cm	A43 45cm	A44 45cm	
User Interface						
Salt indicator	Yes	Yes	Yes	Yes	Yes	
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	
Child Lock	Yes	Yes	Yes	Yes	Yes	
Buzzer	Yes	Yes	Yes	Yes	Yes	
Baskets & Accessories						
3rd basket (EasyTray) (1)	10 PS	(o)	(o)	(o)	(o)	
Upper basket type	Peg	Peg	Peg	Peg	Peg	
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	
Number of mug shelves	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	
Adjustable mug shelves	-	-	-	-	-	
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	
Foldable racks on upper basket	(o)	(o)	(o)	(o)	(o)	
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	
Removable cutlery basket (Single piece)	-	-	-	-	-	
Removable cutlery basket (Universal)	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	
Wine glass holder on lower basket	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	
Technical Data (2)						
Sound level (dB(A) re 1 pW)	10 PS	44	44	44	44	
Energy efficiency class	A++	A++	A+++	A+++	A+++	
Energy efficiency index	10 PS	55,8	55,8	49,7	49,7	
Cleaning efficiency class	A	A	A	A	A	
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	
Drying efficiency class	A	A	A	A	A	
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	
Standard programme water consumption (lt / cycle)	Default	9,0	9,0	9,0	9,0	
	with Aquazone	-	-	-	-	
Annual water consumption (lt / year)	Default	2520	2520	2520	2520	
	with Aquazone					
Duration of the standard programme (min)	Default	TBD	TBD	185	185	
	with Aquazone	-	-	-	-	
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,650	0,650	
Annual energy consumption (kWh/ year)	10 PS	211	211	188	188	
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	
Duration of left-on mode (min)	15	15	15	15	15	
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	
Plug Type	EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa		EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa		EU / UK / Swiss / Italy / Israel / AU/ NZ / China / Argentina / S.Africa	
Power cord length (cm)	165		165		165	
Water inlet hose length (cm)	Default	147	147	147	147	
	with Aquastop ext. hose	170	170	170	170	
Water outlet hose length (cm)	200		200		200	
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10		220-240 / 50 / 10		220-240 / 50 / 10	
Water pressure range (bar)	0,3 - 10		0,3 - 10		0,3 - 10	

A4 SERIES 45cm Models BULIT-IN or SEMI-INTEGRATED		A41 45cm	A42 45cm	A43 45cm	A44 45cm
Dimensions					
Height (cm)	Freestanding	85,0	85,0	85,0	85,0
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable	(o) (80 or/and 130)				
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	
Height without worktop (cm) Undertable	82,0	82,0	82,0	82,0	
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 /40	42 /40	42 /40	42 /40
	Semi-Integrated	-	-	-	-
	Fully Integrated	-	-	-	-
Container loading (40"HC/ 40"/ 20")	216 or 251/144 /72	216 or 251/144 /72			

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

X SERIES 45cm Models BUILT-IN DISHWASHERS		X11 45cm	X1A 45cm	X12 45cm	X1B 45cm	X13 45cm	X1C 45cm	X14 45cm	X1D 45cm	X15 45cm	X1E 45cm	X16 45cm	X1F 45cm
General Characteristics													
Number of place settings (PS)	10 PS (2 baskets)	Default											
	10 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	-	-	-	-
Number of programmes		2	2	3	3	4	4	5	5	6	6	7	7
Temperatures (°C)		50-65	50-65	50-65	50-65	50-65	50-65	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70
Control type	Default	Knob Control											
	Option	-	-	-	-	-	-	-	-	-	-	-	-
Hidden heating element		Yes											
Filter type	Metal	Default											
	Plastic	-	-	-	-	-	-	-	-	-	-	-	-
Tub material		Stainless Steel											
Turbidity sensor (Smart Wash)		-	-	-	-	-	-	-	-	-	-	-	-
Drying system	Mini Active	Default											
	Super Active	(o)											
	Turbo	-	-	-	-	-	-	-	-	-	-	-	-
Electrical Diverter system		-	-	-	-	-	-	-	-	-	-	-	-
Overflow & leakage protection		Yes											
Heater protection		Yes											
Circulation pump	Asynchronous	Yes											
	BLDC	-	-	-	-	-	-	-	-	-	-	-	-
Aquazone		(o)											
Available Aesthetics	Freestanding	Iris C, Tigris											
	Semi-Integrated	Orchis											
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes													
Prewash		-	-	-	-	Yes	Yes	-	-	Yes	Yes	Yes	Yes
Quick 30' 40°C		-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes											
Super 50' 65°C (Quick Clean)		-	-	Yes									
Super 55' 60°C		-	-	-	-	-	-	-	-	-	-	-	-
Delicate 40°C		-	-	-	-	-	-	-	-	-	-	Yes	Yes
Hygiene 70°C		-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Intensive 65°C		Yes											
User Interface													
Start/Pause button		Yes											
DISPLAY TYPE (delay start, remaining time)		-	LED										
Display Color	Default	-	Red										
	Option	-	-	-	-	-	-	-	-	-	-	-	-
Prewash button		-	-	-	-	-	-	-	-	-	-	-	-
Programme selection button		Knob											
Delay timer option	3hr,6hr,9hr	Yes	-										
	1-2-3...-19hr	-	Yes										
	1-2-3...-24hr	-	-	-	-	-	-	-	-	-	-	-	-
Eco Wash - Half load option	1 mode	Yes											
Rinse-aid indicator		Yes											
Salt indicator		Yes											
Washing cycle indicators		Yes											
End of cycle indicator		Yes											
Child Lock		-	Yes										
Buzzer		-	-	-	-	-	-	-	-	-	-	-	-

X SERIES 45cm Models BULIT-IN DISHWASHERS		X11 45cm	X1A 45cm	X12 45cm	X1B 45cm	X13 45cm	X1C 45cm	X14 45cm	X1D 45cm	X15 45cm	X1E 45cm	X16 45cm	X1F 45cm
Baskets & Accessories													
Upper basket type	Peg												
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)												
Number of mug shelves	4 (std)												
Adjustable mug shelves	-	-	-	-	-	-	-	-	-	-	-	-	-
Mug shelves with soft touch rubber	(o)												
Foldable racks on upper basket	(o)												
Foldable racks on lower basket	(o)												
Upper basket handle type [No / Plastic / Metal]	(o)												
Lower basket handle type [No / Plastic / Metal]	(o)												
Removable cutlery basket (Single piece)	-	-	-	-	-	-	-	-	-	-	-	-	-
Removable cutlery basket (Universal)	Yes												
Wine glass holder on lower basket	(o) with foldable racks												
Top nozzle	fixed type with 2 baskets	Default											
	rotating type	-	-	-	-	-	-	-	-	-	-	-	-
Aquastop external hose	(o)												
Antibacterial filter	(o)												
Technical Data (2)													
Sound level (dB(A) re 1 pW)	10 PS	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45	57/54 / 52/49 / 47/45
Energy efficiency class	A++												
Energy efficiency index	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
Cleaning efficiency class	A	A	A	A	A	A	A	A	A	A	A	A	A
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A	A	A	A	A	A	A	A
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0
	with Aquazone	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
Annual water consumption (lt / year)	Default	3080	3080	3080	3080	3080	3080	3080	3080	3080	3080	3080	3080
	with Aquazone	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520
Duration of the standard programme (min)	Default	198	198	198	198	198	198	198	198	198	198	198	198
	with Aquazone	222	222	222	222	222	222	222	222	222	222	222	222
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732
Annual energy consumption (kWh / year)	10 PS	211	211	211	211	211	211	211	211	211	211	211	211
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A												
Duration of left-on mode (min)	N/A												
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)	165	165	165	165	165	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170	170	170	170
Water outlet hose length (cm)	200	200	200	200	200	200	200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10

X SERIES 45cm Models BULIT-IN DISHWASHERS		X11 45cm	X1A 45cm	X12 45cm	X1B 45cm	X13 45cm	X1C 45cm	X14 45cm	X1D 45cm	X15 45cm	X1E 45cm	X16 45cm	X1F 45cm
Dimensions													
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5	5	5	5	5	5	5	5
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable		(o) (80 or/ and 130)											
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated		59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated		8	8	8	8	8	8	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1											
	Semi-Integrated	49,4 x 66,1 x 86,1											
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6	6	6	6	6	6	6	6	6
	Semi-Integrated	6	6	6	6	6	6	6	6	6	6	6	6
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40	42 /40
	Semi-Integrated	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32
	Fully Integrated	-	-	-	-	-	-	-	-	-	-	-	-
Container loading (40°HC / 40°20")		216 or 251 /144 /72											

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

Y SERIES 45cm Models BULIT-IN DISHWASHERS		Y11 45cm	Y1A 45cm	Y12 45cm	Y1B 45cm	Y13 45cm	Y1C 45cm	Y14 45cm
General Characteristics								
Number of place settings (PS)	10 PS (2 baskets) 10 PS (2 baskets + 3rd rack) 11 PS (2 baskets + 3rd rack)	Default - -	Default - -	Default - -	Default - -	Default - -	Default - -	Default - -
		(o) with Aquazone and Turbo fan						
Number of programmes	2	2	3	3	4	4	4	5
Temperatures (°C)	50-65	50-65	50-65	50-65	40-50-65	40-50-65	40-50-65	40-50-65
Control type	Default Option	Button Control - -	Button Control - -	Button Control - -	Button Control - -	Button Control - -	Button Control - -	Button Control - -
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Filter type	Metal Plastic	Default - -	Default - -	Default - -	Default - -	Default - -	Default - -	Default - -
Tub material	Stainless Steel							
Turbidity sensor (Smart Wash)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Drying system	Mini Active Super Active Turbo	Default (o) (o)	Default (o) (o)	Default (o) (o)	Default (o) (o)	Default (o) (o)	Default (o) (o)	Default (o) (o)
Electrical Diverter system	-	-	-	-	-	-	-	-
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous BLDC	Yes -	Yes -	Yes -	Yes -	Yes -	Yes -	Yes -
Auto Door	-	-	-	-	-	-	-	-
Aquazone	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Ion Tech*	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Interior light	one spot four spot *	(o) (o)	(o) (o)	(o) (o)	(o) (o)	(o) (o)	(o) (o)	(o) (o)
Available Aesthetics	Freestanding Semi-Integrated Fully Integrated	Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)						
	-	-	-	-	-	-	-	-
Appliance Color Options	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White							
Programmes								
Prewash	-	-	-	-	-	-	-	-
Mini 14' (Jet Wash)	-	-	-	-	-	-	-	-
Quick 30' 40°C	-	-	-	-	Yes	Yes	Yes	Yes
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Super 55' 60°C	-	-	-	-	-	-	-	-
Delicate 40°C	-	-	-	-	-	-	-	Yes
Normal 55°C / Flexi Wash 55°C	-	-	-	-	-	-	-	-
Daily 60°C / Hybrid Wash 60°C	-	-	-	-	-	-	-	-
Dual Pro Wash 60°C	-	-	-	-	-	-	-	-
Hygiene 70°C	-	-	-	-	-	-	-	-
Intensive 65°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto**	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Auto Delicate 30°C - 50°C	-	-	-	-	-	-	-	-
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C	-	-	-	-	-	-	-	-
Auto Intensive 60°C - 70°C	-	-	-	-	-	-	-	-
Steam Wash	-	-	-	-	-	-	-	-
User Interface								
Start/Pause button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)	-	LED	-	LED	-	LED	-	-
Display Color	Default Option	Red -	Red -	Red -	Red -	Red -	Red -	-
Prewash button	-	-	-	-	-	-	-	-
Programme selection button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr 1-2-3...-19hr 1-2-3...-24hr	Yes Yes -	Yes Yes -	Yes Yes -	Yes Yes -	Yes Yes -	Yes Yes -	Yes Yes -
Eco Wash - Half load option	1 mode 3 modes	Yes -	Yes -	Yes -	Yes -	Yes -	Yes -	Yes -
Tablet option	-	Yes	-	Yes	-	Yes	-	-
Extra Hygiene option	-	Yes	-	Yes	-	Yes	-	-
Extra Rinse option	-	Yes	-	Yes	-	Yes	-	-
Extra Drying option	-	Yes	-	Yes	-	Yes	-	-
Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-
Extra Fast option	-	-	-	-	-	-	-	-
Energy Save option	-	-	-	-	-	-	-	-
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Child Lock	-	Yes	-	Yes	-	Yes	-	-
Buzzer	-	-	-	-	-	-	-	-
Baskets & Accessories								
3rd basket (EasyTray) (1)	10 PS	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket type	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
	4 (with 2 baskets)/, 2 (with 3rd basket)							
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)

Y SERIES 45cm Models BUILT-IN DISHWASHERS		Y1D 45cm	Y15 45cm	Y1E 45cm	Y1F 45cm	Y21 45cm	Y22 45cm	Y23 45cm	Y24 45cm	Y25 45cm
General Characteristics										
Number of place settings (PS)	10 PS (2 baskets)	Default	Default	Default	Default	Default	Default	Default	Default	Default
	10 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan					(o) with Turbo fan			(o)
	11 PS (2 baskets + 3rd rack)	-	-	-	-	-	-	-	-	(o)
Number of programmes	5	6	6	7	6	7	8	9+	9+	
Temperatures (°C)	40-50-65	40-50-65	40-50-65	40-50-60-65	40-50-60-65	40-50-60-65	40-50-60-65	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	
Control type	Default	Button Control	Button Control	Button Control	Button Control	Button Control	Button Control	Button Control	Button Control	Button Control
	Option	-	-	-	-	-	-	-	-	-
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default	Default	Default	Default	Default	Default
	Plastic	-	-	-	-	-	-	-	-	-
Tub material										
Turbidity sensor (Smart Wash)	(o)	(o)	(o)	(o)	-	-	-	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	Default	Default	Default	Default	Default	Default	-
	Super Active	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	-
	Turbo	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	Default
Electrical Diverter system	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
	BLDC	-	-	-	-	-	-	-	-	Yes
Auto Door	-	-	-	-	-	-	-	-	-	Yes
Aquazone	(o)	(o)	(o)	(o)	-	-	-	-	-	-
Ion Tech*	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Interior light	one spot	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
	four spot *	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y							Camelia Y, Flora Y	
	Semi-Integrated	Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)							Camelia Y, Silva Y, Silva Y (Inox add-on)	
	Fully Integrated	-	-	-	-	-	-	-	-	-
Appliance Color Options	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White									
Programmes										
Prewash	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mini 14' (Jet Wash)	-	-	-	-	-	-	-	-	-	Yes
Quick 30' 40°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 55' 60°C	-	-	-	-	-	-	-	-	-	-
Delicate 40°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
Normal 55°C / Flexi Wash 55°C	-	-	-	-	-	-	-	Yes	-	-
Daily 60°C / Hybrid Wash 60°C	-	-	-	Yes	-	-	Yes	Yes	Yes	-
Dual Pro Wash 60°C	-	-	-	-	-	-	-	-	-	Yes
Hygiene 70°C	-	-	-	-	-	-	-	-	-	Yes
Intensive 65°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
Auto**	(o)	(o)	(o)	(o)	-	-	-	-	-	-
Auto Delicate 30°C - 50°C	-	-	-	-	-	-	-	-	Yes	-
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C	-	-	-	-	-	-	-	-	Yes	-
Auto Intensive 60°C - 70°C	-	-	-	-	-	-	-	-	Yes	Yes
Steam Wash	-	-	-	-	-	-	-	-	Yes	Yes
User Interface										
Start/Pause button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)	LED	-	LED	LED	LED	LED	LED	LED	LED	LED
Display Color	Default	Red	-	Red	Red	Red	Red	Red	Red	Red
	Option	-	-	-	-	-	-	-	-	-
Prewash button	-	-	-	-	-	-	-	-	-	-
Programme selection button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	Yes	-	-	-	-	-	-	-
	1-2-3 ... 19hr	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	1-2-3 ... 24hr	-	-	-	-	-	-	-	-	-
Eco Wash - Half load option	1 mode	Yes	Yes	Yes	Yes	-	-	-	-	-
	3 modes	-	-	-	-	Yes	Yes	Yes	Yes	Yes
Tablet option	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Extra Hygiene option	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Extra Rinse option	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Extra Drying option	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-	-	Yes
Extra Fast option	-	-	-	-	-	-	-	-	-	Yes
Energy Save option	-	-	-	-	-	-	-	-	-	Yes
Rinse-aid indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Buzzer	-	-	-	-	-	-	-	-	-	Yes
Baskets & Accessories										
3rd basket (EasyTray) (1)	10 PS	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket type	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)

Y SERIES 45cm Models BULIT-IN DISHWASHERS		Y11 45cm	Y1A 45cm	Y12 45cm	Y1B 45cm	Y13 45cm	Y1C 45cm	Y14 45cm
Baskets & Accessories								
Removable cutlery basket (Single piece)		-	-	-	-	-	-	-
Removable cutlery basket (Universal)		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wine glass holder on lower basket		(o) with foldable racks	(o) with foldable racks	(o) with foldable racks				
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket				
Aquastop external hose		(o)	(o)	(o)	(o)	(o)	(o)	(o)
Antibacterial filter		(o)	(o)	(o)	(o)	(o)	(o)	(o)
Anti-siphon system		-	-	-	-	-	-	-
Technical Data (2)								
Sound level (dB(A) re 1 pW)	10 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45
Energy efficiency class		A++	A++	A++	A++	A++	A++	A++
Energy efficiency index	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8
Cleaning efficiency class		A	A	A	A	A	A	A
Cleaning efficiency index		1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class		A	A	A	A	A	A	A
Drying efficiency index		1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	11	11	11	11,0	11,0	11,0	11,0
	with Aquazone	9	9	9	9,0	9,0	9,0	9,0
Annual water consumption (lt / year)	Default	3080	3080	3080	3080	3080	3080	3080
	with Aquazone	2520	2520	2520	2520	2520	2520	2520
Duration of the standard programme (min)	Default	198	198	198	198	198	198	198
	with Aquazone	222	222	222	222	222	222	222
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,732	0,732	0,732	0,732	0,732
Annual energy consumption (kWh / year)	10 PS	211	211	211	211	211	211	211
Off mode power consumption (W)		0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)		1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)		N/A	N/A	N/A	N/A	N/A	N/A	N/A
Duration of left-on mode (min)		N/A	N/A	N/A	N/A	N/A	N/A	N/A
Power rating (W) / Heating element (W)		1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type		EU / UK / Swiss / Italy /				Israel / AU/NZ / China / Argentina / S.Africa		
Power cord length (cm)		165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170
Water outlet hose length (cm)		200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)		220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)		0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions								
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5	5	5
	Fully Integrated	-	-	-	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable		(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)				
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated		59,7	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated		8	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1				
	Semi-Integrated	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1				
	Fully Integrated	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6	6	6	6
	Semi-Integrated	6	6	6	6	6	6	6
	Fully Integrated	-	-	-	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40
	Semi-Integrated	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32
	Fully Integrated	-	-	-	-	-	-	-
Container loading (40"HC/ 40" / 20")		216 or 251 /144 /72	216 or 251 /144 /72	216 or 251 /144 /72				

Y SERIES 45cm Models BUILT-IN DISHWASHERS		Y1D 45cm	Y15 45cm	Y1E 45cm	Y1F 45cm	Y21 45cm	Y22 45cm	Y23 45cm	Y24 45cm	Y25 45cm
Baskets & Accessories										
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)	-	-	-	-	-	-	-	-	-	-
Removable cutlery basket (Universal)	Yes	Yes	Yes	Yes	(Yes) with 2 baskets/ (o) with 3rd basket					(Yes) with 2 baskets/ (o) with 3rd basket
Wine glass holder on lower basket		(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket
Aquastop external hose	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Antibacterial filter	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Anti-siphon system	-	-	-	-	-	-	-	-	-	-
Technical Data (2)										
Sound level (dB(A) re 1 pW)	10 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	44
Energy efficiency class	A++	A++	A++	A++	A++	A++	A++	A++	A++	A+++
Energy efficiency index	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	49,7
Cleaning efficiency class	A	A	A	A	A	A	A	A	A	A
Cleaning efficiency index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying efficiency class	A	A	A	A	A	A	A	A	A	A
Drying efficiency index	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	11,0	11,0	11,0	11,0	9,0	9,0	9,0	9,0	9,0
	with Aquazone	9,0	9,0	9,0	9,0	-	-	-	-	-
Annual water consumption (lt / year)	Default	3080	3080	3080	3080	2520	2520	2520	2520	2520
	with Aquazone	2520	2520	2520	2520	-	-	-	-	-
Duration of the standard programme (min)	Default	198	198	198	198	198	198	198	198	185
	with Aquazone	222	222	222	222	-	-	-	-	-
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,650
Annual energy consumption (kWh / year)	10 PS	211	211	211	211	211	211	211	211	188
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Duration of left-on mode (min)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Power rating (W) / Heating element (W)	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type										
Power cord length (cm)		165	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170	170	170	170	170
Water outlet hose length (cm)		200	200	200	200	200	200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10
Dimensions										
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5	5	5	5	5
	Fully Integrated	-	-	-	-	-	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)	(o) (80 or/ and 130)
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated	8	8	8	8	8	8	8	8	8	8
Plinth depth (cm) Semi-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1	49,4 x 66,1 x 89,1			
	Semi-Integrated	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1	49,4 x 66,1 x 86,1			
	Fully Integrated	-	-	-	-	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6	6	6	6	6	6
	Semi-Integrated	6	6	6	6	6	6	6	6	6
	Fully Integrated	-	-	-	-	-	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40	42 / 40
	Semi-Integrated	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32	34 / 32
	Fully Integrated	-	-	-	-	-	-	-	-	-
Container loading (40"HC / 40" / 20")	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72	216 or 251 / 144 / 72

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Divertor system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

T1-2 SERIES 45cm Models BULIT-IN DISHWASHERS		T14 45cm	T15 45cm	T21 45cm	T22 45cm	T24 45cm
General Characteristics						
Number of place settings (PS)	10 PS (2 baskets)	Default	Default	Default	Default	Default
	10 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan	(o) with Aquazone and Turbo fan	(o) with Turbo fan	(o)	(o)
	11 PS (2 baskets + 3rd rack)	-	-	-	-	(o)
Number of programmes		7	7	8+	8+	8+
Temperatures (°C)		40-50-65-70	40-50-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default	Button Control				
	Option	-	-	-	-	-
Hidden heating element		Yes	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default	Default	Default
	Plastic	-	-	-	-	-
Tub material		Stainless Steel				
Turbidity sensor (Smart Wash)		(o)	(o)	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	Default	-	-
	Super Active	(o)	(o)	(o)	-	-
	Turbo	(o)	(o)	(o)	Default	Default
Electrical Diverter system		-	-	Yes	Yes	Yes
Overflow & leakage protection		Yes	Yes	Yes	Yes	Yes
Heater protection		Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Yes	Yes	Yes	Yes	-
	BLDC	-	-	-	-	Yes
Auto Door		-	-	-	-	Yes
Aquazone		(o)	(o)	-	-	-
Ion Tech*		(o)	(o)	(o)	(o)	(o)
Interior light	one spot	(o)	(o)	(o)	(o)	(o)
	four spot *	(o)	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding	Claros, Iris T, Nebula, Vento				
	Semi-Integrated	Vento	Vento	Vento	Vento	Vento
	Fully Integrated	-	-	-	-	-
Appliance Color Options		Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White	Black, Dark Gray, Dark Inox, Dark Silver, Inox, White
Programmes						
Prewash		Yes	Yes	Yes	Yes	Yes
Mini 14' (Jet Wash)		-	-	-	-	-
Quick 30' 40°C		Yes	Yes	Yes	Yes	Yes
Eco (Standard Programme)		Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)		Yes	Yes	Yes	Yes	Yes
Delicate 40°C		Yes	Yes	-	-	-
Dual Pro Wash 60°C		-	-	-	-	Yes
Hygiene 70°C		Yes	Yes	Yes	Yes	Yes
Intensive 65°C		Yes	Yes	-	-	-
Auto**		(o)	(o)	-	-	-
Auto Delicate 30°C - 50°C		-	-	Yes	Yes	Yes
Auto Normal 50°C - 60°C / Auto Flex 50°C - 60°C		-	-	Yes	Yes	-
Auto Intensive 60°C - 70°C		-	-	Yes	Yes	Yes (50°C - 70°C)
User Interface						
Start/Pause button		Yes	Yes	Yes	Yes	Yes
DISPLAY TYPE (delay start, remaining time)		LED	-	LED	LED	LED
Display Color	Default	Red	-	Red	Red	Red
	Option	-	-	-	-	-
Programme selection button		Yes	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	Yes	-	-	-
	1-2-3....-19hr	-	-	-	-	-
	1-2-3....-24hr	Yes	-	Yes	Yes	Yes
Eco Wash - Half load option	1 mode	Yes	-	-	-	-
	3 modes	-	-	Yes	Yes	Yes
Tablet option		Yes	-	Yes	Yes	-
Extra Rinse option		Yes	-	Yes	Yes	-
Extra Drying option		-	-	Yes	Yes	-
Extra Silent option (Silent Wash)		-	-	-	-	Yes
Extra Fast option		-	-	-	-	Yes
Energy Save option		-	-	-	-	Yes
Rinse-aid indicator		Yes	Yes	Yes	Yes	Yes

T1-2 SERIES 45cm Models BULIT-IN DISHWASHERS		T14 45cm	T15 45cm	T21 45cm	T22 45cm	T24 45cm
User Interface						
Salt indicator	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	Yes	Yes	Yes	Yes	Yes	Yes
End of cycle indicator	Yes	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	-	Yes	Yes	Yes	Yes
Buzzer	-	-	-	-	-	Yes
Baskets & Accessories						
3rd basket (EasyTray) (1)	10 PS	(o)	(o)	(o)	(o)	(o)
Upper basket type	Peg	Peg	Peg	Peg	Peg	Peg
Adjustable upper basket [empty / loaded 2 level / loaded 3 level*]	(o)	(o)	(o)	(o)	(o)	(o)
Number of mug shelves	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)
Adjustable mug shelves	-	-	-	-	-	-
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on upper basket	(o)	(o)	(o)	(o)	(o)	(o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)	(o)	(o)
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)	(o)
Removable cutlery basket (Single piece)	-	-	-	-	-	-
Removable cutlery basket (Universal)	Yes	Yes	Yes	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket
Wine glass holder on lower basket	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks	(o) with foldable racks
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket	Default with 3rd basket
Aquastop external hose		(o)	(o)	(o)	(o)	(o)
Antibacterial filter		(o)	(o)	(o)	(o)	(o)
Technical Data (2)						
Sound level (dB(A) re 1 pW)	10 PS	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	57 / 54 / 52 / 49 / 47 / 45	52 / 49 / 47 / 45	44
Energy efficiency class	A++		A++	A++	A++	A+++
Energy efficiency index	10 PS	55,8	55,8	55,8	55,8	49,7
Cleaning efficiency class	A		A	A	A	A
Cleaning efficiency index	1,13		1,13	1,13	1,13	1,13
Drying efficiency class	A		A	A	A	A
Drying efficiency index	1,09		1,09	1,09	1,09	1,09
Standard programme water consumption (lt / cycle)	Default	11,0	11,0	9,0	9,0	9,0
	with Aquazone	9,0	9,0	-	-	-
Annual water consumption (lt / year)	Default	3080	3080	2520	2520	2520
	with Aquazone	2520	2520	-	-	-
Duration of the standard programme (min)	Default	198	198	198	198	185
	with Aquazone	222	222	-	-	-
Standard programme energy consumption (kWh / cycle)	10 PS	0,732	0,732	0,732	0,732	0,650
Annual energy consumption (kWh / year)	10 PS	211	211	211	211	188
Off mode power consumption (W)	0,50		0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00		1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A		N/A	N/A	N/A	N/A
Duration of left-on mode (min)	N/A		N/A	N/A	N/A	N/A
Power rating (W) / Heating element (W)	1900 / 1800		1900 / 1800	1900 / 1800	1900 / 1800	1900 / 1800
Plug Type	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa		EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa	EU / UK / Swiss / Italy / Israel / AU/NZ / China / Argentina / S.Africa
Power cord length (cm)	165		165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147
	with Aquastop ext. hose	170	170	170	170	170
Water outlet hose length (cm)	200		200	200	200	200
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 / 10		220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10	220-240 / 50 / 10
Water pressure range (bar)	0,3 - 10		0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10

T1-2 SERIES 45cm Models BULIT-IN DISHWASHERS		T14 45cm	T15 45cm	T21 45cm	T22 45cm	T24 45cm
Dimensions						
Height (cm)	Freestanding	85,0	85,0	85,0	85,0	85,0
	Semi-Integrated	82,0	82,0	82,0	82,0	82,0
	Fully Integrated	-	-	-	-	-
Width (cm)		44,8	44,8	44,8	44,8	44,8
Depth (cm)	Freestanding	59,8	59,8	59,8	59,8	59,8
	Semi-Integrated	57,0	57,0	57,0	57,0	57,0
	Fully Integrated	-	-	-	-	-
Height adjustment (+cm)	Freestanding	2	2	2	2	2
	Semi-Integrated	5	5	5	5	5
	Fully Integrated	-	-	-	-	-
Adjustable Plinth for undertable usage (mm) Undertable		(o) (80 or/and 130)				
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)		0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50	0-100 / 0-50
Height without worktop (cm) Undertable		82,0	82,0	82,0	82,0	82,0
Decorative panel height (max) (cm) Semi-Integrated		59,7	59,7	59,7	59,7	59,7
Plinth height (min) (cm) Semi-Integrated		8	8	8	8	8
Plinth depth (cm) Semi-Integrated		3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Packed dimensions (Width x Depth x Height) (cm)	Freestanding	49,4 x 66,1 x 89,1				
	Semi-Integrated	49,4 x 66,1 x 86,1				
	Fully Integrated	-	-	-	-	-
Stacking quantity (pcs)	Freestanding	6	6	6	6	6
	Semi-Integrated	6	6	6	6	6
	Fully Integrated	-	-	-	-	-
Gross/Net weight (kg)(3)	Freestanding	42 /40	42 /40	42 /40	42 /40	42 /40
	Semi-Integrated	34 /32	34 /32	34 /32	34 /32	34 /32
	Fully Integrated	-	-	-	-	-
Container loading (40°HC / 40°/ 20")		216 or 251 /144 /72				

Notes

(o) : Optional

(*) : See roadmap for availability

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

45cm Models INTEGRATED	I11 45cm	I1A 45cm	I12 45cm	I1B 45cm	I13 45cm	I1C 45cm	I14 45cm	I1D 45cm
General Characteristics								
Rated Capacity (PS)	10 PS (2 baskets) (o) with Aquazone + 3rd rack	Default (o) with Aquazone and Turbo fan						
Number of programmes	2	2	3	3	4	4	5	5
Temperatures (°C)	50-65	50-65	50-65	50-65	50-65	50-65	40-50-65	40-50-65
Control type	Default Option	Button Control						
Hidden heating element	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Number of filters	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter	1. Main Filter 2. Coarse Filter 3. Micro Filter
Main filter type	Plastic Metal	- Default						
Tub material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Turbidity sensor (Smart Wash)	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Drying system	Mini Active Super Active Turbo	Default (o)						
Electrical Divertor system	-	-	-	-	-	-	-	-
Overflow & leakage protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous BLDC	Yes -						
Auto Door	-	-	-	-	-	-	-	-
Water Box	-	-	-	-	-	-	-	-
Triple & Direct Wash	-	-	-	-	-	-	-	-
Aquazone	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Wi-fi	-	-	-	-	-	-	-	-
New Indoor Design	-	-	-	-	-	-	-	-
Sliding Door	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Ion Tech*	-	-	-	-	-	-	-	-
UvOn Tech	-	-	-	-	-	-	-	-
InfoLED	1,0 2,1 (Floor Indicator)	- (o)						
Interior light	one spot four spot	-	-	-	-	-	-	-
Available Aesthetics	Freestanding Semi-Integrated	-	-	-	-	-	-	-
	Fully Integrated	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*
Appliance Color Options								
Programmes	-	-	-	-	-	-	-	-
Prewash	-	-	-	-	Yes	Yes	Yes	Yes
Mini 14' (Jet Wash)	-	-	-	-	-	-	-	-
Quick 30' 40°C	-	-	-	-	-	-	Yes	Yes
Eco (Standard Programme)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Super 50' 65°C (Quick Clean)	-	-	Yes	Yes	Yes	Yes	Yes	Yes
Delicate 40°C	-	-	-	-	-	-	-	-
Clean+ 55°C	-	-	-	-	-	-	-	-
Easy Care 60°C	-	-	-	-	-	-	-	-
Duo Pro Wash 60°C	-	-	-	-	-	-	-	-
Intensive 65°C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hygiene 70°C	-	-	-	-	-	-	-	-
Auto**	(o)	(o)	(o)	(o)	(o)	(o)	(o)	(o)
Smart 30°C - 50°C	-	-	-	-	-	-	-	-
Smart 50°C - 60°C	-	-	-	-	-	-	-	-
Smart 60°C - 70°C	-	-	-	-	-	-	-	-
Steam Wash	-	-	-	-	-	-	-	-
Save+ 5.4 lt	-	-	-	-	-	-	-	-
User Interface								
Start / Pause button	-	-	-	-	-	-	-	-
DISPLAY TYPE (delay start, remaining time)	-	LED Hidden display	-	LED Hidden display	-	LED Hidden display	-	LED Hidden display
Display Color	Default Option*	Red White	-	Red White	-	Red White	-	Red White
Programme selection button	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3hr,6hr,9hr	Yes	-	Yes	-	Yes	-	Yes	-
Delay timer option	1-2-3...-19hr 1-2-3...-24hr	- -	Yes -	Yes -	- -	Yes -	- -	Yes -
Half load option	1 mode 3 modes	Yes -						
Tablet option	-	-	-	-	-	-	-	-
Extra Hygiene option	-	-	-	-	-	-	-	-
Extra Rinse option	-	-	-	-	-	-	-	-
Extra Drying option	-	-	-	-	-	-	-	-
Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-
Extra Fast option	-	-	-	-	-	-	-	-
Energy Save option	-	-	-	-	-	-	-	-
Self Clean option**	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Rinse-aid refill indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Salt refill indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle indicators	-	-	-	-	-	-	-	-
End of cycle indicator	Yes	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display	Yes	No additional led, "0" will be shown on display
Child Lock	-	-	-	-	-	-	-	-
Buzzer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

45cm Models INTEGRATED	I1 45cm	I1A 45cm	I1B 45cm	I1C 45cm	I1D 45cm				
Basket & Accessories									
3rd basket (Ea-syTray) (1)	10 PS	(o) with Aquazone and Turbo fan							
Upper basket type	Peg	Peg	Peg	Peg	Peg				
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level]	(o)	(o)	(o)	(o)	(o)				
Number of mug shelves	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)				
Adjustable mug shelves	-	-	-	-	-				
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)	(o)				
Foldable racks on upper basket	fixed or 2 (o)								
Foldable racks on lower basket	fixed or 2 (o)								
Upper basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)				
Lower basket handle type [No / Plastic / Metal]	(o)	(o)	(o)	(o)	(o)				
Removable cutlery basket (Single piece)	-	-	-	-	-				
Removable cutlery basket (Universal)	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket				
Removable cutlery basket (Modular)	-	-	-	-	-				
Removable cutlery basket (Sliding)	-	-	-	-	-				
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	-	-	-	-	-				
Bottle holder on lower basket	-	-	-	-	-				
Wine glass holder on lower basket	(o) with foldable racks								
Multi holder on lower basket	(o) with foldable racks								
Stopper on lower basket	-	-	-	-	-				
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets				
	rotating type	Default with 3rd basket							
Aquastop external hose	(o)	(o)	(o)	(o)	(o)				
Antibacterial filter	(o)	(o)	(o)	(o)	(o)				
Anti-siphon system (Column mount option)	-	-	-	-	-				
Technical Data (2)									
Noise Declaration Level (dB(A) re 1 pW)	10 PS (2 baskets)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47							
	10 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47							
Energy efficiency class (1059/2010)	A++								
Energy efficiency class (2019/2017)	E	E	E	E	E	E	E	E	E
Energy efficiency index (1059/2010)	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
Energy efficiency index (2019/2017)	10 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9
Cleaning performance index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Eco programme water consumption (lt / cycle)	Default	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0
	with Aquazone	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
Annual water consumption (lt / year) (1059/2010)	Default	3080	3080	3080	3080	3080	3080	3080	3080
	with Aquazone	2520	2520	2520	2520	2520	2520	2520	2520
Duration of the eco programme (min) (1016/2010)	Default	222	222	222	222	222	222	222	222
	with Aquazone	222	222	222	222	222	222	222	222
Duration of the eco programme (h:min) (2019/2022)	Default	3:42	3:42	3:42	3:42	3:42	3:42	3:42	3:42
	with Aquazone	3:42	3:42	3:42	3:42	3:42	3:42	3:42	3:42
Eco programme energy cons. (kWh / cycle) (1059/2010)	10 PS	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739
Eco programme energy cons. (kWh / cycle) (2019/2017)	10 PS	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755
Annual energy consumption (kWh / year) (1059/2010)	10 PS	211	211	211	211	211	211	211	211
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	10 PS	76	76	76	76	76	76	76	76
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A								
Duration of left-on mode (min)	15	15	15	15	15	15	15	15	15
Power rating (W) / Heating element (W)	220-240 V 50 Hz: 1900 / 1800								
	220-240 V 60 Hz: 1900 / 1800								
Plug Type	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil
	Power cord length (cm)	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147
Water outlet hose length (cm)	with Aquastop ext. hose	170	170	170	170	170	170	170	170
	180	180	180	180	180	180	180	180	180
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 or 60 / 10								
Water pressure range (bar)	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10	0,3 - 10

45cm Models INTEGRATED	I11 45cm	IIA 45cm	I12 45cm	I1B 45cm	I13 45cm	I1C 45cm	I14 45cm	I1D 45cm
Dimensions								
Height x Width x Depth (cm)	Freestanding	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-
	Fully Integrated	82,0 x 44,8 x 55,0						
Height without worktop (cm)	-	-	-	-	-	-	-	-
Undertable	Freestanding	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-
	Fully Integrated	5	5	5	5	5	5	5
Adjustable Plinth for undertable usage (mm) Undertable	-	-	-	-	-	-	-	-
Possible adjustment of the plinth (Undertable (horizontal / vertical) (mm / mm)	-	-	-	-	-	-	-	-
Decorative panel height (max) (cm) Fully-Integrated	71,7	71,7	71,7	71,7	71,7	71,7	71,7	71,7
Plinth height (min) (cm) Fully-Integrated	8	8	8	8	8	8	8	8
Plinth depth (cm) Fully-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Assembly information Fully-Integrated	2 point fixation	Default						
	4 point fixation	(o)						
Packed dimensions (Height x Width x Depth) (cm)	Freestanding	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-
	Fully Integrated	86,1 x 49,4 x 66,1						
Stacking quantity (pcs)	Freestanding	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-
	Fully Integrated	6	6	6	6	6	6	6
Gross/Net weight (kg)(3)	Freestanding	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-
	Fully Integrated	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32
Container loading (40"HC/ 40" 20")	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72
Sliding Door Dimensions								
Sliding range (cm)	4 or 8	4 or 8	4 or 8	4 or 8	4 or 8	4 or 8	4 or 8	4 or 8
Decorative panel height (max) (cm)	75,7 or 79,7	75,7 or 79,7	75,7 or 79,7	75,7 or 79,7	75,7 or 79,7	75,7 or 79,7	75,7 or 79,7	75,7 or 79,7
Plinth height (min) (cm)	6 or 2	6 or 2	6 or 2	6 or 2	6 or 2	6 or 2	6 or 2	6 or 2
Plinth depth (cm)	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

Self Clean is an option for machine cleaning. Fill the detergent compartment but do not load any dishes. Select a programme which runs at high temperature (Intensive, Auto, Auto Intensive etc.) and run the dishwasher empty.

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

(1059/2010) : Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers

(1016/2010) : Commission Regulation (EU) No 1016/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household dishwashers

(2019/2017) : Commission Delegated Regulation (EU) 2019/2017 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of household dishwashers and repealing Commission Delegated Regulation (EU) No 1059/2010

(2019/2022) : Commission Regulation (EU) 2019/2022 of 1 October 2019 laying down ecodesign requirements for household dishwashers pursuant to Directive 2009/125/EC of the European Parliament and of the Council amending Commission Regulation (EC) No 1275/2008 and repealing Commission Regulation (EU) No 1016/2010

45cm Models INTEGRATED		I15 45cm	I1E 45cm	I16 45cm	I1F 45cm	I1G 45cm	I21 45cm	I22 45cm	I23 45cm	I24 45cm
General Characteristics										
Rated Capacity (PS)	10 PS (2 baskets)	Default								
	10 PS (2 baskets + 3rd rack)	(o) with Aquazone and Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o)				
Number of programmes	6	6	7	7	8	7	8	9	9	9
Temperatures (°C)	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70	40-50-65-70	40-50-60-65	40-50-55-60-65	Auto-40-50-60-65	Auto-30-40-50-60-65-70	Auto-30-40-50-60-65-70
Control type	Default Option	Button Control								
Hidden heating element	Yes									
Number of filters	1. Main Filter 2. Coarse Filter 3. Micro Filter									
Main filter type	Plastic	-	-	-	-	-	-	-	-	-
Tub material	Metal	Default								
Turbidity sensor (Smart Wash)	(o)	Yes	Yes							
Drying system	Mini Active Super Active Turbo	Default (o) (o)	-	Default						
Electrical Diverter system	-	-	-	-	-	-	Yes	Yes	Yes	Yes
Overflow & leakage protection	Yes									
Heater protection	Yes									
Circulation pump	Asynchro-nous BLDC	Yes -	-							
Auto Door	-	-	-	-	-	-	-	-	-	Yes
Water Box	-	-	-	-	-	-	-	-	-	-
Triple & Direct Wash	-	-	-	-	-	-	-	-	-	-
Aquazone	(o)	(o)	(o)	(o)	(o)	-	-	-	-	-
Wi-fi	-	-	-	-	-	-	-	-	-	-
New Indoor Design	-	-	-	-	-	-	-	-	-	-
Sliding Door	(o)									
Ion Tech*	-	-	-	-	-	-	-	-	-	(o)
Uvon Tech	-	-	-	-	-	-	-	-	-	(o)
InfoLED	1,0 2,1 (Floor Indicator)	(o)								
Interior light	one spot four spot	-	-	-	-	-	(o)	(o)	(o)	(o)
Available Aesthetics	Freestanding Semi-Integrated	-	-	-	-	-	-	-	-	-
Fully Integrated	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*	Alinda, Spero, Spero: Inox / Dark Inox Cladding*, Inox / Dark Inox Half Cladding*, Inox / Dark Inox add-on*
Appliance Color Options	-	-	-	-	-	-	-	-	-	-
Programmes										
Prewash	Yes	-								
Mini 14' (Jet Wash)	-	-	-	-	-	-	-	-	-	Yes
Quick 30' 40'C	Yes									
Eco (Standard Programme)	Yes									
Super 50' 65'C (Quick Clean)	Yes									
Delicate 40'C	-	-	Yes	-						
Clean+ 55'C	-	-	-	-	-	-	-	Yes	-	-
Easy Care 60'C	-	-	-	-	-	Yes	Yes	Yes	Yes	-
Dual Pro Wash 60'C	-	-	-	-	-	-	-	-	-	Yes
Intensive 65'C	Yes	-	-							
Hygiene 70'C	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes
Auto**	(o)	-	-							
Smart 30'C - 50'C	-	-	-	-	-	-	-	-	Yes	Yes
Smart 50'C - 60'C	-	-	-	-	-	-	-	-	Yes	Yes
Smart 60'C - 70'C	-	-	-	-	-	-	-	-	Yes	Yes
Steam Wash	-	-	-	-	-	-	-	-	-	-
Save+ 5.4 lt	-	-	-	-	-	-	-	-	-	-
User Interface										
Start / Pause button	-	-	-	-	-	-	-	-	-	-
DISPLAY TYPE (delay start, remaining time)	-	LED Hidden display	-	LED Hidden display						
Display Color	Default Option*	Red White	-	Red White						
Programme selection button	Yes									
Delay timer option	3hr,6hr,9hr 1-2-3...-19hr 1-2-3...-24hr	- Yes -								
Half load option	1 mode 3 modes	Yes -								
Tablet option	-	-	-	-	-	-	-	-	-	-
Extra Hygiene option	-	-	-	-	-	-	Yes	Yes	Yes	-
Extra Rinse option	-	-	-	-	-	-	-	-	-	-
Extra Drying option	-	-	-	-	-	-	Yes	Yes	Yes	Yes
Extra Silent option (Silent Wash)	-	-	-	-	-	-	-	-	-	Yes
Extra Fast option	-	-	-	-	-	-	-	-	-	-
Energy Save option	-	-	-	-	-	-	-	-	-	Yes
Self Clean option**	Yes									
Rinse-aid refill indicator	Yes									
Salt refill indicator	Yes									
Washing cycle indicators	-	-	-	-	-	-	-	-	-	-
End of cycle indicator	Yes	No additional led, "O" will be shown on display	Yes	No additional led, "O" will be shown on display	No additional led, "O" will be shown on display	No additional led, "O" will be shown on display	No additional led, "O" will be shown on display	No additional led, "O" will be shown on display	No additional led, "O" will be shown on display	No additional led, "O" will be shown on display
Child Lock	-	-	-	-	-	-	-	-	-	-
Buzzer	Yes									

45cm Models INTEGRATED	I15 45cm	I1E 45cm	I16 45cm	I1F 45cm	I1G 45cm	I21 45cm	I22 45cm	I23 45cm	I24 45cm
Baskets & Accessories									
3rd basket (EasyTray) (1)	10 PS	(o) with Aquazone and Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o) with Turbo fan	(o)			
Upper basket type	Peg								
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level]	(o)								
Number of mug shelves	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)	4 (with 2 baskets)/ 2 (with 3rd basket)
Adjustable mug shelves	-	-	-	-	-	-	-	-	-
Mug shelves with soft touch rubber	(o)								
Foldable racks on upper basket	fixed or 2 (o)								
Foldable racks on lower basket	fixed or 2 (o)								
Upper basket handle type [No / Plastic / Metal]	(o)								
Lower basket handle type [No / Plastic / Metal]	(o)								
Removable cutlery basket (Single piece)	-	-	-	-	-	-	-	-	-
Removable cutlery basket (Universal)	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket	(Yes) with 2 baskets/ (o) with 3rd basket
Removable cutlery basket (Modular)	-	-	-	-	-	-	-	-	-
Removable cutlery basket (Sliding)	-	-	-	-	-	-	-	-	-
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	-	-	-	-	-	-	-	-	-
Bottle holder on lower basket	-	-	-	-	-	-	-	-	-
Wine glass holder on lower basket	(o) with foldable racks								
Multi holder on lower basket	(o) with foldable racks								
Stopper on lower basket	-	-	-	-	-	-	-	-	-
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	Default with 3rd basket							
Aquastop external hose	(o)								
Antibacterial filter	(o)								
Anti-siphon system (Column mount option)	-	-	-	-	-	-	-	-	-
Technical Data (2)									
Noise Declaration Level (dB(A) re 1 pW)	10 PS (2 baskets)	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47							
	10 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47							
Energy efficiency class (1059/2010)	A++	A+++							
Energy efficiency class (2019/2017)	E	E	E	E	E	E	E	E	D
Energy efficiency index (1059/2010)	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	49,7
Energy efficiency index (2019/2017)	10 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9
Cleaning performance index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Eco programme water consumption (l/t / cycle)	Default	11,0	11,0	11,0	11,0	9,0	9,0	9,0	9,0
Annual water consumption (l/t / year) (1059/2010)	Default	9,0	9,0	9,0	9,0	-	-	-	-
Annual water consumption (l/t / year) (2019/2017)	Default	3080	3080	3080	3080	2520	2520	2520	2520
Duration of the eco programme (min) (1016/2010)	Default	222	222	222	222	222	222	222	185
Duration of the eco programme (h:min) (2019/2022)	Default	222	222	222	222	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)	10 PS	222	222	222	222	-	-	-	-
Eco programme energy cons. (kWh / cycle) (2019/2017)	10 PS	211	211	211	211	211	211	211	188
Annual energy consumption (kWh / year) (1059/2010)	10 PS	76	76	76	76	76	76	76	67
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	10 PS	76	76	76	76	76	76	76	67
Off mode power consumption (W)	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Left-on mode power consumption (W)	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
Network standby mode power consumption (W)	N/A								
Duration of left-on mode (min)	15	15	15	15	15	15	15	15	15
Power rating (W) / Heating element (W)	220-240 V 50 Hz: 1900 / 1800								
	220-240 V 60 Hz: 1900 / 1800								
Plug Type	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil	EU / UK / Swiss / Italy / Israel / AU / NZ / China / Argentina / S.Africa / Thailand / Taiwan / Brazil

45cm Models INTEGRATED	I15 45cm	I1E 45cm	I16 45cm	I1F 45cm	I1G 45cm	I21 45cm	I22 45cm	I23 45cm	I24 45cm
Power cord length (cm)	165	165	165	165	165	165	165	165	165
Water inlet hose length (cm)	Default	147	147	147	147	147	147	147	147
	with Aqaustop ext. hose	170	170	170	170	170	170	170	170
Water outlet hose length (cm)	180	180	180	180	180	180	180	180	180
Voltage (V) / Frequency (Hz) / Fuse Rating (A)	220-240 / 50 or 60 / 10								
Water pressure range (bar)	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10	0.3 - 10
Dimensions									
Height x Width x Depth (cm)	Freestanding	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-
Fully Integrated	82,0 x 44,8 x 55,0								
Height without worktop (cm) Undertable	-	-	-	-	-	-	-	-	-
Height adjustment (+cm)	Freestanding	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-
Fully Integrated	5	5	5	5	5	5	5	5	5
Adjustable Plinth for undertable usage (mm) Undertable	-	-	-	-	-	-	-	-	-
Possible adjustment of the plinth Undertable (horizontal / vertical) (mm / mm)	-	-	-	-	-	-	-	-	-
Decorative panel height (max) (cm) Fully-Integrated	71,7	71,7	71,7	71,7	71,7	71,7	71,7	71,7	71,7
Plinth height (min) (cm) Fully-Integrated	8	8	8	8	8	8	8	8	8
Plinth depth (cm) Fully-Integrated	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8	3 - 8
Assembly information Fully-Integrated	2 point fixation	Default							
	4 point fixation	(o)							
Packed dimensions (Height x Width x Depth) (cm)	Freestanding	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-
Fully Integrated	86,1 x 49,4 x 66,1								
Stacking quantity (pcs)	Freestanding	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-
Fully Integrated	6	6	6	6	6	6	6	6	6
Gross/Net weight (kg)(3)	Freestanding	-	-	-	-	-	-	-	-
	Semi-Integrated	-	-	-	-	-	-	-	-
Fully Integrated	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32	34 /32
Container loading (40°HC/40°/20°)	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72	216 /144 /72
Sliding Door Dimensions									
Sliding range (cm)	4 or 8								
Decorative panel height (max) (cm)	75,7 or 79,7								
Plinth height (min) (cm)	6 or 2								
Plinth depth (cm)	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8	0 - 8

Notes

(o) : Optional

(*) : See roadmap for availability

(**) : Auto programme can be chosen instead of Intensive programme (with turbidity sensor).

Self Clean is an option for machine cleaning. Fill the detergent compartment but do not load any dishes. Select a programme which runs at high temperature (Intensive, Auto, Auto Intensive etc.) and run the dishwasher empty.

(1) : Turbo Fan feature & Aquazone or Electrical Diverter system are default for 3rd basket models.

(2) : Based on the tests performed with Eco programme in accordance with European Household Dishwasher Performance Standards

(3) : Gross/Net Weights are shown as reference in the table. It should be calculated based on the final product features created from this general spec table.

(1059/2010) : Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers

(1016/2010) : Commission Regulation (EU) No 1016/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household dishwashers

(2019/2017) : Commission Delegated Regulation (EU) 2019/2017 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of household dishwashers and repealing Commission Delegated Regulation (EU) No 1059/2010

(2019/2022) : Commission Regulation (EU) 2019/2022 of 1 October 2019 laying down ecodesign requirements for household dishwashers pursuant to Directive 2009/125/EC of the European Parliament and of the Council amending Commission Regulation (EC) No 1275/2008 and repealing Commission Regulation (EU) No 1016/2010

Z Series (Top control) 45 cm Models	ZAS	ZB7	ZAS BLDC*	ZB7 BLDC*
General Characteristics				
Number of place settings (PS)	Standard	Standard	Standard	Standard
Number of programmes	6	8	6	8
Control type	Default	Button Control	Button Control	Button Control
	Option	Touch Control (I)	Touch Control (I)	Touch Control (I)
Hidden heating element	Yes	Yes	Yes	Yes
Filter type	Metal	Default	Default	Default
	Plastic	-	-	-
Tub material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Tub Type [Tall Tub/ Normal Tub]	Normal Tub	Normal Tub	Normal Tub	Normal Tub
Turbidity sensor (Smart Wash)	Yes	Yes	Yes	Yes
Drying system	Mini Active	Default	Default	Default
	Super Active	(o)	(o)	(o)
	Turbo	(o)	(o)	(o)
Electrical Diverter system	-	Yes	-	Yes
Water Regeneration system	(o)	(o)	(o)	(o)
Overflow & leakage protection	Yes	Yes	Yes	Yes
Heater protection	Yes	Yes	Yes	Yes
Circulation pump	Asynchronous	Asynchronous	Asynchronous	-
	BLDC	-	-	BLDC
Available Aesthetics	Front Control	-	-	-
	Top Control	-	-	-
	Integrated	Spero	Spero	Spero
Appliance Color Options for Anjel Aesthetic	Black, White, Inox	Black, White, Inox	Black, White, Inox	Black, White, Inox
Programmes				
P1. Regular	Yes	Yes	Yes	Yes
P2. Intensive	Yes	Yes	Yes	Yes
P3. Super	Yes	Yes	Yes	Yes
P4. Auto	Yes	Yes	Yes	Yes
P5. Rinse	Yes	Yes	Yes	Yes
P6. Delicate	Yes	Yes	Yes	Yes
P7. Daily	-	Yes	-	Yes
P8. Intensive Plus	-	Yes	-	Yes
User Interface				
Start/Pause button	Yes	Yes	Yes	Yes
DISPLAY (delay start, remaining time)	Yes: LED	Yes: LED	Yes: LED	Yes: LED
Display Color	Default	Red	Red	Red
	Option	-	-	-
Prewash button	-	-	-	-
Programme selection button	Yes	Yes	Yes	Yes
Delay timer option	3hr,6hr,9hr	-	-	-
	1-2-3-...-19hr	Yes (1-2-3-...-19hr)	Yes (1-2-3-...-19hr)	Yes (1-2-3-...-19hr)
	1-2-3-...-24hr	-	-	-
Eco Wash - Half load option	1 mode	Yes	-	Yes
	3 modes	-	Yes	-
Hi-Temp option	Yes	Yes	Yes	Yes
Sanitize option	Yes	Yes	Yes	Yes
Extra Rinse option	Yes	Yes	-	-
Extra Drying option	Yes	Yes	-	-
Extra Silent	-	-	Yes	Yes
Extra Fast	-	-	Yes	Yes
Rinse-aid indicator	Yes	Yes	Yes	Yes
Salt indicator or Power on indicator	Yes	Yes	Yes	Yes
Washing cycle indicators	-	-	-	-
End of cycle indicator	Yes	Yes	Yes	Yes
Child Lock	-	-	-	-
Buzzer	Yes	Yes	Yes	Yes

Z Series (Top control) 45 cm Models	ZAS	ZB7	ZAS BLDC*	ZB7 BLDC*
Baskets & Accessories				
3rd basket [EasyTray, EcoTray or Flex Tray]	-	(o)	-	(o)
Upper basket type	Peg Type	Peg Type	Peg Type	Peg Type
Adjustable upper basket [empty/ loaded 2 level / loaded 3 level]	(o)	(o)	(o)	(o)
Number of mug shelves	2 (std) / 4 (o)			
Adjustable mug shelves	Yes	Yes	Yes	Yes
Mug shelves with soft touch rubber	(o)	(o)	(o)	(o)
Foldable racks on upper basket	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)	fixed (std) / 2 or 4 or 6 (o)
Foldable racks on lower basket	(o)	(o)	(o)	(o)
Removable cutlery basket	Yes	Yes	Yes	Yes
Multi functional kit (Extra mug shelves + higher rear part on lower basket)	(o)	(o)	(o)	(o)
Bottle holder on lower basket	(o)	(o)	(o)	(o)
Wine glass holder on lower basket	(o)	(o)	(o)	(o)
Top nozzle	fixed type with 2 baskets	Default with 2 baskets	Default with 2 baskets	Default with 2 baskets
	rotating type	-	Default with 3rd basket	-
				Default with 3rd basket

COMMERCIAL - 60cm Models FREESTANDING		I14 Full Door	I1N Full Door	I2I Full Door	I2K Full Door	X14
Technical Data						
Energy efficiency class (1059/2010)		A+	A+	A++	A++	A+
Energy efficiency class (2019/2017)		F	F	E	E	F
Energy efficiency index (1059/2010)	12 PS	61,7	61,7	55,8	55,8	61,7
Energy efficiency index (2019/2017)	12 PS	61,9	61,9	55,9	55,9	61,9
Cleaning performance index		1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07
Eco programme water consumption (lt / cycle)	Default	12,0	12,0	9,0	9,0	12,0
	with Aquazone	-	-	-	-	-
Annual water consumption (lt / year) (1059/2010)	Default	3360	3360	2520	2520	3360
	with Aquazone	-	-	-	-	-
Duration of the eco programme (min) (1016/2010)	Default	205	205	222	222	205
	with Aquazone	-	-	-	-	-
Duration of the eco programme (h:min) (2019/2022)	Default	3:25	3:25	3:42	3:42	3:25
	with Aquazone	-	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	1,003	1,003	0,907	0,907	0,996
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	1,022	1,022	0,923	0,923	1,022
Annual energy consumption (kWh / year) (1059/2010)	12 PS	285	285	258	258	285
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	102	102	92	92	102

A SERIES 60cm Models FREESTANDING or SEMI-INTEGRATED		A12	A1B	A13	A1C	A14	A1D	A15	A1E	A21	A22	A23	A26	A24	A25
Technical Data															
Energy efficiency class (1059/2010)		A++	A+++	A+++ -20%											
Energy efficiency class (2019/2017)		E	E	E	E	E	E	E	E	E	E	E	D	D	B
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	49,8	49,8	-
	13 PS	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	49,9	49,9	-
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	39,7
	15 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9	-
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9	-
	13 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9	-
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	37,9
	15 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9	-
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Duration of the eco programme (h:min) (2019/2022)	Default	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:42	3:42	3:42	4:30	4:30	3:27
	with Aquazone	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	-	-	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,807	0,807	-
	13 PS	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,821	0,821	-
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	0,660
	15 PS	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,846	0,846	-
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,824	0,824	-
	13 PS	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,836	0,836	-
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	0,645
	15 PS	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,861	0,861	-
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	258	258	258	258	258	258	258	258	258	230	230	-
	13 PS	261	261	261	261	261	261	261	261	261	261	261	234	234	-
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	189
	15 PS	270	270	270	270	270	270	270	270	270	270	270	241	241	-
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	92	92	92	92	92	92	92	92	92	82	82	-
	13 PS	94	94	94	94	94	94	94	94	94	94	94	84	84	-
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	65
	15 PS	97	97	97	97	97	97	97	97	97	97	97	86	86	-

A SERIES 60cm Models FREESTANDING or SEMI-INTEGRATED		A31	A32	A33	A36	A34	A35	A41	A42	A43	A44	A45
Technical Data												
Energy efficiency class (1059/2010)		A++	A++	A+++	A+++	A+++	A+++ -20%	A++	A++	A+++	A+++	A+++ -20%
Energy efficiency class (2019/2017)		E	E	D	D	D	B	E	E	D	D	B
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	49,8	49,8	49,8	-	55,8	55,8	49,8	49,8	-
	13 PS	55,7	55,7	49,9	49,9	49,9	-	55,7	55,7	49,9	49,9	-
	14 PS	-	-	-	-	-	39,7	-	-	-	-	39,7
	15 PS	55,9	55,9	49,9	49,9	49,9	-	55,9	55,9	49,9	49,9	-
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	49,9	49,9	49,9	-	55,9	55,9	49,9	49,9	-
	13 PS	55,9	55,9	49,9	49,9	49,9	-	55,9	55,9	49,9	49,9	-
	14 PS	-	-	-	-	-	37,9	-	-	-	-	37,9
	15 PS	55,9	55,9	49,9	49,9	49,9	-	55,9	55,9	49,9	49,9	-
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Duration of the eco programme (h:min) (2019/2022)	Default	3:42	3:42	4:30	4:30	4:30	3:27	3:59	3:59	4:30	4:30	3:27
	with Aquazone	-	-	-	-	-	-	-	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,907	0,907	0,807	0,807	0,807	-	0,907	0,907	0,807	0,807	-
	13 PS	0,917	0,917	0,821	0,821	0,821	-	0,917	0,917	0,821	0,821	-
	14 PS	-	-	-	-	-	0,660	-	-	-	-	0,660
	15 PS	0,949	0,949	0,846	0,846	0,846	-	0,949	0,949	0,846	0,846	-
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,824	0,824	0,824	-	0,923	0,923	0,824	0,824	-
	13 PS	0,937	0,937	0,836	0,836	0,836	-	0,937	0,937	0,836	0,836	-
	14 PS	-	-	-	-	-	0,645	-	-	-	-	0,645
	15 PS	0,965	0,965	0,861	0,861	0,861	-	0,965	0,965	0,861	0,861	-
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	230	230	230	-	258	258	230	230	-
	13 PS	261	261	234	234	234	-	261	261	234	234	-
	14 PS	-	-	-	-	-	189	-	-	-	-	189
	15 PS	270	270	241	241	241	-	270	270	241	241	-
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	82	82	82	-	92	92	82	82	-
	13 PS	94	94	84	84	84	-	94	94	84	84	-
	14 PS	-	-	-	-	-	65	-	-	-	-	65
	15 PS	97	97	86	86	86	-	97	97	86	86	-

X, Y, T & TFT SERIES 60cm Models FREESTANDING or SEMI-INTEGRATED	X11	X1A	X12	X1B	X13	X1C	X14	X1D	X15	X1E	X16	X1F	Y11	Y1A	Y12	Y1B	Y13	Y1C
Technical Data (4)																		
Energy efficiency class (1059/2010)		A++																
Energy efficiency class (2019/2017)		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8
	13 PS	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9
	13 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Duration of the eco programme (h:min) (2019/2022)	Default with Aquazone	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25
	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900
	13 PS	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923
	13 PS	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258
	13 PS	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92
	13 PS	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

X, Y, T & TFT SERIES 60cm Models	Y14	Y1D	Y15	Y1E	Y1F	Y21	Y22	Y23	Y24	Y26	Y25	T11	T12	T13	T21	T26	T24	T25
Technical Data (4)																		
Energy efficiency class (1059/2010)		A++	A++ -20%															
Energy efficiency class (2019/2017)		E	E	E	E	E	E	E	E	D	D	E	E	E	D	D	B	
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	49,8	49,8	55,8	55,8	55,8	49,8	49,8	-	
	13 PS	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	49,9	49,9	55,7	55,7	55,7	49,9	49,9	-	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39,7	
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9	55,9	55,9	55,9	49,9	49,9	-	
	13 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	49,9	55,9	55,9	55,9	49,9	49,9	-	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37,9	
	15 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	
Duration of the eco programme (h:min) (2019/2022)	Default with Aquazone	3:25	3:25	3:25	3:25	3:25	3:42	3:42	3:42	3:42	4:14	3:59	3:25	3:25	3:25	3:42	4:14	3:59
	3:41	3:41	3:41	3:41	3:41	3:41	-	-	-	-	-	3:41	3:41	3:41	-	-	-	
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,900	0,800	0,800	0,900	0,900	0,900	0,800	0,806	-	
	13 PS	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,910	0,815	0,815	0,910	0,910	0,910	0,815	0,820	-	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0,659	
	15 PS	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,942	0,940	
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,824	0,824	0,923	0,923	0,923	0,824	0,824	-	
	13 PS	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,836	0,836	0,937	0,937	0,937	0,836	0,836	-	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0,645	
	15 PS	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,861	0,861	0,965	0,965	0,965	0,861	0,861	-	
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	258	258	258	258	258	258	230	230	258	258	258	230	230	-	
	13 PS	261	261	261	261	261	261	261	261	234	234	261	261	261	234	234	-	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189	
	15 PS	270	270	270	270	270	270	270	270	241	241	270	270	270	241	241	-	
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	92	92	92	92	92	92	82	82	92	92	92	82	82	-	
	13 PS	94	94	94	94	94	94	94	94	84	84	94	94	94	84	84	-	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65	
	15 PS	97	97	97	97	97	97	97	97	86	86	97	97	97	86	86	-	

X, Y, T & TFT SERIES 60cm Models		T31	T32	T36	T34	T35	T41	T42	T43	T45	D66	D65
Technical Data (4)												
Energy efficiency class (1059/2010)		A++	A++	A+++	A+++	A+++ -20%	A++	A++	A+++	A+++ -20%	A++	A+++ -20%
Energy efficiency class (2019/2017)		E	E	D	D	B	E	E	D	B	D	B
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	49,8	49,8	-	55,8	55,8	49,8	-	49,8	-
	13 PS	55,7	55,7	49,9	49,9	-	55,7	55,7	49,9	-	49,9	-
	14 PS	-	-	-	-	39,7	-	-	-	39,7	-	39,7
	15 PS	55,3	55,3	49,9	49,5	-	55,9	55,9	49,5	-	49,9	-
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	49,9	49,9	-	55,9	55,9	49,9	-	49,9	-
	13 PS	55,9	55,9	49,9	49,9	-	55,9	55,9	49,9	-	49,9	-
	14 PS	-	-	-	-	37,9	-	-	-	37,9	-	37,9
	15 PS	55,9	55,9	49,9	49,9	-	55,9	55,9	49,9	-	49,9	-
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (T016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Duration of the eco programme (h:min) (2019/2022)	Default	3:42	3:42	4:30	3:59	3:27	3:59	3:59	4:30	3:27	4:30	3:27
	with Aquazone	-	-	-	-	-	-	-	-	-	-	-
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,900	0,900	0,800	0,806	-	0,899	0,900	0,800	-	0,807	-
	13 PS	0,910	0,910	0,815	0,820	-	0,910	0,910	0,815	-	0,821	-
	14 PS	-	-	-	-	0,659	-	-	-	0,659	-	0,660
	15 PS	0,932	0,932	0,840	0,838	-	0,942	0,942	0,832	-	0,846	-
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,824	0,824	-	0,923	0,923	0,824	-	0,824	-
	13 PS	0,937	0,937	0,836	0,836	-	0,937	0,937	0,836	-	0,836	-
	14 PS	-	-	-	-	0,645	-	-	-	0,645	-	0,645
	15 PS	0,965	0,965	0,861	0,861	-	0,965	0,965	0,861	-	0,861	-
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	230	230	-	258	258	230	-	230	-
	13 PS	261	261	234	234	-	261	261	234	-	234	-
	14 PS	-	-	-	-	189	-	-	-	189	-	189
	15 PS	267	267	241	239	-	270	270	239	-	241	-
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	82	82	-	92	92	82	-	82	-
	13 PS	94	94	84	84	-	94	94	84	-	84	-
	14 PS	-	-	-	-	65	-	-	-	65	-	65
	15 PS	97	97	86	86	-	97	97	86	-	86	-

FULLDOOR SERIES 60cm Models		I11	I1A	I1K	I12	I1B	I1L	I13	I1C	I1M	I14	I1D	I1N	I15	I1E	I1O	I16	I1F	I1P	I1G	I1R	I21
Technical Data (4)																						
Energy efficiency class (1059/2010)		A++																				
Energy efficiency class (2019/2017)		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8		
	13 PS	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7	55,7		
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9		
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9		
	13 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9		
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9		
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13		
Drying performance index (T016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09		
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07		
Duration of the eco programme (h:min) (2019/2022)	Default	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25	3:25		
	with Aquazone	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41	3:41		
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907	0,907		
	13 PS	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917	0,917		
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949	0,949		
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923	0,923		
	13 PS	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937	0,937		
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965	0,965		
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258		
	13 PS	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	261	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	270	
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	
	13 PS	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15 PS	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	

FULLDOOR SERIES 60cm Models FREESTANDING		I2K	I22	I2L	I23	I2M	I26	I2P	I27	I2R	I28	I2S	I29	I2T	I24	I2N	I25	I2O	I54
Technical Data (4)																			
Energy efficiency class (1059/2010)		A++	A++	A++	A++	A++	A+++	A++-20%	A++-20%										
Energy efficiency class (2019/2017)		E	E	E	E	D	D	D	D	D	D	D	D	D	D	B	B	D	
Energy efficiency index (1059/2010)	12 PS	55,8	55,8	55,8	55,8	55,8	49,8	49,8	49,8	49,8	49,8	49,8	49,8	49,8	49,8	-	-	49,8	
	13 PS	55,7	55,7	55,7	55,7	55,7	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	-	-	49,9	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39,7	39,7	-	
	15 PS	55,9	55,9	55,9	55,9	55,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	-	-	49,9	
Energy efficiency index (2019/2017)	12 PS	55,9	55,9	55,9	55,9	55,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	-	-	49,9	
	13 PS	55,9	55,9	55,9	55,9	55,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	-	-	49,9	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37,9	37,9	-	
	15 PS	55,9	55,9	55,9	55,9	55,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	49,9	-	-	49,9	
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	
Duration of the eco programme (h:min) (2019/2022)	Default	3:42	3:42	3:42	3:42	3:42	4:14	4:14	4:14	4:14	4:14	4:14	4:14	4:14	4:14	3:27	3:27	4:14	
	with Aquazone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eco programme energy cons. (kWh / cycle) (1059/2010)	12 PS	0,907	0,907	0,907	0,907	0,907	0,807	0,807	0,807	0,807	0,807	0,807	0,807	0,807	0,807	-	-	0,807	
	13 PS	0,917	0,917	0,917	0,917	0,917	0,821	0,821	0,821	0,821	0,821	0,821	0,821	0,821	0,821	-	-	0,821	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0,660	0,660	-	
	15 PS	0,949	0,949	0,949	0,949	0,949	0,846	0,846	0,846	0,846	0,846	0,846	0,846	0,846	0,846	-	-	0,846	
Eco programme energy cons. (kWh / cycle) (2019/2017)	12 PS	0,923	0,923	0,923	0,923	0,923	0,824	0,824	0,824	0,824	0,824	0,824	0,824	0,824	0,824	-	-	0,824	
	13 PS	0,937	0,937	0,937	0,937	0,937	0,836	0,836	0,836	0,836	0,836	0,836	0,836	0,836	0,836	-	-	0,836	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0,645	0,645	-	
	15 PS	0,965	0,965	0,965	0,965	0,965	0,861	0,861	0,861	0,861	0,861	0,861	0,861	0,861	0,861	-	-	0,861	
Annual energy consumption (kWh / year) (1059/2010)	12 PS	258	258	258	258	258	230	230	230	230	230	230	230	230	230	-	-	230	
	13 PS	261	261	261	261	261	234	234	234	234	234	234	234	234	234	-	-	234	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189	189	-	
	15 PS	270	270	270	270	270	241	241	241	241	241	241	241	241	241	-	-	241	
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	12 PS	92	92	92	92	92	82	82	82	82	82	82	82	82	82	-	-	82	
	13 PS	94	94	94	94	94	84	84	84	84	84	84	84	84	84	-	-	84	
	14 PS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65	65	-	
	15 PS	97	97	97	97	97	86	86	86	86	86	86	86	86	86	-	-	86	

A SERIES 45cm Models FREESTANDING or SEMI-INTEGRATED		A12 45cm	A18 45cm	A13 45cm	A1C 45cm	A14 45cm	A1D 45cm	A15 45cm	A1E 45cm	A21 45cm	A22 45cm	A23 45cm	A24 45cm	A31 45cm	A32 45cm	A33 45cm	A34 45cm	A41 45cm	A42 45cm	A44 45cm
Technical Data (2)																				
Energy efficiency class (1059/2010)		A++																		
Energy efficiency class (2019/2017)		E	E	E	E	E	E	E	E	E	E	E	E	E	E	D	E	D	D	
Energy efficiency index (1059/2010)	10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	55,8	49,7	55,8	49,7	49,7	55,8
Energy efficiency index (2019/2017)	10 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	55,9	49,9	49,9	55,9
Cleaning performance index	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	
Drying performance index (1016/2010)	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	
Drying performance index (2017/2022)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	
Eco programme water consumption (lt / cycle)	Default	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	
	with Aquazone	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	-	-	-	-	-	-	-	-	-	-	
Annual water consumption (lt / year) (1059/2010)	Default	3080	3080	3080	3080	3080	3080	3080	3080	2520	2520	2520	2520	2520	2520	2520	2520	2520	2520	
	with Aquazone	2520	2520	2520	2520	2520	2520	2520	2520	-	-	-	-	-	-	-	-	-	-	
Duration of the eco programme (min) (1016/2010)	Default	198	198	198	198	198	198	198	198	222	222	222	222	222	222	185	222	185	222	185
	with Aquazone	222	222	222	222	222	222	222	222	-	-	-	-	-	-	-	-	-	-	
Duration of the eco programme (h:min) (2019/2022)	Default	3:18	3:18	3:18	3:18	3:18	3:18	3:18	3:18	3:42	3:42	3:42	3:42	3:42	3:42	3:05	3:05	3:05	3:42	3:05
	with Aquazone	3:42	3:42	3:42	3:42	3:42	3:42	3:42	3:42	-	0:00	0:00	-	-	-	-	-	-	-	
Eco programme energy cons. (kWh / cycle) (1059/2010)	10 PS	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,739	0,657	0,739	0,657	0,739	0,657
Eco programme energy cons. (kWh / cycle) (2019/2017)	10 PS	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,674	0,755	0,674	0,755	0,674
Annual energy consumption (kWh / year) (1059/2010)	10 PS	211	211	211	211	211	211	211	211	211	211	211	211	211	211	188	211	188	211	188
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	10 PS	76	76	76	76	76	76	76	76	76	76	76	76	76	76	67	76	67	76	67

X, Y & T SERIES 45cm Models FREESTANDING or SEMI-INTEGRATED		Y14 45cm	Y1D 45cm	Y15 45cm	Y1E 45cm	Y1F 45cm	Y21 45cm	Y22 45cm	Y23 45cm	Y24 45cm	Y25 45cm	T14 45cm	T15 45cm	T21 45cm	T22 45cm	T24 45cm
Technical Data (2)																
Energy efficiency class (1059/2010)		A++	A+++	A++	A++	A++	A++	A++								
Energy efficiency class (2019/2017)		E	E	E	E	E	E	E	E	D	E	E	E	E	D	
Energy efficiency index (1059/2010)		10 PS	55,8	55,8	55,8	55,8	55,8	55,8	55,8	49,7	55,8	55,8	55,8	55,8	49,7	
Energy efficiency index (2019/2017)		10 PS	55,9	55,9	55,9	55,9	55,9	55,9	55,9	49,9	55,9	55,9	55,9	55,9	49,9	
Cleaning performance index		1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	
Drying performance index (1016/2010)		1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	1,09	
Drying performance index (2017/2022)		1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	
Eco programme water consumption (l/t / cycle)		Default	11,0	11,0	11,0	11,0	11,0	9,0	9,0	9,0	9,0	9,0	11,0	11,0	9,0	
Annual water consumption (l/t / year) (1059/2010)	with Aquazone	9,0	9,0	9,0	9,0	9,0	-	-	-	-	-	9,0	9,0	-	-	
		Default	3080	3080	3080	3080	3080	2520	2520	2520	2520	3080	3080	2520	2520	
Duration of the eco programme (min) (1016/2010)	with Aquazone	2520	2520	2520	2520	2520	-	-	-	-	2520	2520	-	-	-	
		Default	198	198	198	198	198	198	198	198	185	198	198	198	185	
Duration of the eco programme (h:min) (2019/2022)	with Aquazone	222	222	222	222	222	-	-	-	-	222	222	-	-	-	
		Default	3:18	3:18	3:18	3:18	3:18	3:18	3:18	3:18	3:05	3:18	3:18	3:18	3:05	
Eco programme energy cons. (kWh / cycle) (1059/2010)	with Aquazone	3:42	3:42	3:42	3:42	3:42	-	-	-	-	3:42	3:42	-	-	-	
		10 PS	0,732	0,732	0,732	0,732	0,732	0,732	0,732	0,650	0,732	0,732	0,732	0,732	0,650	
Eco programme energy cons. (kWh / cycle) (2019/2017)	with Aquazone	10 PS	0,755	0,755	0,755	0,755	0,755	0,755	0,755	0,674	0,755	0,755	0,755	0,755	0,674	
		10 PS	211	211	211	211	211	211	211	188	211	211	211	211	188	
Eco programme energy cons. (kWh / 100 cycle) (2019/2017)	with Aquazone	10 PS	76	76	76	76	76	76	76	67	76	76	76	76	67	

Notes

Notes

Notes

Notes

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com

Vestel Germany GmbH

Parkring 6 D-85748 Garching bei München/Germany
Phone: 49 - 89 55295 - 0
Fax: 49 - 89 55295 - 2000
info@vestel-germany.de
www.vestel-germany.de

Vestel UK Ltd

Vestel House, Waterside Drive
Langley, Berkshire SL3 6EZ
Phone: 44 - 3330 146 400
info@vestel-uk.com
www.vestel.co.uk

Vestel France SASU

17 Rue de la Couture - Parc Icade
BP 10190 - 94563 RUNGIS Cedex/France
Phone: 33 - 146 75 00 29
Fax: 33 - 141 80 99 31
info@vestel.fr
www.vestel-france.fr

Vestel Benelux B.V.

Stationsplein 45, A1-194
3013 AK Rotterdam,
The Netherlands
Phone: 31 - 10 235 1005
info@vestelbenelux.nl
www.vestelbenelux.nl

Vestel Iberia, S. L.

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain
Phone: 34 - 91 320 63 98
Fax: 34 - 91 320 52 58
vestel@vestel.es
www.vestel.es

Vestel CIS Ltd.

1-st Graivoronovsky Proezd, No.20 Building 16,
109518,
Moscow /Russia
Phone: 7 - 095 956 8230
Fax: 7 - 095 956 8233
info@vestel.ru
www.vestel.ru

Vestel Electronics Gulf DMCC

Unit No: ALMAS-06-C ALMAS Tower Plot
No: JLT-PH1-A0
Jumeirah Lakes Towers Dubai Bae
info@vestel-gulf.ae
www.vestel-gulf.ae

TOO Vestel Central Asia

050026 Kazakhsatan/Almaty Aiteke bi 187,
office:215
Phone: 7 - 727 263 39 39
info@vestel.kz

Vestel Poland

ul. Salsy 2, Warszawa kod 02-823
Phone: 48 22 272 73 00
info@vestel-poland.com
www.vestel-poland.com

Vestel Electronica

Bucharest, 1st District, 2-4 Murmurului Entrance,
014114
Bucharest/Romania
Phone: 40 - 31 425 42 93
Fax: 40 - 31 425 42 95
office@vestel.ro
www.vestel.ro



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational