# BUILT-IN HOUSEHOLD APPLIANCES

## COOKERS AND HOBS

2022

>

WWW.VESTELINTERNATIONAL.COM

VESTEL

COMPANY PROFILE
**2-3**

GLOBAL OPERATIONS
**4-5**

BUILT-IN OVENS
**6-57**

BUILT-IN OVENS LINE-UP
**58-89**

BUILT-IN HOB
**90-128**

BUILT-IN HOB LINE-UP
**129-171**

SPECIFICATIONS
**172-196**

INSTALLATIONS
**197 - 205**

ADDRESSES
**209**

HOME

## COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>

**18.500**
Employees

**13,5 MILLION**
Home Appliances Production Capacity

**1.163.000 M²**
Closed Production Area

Export Leader of Turkey with
**$ 2,5 BILLION**

**30 MILLION**
Device Production Capacity

**$ 3,2 BILLION**
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 10 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from French door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.25 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both Condenser and Heat Pump type of Tumble Dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.2 million units, producing free-standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub dishwashers developed for the US market have started to be produced for the first time. The plant has the capacity to produce 1.8 million units a year.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 30% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 23 years.

# GLOBAL OPERATIONS

## MANUFACTURING & ASSEMBLY PLANTS

>

### TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

### PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

### REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

### R&D CENTERS

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

### MARKETING & SALES COMPANIES

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Benelux, Netherlands
Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai

# *Built-in Cookers*
# **Ovens**


**1. Product Family**
- Ovens
  - Single Ovens
  - Polyvalent Ovens
  - Double Ovens
- Other Built in Products
  - Warmer Drawer
  - Coffee Machine

**2. Main Components**
- Control Panel
- Oven Door
- Cavity
- Oven Lamp
- Cooling System

**3. Technologies**
- Heat Wrap
- Hot Air Shield
- Steam Cooking
- Silent Operation
- 3D Cooking
- VestFry
- Active Cool
- Energy Efficiency
- UV-C

**4. Cleaning**
- PyroClean
- VapClean
- VapClean+
- ETC Enamel
- Catalytic Cleaning

**5. Functions**
**6. Oven Controllers**
**7. Product Design**
- Design Models
- Color Options
- Knob Types
- Handle Types

**8. Accessories**
**9. Packaging Types**
**10. Line-up**
**11. Specifications (Ovens)**

# ***Built-in Cookers Product Family***
# OVENS

## *Single Ovens*

### *75l Platform*

X-Large Cavity
Slim Control Panel
*Product Types;*
- *Standard*
- *Pyrolytic*
- *Steam Assisted*

### *65l Platform*

Large Cavity

*Product Types;*
- *Standard*
- *Pyrolytic*
- *Steam Assisted*

### *50l Platform*

Compact Cavity
Slim Control Panel
*Product Types;*
- *Standard*
- *Pyrolytic*
- *Steam Assisted*

## *Polyvalent Ovens*

### *75l Platform*

X-Large Cavity
Slim Control Panel
*Product Types;*
- Standard

*Compatible Polyvalent Hob Types;*
- Hotplate
- Vitroceramic
- Induction

### *65l Platform*

Large Cavity

*Product Types;*
- Standard

*Compatible Polyvalent Hob Types;*
- Hotplate
- Vitroceramic
- Induction

## *Double Ovens*

### *90 cm Platform*

Built-in Double Oven
Slim Control Panel
*Product Types;*
- Standard

### *72 cm Platform*

Built-under Double Oven
Slim Control Panel
*Product Types;*
- Standard

## ***Built-in Cookers Product Family***
Other Built-in Products

### *Warmer Drawer*

Maximum 20kg capacity;
6 dinner plates, 6 soup plates, 3 serving bowls and 2 platters.
- 710W side and bottom heating element with tangential fan.
- 30-70C adjustable thermostat
- 90 minute cut off audible timer
- Metal and glass design

### *Coffee Machine*

***45cm single built-in compact coffee machine***

Personalising the coffee as often as you want has never been easier. Choose from short, medium or long, try a strong or extra mild aroma, enjoy it piping hot or at medium temperature.

- Full Touch Control with LCD screen
- Fully automatic
- With coffee beans or ground coffee
- Adjustable grinding
- Adjustable coffee quantity
- Adjustable water quantity
- Adjustable dispenser for varying cups size
- Electronic temperature control
- Silent integrated burr grinder
- Easy to clean
- Water level indicator

# ***Main Components***
Control Panel

## *Standard Knob Control*

- Oven function and temperature is set via knobs
- Control serigraphy is on the panel.

## *Pop In Pop Out Knob Control*

- Oven function and temperature is set via knobs
- Control serigraphy is on the knob
- Illumination on knob is optional



## *Touch Control*

- Oven function and temperature is set via touch sensors

## *Main Components*
Oven Door

### *Cool Touch*
Adding third glass provides even cooler exterior surface on door thus extra peace of mind and safety for little hands.

***Removable Inner Glass***
With the patented system, no tools are needed to remove the inner glass.

***Easy to Remove***
It is easy removing the oven door flipping up the hinge latches.

For Full Glass Over Door and Active Cool Oven Door

For Large Glass Oven Door and Pyrolytic Oven Door

## Easy Clean

Advanced easy to clean coating on inner door glass. A quick wipe with a damp microfiber and a few dashes of a cleaning agent is enough.

## Soft Open and Close

Smooth closing and opening of the oven door without applying any other external force.

## Door Switch

Ovens with mechanical control (without timer, with analog timer/mechanical timer/digital timer);

- Oven lamp becomes active when the oven door is opened in case the oven is not functioning

Ovens with electronic control (with electronic timers; visio touch/full touch timers);

- Oven lamp becomes softly active when the oven door is opened in case the oven is not functioning.
- Heating elements are turned off when the oven door is opened in case the oven is functioning.

# ***Main Components***
## Oven Door

**TYPE 2 –** *Large Glass Oven Door*
- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*

| **TYPE 2** | **Standard** | **Pyrolytic** | **Steam Assisted** |
|---|---|---|---|
| *65L* | Default | - | Default |
| *75L* | - | - | - |
| *50L* | - | - | - |
| *Double Oven* | - | - | - |

**TYPE 3 –** *Pyrolytic Oven Door*
- Easy to Remove *Standard*

| **TYPE 3** | **Standard** | **Pyrolytic** | **Steam Assisted** |
|---|---|---|---|
| *65L* | - | Default | - |
| *75L* | - | - | - |
| *50L* | - | - | - |
| *Double Oven* | - | - | - |

**TYPE 4 –** *Full Glass Oven Door*
- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*
- Soft Close *Optional*
- Easy Clean *Optional*

| **TYPE 4** | **Standard** | **Pyrolytic** | **Steam Assisted** |
|---|---|---|---|
| *65L* | Optional | - | Optional |
| *75L* | Default | - | Default |
| *50L* | - | - | - |
| *Double Oven* | - | - | - |

## ***Main Components***
## Oven Door

**TYPE 5 –** *Active Cool Pyrolytic Oven Door*
- Easy to Remove *Standard*
- Removable Inner Glass *Standard*
- Active Cool *Standard*
- Door Switch *Optional*
- Soft Close *Optional*
- Soft Open and Close *Optional*

| **TYPE 5** | **Standard** | **Pyrolytic** | **Steam Assisted** |
|---|---|---|---|
| *65L* | - | Optional | - |
| *75L* | - | Default | - |
| *50L* | - | Default | - |
| *Double Oven* | - | - | - |

**TYPE 6 –** *Full Glass Oven Door*
- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*
- Soft Close *Optional*
- Soft Open and Close *Optional*
- Easy Clean *Optional*

| **TYPE 6** | **Standard** | **Pyrolytic** | **Steam Assisted** |
|---|---|---|---|
| *65L* | Optional | - | Optional |
| *75L* | Optional | - | Optional |
| *50L* | Default | - | Default |
| *Double Oven* | Default | - | Default |

## ***Main Components***
## Cooling System

All Vestel built in ovens have cooling system.

*- Provides proper temperature for safe operation of the product*

*- Helps perfect cooking solutions*

## ***Main Components***
Cavity

*Features*

### ***Easy to Clean Enamel*** *Standard*

The special formula of Easy to Clean enamel (ETC) prevents dirt sticking to the inner walls thus cleaning is easier.

### ***Catalytic Enamel Panels*** *Optional*

Catalytic enamel self-cleans by absorbing fats and oil and burning them to ash, which can then be easily removed from the floor of the oven with a damp cloth.

### ***Cavity Rack Types***

Designed for ease of use
Vestel offers various cavity racks according to consumer needs.
Wire racks can be removed and installed easily without a tool.

Enamel
Mold Runners

Wire Rack In
Catalytic Enamel Cavity

Wire Rack In
Enamel Cavity

Wire Rack of 11 Shelves
*(only 65lt cavity)*

Wire Rack of 12 Shelves
*(only 75lt cavity)*

## *Easy Fix Telescopic Shelf*

Telescopic rails go in and out smoothly. The shelves allow to remove hot trays or pans from the oven easily and practically

Single
Telescopic Shelf

Double
Telescopic Shelves

**Half Extension Telescopic Shelves**

*- User friendly and easy installation design*

*- Ideal for cleaning or moving to a different level.*

*- Full Extension Telescopic Shelves Optional*
*It is easy to reach whole of tray or pan so that it is easy to turn and spice food safely fully outside of the hot oven interior.*

*- Locking system for additional safety.*
***Available with full extension shelves***

**Full Extension Telescopic Shelves**

## ***Main Components***
Oven Lamp

*You can easily watch your food cooking with the oven light.*

*Oven Lamp on Rear Wall*

***Yellow Light*** *Default*

***LED Oven Light*** *Optional*
Better lighting in the oven during cooking.
Long life.
White light color.

*Oven Lamp on Rear Wall and Side Wall*

***Yellow Light*** *Optional*

Not Available for Steam and Pyrolytic Ovens.

## *Technologies*
Hot Air Shield®

When oven door is opened during cooking, it creates an air stream between control panel and oven bottom panel. Hence, it prevents the hot and wet air coming out of the oven to reach the end user.

| *Hot Air Shield®* | *Single Oven* | | | *Polyvalent Oven* | | *Double Oven* |
|---|---|---|---|---|---|---|
| | **50L** | **65L** | **75L** | **65L** | **75L** | |
| ***Standard*** | Available | Available | Available | Available | Available | - |
| ***Pyrolytic*** | - | - | - | - | - | - |
| ***Steam Assisted*** | Available | Available | Available | - | - | - |
| ***Steam Base*** | - | Available | Available | Available | Available | - |
| ***Steam Base+*** | - | Available | Available | - | - | - |

## ***Technologies***
## Heat Wrap®

75L Built-In Ovens with Fan + Ring cooking function;

- *Cooking evenly at 5 levels simultaneously*
- *No odor mixture up to 4 types of dishes cooking at the same time.*
- *Perfect cooking results at any level.*

***Available with***
*75L Standard Single Ovens*

5 LEVELS COOKING OF SAME TYPE
DISHES AT THE SAME TIME

***Compatible Oven Controllers***

*Full Touch Controller*

*Family Design Full Touch*

*Ready Cook*

*Monochrome LCD*

*Slim LED Touch*

PATENT PENDING

4 DIFFERENT TYPES OF
DISHES AT THE SAME TIME

## ***Technologies***
## Steam Assisted Cooking

Steam assisted cooking is a natural, healthy way to preserve vitamins and nutrients in food. By steam assisted cooking the food is kept moist inside with flavors and it is crispy outside.

It allows a huge variety of different foods to be expertly cooked much more quickly than traditional cooking alone, such as fish, pizza, cakes providing restaurant quality results every time. It is particularly great for cooking meat. It also maintains the shine and makes it more succulent. Bread can also be baked to a professional standard using steam assist. The moisture of the steam enables the dough to grow and develop during cooking, before the outer crust forms. This results in a lighter, more easily digestible dough with an excellent crust.

CONVENTIONAL COOKING

STEAM ASSISTED COOKING

Vestel offers 3 different products for steam assisted cooking;

- *Steam Assisted Oven*
- *Steam Base + Function*
- *Steam Base Function*

***Technologies***
Steam Assisted Cooking

## *Steam Assisted Oven*

Steam Assisted Oven combines steam injections with traditional cooking functions with two different options; automatic or manual.

Steam generator is available for the injection of steam into the oven cavity.

***Available for 50L, 65L and 75L Single Built in oven platforms***

***Compatible Oven Controllers***

*Ready Cook*
*Family Design Full Touch*

*- Water is filled in via the pop-in pop-out water tank.*

*- Steam can be injected into the oven cavity in predetermined times based on the selected automatic cooking programme.*

*- Steam can be injected into the oven cavity at the desired time during the manual cooking*

## *Steam Base Function*

Steam Base Function combines steam with traditional cooking functions utilizing the evaporation of the water inside the oven cavity.

*- Pour water into the form on the oven cavity base.*

*- Select Steam Base function.*

***Available for 65L and 75L Standard Single Built in oven platforms.***

***Compatible Oven Controllers***
*No Timer*
*Mechanical Minute Minders / Timers*
*Digital Minute Minders / Timers*
*Analog Timer (Programmable)*

## *Steam Base+ Function*

Steam Base+ Function combines steam with traditional cooking functions with the evaporation of the water inside of the oven cavity.

*- Pour water into the water tank*

*- Select Steam Base+ function.*

*- Press Steam Base+ button on controller.*

*The water will evaporate quickly and add steam to the cavity.*

***Available for 65L and 75L Standard Single Built in oven platforms.***

***Compatible Oven Controllers***
*Family Design Digital Touch Timer*
*Family Design Visio Touch*

## ***Technologies***
## Silent Operation

Silent operation is an optional feature that is a world record and certified by VDE. Ovens with this feature has a noise level of 35dB during operation.

***Available for 65L and 75L Single Built in oven platforms.***

***Compatible Oven Controllers***

- *Visio Touch*
- *Full Touch Controller*
- *Slim LED Touch*
- *Monochrome*
- *Ready Cook*
- *Family Design Digital Touch Timer*
- *Family Design Visio*

## ***Technologies***
## 3D Cooking

Simultaneous operation of top, bottom and ring heating element with fan.

- *Homogeneous heat distribution in all direction of cooking tray,*
- *More dough rise for pastry*
- *Automatic power management for heaters during operation,*

*+ Cooking time is %20 shorter than conventional cooking functions.*

*+ Pre-heating time is %25 shorter than conventional cooking functions.*

***Check availability in the Oven Functions Table.***

## ***Technologies***
## Active Cool

Active Cool is a cooling system providing cooler exterior surface on door thus extra peace of mind and safety for little hands even during pyrolytic function.

*During the pyrolytic function the surface temperature on oven door is below:*

*45°C + room temperature for glass*

*35°C + room temperature for metal*

*These values are in line with French GIFAM norms for cool door.*

*Surface temperature on oven door is below 10°C + room temperature at any cooking function.*

***Optional for 65L Pyrolytic Built-in Ovens with Type-5 Oven Door.***

***Standard for 75L Pyrolytic Built-in Ovens.***

## ***Technologies***
## Energy Efficiency

All Vestel Built-in Oven Platforms are of A Energy Class. (Standard)

A

Energy Efficiency Index (EEI) of 62 to 82 is A+ Energy Class.

A+ Energy Class for 65L and 75L Single Built-in Oven Platforms is Optional. Available for all oven controllers.
***Available for all Standard Multifunction Ovens.***

*Among the availability in electronic models, Vestel offers the World's first A+ ovens with mechanic control.*

| A+ | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|
| **65L** | Optional | - | Optional |
| **75L** | Optional | Optional | Optional |
| **50L** | Optional | - | - |
| **Double oven** | - | - | - |

A+

A++ Energy Class for 65L Single Built-in Oven Platform is Optional.
***Available only with Ready Cook Controller with Turbolite++ function.***

Turbolite++ function's declared values are as below;
Energy Consumption (EC): 0.52 kWh/cycle

Energy Efficiency Index (EEI): 61.9 Volume(V): 69L

| A++ | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|
| **65L** | Optional | - | - |
| **75L** | - | - | - |
| **50L** | - | - | - |
| **Double oven** | - | - | - |

A++

## ***Technologies***
## Disinfection with Heat

Built-in ovens with functions including fan removes virus and bacteria at 70°C.

*On plastic, cardboard, glass at 70°C;*
*In 20 minutes, eliminates 99% of bacteria, fungs and viruses.*
*On metal surfaces at 120°C;*
*In 20 minutes, eliminates 99,99% of bacteria, fungs and viruses.*

***Available with***
65L Standard Single Ovens

***Compatible Oven Controllers***
No Timer
Mechanical Minute Minders / Timers
Digital Minute Minders / Timers
Visio Touch Timers
Analog Timer (Programmable)

## ***Technologies***
## VestFry

360° food rotation system design, uniform heating and better frying results.

- *Healthy cooking with less oil.*
- *Perfect for french fries, popcorn and vegetables*

# Cleaning

| PyroClean® | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | - | - | - | - |
| **Pyrolytic** | Standard | Standard | Standard | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | - | - | - |
| **Steam Base +** | - | - | - | - |

## PyroClean

During the pyrolytic cleaning process the oven heats up to approximately 450°C at which the temperature is kept for 1 hour while the door is locked for safety purposes.

*At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.*

| VapClean® | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Optional | Optional | Optional | Optional |
| **Pyrolytic** | Optional | Optional | Optional | Optional |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | Optional | Optional | Optional | Optional |
| **Steam Base +** | Optional | Optional | Optional | - |

## VapClean

With VapClean® function, dried food stains inside the oven cavity is softened with vapor.

*To perform VapClean® a glass of water is poured into the oven base (in Steam Base and Steam Base+ ovens) or into the small tray which will be placed at the bottom of the oven. After that VapClean® function is activated to create vapor inside oven cavity which will soften dried food stains.*

# Cleaning

| VapClean+® | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | - | - | - | - |
| **Pyrolytic** | - | - | - | - |
| **Steam Assisted** | Optional | Optional | Optional | - |
| **Steam Base** | - | - | - | - |
| **Steam Base +** | - | - | - | - |

## *VapClean+*

Only for steam assisted oven with VapClean+ function, dried food leftovers inside the oven cavity are softened with vapor.

*To perform VapClean+ add 300ml of water into the water tank. After that, VapClean+ is activated to create vapor inside oven cavity which will soften dried food stains.*

| VapClean® | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Default | Default | Default | Default |
| **Pyrolytic** | Default | Default | Default | Default |
| **Steam Assisted** | Default | Default | Default | Default |
| **Steam Base** | Default | Default | Default | Default |
| **Steam Base +** | Default | Default | Default | Default |

## *Easy to Clean (ETC) Enamel*

Easy To Clean Enamel is standard for all platforms.

The special formula of Easy To Clean enamel (ETC) prevents dirt sticking to the inner walls thus cleaning is easier.

# *Cleaning*

| Catalytic | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| ***Standard*** | Optional | Optional | Optional | Optional |
| ***Pyrolytic*** | - | - | - | - |
| ***Steam Assisted*** | Optional | Optional | Optional | Optional |
| ***Steam Base*** | Optional | Optional | Optional | Optional |
| ***Steam Base +*** | Optional | Optional | Optional | Optional |

## *Catalytic Enamel*

Catalytic enamel self-cleans by absorbing fats and oil and burning them to ash, which can then be easily removed from the floor of the oven with a damp cloth.

Three different options are available for catalytic enamel;

**Fan cover in catalytic enamel (1P)**

**Side Panels* (2P)**

**Side panels* and fan cover in catalytic enamel (3P)**

**Catalytic Side panels are applicable both for mold runner wracks and wire racks.*

Wire Racks

***Vestel offers a wide range of oven functions for Static, Fan Assisted, and Multifunction ovens. Check Functions table for alternatives.***

***Oven Lamp***

***Defrost***
Only fan is active.

***Bottom***
Ideal for slow cooking, keeping cooked food warm.

***Top***
Ideal for browning food

***Conventional Cooking***
Ideal for traditional static cooking for one shelf only

***Fan Assisted Cooking***
The heat in the oven is distributed homogeneously thanks to the fan.

**Fan + Ring**
The heat is distributed homogeneously thanks to the fan and ring heater and more than one food can be cooked.

**Pizza**
It is an ideal function for foods that you want to bake more crispy like pizza.

***Grill***
Ideal for mixed grills.

***Grill + Fan***
Homogeneous heat distribution occurs thanks to the fan.

***Double Grill***
It provides cooking in a larger grill area.

***Double Grill + Fan***
Homogeneous heat distribution occurs thanks to the fan.

***TurnSpit***
Ideal for whole chickens and roasts. Combined with fan, grill and double grill alternatives

***3D***
The optimal homogeneous heat distribution all over cooking trays. More fluffy pastries.

***Bottom + Fan***
Ideal for completing the cooking process

*Vestel offers a wide range of oven controllers basically categorized as mechanical and electronic.*

## Oven Controllers

### Mechanical Control

Without Timer
Mechanical Minute Minder [MMM]
Mechanical Timer [MT]
Analog Timer (Programmable) [AT]
Digital Minute Minder [DMM]
Digital Timer [DT]
Digital Touch Minute Minder [DTMM]
Digital Touch Timer [DTT]
Family Design Digital Touch Timer [FDDTT]

### Electronic Control

Visio Touch [VT]
Full Touch [FT]
Slim LED Touch [SLEDT]
Monochrome [MC]
Ready Cook [RC]
Family Design Visio Touch [FDVT]
Family Design Full Touch [FDFT]

## Oven Controllers
Mechanical Control

### Mechanical Minute Minder

### Features

- Knob Control Unit with Mechanical Minute Minder
- Timer with audible alarm

### Compatible Oven Features

- 3D Cooking
- VapClean
- HotAir Shield
- A+ Energy Efficiency

| Mechanical Minute Minder | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| ***Standard*** | Available | Available | Available | Available |
| ***Pyrolytic*** | - | - | - | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | Available | Available | - |
| ***Steam Base +*** | - | - | - | - |

*Available also for 65L and 75L Polyvalent Ovens.*

# *Oven Controllers*
## Mechanical Control

### *Mechanical Timer*

#### *Features*
- Knob Control Unit with Mechanical Timer
- Timer with audible alarm

#### *Compatible Oven Features*
- 3D Cooking
- VapClean
- HotAir Shield
- A+ Energy Efficiency

| *Mechanical Timer* | **50L** | **65L** | **75L** | **Double Oven** |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | Available |
| **Pyrolytic** | - | - | - | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | Available | Available | - |
| **Steam Base +** | - | - | - | - |

*Available also for 65L and 75L Polyvalent Ovens.*

### *Analog Timer (Programmable)*

#### *Features*
- Knob Control Unit with Analog Timer
- LED indicators
- Displays the day's time
- Timer with audible alarm

#### *Compatible Oven Features*
- 3D Cooking
- VapClean
- HotAir Shield
- A+ Energy Efficiency

| *Analog Timer* | **50L** | **65L** | **75L** | **Double Oven** |
|---|---|---|---|---|
| **Standard** | - | Available | - | - |
| **Pyrolytic** | - | - | - | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | Available | - | - |
| **Steam Base +** | - | - | - | - |

*Not available for Polyvalent Ovens.*

## Digital Minute Minder

### Features

- Knob Control Unit with LED Minute Minder
- Red LED Display
- Displays the day's time
- Timer with audible alarm
- White LED Display (Optional)

### Compatible Oven Features

- 3D Cooking
- VapClean
- HotAir Shield
- A+ Energy Efficiency

| Digital Minute Minder | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | Available |
| **Pyrolytic** | - | - | - | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | Available | Available | - |
| **Steam Base +** | - | - | - | - |

*Available also for 65L and 75L Polyvalent Ovens.*

## Digital Touch Timer

Standard and
Steam Base Oven

Pyrolytic Oven

### Features

- Knob Control Unit with LED Touch Digital Timer
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm
- Cooking duration time and end time

### Compatible Oven Features

- 3D Cooking (for Standard / Steam Base)
- VapClean (for Standard / Steam Base)
- HotAir Shield (for Standard / Steam Base)

| Digital Touch Timer | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | Available |
| **Pyrolytic** | Available | Available | Available | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | Available | Available | - |
| **Steam Base +** | - | - | - | - |

*Available also for 65L and 75L Polyvalent Ovens..*

## *Digital Touch Minute Minder*

### *Features*

- Knob Control Unit with LED Touch Minute Minder
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm

### *Compatible Oven Features*

- 3D Cooking
- VapClean
- HotAir Shield
- A+ Energy Efficiency

| *Digital Touch Minute Minder* | **50L** | **65L** | **75L** | **Double Oven** |
|---|---|---|---|---|
| ***Standard*** | Available | Available | Available | Available |
| ***Pyrolytic*** | - | - | - | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | Available | Available | - |
| ***Steam Base +*** | - | - | - | - |

*Available also for 65L and 75L Polyvalent Ovens.*

## *Digital Timer*

Standard and Steam Base Oven

Pyrolytic Oven

### *Features*

- Knob Control Unit with LED Digital Timer
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm
- Cooking duration time and end time

### *Compatible Oven Features*

- 3D Cooking (for Standard / Steam Base)
- VapClean (for Standard / Steam Base)
- HotAir Shield (for Standard / Steam Base)
- A+ Energy Efficiency (for Standard)
- Meat Probe (for Standard)

| *Digital Timer* | **50L** | **65L** | **75L** | **Double Oven** |
|---|---|---|---|---|
| ***Standard*** | Available | Available | Available | Available |
| ***Pyrolytic*** | Available | Available | Available | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | Available | Available | - |
| ***Steam Base +*** | - | - | - | - |

*Available also for 65L and 75L Polyvalent Ovens.*

## *Extended Digital Touch Timer*

### *Features*

- Knob Control Unit with LED Touch Digital Timer
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm
- Cooking duration time and end time

### *Compatible Oven Features*

- 3D Cooking (for Standard / Steam Base)
- VapClean (for Standard / Steam Base)
- HotAir Shield (for Standard / Steam Base)

| *Extended Digital Touch Timer* | **50L** | **65L** | **75L** | **Double Oven** |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | - |
| **Pyrolytic** | - | - | - | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | Available | Available | - |
| **Steam Base +** | - | - | - | - |

*Not Available for Polyvalent Ovens*

## *Family Design Digital Touch Timer*

### *Features*

- Knob Control Unit with Touch LED Display of new Family Design
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm
- Cooking duration time and end time

### *Compatible Oven Features*

- 3D Cooking (for Standard / Steam Base)
- VapClean (for Standard / Steam Base)
- HotAir Shield (for Standard / Steam Base)
- A+ Energy Efficiency (for Standard)

| *Family Design Digital Touch Timer* | **50L** | **65L** | **75L** | **Double Oven** |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | Available |
| **Pyrolytic** | Available | Available | Available | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | Available | Available | - |
| **Steam Base +** | - | Available | Available | - |

*Available also for 65L and 75L Polyvalent Ovens.*

# ***Oven Controllers***
Electronic Control

## *Visio Touch Controller*

### *Features*

» Knob Control Unit with Touch Display LED illuminated function and temperature
» Red LED Display
» White LED Display (Optional)
» Displays the day's time
» Timer with audible alarm

### *Compatible Oven Features*

» 3D Cooking (for Standard / Steam Base)
» VapClean (for Standard / Steam Base)
» HotAir Shield (for Standard / Steam Base)
» A+ Energy Efficiency (for Standard)
» Meat Probe (for Standard and Pyro)

| *Visio Touch* | ***50L*** | ***65L*** | ***75L*** | ***Double Oven*** |
|---|---|---|---|---|
| ***Standard*** | Available | Available | Available | - |
| ***Pyrolytic*** | Available | Available | Available | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | - | - | - |
| ***Steam Base +*** | - | - | - | - |

*Available also for 75L Polyvalent Ovens.*

## *Family Design Visio Touch Controller*

### *Features*

» Knob Control Unit with Touch Display LED illuminated function and temperature
» Red LED Display
» White LED Display (Optional)
» Displays the day's time
» Timer with audible alarm

### *Compatible Oven Features*

» 3D Cooking (default for all product types)
» VapClean (for Standard / Steam Base)
» HotAir Shield (for Standard / Steam Base)
» A+ Energy Efficiency (for Standard)
» Meat Probe (for Standard and Pyro)

| *Family Design Visio Touch Controller* | ***50L*** | ***65L*** | ***75L*** | ***Double Oven*** |
|---|---|---|---|---|
| ***Standard*** | Available | Available | Available | - |
| ***Pyrolytic*** | Available | Available | Available | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | - | - | - |
| ***Steam Base +*** | - | Available | Available | - |

*Not available for Polyvalent Ovens.*

## Full Touch Controller

### Features

- Full touch control unit with LED illuminated function and temperature
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm
- Soft Oven Lighting

### Compatible Oven Features

- VapClean (for Standard / Steam Base)
- HotAir Shield (for Standard / Steam Base)
- HeatWrap (for Standard)
- A+ Energy Efficiency (for Standard)
- LED Oven Lamp (for Standard)
- Meat Probe (for Standard and Pyro)

| Full Touch Controller | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | - |
| **Pyrolytic** | Available | Available | Available | - |
| **Steam Assisted** | - | - | - | - |
| **Steam Base** | - | - | - | - |
| **Steam Base +** | - | - | - | - |

*Not available for Polyvalent Ovens*

## Family Design Full Touch Controller

### Features

- Full touch control unit with LED illuminated function and temperature
- Red LED Display
- White LED Display (Optional)
- Displays the day's time
- Timer with audible alarm
- Soft Oven Lighting

### Compatible Oven Features

- 3D Cooking (default for Standard / Steam)
- VapClean (for Standard / Steam)
- HotAir Shield (for Standard / Steam)
- HeatWrap (for Standard)
- A+ Energy Efficiency (for Standard)
- LED Oven Lamp (for Standard)
- Meat Probe (for Standard and Pyro)

| FamilyDesign Full Touch | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | - |
| **Pyrolytic** | Available | Available | Available | - |
| **Steam Assisted** | Available | Available | Available | - |
| **Steam Base** | - | - | - | - |
| **Steam Base +** | - | - | - | - |

*Not available for Polyvalent Ovens*

## *Slim LED Touch*

### *Features*

» Slim LED illuminated full touch control unit with direct function selection feature.
» White LED Display
» Special recipe slots on display
» Displays the day's time
» Timer with audible alarm
» Semi-automatic time adjustment (cooking period)
» Automatic time adjustment (end of cooking time)
» Soft Oven Lighting

| *Slim LED Touch Controller* | ***50L*** | ***65L*** | ***75L*** | ***Double Oven*** |
|---|---|---|---|---|
| ***Standard*** | Available | - | Available | - |
| ***Pyrolytic*** | Available | - | Available | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | - | - | - |
| ***Steam Base +*** | - | - | - | - |

*Not available for Polyvalent Ovens*

### *Compatible Oven Features*

» VapClean (for Standard / Steam Base)
» HotAir Shield (for Standard / Steam Base)
» HeatWrap (for Standard)
» A+ Energy Efficiency (for Standard)
» Wi-Fi (for standard)
» LED Oven Lamp (for Standard)
» Meat Probe (for Standard and Pyro)

## *Monochrome*

### *Features*

» 4.3" monochrome LCD display with touch button control Red LED Display
» Manual Cooking Mode
» Auto Cooking Mode
» Multi Language Support
» Soft Oven Lighting

| *Monochrome* | ***50L*** | ***65L*** | ***75L*** | ***Double Oven*** |
|---|---|---|---|---|
| ***Standard*** | Available | Available | Available | - |
| ***Pyrolytic*** | Available | Available | Available | - |
| ***Steam Assisted*** | - | - | - | - |
| ***Steam Base*** | - | - | - | - |
| ***Steam Base +*** | - | - | - | - |

*Not available for Polyvalent Ovens*

### *Compatible Oven Features*

» 3D Cooking (for Standard / Steam)
» VapClean (for Standard / Steam)
» HotAir Shield (for Standard / Steam)
» HeatWrap (for Standard)
» A+ Energy Efficiency (for Standard)
» Wi-Fi (for standard)
» LED Oven Lamp (for Standard)
» Meat Probe (for Standard and Pyro)

*We're pleased to bring the color and clarity of TFT displays to a broader range of major home appliances with Vestel's Ready Cook, along with other advanced features previously available only in more high-end oven models.*

Ready Cook is designed to help users cook professional recipes easily with auto cooking functions, also allowing the users to implement their own recipes with manual cooking functions. Using a user friendly interface with colored TFT display creates the charm of Ready Cook compared to the existing models in high-end segment.

| Ready Cook Smart LCD | 50L | 65L | 75L | Double Oven |
|---|---|---|---|---|
| **Standard** | Available | Available | Available | - |
| **Pyrolytic** | Available | Available | Available | - |
| **Steam Assisted** | Available | Available | Available | - |
| **Steam Base** | - | - | - | - |
| **Steam Base +** | - | - | - | - |

*Not available for Polyvalent Ovens.*

## Features

- 4.3" TFT LCD Display with click type knob controls.
- White LED Display
- Auto Cooking Mode with 151 Recipes
- Displays the day's time
- Manual Cooking Mode
- Favorites with recipe slots which can be set by end user
- Multi Language support
- Real time clock and date adjustment
- Soft Oven Lighting

## Compatible Oven Features

- VapClean (for Standard)
- HotAir Shield (for Standard)
- HeatWrap (for Standard)
- Meat Probe (for Standard and Pyro)
- A+ Energy Efficiency (for Standard)
- A++ Energy Efficiency (65l Standard)
- Wi-Fi
- LED Oven Lamp (for Standard)

## *Menu*

**Manual cooking**

**Function selection**

**Cooking summary**

**Auto cooking**

**Cooking summary**

**Cooking animation**

## *Recipes*

Menu and recipe images may vary depending on the product type.

# ***Product Design***
Design Models

*Vestel Offers four basic product design families with a wide range of design options of pre-defined design models.*

Check design models for each product design below;

## *Standard (Without AddOn)*

Single Color Designs
Available both for metal and glass control panels.
***No Design Model is available.***

## *Metal AddOn*

Metal AddOn applications

***I Type***
***U Type***
***U Slim Type***
***N Type***
***O Type***
***Mono Stripe Mono***
***Slim Stripe***
***Duo Stripe***
***Duo Slim Stripe***
***Trio Stripe***

## *Printed Design On Glass*

Various design print options on glass.

***Matte Black - Design 1***
***Matte Black - Design 2***
***Matte Black - Design 3***
***Metal Print - Touch***
***Metal Print - Model 1***
***Metal Print - Model 1_CP***
***Metal Print - Model 8***

## *Rustic*

Available both for metal and glass control panels.

***Glass Design A***
***Glass Design B***
***Glass Design C***
***Glass Design D***
***Customer Specific***
***Metal Art***

# ***Product Design***
Design Models

## *Metal Add-on | I TYPE*

SINGLE/POLYVALENTE BUILT IN OVENS
50L - 40 mm cladding add on
65L - 50 mm cladding add on
75L - 40 mm cladding add on

Control Panel: Glass

Control Panel: Metal

BUILT IN DOUBLE OVENS
40 mm cladding add on

Control Panel: Glass

Control Panel: Metal

| ***Metal Add-on I TYPE*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available | Available | Available* | Available* |
| ***Pyrolytic*** | Available | Available | Available | - | - | - |
| ***Steam Assisted*** | Available | - | Available | - | - | - |
| ***Steam Base*** | Available | Available | Available | Available | - | - |
| ***Steam Base +*** | Available | - | Available | - | - | - |

***Exceptions;**
For glass control panel with knob control, only PIPO knobs with serigraphy is applicable.

***Available Colors: Inox, Inox(AFG)***

***Not Available for 75L Single Ovens with oven door Type-6***

## *Metal Add-on | N TYPE*

SINGLE/POLYVALENTE BUILT IN OVENS
65L - 50 mm cladding add on
75L - 40 mm cladding add on
***Available only with glass control panel***

Control Panel: Glass

| ***Metal Add-on N TYPE*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | - | Available | Available | Available | Available* | - |
| ***Pyrolytic*** | - | Available | Available | - | - | - |
| ***Steam Assisted*** | - | - | Available | - | - | - |
| ***Steam Base*** | - | Available | Available | Available | Available* | - |
| ***Steam Base +*** | - | - | Available | - | - | - |

***Exceptions;**
For glass control panel with knob control, only PIPO knobs with serigraphy is applicable.

***Available Colors: Inox, Inox(AFG)***

***Not Available for 75L Single Ovens with oven door Type-6***

## Metal Add-on | U TYPE

SINGLE/POLYVALENTE BUILT IN OVENS
50L - 40 mm cladding add on
65L - 50 mm cladding add on
75L - 40 mm cladding add on

Control Panel: Glass

Control Panel: Metal

BUILT IN DOUBLE OVENS
40 mm cladding add on

Control Panel: Glass

Control Panel: Metal

| ***Metal Add-on U TYPE*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available | Available | Available* | Available* |
| ***Pyrolytic*** | Available | Available | Available | - | - | - |
| ***Steam Assisted*** | Available | - | Available | - | - | - |
| ***Steam Base*** | Available | Available | Available | Available | - | - |
| ***Steam Base +*** | Available | - | Available | - | - | - |

***Exceptions;**
For glass control panel with knob control, only PIPO knobs with serigraphy is applicable.

***Available Colors: Inox, Inox(AFG), Dark Inox***

***Not Available for 75L Single Ovens with oven door Type-6***

## Metal Add-on | U Slim TYPE

SINGLE/POLYVALENTE BUILT IN OVENS
65L - 17 mm cladding add on
75L - 17 mm cladding add on
***Available only with glass control panel***

Control Panel: Glass

| ***Metal Add-on U SLIM TYPE*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | - | Available | Available | Available | Available | - |
| ***Pyrolytic*** | - | Available | Available | - | - | - |
| ***Steam Assisted*** | - | Available | Available | - | - | - |
| ***Steam Base*** | - | Available | Available | Available | Available | - |
| ***Steam Base +*** | - | Available | Available | - | - | - |

***Available Colors: Inox, Inox(AFG), Dark Inox***

***Not Available for 75L Single Ovens with oven door Type-6***

## *Metal Add-on | O TYPE*

SINGLE/POLYVALENTE BUILT IN OVENS
50L - 40 mm cladding add on
65L - 50 mm cladding add on
75L - 40 mm cladding add on

Control Panel: Metal

| ***Metal Add-on O TYPE*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | - | - | Available* | - | Available* | - |
| ***Pyrolytic*** | - | - | - | - | - | - |
| ***Steam Assisted*** | - | - | Available* | - | - | - |
| ***Steam Base*** | - | - | Available* | - | Available* | - |
| ***Steam Base +*** | - | - | Available* | - | - | - |

Not Applicable for Full Touch Control

***Available Colors: Inox, Inox(AFG), Dark Inox***

***Not Available for 75L Single Ovens with oven door Type-6***

## *Metal Add-on | Mono Stripe*

SINGLE/POLYVALENTE BUILT IN OVENS
50 mm cladding add on

***Available Colors: Inox, Inox(AFG), Dark Inox***

Control Panel: Glass

Control Panel: Metal

| ***Metal Add-on Mono Stripe*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available | Available | Available | - |
| ***Pyrolytic*** | Available | Available | Available | - | - | - |
| ***Steam Assisted*** | Available | Available | Available | - | - | - |
| ***Steam Base*** | Available | Available | Available | Available | Available | - |
| ***Steam Base +*** | Available | Available | Available | - | - | - |

## Metal Add-on | Mono Slim Stripe

SINGLE/POLYVALENTE BUILT IN OVENS
15 mm cladding add on

Control Panel: Glass

Control Panel: Metal

| **Metal Addon** Mono Slim Stripe | **Single Oven** | | | **Polyvalent Oven** | | **Double Oven** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available | Available | Available | - |
| ***Pyrolytic*** | Available | Available | Available | - | - | - |
| ***Steam Assisted*** | Available | Available | Available | - | - | - |
| ***Steam Base*** | Available | Available | Available | Available | Available | - |
| ***Steam Base +*** | Available | Available | Available | - | - | - |

***Available Colors: Inox, Inox(AFG), Dark Inox***

## Metal Add-on | Duo Slim Stripe

SINGLE/POLYVALENTE BUILT IN OVENS
15-15 mm cladding add on
***Available only with glass control panel.***

BUILT IN DOUBLE OVENS
15-15 mm cladding add on
***Available only with metal control panel.***

Control Panel: Glass

Control Panel: Metal

| ***Metal Add-on Duo Slim Stripe*** | **Single Oven** | | | **Polyvalent Oven** | | **Double Oven** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available* | Available | Available | Available |
| ***Pyrolytic*** | Available | Available | Available* | - | - | - |
| ***Steam Assisted*** | Available | Available | Available* | - | - | - |
| ***Steam Base*** | Available | Available | Available* | Available | Available | - |
| ***Steam Base +*** | Available | Available | Available* | - | - | - |

***Exceptions;**
Not Applicable for 75L Full Touch Control

Not Applicable for 75L Ready Cook

***Available Colors: Inox, Inox(AFG), Dark Inox***

## *Metal Add-on | Duo Stripe*

SINGLE/POLYVALENTE BUILT IN OVENS
15-50 mm cladding add on.
**Available only with glass control panel**

Control Panel: Glass

| ***Metal Add-on Duo Stripe*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available* | Available | Available | - |
| ***Pyrolytic*** | Available | Available | Available* | - | - | - |
| ***Steam Assisted*** | Available | Available | Available* | - | - | - |
| ***Steam Base*** | Available | Available | Available* | Available | Available | - |
| ***Steam Base +*** | Available | Available | Available* | - | - | - |

***Exceptions;**
Not Applicable for 75L Full Touch Control
Not Applicable for 75L Ready Cook

**Available Colors: Inox, Inox(AFG), Dark Inox**

## *Metal Add-on | Trio Stripe*

SINGLE/POLYVALENTE
BUILT IN OVENS
15-15-50 mm cladding add on
***Available only with glass control panel.***

Control Panel: Glass

BUILT IN DOUBLE OVENS
15-15-50 mm cladding add on

Control Panel: Glass

Control Panel: Metal

| ***Metal Add-on Trio Stripe*** | ***Single Oven*** | | | ***Polyvalent Oven*** | | ***Double Oven*** |
|---|---|---|---|---|---|---|
| | 50L | 65L | 75L | 65L | 75L | |
| ***Standard*** | Available | Available | Available* | Available | Available | Available |
| ***Pyrolytic*** | - | - | - | - | - | - |
| ***Steam Assisted*** | Available | Available | Available* | - | - | - |
| ***Steam Base*** | Available | Available | Available* | Available | Available | - |
| ***Steam Base +*** | Available | Available | Available* | - | - | - |

***Exceptions;**
Not Applicable for 75L Full Touch Control
Not Applicable for 75L Ready Cook

***Available Colors: Inox, Inox(AFG), Dark Inox***

## Rustic | Glass Design

Vestel offers 4 glass design models
***Available for 65L Standard Built-in Ovens with glass control panel***

***Available color options;***
White – Gold Serigraphy
White – Silver Serigraphy
Cream – Copper Serigraphy
Black – Gold Serigraphy
Beige – Mink Serigraphy

***Available Oven Controllers;***
Without Timer
Analog Timer (Programmable)
Mechanical Timer / Minute Minder

Rustic Glass Design - A

Rustic Glass Design - B

Rustic Glass Design - C

Rustic Glass Design - D

## *Rustic | Customer Specific*

*Offers combination of different printing colors and serigraphy colors.*

***Available for 65L Standard Built-in Ovens with glass control panel***

***Printing Color Options***
Black
White
Retro Cream
Beige

***Serigraphy Color Options***
Black
Gold
Silver
Copper

***Available Oven Controllers***
Without Timer
Analog Timer
Mechanical Timer / Minute Minder

## *Rustic | Metal Art*

*Metal front surface design with the compination of different powder paint colors and serigraphy colors.*

***Available for 65L Standard Built-in Ovens***

***Printing Color Options***
Black
White
Retro Cream

***Serigraphy Color Options***
Black
Gold
Silver
Copper

***Available Oven Controllers***
Without Timer
Analog Timer
Mechanical Timer / Minute Minder

# ***Product Design***
Color Options

## *Metal Surfaces*

***Powder Paint***
Applicable only for control panel

- Black
- White
- Silver
- Retro Cream

***Stainless Steel***
Applicable for control panel and add on

- Inox
- Inox (Antifinger Print)
- Dark Inox

## *Glass Surfaces*

***Flatt glass printing colors;***

- Black
- White
- Silver
- Mink
- Beige
- Retro Cream
- Steel Blue
- Mirror
- Victoria Gray
- Zara Gray
- Pure Black

## *Pure Black*

Pure Black is a special black printed fumed glass.
Applicable only on oven door with TFT color displays (Monochrome, Ready Cook)
Applicable on both control panel and oven door with LED displays

*When the oven is switched off the whole surface looks completely black.*

*When the oven lamp is on, inside of the oven is visible, thus you are able to see the food cooking inside.*

# *Packaging Types*

## *Shrink (Default)*

Default packaging for all built-in oven platforms. - Customized by packaging label

## *Flexo Carton Box (Optional)*

- Colourful printing is available up to 4 colours.
- Caps on Upper side (Optional)
- Holders (Optional)

## *Offset Carton Box (Optional)*

- Multiple color high definition printing.
Background for the surface printing is of white paper.
- Caps on Upper side (Standard)
- Holders (Optional)

## ***Product Design***
Knobs

Antero

Alfa

Nord

Eclipse

Trio

Gama

Macro

Primus

Linea Inox

Jannu

Ferous

Flat

Egon

Linea Art

Flat Pipo

Rotunda

Bonum

Rustic

Haruna

Muria

Nevis

Sierra

Iraya

***Product Design***
Handles

Arc Tube

Bow

Curved Quadrangle

Cylinder

D Prolile Arc

Ellipse Arc

V-Line

Verge

Flat Quadrangle

Flat Slice

Trio

Rustik

Vero

Troy

Slim Bar

Square Bar

Trim

## *Accessories*

Shallow Tray

Deep Tray

Chromed Wire Grid

Chromed Wire Grid For Deep Tray

Grill Pan Handle Set

80mm Deep Tray

Grill Pan Handle

Heavy Duty Grill Pan Handle

Pizza Set

VestFRY

Oil Filter

Meat Probe

Turnspit Set With Metal Bracket

Turnspit Set With Grid

## BO.112

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Without AddOn |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Ready Cook |
| *Control Panel* | Glass |
| *Glass Color* | Pure Black |
| *Knob Type* | Ferous - Black |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| 3D Cooking | (o) |
| Heat Wrap | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| LED Oven Light | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |
| Wifi | (o) |

## BO.105

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Without AddOn |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | Monochrome |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Troy - Black Painted |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| Soft Oven Lighting | |
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Heat Wrap | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| LED Oven Lamp | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |
| Wifi | (o) |

## BO.113

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Slim Type-Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Slim LED Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Bow - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| Heat Wrap | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| LED Oven Lamp | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |
| Wifi | (o) |



A+ and WiFi features are optional

## BO.109

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | I Type-Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Flat Quadrangle - Inox/WH Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| Soft Oven Lighting | |
| Vap Clean | (o) |
| Heat Wrap | (o) |
| Hot Air Shield | (o) |
| LED Oven Lamp | (o) |
| Silent Operation | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.96

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Visio Touch |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Flat Pipo - Wh Inox |
| *Handle Type* | Trio - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.106

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Mono Slim Stripe-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Visio Touch |
| *Control Panel* | Metal |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - Black |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.173

NEW

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | O Type-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Extended Touch Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Nevis - Black |
| *Handle Type* | V-Line - Inox/Black |
| *Oven Door* | Type - 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.174

NEW

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Extended Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Haruna - White |
| *Handle Type* | Verge - Inox |
| *Oven Door* | Type - 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.143R1

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | OEM Family Design Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Linea Inox - White |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Steam Base + | (o) |
| Silent Operation | (o) |
| A+ Energy Class | (o) |

## BO.97

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Eclipse - White |
| *Handle Type* | Ellipse Arc - White |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.120R1

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | O Type-Dark Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Dark Inox |
| *Glass Color* | Black |
| *Knob Type* | Nord - Dark Inox |
| *Handle Type* | Slim Bar - Black Anodized |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## BO.99

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | O Type-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - Black |
| *Handle Type* | D Profile Arc - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.144

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal- Dark Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - WH Inox |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.145R1

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Slim Type-Inox |
| *Control Type* | Standard Knob Control |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Ferous - Black |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 5 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| Active Cool | |
| A+ Energy Class | (o) |

## BO.146

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Dark Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Monochrome |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Verge - Black Anodized |
| *Oven Door* | Type 5 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Active Cool | |
| Soft Oven Lighting | |
| A+ Energy Class | (o) |

## BO.147

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | Slim LED Touch |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | - |
| *Handle Type* | V-Line - Inox/Black |
| *Oven Door* | Type 5 |

***Technologies***

Vap Clean
Active Cool
Soft Oven Lighting
A+ Energy Class (o)

## BO.150

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | - |
| *Handle Type* | Verge - Inox |
| *Oven Door* | Type 5 |

***Technologies***

Active Cool
Soft Oven Lighting
A+ Energy Class (o)

## BO.151R1

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Family Design Visio Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Linea Inox - Black |
| *Handle Type* | V Line - Inox/Black |
| *Oven Door* | Type 5 |

***Technologies***

3D Cooking
Active Cool
Vap Clean (o)
Meat Probe (o)
A+ Energy Class (o)

## BO.152

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Mono Stripe-Dark Inox |
| *Control Type* | Pop in Pop out |
| *Oven Controller* | Visio Touch |
| *Control Panel* | Metal - Dark Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat - Black |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 5 |

***Technologies***

| | |
|---|---|
| Active Cool | |
| Meat Probe | *(o)* |
| A+ Energy Class | *(o)* |

## BO.115

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Eclipse - WH Inox |
| *Handle Type* | Vero- Inox |
| *Oven Door* | Type 5 |

***Technologies***

| | |
|---|---|
| Active Cool | |
| A+ Energy Class | *(o)* |

## BO.148R1

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | Slim LED Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Verge-Black Anodized |
| *Oven Door* | Type 5 |

***Technologies***

| | |
|---|---|
| Vap Clean | |
| Active Cool | |
| Soft Oven Lighting | |
| A+ Energy Class | *(o)* |

## BO.149

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Dark Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Family Design Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 6 |

***Technologies***

| | |
|---|---|
| Vap Clean | |
| Active Cool | |
| Soft Oven Lighting | |
| A+ Energy Class | (o) |

## BO.110

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Steam Assisted |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Duo Stripe-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Ready Cook |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Pipo - Black |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 6 |

***Technologies***

| | |
|---|---|
| Vap Clean + | |
| Soft Oven Lighting | |
| Hot Air Shield | (o) |
| LED Oven Light | (o) |
| A+ Energy Class | (o) |

## BO.175

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Family Design Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | Nevis - Black |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type - 4 |

***Technologies***

| | |
|---|---|
| Steam Base + | |
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## BO.176

| | |
|---|---|
| *Product Family* | ***75L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Family Design Visio Touch |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | Flat Pipo - Black |
| *Handle Type* | Slim Bar - Black Anodized |
| *Oven Door* | Type - 6 |

| ***Technologies*** | |
|---|---|
| Steam Base + 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## BO.86

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Ready Cook |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Ferous - Black |
| *Handle Type* | D Profile Arc - Inox |
| *Oven Door* | Type 6 |

| ***Features*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| LED Oven Light | (o) |
| Meat Probe | (o) |
| WiFi | (o) |
| A++ Energy Class | (o) |
| A+ Energy Class | (o) |

## BO.116

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Slim Type-Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Monochrome |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | D Profile Arc - Inox |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| LED Oven Lamp | (o) |
| Meat Probe | (o) |
| WiFi | (o) |
| A+ Energy Class | (o) |

## BO.124

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Trio Stripe-Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Family Design Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | |
| Soft Oven Lighting | |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| LED Oven Lamp | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.70

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | I Type-Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Vero - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| Soft Oven Lighting | |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| LED Oven Lamp | (o) |
| Silent Operation | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.125R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | I Type-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | OEM Family Design Visio Touch |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Flat Pipo - White |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.126R1

| | | | |
|---|---|---|---|
| *Product Family* | ***65L Single Built-in Oven*** | ***Technologies*** | |
| *Product Type* | Standard | Vap Clean | (o) |
| ***General Design*** | | Hot Air Shield | (o) |
| *Product Design* | Metal AddOn | Silent Operation | (o) |
| *Design Model* | I Type-Inox | Meat Probe | (o) |
| *Control Type* | Pop In Pop Out Knob Control | A+ Energy Class | (o) |
| *Oven Controller* | Visio Touch | | |
| *Control Panel* | Glass | | |
| *Glass Color* | Mirror Glass | | |
| *Knob Type* | Flat Pipo - WH Inox | | |
| *Handle Type* | Cylinder - Inox | | |
| *Oven Door* | Type 4 | | |

## BO.78

| | | | |
|---|---|---|---|
| *Product Family* | ***65L Single Built-in Oven*** | ***Technologies*** | |
| *Product Type* | Standard | Vap Clean | (o) |
| ***General Design*** | | Hot Air Shield | (o) |
| *Product Design* | Metal AddOn | Silent Operation | (o) |
| *Design Model* | U Type-Inox | Meat Probe | (o) |
| *Control Type* | Pop In Pop Out Knob Control | A+ Energy Class | (o) |
| *Oven Controller* | Visio Touch | | |
| *Control Panel* | Glass | | |
| *Glass Color* | White | | |
| *Knob Type* | Pipo - Wh Inox | | |
| *Handle Type* | Vero - Inox | | |
| *Oven Door* | Type 4 | | |

## BO.127R1

| | | | |
|---|---|---|---|
| *Product Family* | ***65L Single Built-in Oven*** | ***Technologies*** | |
| *Product Type* | Standard | 3D Cooking | (o) |
| ***General Design*** | | Vap Clean | (o) |
| *Product Design* | Metal AddOn | Hot Air Shield | (o) |
| *Design Model* | U Slim Type-Inox | Steam Base | (o) |
| *Control Type* | Standard Knob Control | Steam Base + | (o) |
| *Oven Controller* | Family Design Digital Touch Timer | Silent Operation | (o) |
| | | A+ Energy Class | (o) |
| *Control Panel* | Glass | | |
| *Glass Color* | Black | | |
| *Knob Type* | Nevis - Black | | |
| *Handle Type* | Square - Inox/Black | | |
| *Oven Door* | Type 4 | | |

## BO.177

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Extended Touch Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Sierra - Black |
| *Handle Type* | V-Line - Inox/Black |
| *Oven Door* | Type - 4 |

| | |
|---|---|
| ***Technologies*** | |
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.178

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Extended Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Egon - WH Inox |
| *Handle Type* | Flat Quadrangle - Inox |
| *Oven Door* | Type - 4 |

| | |
|---|---|
| ***Technologies*** | |
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Silent Operation | (o) |
| A+ Energy Class | (o) |

## BO.117

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Big Macro - WH Inox |
| *Handle Type* | Cylinder - Inox |
| *Oven Door* | Type 4 |

| | |
|---|---|
| ***Technologies*** | |
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Silent Operation | (o) |
| A+ Energy Class | (o) |

## BO.42

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Timer with Black Button |
| *Control Panel* | Glass |
| *Glass Color* | Mink |
| *Knob Type* | Flat Pipo - Wh Inox |
| *Handle Type* | Vero - Inox |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Steam Base | (o) |
| Hot Air Shield | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.37

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Minute Minder with Black Button |
| *Control Panel* | Metal-Black |
| *Glass Color* | Black |
| *Knob Type* | Alfa - Black |
| *Handle Type* | Ellipse Arc - Black |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Steam Base | (o) |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## BO.26

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Minute Minder with White Button |
| *Control Panel* | Metal-White |
| *Glass Color* | White-Front Side Printed |
| *Knob Type* | Gama - White |
| *Handle Type* | Bow - White |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Steam Base | (o) |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## BO.167

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-White |
| *Glass Color* | White-Front Side Printed |
| *Knob Type* | Rimo - White |
| *Handle Type* | Bow - White |
| *Oven Door* | Type - 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.168

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Black |
| *Glass Color* | Black-Back Side Printed |
| *Knob Type* | Rimo - Black |
| *Handle Type* | Bow - Black |
| *Oven Door* | Type - 2 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.170

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Minute Minder with WH Inox Button |
| *Control Panel* | Glass -Black |
| *Glass Color* | Black-Back Side Printed |
| *Knob Type* | Rimo - WH Inox |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type - 2 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.171

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type -Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black-Back Side Printed |
| *Knob Type* | Rimo - WH Inox |
| *Handle Type* | Bow - Inox |
| *Oven Door* | Type - 2 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.17R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Mono Stripe-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Gama - WH Inox |
| *Handle Type* | Bow - Inox |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.118R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Without Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Big Macro - Black |
| *Handle Type* | Flat Slice - Inox/Black |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.18R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Without Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Nord - WH Inox |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.30R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Without Timer |
| *Control Panel* | Metal-White |
| *Glass Color* | White - Front Side Printed |
| *Knob Type* | Gama Ring - White |
| *Handle Type* | Bow - White |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.160

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Mono Stripe-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | - |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black-Back Side Printed |
| *Knob Type* | Rimo - WH Inox |
| *Handle Type* | Bow - Inox |
| *Oven Door* | Type - 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.161

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | - |
| *Control Panel* | Metal-Black |
| *Glass Color* | Black-Back Side Printed |
| *Knob Type* | Rimo - Black |
| *Handle Type* | Bow - Black |
| *Oven Door* | Type - 2 |

| | |
|---|---|
| ***Technologies*** | |
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.162

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | - |
| *Control Panel* | Metal-White |
| *Glass Color* | White-Front Side Printed |
| *Knob Type* | Rimo - Wkite |
| *Handle Type* | Bow - White |
| *Oven Door* | Type - 2 |

| | |
|---|---|
| ***Technologies*** | |
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.163

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | I Type -Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black-Back Side Printed |
| *Knob Type* | Rimo - WH Inox |
| *Handle Type* | Bow - Inox |
| *Oven Door* | Type - 2 |

| | |
|---|---|
| ***Technologies*** | |
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.119

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Rustic |
| *Design Model* | Metal Art |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal |
| *Glass Color* | White-Silver Serigraphy |
| *Knob Type* | Risus - Chrome/Black |
| *Handle Type* | Risus - Chrome/Black |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.108

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Rustic |
| *Design Model* | Metal Art |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Analog Timer (Programmable) |
| *Control Panel* | Metal |
| *Glass Color* | Retro Cream-Copper Serigraphy |
| *Knob Type* | Risus - Antique Gold/Black |
| *Handle Type* | Risus - Antique Gold |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.121

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Rustic |
| *Design Model* | Metal Art |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Without Timer |
| *Control Panel* | Metal |
| *Glass Color* | Black-Gold Serigraphy |
| *Knob Type* | Risus - Antigue Gold/Black |
| *Handle Type* | Risus - Antigue Gold |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.129

| | | | |
|---|---|---|---|
| *Product Family* | ***65L Single Built-in Oven*** | ***Technologies*** | |
| *Product Type* | Standard | 3D Cooking | (o) |
| ***General Design*** | | Vap Clean | (o) |
| *Product Design* | Standard | Hot Air Shield | (o) |
| *Design Model* | Rustic | Steam Base | (o) |
| *Control Type* | Glass Design B | A+ Energy Class | (o) |
| *Oven Controller* | Standard Knob Control | | |
| *Control Panel* | Mechanical Timer | | |
| *Glass Color* | Glass | | |
| *Knob Type* | Beige-Mink Serigraphy | | |
| *Handle Type* | Risus - Antigue Gold/Black | | |
| *Oven Door* | Type 4 | | |

## BO.50

| | | | |
|---|---|---|---|
| *Product Family* | ***65L Single Built-in Oven*** | ***Technologies*** | |
| *Product Type* | Standard | 3D Cooking | (o) |
| ***General Design*** | | Vap Clean | (o) |
| *Product Design* | Rustic | Hot Air Shield | (o) |
| *Design Model* | Glass Design C | Steam Base | (o) |
| *Control Type* | Standard Knob Control | A+ Energy Class | (o) |
| *Oven Controller* | Mechanical Timer | | |
| *Control Panel* | Glass | | |
| *Glass Color* | Cream-Copper Serigraphy | | |
| *Knob Type* | Risus - Copper/Black | | |
| *Handle Type* | Risus - Copper | | |
| *Oven Door* | Type 2 | | |

## BO.48

| | | | |
|---|---|---|---|
| *Product Family* | ***65L Single Built-in Oven*** | ***Technologies*** | |
| *Product Type* | Standard | 3D Cooking | (o) |
| ***General Design*** | | Vap Clean | (o) |
| *Product Design* | Rustic | Hot Air Shield | (o) |
| *Design Model* | Glass Design A | Steam Base | (o) |
| *Control Type* | Standard Knob Control | A+ Energy Class | (o) |
| *Oven Controller* | Analog Timer (Programmable) | | |
| *Control Panel* | Glass | | |
| *Glass Color* | Black-Gold Serigraphy | | |
| *Knob Type* | Risus - Gold/Black | | |
| *Handle Type* | Risus - Gold/Black | | |
| *Oven Door* | Type 2 | | |

## BO.128

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Rustic |
| *Design Model* | Glass Design D |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Analog Timer (Programmable) |
| *Control Panel* | Glass |
| *Glass Color* | White-Gold Serigraphy |
| *Knob Type* | Risus - Gold/White |
| *Handle Type* | Risus - Gold / White |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.46

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Rustic |
| *Design Model* | Glass Design B |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Without Timer |
| *Control Panel* | Glass |
| *Glass Color* | White-Silver Serigraphy |
| *Knob Type* | Risus - Chrome/White |
| *Handle Type* | Risus - Chrome |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.130R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Duo Stripe-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Ready Cook |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Linea Inox - Black |
| *Handle Type* | V-Line - Inox/Black |
| *Oven Door* | Type 5 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| Active Cool | |
| A+ Energy Class | (o) |

## BO.132

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal Addon |
| *Design Model* | Duo Stripe -Mat Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Monochrome |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Slim Bar - Black Anodized |
| *Oven Door* | Type 5 |

***Technologies***

| | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | (o) |
| Active Cool | (o) |
| Steam Base | (o) |

## BO.67

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Duo Stripe-Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Trio - Inox/WH Inox |
| *Oven Door* | Type 5 |

***Technologies***

Soft Lighting
Active Cool

## BO.135R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Visio Touch - White |
| *Control Panel* | Glass |
| *Glass Color* | Victoria Gray |
| *Knob Type* | Flat Pipo - WH Inox |
| *Handle Type* | Square - Inox/Black |
| *Oven Door* | Type 3 |

***Technologies***

| | |
|---|---|
| Meat Probe | (o) |
| Active Cool | (o) |

## BO.136

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Family Design Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | Flat - Black |
| *Handle Type* | V Line - Inox/Black |
| *Oven Door* | Type 5 |

| | |
|---|---|
| ***Technologies*** | |
| Active Cool | (o) |

## BO.65R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | N Type-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Rimo - WH Inox |
| *Handle Type* | Ellipse Arc - Inox |
| *Oven Door* | Type 3 |

## BO.89R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Mono Stripe-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Timer with WH Inox Button |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - WH Inox |
| *Handle Type* | Vero |
| *Oven Door* | Type 3 |

## BO.90

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Timer with Black Button |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Gama - White |
| *Handle Type* | D Profile Arc - White |
| *Oven Door* | Type 3 |

## BO.133

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Dark Inox |
| *Control Type* | Touch Control |
| *Oven Controller* | Family Design Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Verge - Black Anodized |
| *Oven Door* | Type 5 |

***Technologies***

| | |
|---|---|
| 3D Cooking | |
| Soft Oven Lighting | |
| Active Cool | |
| Meat Probe | *(o)* |

## BO.88R1

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Steam Assisted |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Ready Cook |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Ferous - Black |
| *Handle Type* | Cylinder - Inox |
| *Oven Door* | Type 4 |

***Features***

| | |
|---|---|
| Vap Clean + | |
| Soft Oven Lighting | |
| Hot Air Shield | *(o)* |
| LED Oven Light | *(o)* |
| A+ Energy Class | *(o)* |

## BO.137

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Steam Assisted |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | Family Design Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | - |
| *Handle Type* | Troy - Inox |
| *Oven Door* | Type 4 |

| ***Features*** | |
|---|---|
| Soft Oven Lighting | |
| Vap Clean + | |
| Hot Air Shield | (o) |
| LED Oven Lamp | (o) |
| A+ Energy Class | (o) |

## BO.138

| | |
|---|---|
| *Product Family* | ***65L Single Built-in Oven*** |
| *Product Type* | Steam Assisted |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Family Design Visio Touch |
| *Control Panel* | Glass |
| *Glass Color* | Silver |
| *Knob Type* | Flat - WH Inox |
| *Handle Type* | Verge - Inox |
| *Oven Door* | Type 6 |

| ***Features*** | |
|---|---|
| 3D Cooking | |
| Vap Clean + | |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## CO.01R1

| | |
|---|---|
| *Product Family* | ***50L Single Built-in Oven*** |
| *Product Type* | Steam Assisted |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Ready Cook |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Linea Inox - Black |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| Hot Air Shield | (o) |
| LED Oven Lamp | (o) |
| A+ Energy Class | (o) |

## CO.03

| | |
|---|---|
| *Product Family* | ***50L Single Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | Slim LED Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| Vap Clean | |
| Soft Oven Lighting | |
| Hot Air Shield | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## CO.02R1

| | |
|---|---|
| *Product Family* | ***50L Single Built-in Oven*** |
| *Product Type* | Pyrolytic |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Visio Touch |
| *Control Panel* | Metal |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - WH Inox |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 5 |

| ***Technologies*** | |
|---|---|
| Active Cool | |
| Meat Probe | (o) |

## CO.04

| | |
|---|---|
| *Product Family* | ***50L Single Built-in Oven*** |
| *Product Type* | Steam Assisted |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Touch Control |
| *Oven Controller* | OEM Family Design Full Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | - |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | |
| Vap Clean + | |
| Soft Oven Lighting | |
| Hot Air Shield | (o) |
| LED Oven Lamp | (o) |

## BO.101

| | |
|---|---|
| *Product Family* | ***75L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - Black |
| *Handle Type* | Cylinder - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.111R1

| | |
|---|---|
| *Product Family* | ***75L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | O Type-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Trio - WH Inox |
| *Handle Type* | D Profile Arc - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.102

| | |
|---|---|
| *Product Family* | ***75L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Timer with Inox Button |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - Wh Inox |
| *Handle Type* | Cylinder - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.103

| | |
|---|---|
| *Product Family* | ***75L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - WH Inox |
| *Handle Type* | Flat Quadrangle - Inox/WH Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.104

| | |
|---|---|
| *Product Family* | ***65L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Duo Stripe-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Eclipse - WH Inox |
| *Handle Type* | Trio - Inox |
| *Oven Door* | Type 4 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| A+ Energy Class | (o) |

## BO.91

| | |
|---|---|
| *Product Family* | ***65L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Visio Touch |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - Black |
| *Handle Type* | Vero - Inox |
| *Oven Door* | Type 4 |

| ***Features*** | |
|---|---|
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Silent Operation | (o) |
| Meat Probe | (o) |
| Silent Operation | (o) |
| A+ Energy Class | (o) |

## BO.69

| | |
|---|---|
| *Product Family* | ***65L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | I Type-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Timer with White Button |
| *Control Panel* | Glass |
| *Glass Color* | White |
| *Knob Type* | Flat Pipo - Inox |
| *Handle Type* | Flat Slice - Inox/Inox |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Meat Probe | (o) |
| A+ Energy Class | (o) |

## BO.02

| | |
|---|---|
| *Product Family* | ***65L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | I Type-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Timer with Inox Button |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - Inox |
| *Handle Type* | D Profile Arc - Inox |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |
| Hot Air Shield | (o) |
| Steam Base | (o) |
| Meat Probe | (o) |
| A++ Energy Class | (o) |
| A+ Energy Class | (o) |

## BO.58

| | |
|---|---|
| *Product Family* | ***65L Polyvalent Built-in Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal White |
| *Glass Color* | White |
| *Knob Type* | Gama - White |
| *Handle Type* | Flat Slice - White/White |
| *Oven Door* | Type 2 |

| ***Technologies*** | |
|---|---|
| Vap Clean | (o) |
| 3D Cooking | (o) |
| Steam Base | (o) |
| Hot Air Shield | (o) |
| A+ Energy Class | (o) |

## BI.01

| | |
|---|---|
| *Product Family* | ***Built-in Double Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Flat - Black |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 6 |

***Technologies***

| | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |

## BI.02

| | |
|---|---|
| *Product Family* | ***Built-in Double Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | U Type-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | OEM Family Design Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Flat - Black |
| *Handle Type* | V Line - Inox/Black |
| *Oven Door* | Type 6 |

***Technologies***

| | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |

## BI.04

| | |
|---|---|
| *Product Family* | ***Built-in Double Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Trio Stripe-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat - WH Inox |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |

## BU.01

| | |
|---|---|
| *Product Family* | ***Built-under Double Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Standard (Without AddOn) |
| *Design Model* | - |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Linea Inox - Black |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 6 |

| ***Technologies*** | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |

## BU.02

| | |
|---|---|
| *Product Family* | ***Built-under Double Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Trio Stripe-Inox |
| *Control Type* | Standard Knob Control |
| *Oven Controller* | OEM Family Design Digital Touch Timer |
| *Control Panel* | Glass |
| *Glass Color* | Black |
| *Knob Type* | Flat - Black |
| *Handle Type* | Slim Bar - Inox |
| *Oven Door* | Type 6 |

***Technologies***

| | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |

## BU.04

| | |
|---|---|
| *Product Family* | ***Built-under Double Oven*** |
| *Product Type* | Standard |
| ***General Design*** | |
| *Product Design* | Metal AddOn |
| *Design Model* | Mono Stripe-Inox |
| *Control Type* | Pop In Pop Out Knob Control |
| *Oven Controller* | Mechanical Timer |
| *Control Panel* | Metal-Inox |
| *Glass Color* | Black |
| *Knob Type* | Flat Pipo - WH Inox |
| *Handle Type* | Trim - Inox/Black |
| *Oven Door* | Type 6 |

***Technologies***

| | |
|---|---|
| 3D Cooking | (o) |
| Vap Clean | (o) |

*Built-in Cookers*

# Hobs

**1. Built-In Hobs**
- Induction Hobs
- Vitroceramic Hobs
- Hotplate Hobs
- Gas Hobs
  - Metal Cooktop Hobs
  - Gas on Glass Hobs

**2. Polyvalent Hobs**
- Induction Hobs
- Vitroceramic Hobs
- Hotplate Hobs

**3. Ventilation Hobs**
- Down Air Induction Hob
- Free Air Induction Hob

**4. Table Top Hobs**
- Metal Cooktop Hobs
- Gas on Glass Hobs

**5. Knob types**

**6. Packaging Types**

**7. Line-up**

**8. Specifications (Hobs)**

# Built-in Hobs

## Induction Hobs

Touch Control
Slider Touch Control

*Product Types;*
- 30 cm
- 60cm
- 78cm
- 90cm

## Ceramic Hobs

Knob Control
Touch Control
Slider Touch Control

*Product Types;*
- 30 cm
- 60 cm
- 78 cm

## Hotplate Hobs

Knob Control

Product Types;
- 30cm
- 60cm

## Gas Hobs

Knob Control

Product Types;
- 30cm (metal and glass cooktops)
- 60cm (metal and glass cooktops)
- 65cm (glass cooktops)
- 70cm (metal and glass cooktops)
- 75 cm (glass cooktops)
- 90 cm (glass cooktops)

# Induction Hobs

*%100 Vestel Induction Technology*

Ceramic glass

Induction Zone

Add on/frame

Bevel

Touch control

**Pot Detection**

If unsuitable pan or no pan is placed on the cooking zone, pot symbol flashes and the cooking zone will switch off automatically after 2 minutes.

**Safety Function**

Thermal cut off system
Safe usage with pan detector
The glass surface is nor directly heated, thanks to the induction technology.

**Hot Surface Indicator**

H symbol is displayed on the display of each zone after cooking

**Touch Surface**

Easy to use with touch control unit.

**Key Lock**

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.

**Auto Off**

The hob will shut off automatically if left idle for a long time. (1.5 to 6 hours depending on the power level)

**Keep Warm**

Keeps the cooking zone in 50°C

**Boiling Mode**

Fixes the cooking zone in boiling temperature (100°C)

**V-Flex**

Allows you to control the cooking zones as you wish.

**Speed Heating**

Speed heating with PowerBoost.

**Pause Function**

Will pause all the cooking in all zones and restart it from the same power levels when pressing again.
Keeps the paused zones warm.

**Timer**

Cooking duration control with timer

**Slider Touch**

Further developed user friendly touch control unit.

**Child Lock**

Safe usage with Child Lock

**Power Management**

Thanks to the power management function, the user can set the maximum power of the hob if needed. (13A, 15A, 16A, 32A)

**Frying Mode**

Fixes the cooking zone in frying temperature (160°C)

**Chocolate Melting**

Special function for chocolate melting (40°C)

**Bridge Zone**

The function locks two zones to act as a single zone for using large utensils.

Check Induction Hob Features Table for availability based on product type.

## ***Built-in Hobs***
Induction Hobs

### *Control Types*

**Touch Control Panel**
for 60cm and 78cm induction hobs

**Slider Touch Control Panel**
for 60cm and 78cm induction hobs

**Touch Control Panel** for 30cm induction hobs

**Touch Control Panel – Single On/Off** for 90cm induction hobs

**Slider Touch Control Panel** for 90cm induction hobs

**Slider Touch Control Panel** for 60cm and 78cm V-Flex Induction Hobs

**Hybrid Control Panel** for 60cm and 78cm Hybrid Induction Hobs

# ***Built-in Hobs***
Induction Hobs

## *Induction Zones*

**160mm Single Zone**
1400W/Boost 1800W
1300W for Series 2e

**210mm Single Zone**
2100W/Boost 2500W
1500W/Boost 1700W for Series 2e

**290mm Single Zone**
2800W/Boost 3500W
2500W/3000W for HOB ID 48/49

**Flex Zone**
4 x 900W/Boost 1200W

**Bridge Zone**
2 x 160mm 1400W/Boost 1800W

Check hob configurations table for induction hob cooktop options.

# ***Built-in Hobs***
Induction Hobs

## *Ceramic Glass Colors*

**Black**

**White**

**Victoria Gray**

**Zara Gray**

**Beige**

## ***Built-in Hobs***
Induction Hobs

### *Ceramic Glass Design*

**Slim Design**

**Plus Design**

**Line design**

**Flex Design**

## *Design Options*

**Peripheral Bevel (3D)**

**Front Side Bevel**

| **Bevel Application** | *30 cm* | *60 cm* | *78 cm* | *90 cm* |
|---|---|---|---|---|
| *Peripheral Bevel (3d)* | - | + | - | - |
| *Front Side Bevel* | + | + | + | + |

**4 Side Frame**

**2 Side Add On**

**2 Side Add On with Front Side Bevel**

| **Add On Application** | *30 cm* | *60 cm* | *78 cm* | *90 cm* |
|---|---|---|---|---|
| *4 Side Add On* | - | + | - | - |
| *2 Side Add On* | - | + | + | + |
| *2 Side AddOn with front edge Bevel* | - | + | + | + |

**Single Frame – 60cm**

**Single Frame – 30cm Series 2**

| **Frame Application** | *30 cm* | *60 cm* | *78 cm* | *90 cm* |
|---|---|---|---|---|
| *Single Frame* | + | + | - | - |

Logo can be applied on the front edge of the Single Frame-60cm

# Ceramic Hobs

**Speed Heating**

Speed heating with PowerBoost.

**Touch Control**

Easy to use with touch control unit.

**Pause Function**

Will pause all the cooking in all zones and restart it from the same power levels when pressing again.
Keeps the paused zones warm.

**Hot Surface Indicator**

H symbol is displayed on the display of each zone after cooking

**Key Lock**

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.

**Timer**

Cooking duration control with timer

**Slider Touch**

Further developed user friendly touch control unit.

**Child Lock**

Safe usage with Child Lock

**Safety Function**

Thermal cut off system
Safe usage with pan detector
The glass surface is nor directly heated, thanks to the induction technology.

**Auto Off**

The hob will shut off automatically if left idle for a long time. (1, 5 to 6 hours depending on the power level)

Check Ceramic Hob Features Table for availability based on product type.

## *Control Types*

**Touch Control Panel**
*for 60cm and 78cm ceramic hobs*

**Slider Touch Control Panel**
*for 60cm and 78cm ceramic hobs*

**Touch Control Panel**
*for 30cm ceramic hobs*

**Knob Control Panel**
*for 30cm and 60 cm ceramic hobs*

**Built-in Hobs**
Ceramic Hobs

## *Radiant Heating Elements*

Available only for 60m ceramic hobs

Single Zone
Φ145mm 1200W
Φ180mm 1800W

## *Highlight Heating Elements*

Available for 30cm, 60cm and 78cm hobs

Single Zone
Φ145mm 1200W
Φ180mm 1800W
Φ210mm 2300W

Dual Zone
Φ180mm 700W/1700W
Φ290 mm 1800W/2700W

Oval Zone
Φ145mm 1000W/1800W

*Check hob configurations table for ceramic hob cooktop options.*

***Built-in Hobs***
Induction Hobs

## *Ceramic Glass Colors*

**Black**

**White**

## *Ceramic Glass Design*

**Slim Design**

**Arc Design**

## *Design Options*

**Peripheral Bevel (3D)**

**Front Side Bevel**

| **Bevel Application** | *30 cm* | *60 cm* | *78 cm* | *90 cm* |
|---|---|---|---|---|
| *Peripheral Bevel (3d)* | - | + | - | - |
| *Front Side Bevel* | + | + | + | + |

**4 Side Frame**

**2 Side Add On**

**2 Side Add On with Front Side Bevel**

| **Frame/Add On Application** | *30 cm* | *60 cm* | *78 cm* | *90 cm* |
|---|---|---|---|---|
| *4 Side Add On* | - | + | - | - |
| *2 Side Add On* | | + | + | + |
| *2 Side AddOn with front edge Bevel* | | + | + | + |

**Single Frame – 60cm**

**Single Frame – 30cm Series 2**

| **Frame Application** | *30 cm* | *60 cm* | *78 cm* | *90 cm* |
|---|---|---|---|---|
| *Single Frame* | + | + | - | - |

Logo can be applied on the front edge of the Single Frame-60cm

# Hotplate Hobs

# ***Built-in Hobs***
HotPlate Hobs

## *Features*

**Rapid Heating**
Quick heating with rapid hotplates.

**Mechanical Timer**
Only for 30m hotplate hobs

## *Hotplate Heating Elements*

**Standard Hotplate**
Φ145mm 1000W
Φ180mm 1500W

**Rapid Hotplate**
Φ145mm 1500W
Φ180mm 2000W

Check hob configurations table for ceramic hob cooktop options.

## *Design Options*

**Flat R Type**
for 60 cm

**Flat S Type**
for 60 cm

**Flat O Type**
for 60 cm

**Surface**
for 60 cm

**Series 2**
for 30 cm

## *Color Options*

**Stainless Steel (Inox)**
Available for 30cm and 60cm hotplate hobs

**Black Enamel**
Available only for 60cm hotplate hobs

**White Enamel**
Available only for 60cm hotplate hobs

# Gas Hobs

Wok Burner
Glass Cooktop
Pan Support
Semi Rapid Burner
VESTEL
Knob Control
Auxiliary Burner
Rapid Burner
Burner Pan

Hotplate Heater
Burner Cap
VESTEL
Hotplate Heater
Operation Lamp

## ***Built-in Hobs***
Gas Hobs

**Metal Cooktop**

*Product Types;*
- 30 cm (full gas hobs)
- 60 cm (full gas, combined hobs)
- 70 cm (full gas, combined hobs)

**Gas on Glass**

*Product Types;*
- 30 cm (full gas hobs)
- 60 cm (full gas, combined hobs)
- 65 cm (full gas hobs)
- 70 cm (full gas, combined hobs)
- 75 cm (full gas hobs)
- 90cm (full gas hobs)

## *Features*

**Flame Failure Device for Gas Burners**

**Level Select Gas Control**

**Mechanical Timer**
*available for 60cm and 65 cm, for one burner*

**Ignition for Gas Burners**
*One touch ignition; through gas control knob*

**Ignition for Gas Burners**
*Button ignition*

**Ignition for Gas Burners**
*Button ignition*
*only smoohtline aesthetic*

## *Gas Burners and Electric Zones*

**Auxiliary Burner** 1000W
**SemiRapidBurner** 1750W
**Rapid Burner** 3000W

**Tripple Flame Wok Burner** 3200W

Available for 60cm front controlled metal cooktop hob

**Tripple Flame Wok Burner** 3600W

**High Efficiency Wok Burner** 4500W

Available for 75cm and 90cm gas on glass hob

**Semi Flat Burner**
**Auxiliary Burner** 1000W
**SemiRapidBurner** 1750W
**Rapid** 3000W

Available for 65cm and 70cm gas on glass

**Tripple Flame Wok Burner** 5000W

Available for 65cm and 70cm gas on glass hobs

**Standard Hotplate**
Φ145mm 1000W
Φ180mm 1500W

**Highlight Zone**
Φ145mm 1200W
Φ180mm 1800W

**Induction Zones**
160mm 1400W /Boost 1800W
210mm 2100W/Boost 2500W

Check hob configurations table for gas hob cooktop options.

## *Burner Caps*

**Enamel 3D Burner Cap** *Default*

**Cast Iron 3D Burner Cap** *Optional*

**Enamel Flat Burner Cap** *Optional*

**Cast Iron Flat Burner Cap** *Optional*

## *Pan Support Adapters*

**Enamel Wok Adapter**

**Cast Iron Wok Adapter**

**Cast Iron Wok Adapter**
*for High Efficiency Wok Burner*
*only 90cm gas on glass hob*

**Enamel Coffee Support**
for Enamel Pan Supports

**Matte Enamel Coffee Support**
for Cast Iron Pan Supports

## *Design Options for Metal Cooktop*

**Flat R Type**
*Available for only 60 cm*

**Flat S Type**
*Available for only 60 cm*

**Flat T Type**
*Available for only 60 cm*

**Surface**
*Available for only 60 cm*

**Smoothline**
*Available for only 60 cm*

**Division**
*Available for only 60 cm*

**Plus X Design**
*Available for only 60 cm and 70 cm*

**Plus X Design with Glass Control Panel**
*Available for 60cm and 70cm*

**Domino Series 2**
*Available only for 30cm*

## *Color Options for Metal Cooktops*

**Black Enamel**
Available Flat (R, S), Smoothline and 60cm Plus X Design

**Terra de France**
Available for Flat (R, S) and Smoothline Design

**White Enamel**
Available Flat (R, S), Smoothline and 60cm Plus X Design

**Stainless Steel (inox)**
Stainless Steel (Inox)
Available for all Designs

## *Pan Support Types for Metal Cooktops*

**S Type – Enamel Pan Support**
*Available for all design options for 60 and 70 cm*
*Available also for Matte Enamel*

**V Type – Enamel Pan Support**
*Available only for 60cm Flat and Surface Design*
*Available also for Matte Enamel*

**D Type – Enamel Pan Support**
*Available only for 60cm Flat and Surface Design*
*Available also for Matte Enamel*

**S Type – Cast Iron Pan Support**
*Available for all design options for 60 and 70 cm*

**Extenda Design- Cast Iron Pan Support**
*Available only for Flat T Design*

**Division Design- Cast Iron Pan Support**
*Available only for Flat T Design*

**E Design- Cast Iron Pan Support**
*Available only for Plus X Design*

Check Pan Support Tables for Availability due design options.

## *Design Options for Gas on Glass*

**Securit Standard**
*Available for 60cm and 65cm*

**Rustic Design**
*Available only for 60cm*

**Plus X Design**
*Available for 60cm and 70cm*

**90cm Securit Standard**

**Domino Series 1**

**Domino Series 2**

*Available only for 30cm*

**Smart Plus**
*Available for 65cm and 70cm*

**Division**
*Available only for 60cm*

**75cm Securit Standard**

## *Design Options for Gas on Glass*

**Pure Induction** *Available only for 60cm*

**Pure Ceramic** *Available only for 60cm*

## *Color Options for Gas on Glass*

**Black**

Available for all Designs

**Silver**

Available for Standard, Plus X, Smart Plus

**White**

Available for Standard, Plus X, Rustic Design and Smart Plus

**Mink**

Available for Standard, Plus X, Smart Plus

**Beige**

Available for Standard, Plus X, Rustic Design and Smart Plus

**Mirror**

Available for Standard, Plus X, Smart Plus

**Rustic Cream**

Available for Rustic Design

**Retro Cream**

Available for Rustic Designs

## *Pan Support Types for Gas on Glass*

**Line Design – Cast Iron Pan Support**
*Only for 60cm and 70cm Plus X Design*

**Deluxe Design – Cast Iron Pan Support**
*Only for 60cm and 70cm Plus X Design*

**Division Design – Cast Iron Pan Support**
*Only for Division Design*

**S Type – Cast Iron Pan Support**
*Only for 90cm gas on glass hob*

**E Design- Cast Iron Pan Support**
*Available only for Plus X Design*

## *Pan Support Types for Gas on Glass*

**Semi Flat Design – Cast Iron Pan Support**
*Only for Smart Plus Design*

**Enamel Standard Design**
Available also for Matte Enamel
Available for all design options

**Enamel PlusX Design**
Available also for Matte Enamel
Available for all design options

**Enamel Line Design**
Available also for Matte Enamel
Available for all design options

**Cast Iron Standard Design**
Available for all design options

**Cast Iron PlusX Design**
Available for all design options

**Check pan support table for availability due design options.**

## *Burner Pan Options for Gas on Glass*

**Enamel Burner Pan**

**Matte Enamel Burner Pan**

**Inox Burner Pan**

## *Nine step flame control with Semi Flat Burners and extended glass on gas hob*

***More wide surface***
*30 mm extra cooking area for 65cm*

***More precise control***
*9 step control*

**More efficent and faster cooking**
*20 percent higher efficent*

***Available also for 70cm***

# Polyvalent Hobs

# ***Built-in Hobs***
Polyvalent Hobs

## *Induction Hobs*

***Features***
*Timer (Default)*

***Induction Zones***
*160mm 1400W/Boost*
*1800W 210mm 2100W/Boost 2500W*

Check hob configurations table for induction hob cooktop options.

***Color Options***
Black
White

***Design Options***
*Bevel Application*
- Peripheral (3D)

*Frame/Add On Options*
- Single Frame
- 2 Sides Add on
- 4 Sides Add on
- Frame

*Ceramic Glass Design*
- Slim
- Plus
- Line

## *Ceramic Hobs*

***Features***
*Hot Surface Indicator*

***Highlight Heaters***
*Single Zone 145mm 1200W*
*Single Zone 180mm 1800W*
*Dual Zone 180mm 700W/1700W*
*Oval Zone 145mm 1000W/1800W*

Check hob configurations table for ceramic hob cooktop options.

***Color Options***
Black
White

***Design Options***
*Bevel Application*
- Front Side
- Peripheral (3D)

*Frame/Add On Options*
- Single Frame
- 2 Sides Add on
- 4 Sides Add on
- Frame

*Ceramic Glass Design*
- Slim
- Arc

## *Hotplate Hobs*

***Features***
*Rapid Hotplate (Optional)*

***Hotplate Heaters***
*145mm 1000W / Rapid 1500W 180mm*
*1500W / Rapid 2000W*

Check hob configurations table for hotplate hob cooktop options.

***Color Options***
Stainless Steel (Inox)

***Design Options***
- 3D Design (Standard)

# Ventilation Hobs

Down Air Induction Hob
Free Air Induction

*+ Induction Hob with integrated Ventilation System.*

*+ Ventilation system extracts steam and odors directly at its source.*

*+ Ventilation system design for maximum drawer size.*

# *Built-in Hobs*
Ventilation Hobs

## *Down Air Induction Hob*

- 78 cm induction hob with integrated extractor
- A Energy Efficiency Class (EEI)
- 4 speed
- Sound Power Level at min. 54 dB(A) – max. 71 dB(A)
- Timer (15 min. automatic overrun)
- Dishwasher safe metal air filter

Check Hood Features Table for details.

## *Free Air Induction Hob*

- Independent extractor with 2 domino hobs.
- A Energy Efficiency Class (EEI)
- 4 speeds
- Sound Power Level at min. 55 dB(A) – max. 68 dB(A)
- Dishwasher safe metal air filter

**Speed Heating**

Speed heating with PowerBoost.

**Timer**

Cooking duration control with timer

**Pause Function**

Will pause all the cooking in all zones and restart it from the same power levels when pressing again. Keeps the paused zones warm.

**Auto Off**

The hob will shut off automatically if left idle for a long time. (1, 5 to 6 hours depending on the power level)

**Safety Function**

Thermal cut off system
Safe usage with pan detector
The glass surface is nor directly heated, thanks to the induction technology.

**Touch Control**

Easy to use with touch control unit.

**Child Lock**

Safe usage with Child Lock

**Key Lock**

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.

**High Efficiency**

High Efficiency with low energy consumption

**Bridge Zone**

This function locks two zones to act as a single zone for using large utensils.

Check Induction Hob Features Table for availability based on product type.

# Table Top Hobs

# ***Built-in Hobs***
Table Top Hobs

## *Metal Cooktop*

*Product Types;*
- *60 cm gas Hobs*
- *60 cm gas-electric combined hobs*
- *60cm electric hobs (Hotplate)*

## *Gas on Glass*

*Product Types;*
- *60 cm gas Hobs*
- *60 cm gas-electric combined hobs*

**New Generation Metal Table Top Hob** *Frameless Design*

**New Generation Gas on Glass Table Top Hob**

## *Features*

**Flame Failure Device**
*for Gas Burners*

**Ignition for gas burners-1**
*One touch ignition through gas* control knob

**Ignition for Gas Burners-2**
*Button Ignitions*
*Available for Metal CookTop*

**Glass Lid**
*Available for Metal CookTop*

## *Gas Burners and Electric Zones*

**Auxiliary Burner** 1000W
**SemiRapidBurner** 1750W
**Rapid Burner** 3000W

**Tripple Flame Wok Burner** 3600W

**Standard Hotplate**
Φ145mm 1000W
Φ180mm 1500W

Check hob configurations table for gas hob cooktop options.

## *Burner Caps*

**Enamel 3D Burner Cap** *Default*

**Cast Iron 3D Burner Cap** *Optional*

**Enamel Flat Burner Cap** *Optional*

**Cast Iron Flat Burner Cap** *Optional*

## *Pan Support Adapters*

**Enamel WOK Adapter**

**Cast Iron WOK Adapter**

**Enamel Coffee Support**
for Enamel Pan Supports

**Matte Enamel Coffee Support**
for Cast Iron Pan Supports

## *Color Options for Metal Cooktops*

**Black Enamel Cooktop**

**White Enamel Cooktop**

**Stainless Steel (inox) Cooktop**

## *Pan Support Types for Metal Cooktops*

**S Type – Enamel Pan Support**
Available for all design options for 60cm and 70
Available for also for Matte Enamel

**V Type – Enamel Pan Support**
Available only for 60cm Flat and Surface Design
Available for also for Matte Enamel

**D Type – Enamel Pan Support**
Available only for 60cm Flat and Surface Design
Available for also for Matte Enamel

**S Type – Cast Iron Pan Support**
Available for all design options for 60cm and 70
Available for also for Matte Enamel

Check Pan Support Tables for Availability due design options.

## *Color Options for Gas on Glass*

**Black Glass Cooktop**

**White Glass Cooktop**

**Silver Glass Cooktop**

## *Pan Support Types for Gas on Glass*

**Enamel Standard Design**
Available also for Matte Enamel

**Cast Iron Standard Design**

**PlusX Enamel Design**
Available for also for Matte Enamel

**Cast Iron PlusX Design**

Check Pan Support Tables for Availability due design options.

## *Burner Pan*

**Enamel Burner Pan**

**Matte Enamel Burner Pan**

**Inox Burner Pan**

## *Color Options for Frame*

**Black Painted**

**Silver Painted**

**White Painted**

**Stainless Steel (Inox)**

## *Packaging Types*

WRAP CARTON PACK
- Colourful printing is available up to 4 colours.

FLEXO CARTON BOX
- Colourful printing is available up to 4 colours.

OFFSET PRINTING
- Multiple color high definition printing. Background for the surface printing is of white paper.
- Available for both Wrap Carton pack and Carton Box

## VIFTC.24

***90cm Built In Induction Hob***

***General Features***

HOB ID 5I-40
4 xØ160mm 1400W/B1800W
1 xØ250mm 2800W/B3500W
Bridge Zone (x2)
Slider Touch Control
Black Ceramic Glass
Line Design

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.25

***90cm Built In Induction Hob***

***General Features***

HOB ID 5I-39
3 xØ160mm 1400W/B1800W
1 xØ200mm 2100W/B2500W
1 xØ250mm 2800W/B3500W
Bridge Zone
Slider Touch Control
Black Ceramic Glass
Line Design

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.26

***90cm Built In Induction Hob***

***General Features***

HOB ID 5I-26
2 xØ160mm 1400W/B1800W
2 xØ200mm 2100W/B2500W
1 xØ250mm 2800W/B3500W
Touch Control
Black Ceramic Glass
Slim Design

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.01

***78cm Built In Induction Hob***

***General Features***
HOB ID 4I-33
2 xØ160mm 1400W/B1800W
2 xØ210mm 2100W/B2500W
Slider Touch Control
Black Ceramic Glass
Line Design
2 Side AddOn with Bevel

***Optional Features***
Mode Function

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.02R1

***78cm Built In Induction Hob***

***General Features***
HOB ID 4I-33
2 xØ160mm 1400W/B1800W
2 xØ210mm 2100W/B2500W
Slider Touch Control
Black Ceramic Glass
Plus Design
Peripheral Bevel (3D)
Front Side Bevel

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.05R1

***78cm Built In Induction Hob***

***General Features***
HOB ID 4I-33
2 xØ160mm 1400W/B1800W
2 xØ210mm 2100W/B2500W
Touch Control
Black Ceramic Glass
Line Design
Front Side Bevel

***Optional Features***
Mode Function

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.06

***78cm Built In Induction Hob***

***General Features***

HOB ID 4I-37
2 x∅160mm 1400W/B1800W
2 x∅210mm 2100W/B2500W
Power Management (13A)
Touch Control
Black Ceramic Glass
Slim Design
2 Side AddOn

***Optional Features***

Power Management
(15A, 16A, 32A )
Slider Touch Control

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.28

***78cm Built In Induction Hob***

***General Features***

HOB ID 8I-46
8 X 900W/B1200W
Slider Touch Control
Black Ceramic Glass
Flex Design

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Cleaning Function
Cooking Functions
Bridge Zone
Autosense

## VIFTC-DA.01

***Down Air Induction Hob (78cm)***

***General Features***

HOB ID 4I-47
3 x∅160mm 1400W/B1800W
1 x∅210mm 2100W/B2500W
Bridge Zone
Touch Control
Black Ceramic Glass
Line Design
Air Filter Design - Hatch

***Key Features (Hood)***

4 Speeds
Timer (15min. Auto overrun)
A Energy Efficiency Class (EEI)
Sound Power Level
*min.54 dB(A) - max. 71 dB(A)*

***Key Features (Hob)***

Timer
Speed Heating
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Child Lock
Auto Off
Key Lock

## VIFTC.27

***60cm Built In Induction Hob***

***General Features***

HOB ID 8I-46
8 X 900W/B1200W
Slider Touch Control
Black Ceramic Glass
Flex Design

***Key Features***

Flex Zone
Bridge Zone
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Cleaning Function
Cooking Functions
Autosense
Power Management

## VIFTC.21

***60cm Built In Induction Hob***

***General Features***

HOB ID 4I-38
4 XØ160mm 1400W/B1800W
Bridge Zone (X2)
Slider Touch Control
Black Ceramic Glass
Line Design
Single Frame (with Logo)

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIHTC.01

***Free Air Induction Hobs (2x30cm)***

***General Features***

HOB ID 6I-50
4 X 900W/B1200W
1 XØ160mm 1400W/B1800W
1 XØ210mm 2100W/B2500W
Bridge Zone
Slider Touch Control
Black Ceramic Glass
Flex Design

***Key Features (Hob)***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function
Autosense

## VIFTC.18

***60cm Built In Induction Hob***

***General Features***

HOB ID 4I-35
3 x∅160mm 1400W/B1800W
1 x∅210mm 2100W/B2500W
Bridge Zone
Slider Touch Control
Black Ceramic Glass
Slim Design
Single Frame (with Logo)
-

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.09

***60cm Built In Induction Hob***

***General Features***

HOB ID 4I-35
3 x∅160mm 1400W/B1800W
1 x∅200mm 2100W/B2500W
Slider Touch Control
Black Ceramic Glass
Slim Design
Peripheral Bevel (3D)

***Optional Features***

Mode Function

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.13

***60cm Built In Induction Hob***

***General Features***

HOB ID 4I-37
2 x∅160mm 1400W/B1800W
2 x∅200mm 2100W/B2500W
Touch Control
Power Management (13A)
Black Ceramic Glass
Slim Design

***Optional Features***

Power Management
(15A, 16A, 32A )
Slider Touch Control

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.08

***60cm Built In Induction Hob***

***General Features***
HOB ID 4I-33
2 xØ160mm 1400W/B1800W
2 xØ200mm 2100W/B2500W
Slider Touch Control
Black Ceramic Glass
Plus Design
Peripheral Bevel (3D)

***Optional Features***
Mode Function

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.12

***60cm Built In Induction Hob***

***General Features***
HOB ID 4I-32
2 xØ160mm 1400W/B1800W
2 xØ200mm 2100W/B2500W
Touch Control
Black Ceramic Glass
Plus Design
4 Side AddOn

***Key Features***
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFT.29

***60cm Built In Induction Hob***

***General Features***
HOB ID 4I-35
3 xØ160mm 1400W/B1800W
1 xØ200mm 2100W/B2500W
Bridge Zone
Slider Touch Control
Black Ceramic Glass
Plus Design
Front Side Bevel

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.10

***60cm Built In Induction Hob***

***General Features***

HOB ID 3I-31
1 xØ160mm 1400W/B1800W
1 xØ200mm 2100W/B2500W
1 xØ290mm 2800W/B3500W
Slider Touch Control
Black Ceramic Glass
Slim Design
Optional Features
Mode Function

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.20

***60cm Built In Induction Hob***

***General Features***

HOB ID 3I-34
2 xØ160mm 1400W/B1800W
1 xØ290mm 2800W/B3500W
Bridge Zone
Slider Touch Control
Black Ceramic Glass
Line Design
-

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.14

***60cm Built In Induction Hob***

***General Features***

HOB ID 3I-28
1 xØ160mm 1400W/B1800W
2 xØ200mm 2100W/B2500W
Touch Control
Black Ceramic Glass
Slim Design
Peripheral Bevel (3D)

***Key Features***

Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.30

***60cm Built In Induction Hob***

***General Features***
HOB ID 4I-38
4 xØ160mm 1400W/B1800W
Bridge Zone (X2)
Slider Touch Control
Victoria Grey Ceramic Glass
Line Design

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.31

***60cm Built In Induction Hob***

***General Features***
HOB ID 4I-38
4 xØ160mm 1400W/B1800W
Bridge Zone (X2)
Slider Touch Control
Zara Grey Ceramic Glass
Line Design

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.32

***60cm Built In Induction Hob***

***General Features***
HOB ID 3I-34
2 xØ160mm 1400W/B1800W
1 xØ290mm 2800W/B3500W
Bridge Zone
Slider Touch Control
Beige Ceramic Glass
Line Design

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock
Mode Function

## VIFTC.29

***60cm Built In Induction Hob***

***General Features***
HOB ID 4I-33
2 x∅160mm 1400W/B1800W
2 x∅200mm 2100W/B2500W
Touch Control
White Ceramic Glass
Slim Design

***Optional Features***
Slider Touch Control
Mode Function

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.22 Series 2E

NEW

***60cm Built In Induction Hob (Series 2e)***

***General Features***
HOB ID 4I-45
2 x∅160mm 1300W
1 x∅210mm 1500W
1 x∅210mm 1500W/B1700W
Touch Control
Black Ceramic Glass
Slim Design

***Key Features***
Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VIFTC.23 Series_2E

NEW

***60cm Built In Induction Hob (Series 2e)***

***General Features***
HOB ID 4I-42
1 x∅160mm 1300W
1 x∅210mm 1500W
1 x∅210mm 1500W/B1700W
Touch Control
Black Ceramic Glass
Slim Design

***Key Features***
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VFTC.01

***78cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-10
1 xØ145mm 1200W
1 xØ180mm 1800W
1 xØ180mm Dual 700W/1700W
1 xØ145mm Oval 1000W/1800W
Touch Control
Black Ceramic Glass
Slim Design

***Optional Features***

Slider Touch Control

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VFTC.04

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-06
1 xØ145mm 1200W
1 xØ180mm 1800W
1 xØ180mm Dual 700W/1700W
1 xØ145mm Oval 1000W/1800W
Slider Touch Control
Black Ceramic Glass
Slim Design
Peripheral Bevel (3D)

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VFTC.06

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-27
2 xØ145mm 1200W
2 xØ180mm 1800W
Touch Control
Black Ceramic Glass
Slim Design
Single Frame with Logo

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VFTC.12

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-01
2 xØ145mm 1200W
2 xØ180mm 1800W
Touch Control
Black Ceramic Glass
Arc Design

***Key Features***

Safety Function
Hot Surface Indicator
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VFTC.08

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-02
2 xØ145mm 1200W
1 xØ180mm 1700W
1 xØ180mm Dual 700W/1800W
Touch Control
White Ceramic Glass
Slim Design

***Key Features***

Safety Function
Hot Surface Indicator
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VFTC.11

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 3V-26
1 xØ145mm 1200W
1 xØ180mm 1800W
1 xØ290mm Dual 1800W/2700W
Touch Control
Black Ceramic Glass
Slim Design
Front Side Bevel

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## VKC.07

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-01
2 xØ145mm 1200W
2 xØ180mm 1800W
Knob Control - Big Macro(Black)
Black Ceramic Glass
Slim Design

***Key Features***

Hot Surface Indicator

## VKC.02

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-03
2 xØ145mm 1200W
2 xØ180mm 1800W
2 xØ210mm 2300W
Knob Control - Antero(WH Inox)
Black Ceramic Glass
Arc Design

***Key Features***

Hot Surface Indicator

## VKC.06

***60cm Built In Ceramic Hob***

***General Features***

HOB ID 4V-01
2 xØ145mm 1200W
2 xØ180mm 1800W
Knob Control - Gama(Black)
Black Ceramic Glass
Arc Design

***Key Features***

Hot Surface Indicator

## VICH.01

***60cm Polyvalent Induction Hob***

***General Features***

HOB ID 4I-21
2 x∅160mm 1400W/B1800W
2 x∅200mm 2100W/B2500W
Black Ceramic Glass
Slim Design
Single Frame with Logo

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating

## VCH.02

***60cm Polyvalent Ceramic Hob***

***General Features***

HOB ID 4V-09
2 x∅145mm 1200W
1 x∅180mm Dual
700W/1700W
1 x∅145mm Oval
1000W/1800W
Black Ceramic Glass
Slim Design
Peripheral Bevel (3D)

***Key Features***

Hot Surface Indicator

## VCH.03

***60cm Polyvalent Ceramic Hob***

***General Features***

HOB ID 4V-01
2 x∅145mm 1200W
2 x∅180mm 1800W
Black Ceramic Glass
Slim Design

***Key Features***

Hot Surface Indicator

## BGOGH.44

***90cm Built In Gas On Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 4500W
Standard Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Flat Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

High Efficiency Wok Burner
Flame Safety Device
One Touch Ignition

## BGOGH.62

NEW

***90cm Built In Gas On Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 4500W
Standard Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Sierra Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

High Efficiency Wok Burner
Flame Safety Device
Level Select

## BGOGH.46

***70cm Built In Gas on Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 5000W
Smart Plus Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Semi Flat Burners
Flame Safety Device
One Touch Ignition

## BGOGH.17R1

***70cm Built In Gas on Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Plus X
Cast Iron 3D Burner Cap
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
Level Select

## BGOGH.28

***70cm Built In Gas on Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Line
Cast Iron 3D Burner Cap
Flat Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.47

***70cm Built In Gas on Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Enamel Pan Supports - Standard
Enamel 3D Burner Cap
Big Rimo Knobs - WH Inox
Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.29

***70cm Built In Gas on Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Line
Cast Iron 3D Burner Cap
Big Macro Knobs - White
Inox Burner Pan
Flat Glass - White

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.31

***70cm Built In Gas on Glass Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Deluxe
Cast Iron Flat Burner Cap
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.52

***75cm Built In Gas on Glass Hob***

***General Features***

HOB ID 2G-23
2 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - S TYPE
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

High Efficiency Wok Burner
Flame Safety Device
One Touch Ignition

## BGOGH.48

***65cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
Smart Plus Design
Cast Iron Pan Supports - S TYPE
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Semi Flat Burners
Level Select Gas Control
Flame Safety Device
One Touch Ignition

## BGOGH.61

NEW

***90cm Built In Gas On Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
Smart Plus Design
Cast Iron Pan Supports - S TYPE
Nevis Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Semi Flat Burners
Level Select Control
Flame Safety Device
Mechanical Timer

## BGOGH.20

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
Plus X Design
Cast Iron Pan Supports - Line
Cast Iron Flat Burner Cap
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.32R1

***60cm Built In Gas on Glass Hob***

***General Features***
HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Line
Cast Iron Flat Burner Cap
Flat Knobs - WH Inox
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***
Flame Safety Device
Level Select

## BGOGH.36

***60cm Built In Gas on Glass Hob***

***General Features***
HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Line
Cast Iron 3D Burner Cap
Big Macro Knobs - White
Inox Burner Pan
Flat Glass - White

***Key Features***
Flame Safety Device
One Touch Ignition

## BGOGH.50

***60cm Built In Gas on Glass Hob***

***General Features***
HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Wok Burner 3600W
Plus X Design
Enamel Pan Supports - Plus X
Enamel 3D Burner Cap
Big Macro Knobs - White
Enamel Burner Pan
Flat Glass - White

***Key Features***
Flame Safety Device
One Touch Ignition

## BGOGH.34

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - Deluxe
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Burner Pan
Flat Glass - Mirror

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.19

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
Plus X Design
Cast Iron Pan Supports - Deluxe
Cast Iron Flat Burner Cap
Flat Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.21

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
Plus X Design
Cast Iron Pan Supports - Plus X
Cast Iron Flat Burner Cap
Flat Knobs - WH Inox
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.49

***60cm Built In Gas on Glass Hob***

***General Features***
HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
Plus X Design
Enamel Pan Supports - Plus X
Enamel 3D Burner Cap
Big Macro Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***
Flame Safety Device
One Touch Ignition

## BGOGH.18

***60cm Built In Gas on Glass Hob***

***General Features***
HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 145mm Hotplate 1000W
Plus X Design
Enamel Pan Supports - Plus X
Enamel 3D Burner Cap
Big Macro Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***
Flame Safety Device
One Touch Ignition

## BGOGH.24

***60cm Built In Gas on Glass Hob***

***General Features***
HOB ID 2G2I-69
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X∅160mm 1400W/B1800W
1 X∅200mm 2100W/B2500W
Pure Design
Enamel Pan Supports - Standard
Enamel 3D Burner Cap
Big Macro Knobs - Black
Enamel Burner Pan
Ceramic Glass - Black

***Key Features***
Flame Safety Device
One Touch Ignition

## BGOGH.25

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 2G2V-62
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 xØ145mm 1200W
1 xØ180mm 1800W
Pure Design
Cast Iron Pan Supports - Plus X
Cast Iron Flat Burner Cap
Alfa Knobs - Black
Matte Enamel Burner Pan
Ceramic Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition
Hot Surface Indicator

## BGOGH.23R1

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 3G1V-67
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 xØ180mm Dual 700W/1700W
Pure Design
Enamel Pan Supports - Standard
Enamel 3D Burner Cap
Alfa Knobs - Black
Enamel Burner Pan
Ceramic Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition
Hot Surface Indicator

## BGOGH.01

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Standard Design
Enamel Pan Supports - Standard
Enamel 3D Burner Cap
Big Macro Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.05R1

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Wok Burner 3600W
Standard Design
Cast Iron Pan Supports - Standard
Cast Iron Flat Burner Cap
Trio Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.60

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Standard Design
Cast Iron Pan Supports - Plus X
Cast Iron Flat Burner Cap
Sierra Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition
Mechanical Timer

## BGOGH.26R1

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Standard Design
Cast Iron Pan Supports - Standard
Cast Iron 3D Burner Cap
Alfa Knobs - White
Matte Enamel Burner Pan
Flat Glass - White

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.53

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Standard Design
Cast Iron Pan Supports - Plus X
Cast Iron Flat Burner Cap
Big Macro Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Silver

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.11R1

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Standard Design
Enamel Pan Supports - Plus X
Enamel 3D Burner Cap
Alfa Knobs - Black
Enamel Burner Pan
Flat Glass - Mink

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.13

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Wok Burner 3600W
Standard Design
Cast Iron Pan Supports - Standard
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Burner Pan
Flat Glass - Mirror

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.43

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Division Design
Cast Iron Pan Supports - Division
Enamel 3D Burner Cap
Big Macro Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.41R1

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 3G-21
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Wok Burner 3600W
Standard Design
Cast Iron Pan Supports - Plus X
Cast Iron 3D Burner Cap
Ferous Knobs - Black
Matte Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.54

NEW

***65cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Standard Design
Enamel Pan Supports - Plus X
Enamel 3D Burner Cap
Alfa Knobs - Black
Enamel Burner Pan
Flat Glass - Black

***Key Features***

Flame Safety Device
One Touch Ignition
Extended Cooking Area

## BGOGH.27

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Rustic Design - C
Enamel Pan Supports - Plus X
Enamel 3D Burner Cap
Rustic Knobs - Black/Gold
Enamel Burner Pan
Flat Glass - Black/Gold

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.12

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Rustic Design - C
Enamel Pan Supports - Standard
Enamel 3D Burner Cap
Rustic Knobs - Black/Copper
Enamel Burner Pan
Flat Glass - Cream/Copper

***Key Features***

Flame Safety Device
One Touch Ignition

## BGOGH.15

***60cm Built In Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Rustic Design - B
Enamel Pan Supports - Standard
Enamel 3D Burner Cap
Rustic Knobs - Black/Chrome
Enamel Burner Pan
Flat Glass - White/Silver

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.44

***70cm Built In Gas Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop with Glass Control Panel

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.45R1

***70cm Built In Gas Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Alfa Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## 75_BGH.46R1

NEW

***70cm Built In Gas Hob***

***General Features***

HOB ID 5G-51
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Rapid Burner 3000W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Nevis Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
Level Select

## BGH.47R1

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 x Wok Burner 3600W
Plus X Design
Cast Iron Pan Supports - S TYPE
Cast Iron 3D Burner Cap
Alfa Knobs - WH Inox
Inox Cooktop with Glass Control Panel

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.48

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Plus X Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop with Glass Control Panel

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.61

NEW

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Plus X Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Muria Knobs - WH Inox

***Key Features***

Flame Safety Device
Level Select

## BGH.57

***60cm Built In Gas Hob***

***General Features***
HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Plus X Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Big Macro Knobs - Black
Enamel Cooktop - Black

***Key Features***
Flame Safety Device
One Touch Ignition

## BGH.50

***60cm Built In Gas Hob***

***General Features***
HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Plus X Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Big Macro Knobs - White
Enamel Cooktop - White

***Key Features***
Flame Safety Device
One Touch Ignition

## BGH.51R1

***60cm Built In Gas Hob***

***General Features***
HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Plus X Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Trio Knobs - WH Inox
Inox Cooktop

***Key Features***
Flame Safety Device
One Touch Ignition

## BGH.52

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Division Design
Cast Iron Pan Supports - Division
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.29

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.05

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Gama Knobs - White
Enamel Cooktop - White

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.08

***60cm Built In Gas Hob***

***General Features***
HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Flat S Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Nord Knobs - White
Enamel Cooktop - White

***Flame Safety Device***
One Touch Ignition

## BGH.02

***60cm Built In Combined Hob***

***General Features***
HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 180mm Hotplate 1500W
Surface Design
Cast Iron Pan Supports - S TYPE
Cast Iron 3D Burner Cap
Gama Knobs - Black
Inox Cooktop

***Key Features***
Flame Safety Device
One Touch Ignition

## BGH.07

***60cm Built In Combined Hob***

***General Features***
HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 180mm Hotplate 1500W
Surface Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Alfa Knobs - White
Enamel Cooktop - White

***Key Features***
Flame Safety Device
One Touch Ignition

## BGH.03

***60cm Built In Combined Hob***

***General Features***

HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 180mm Hotplate 1500W
Flat R Dsign
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.09R1

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Wok Burner 3600W
Surface Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Egon Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.10

***60cm Built In Combined Hob***

***General Features***

HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 180mm Hotplate 1500W
Surface Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Gama Knobs - Black
Enamel Cooktop - Black

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.01

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.43

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Flat T Design
Cast Iron Pan Supports - Extenda
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.40R1

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Smoothline Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Iraya Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.60

NEW

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Design
Enamel Pan Supports - S TYPE
Enamel Flat Burner Cap
Sierra Knobs - WH Inox
Inox Cooktop

***Key Features***

Flame Safety Device
One Touch Ignition
Mechanical Timer

## BGH.39

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Smoothline Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Gama Knobs - White
Enamel Cooktop - White

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.54

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Smoothline Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Gama Knobs - Black
Enamel Cooktop - Black

***Key Features***

Flame Safety Device
Button Ignition

## BGH.53R1

***60cm Built In Combined Hob***

***General Features***

HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 180mm Hotplate 1500W
Flat T Design
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Iraya Knob -White
Enamel Cooktop - White

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.28

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Rustic Design-B
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Rustic Knobs - Black/Chrome
Enamel Cooktop - Black/Silver

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.31

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Rustic Design-A
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Rustic Knobs - Black/Antigue Gold
Enamel Cooktop - White/Gold

***Key Features***

Flame Safety Device
One Touch Ignition

## BGH.30

***60cm Built In Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Surface Rustic Design-A
Enamel Pan Supports - S TYPE
Enamel 3D Burner Cap
Rustic Knobs - Black/Gold
Enamel Cooktop - Black/Gold

***Key Features***

Flame Safety Device
One Touch Ignition

## BEH01

***60cm Built In Hotplate Hob***

***General Features***

HOB ID 4E-01
2 X 145 Hotplate 1000W
2 X 180 Hotplate 1500W
Surface Design
Big Macro Knobs - WH Inox
Inox Cooktop

## BEH.02

***60cm Built In Hotplate Hob***

***General Features***

HOB ID 4E-01
2 X 145 Hotplate 1000W
2 X 180 Hotplate 1500W
Surface Design
Alfa Knobs - WH Inox
Enamel Cooktop - Black

## BEH.05

***60cm Built In Hotplate Hob***

***General Features***

HOB ID 4E-01
2 X 145 Hotplate 1000W
2 X 180 Hotplate 1500W
Flat O Type Design
Gama Knobs - Black
Inox Cooktop

## BCH.03

***60cm Polyvalent Hotplate Hob***

***General Features***

HOB ID 4E-02
2 X 145 Hotplate 1000W
1 X 180 Hotplate 1500W
1 X 180 Rapid Hotplate 2000W
3D Design
Inox Cooktop

## DVHS2.01

***30cm Built In Ceramic Hob***

***General Features***

HOB ID 2V-16
1 x∅145mm 1200W
1 x∅180mm 1800W
Knob Control - Big Macro (Black)
Black Ceramic Glass
Slim Design
Inox Frame (Domino Series 2)

***Key Features***

Hot Surface Indicator

## DEHS2.01

***30cm Built In Hotplate Hob***

***General Features***

HOB ID 2E-08
1 X 145 Hotplate 1000W
1 X 180 Rapid Hotplate 2000W
Domino Seires 2 Design
Big Macro Knobs - WH Inox

## DGHS2.05

***30cm Built In Gas Hob***

***General Features***

HOB ID 2G-10
1 X Wok Burner 3600W
Domino Seires 2 Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox

***Key Features***

Flame Safety Device
One Touch Ignition

## DGHS2.04

***30cm Built In Gas Hob***

***General Features***

HOB ID 2G-20
1 X Auxiliary Burner 1000W
1 X Rapid Burner 3000W
Domino Seires 2 Design
Cast Iron Pan Supports - S TYPE
Cast Iron Flat Burner Cap
Big Macro Knobs - WH Inox

***Key Features***

Flame Safety Device
One Touch Ignition

## DGHS2.01

***30cm Built In Gas on Glass Hob***

***General Features***

HOB ID 2G-20
1 X Auxiliary Burner 1000W
1 X Rapid Burner 3000W
Domino Seires 2 Design (Inox Frame)
Flat Glass-Black
Cast Iron Pan Supports - Standard
Cast Iron Flat Burner Cap
Inox Burner Pan
Big Macro Knobs - WH Inox

***Key Features***

Flame Safety Device
One Touch Ignition

## DGHS2.02

***30cm Built In Gas on Glass Hob***

***General Features***

HOB ID 1G-10
1 X Wok Burner 3600W
Domino Seires 2 Design (Inox Frame)
Flat Glass-Black
Cast Iron Pan Supports - Standard
Cast Iron Flat Burner Cap
Matte Enamel Burner Pan
Big Macro Knobs - WH Inox

***Key Features***

Flame Safety Device
One Touch Ignition

## DIHS1.01

***30cm Built In Induction Hob***

***General Features***

HOB ID 2I-25
1 xØ160mm 1400W/B1800W
1 xØ200mm 2100W/B2500W
Touch Control
Black Ceramic Glass
Domino Series 1 - Slim Design

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## DVHS1.03

***30cm Built In Ceramic Hob***

***General Features***

HOB ID 2V-20
1 xØ145mm 1200W
1 xØ180mm Dual
700W/1700W
Touch Control
Black Ceramic Glass
Domino Series 1 - Slim Design

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Speed Heating
Child Lock
Auto Off
Key Lock

## DVHS1.01

***30cm Built In Ceramic Hob***

***General Features***

HOB ID 2V-16
1 xØ145mm 1200W
1 xØ180mm 1800W
Knob Control - Gama
Black Ceramic Glass
Domino Series 1 - Slim Design

***Key Features***

Hot Surface Indicator

## DGHS1.03

***30cm Built In Gas on Glass Hob***

***General Features***
HOB ID 2G-20
1 X Auxiliary Burner 1000W
1 X Rapid Burner 3000W
Domino Seires 1 Design
Flat Glass-Black
Cast Iron Pan Supports - Standard
Cast Iron Flat Burner Cap
Inox Burner Pan
Alfa Knobs - WH Inox

***Key Features***
Flame Safety Device
One Touch Ignition

## DGHS1.04

***30cm Built In Gas on Glass Hob***

***General Features***
HOB ID 1G-10
1 X Wok Burner 3600W
Domino Seires 1 Design
Flat Glass-Black
Enamel Pan Supports - Standard
Enamel Flat Burner Cap
Enamel Burner Pan
Alfa Knobs - Black

***Key Features***
Flame Safety Device
One Touch Ignition

## DGHS1.02

***30cm Built In Gas on Glass Hob***

***General Features***
HOB ID 2G-20
1 X Auxiliary Burner 1000W
1 X Rapid Burner 3000W
Domino Seires 1 Design
Flat Glass-Black
Cast Iron Pan Supports - Standard
Cast Iron Flat Burner Cap
Enamel Burner Pan
Alfa Knobs - Black

***Key Features***
Flame Safety Device
One Touch Ignition

## DIHS2.01

***30cm Built In Induction Hob***

***General Features***

HOB ID 2I-25
1 xØ160mm 1400W/B1800W
1 xØ200mm 2100W/B2500W
Touch Control
Black Ceramic Glass
Slim Design
Inox Frame (Domino Series 2)

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Pot Detection
Pause Function
Speed Heating
Child Lock
Auto Off
Key Lock

## DVHS2.02

***30cm Built In Ceramic Hob***

***General Features***

HOB ID 2V-20
1 xØ145mm 1200W
1 xØ180mm Dual 700W/ 1700W
Touch Control
Black Ceramic Glass
Slim Design
Inox Frame (Domino Series 2)

***Key Features***

Timer
Safety Function
Hot Surface Indicator
Speed Heating
Child ock
Auto Off
Key Lock

## TTGGH-S2.03

***60cm Table Top Gas on Glass Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Wok Burner 3600W
Cast Iron Pan Support - Plus X
Cast Iron Flat Burner Cap
Matte Enamel Burner Pan
Big Macro Knobs - Black
Flat Glass-Black
Black Painted Frame

***Key Features***

Flame Safety Device
One Touch Ignition

## TTGH-S2.01

***60cm Table Top Gas Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
New Generation Design - White Enamel
Enamel Pan Support - S TYPE
Enamel 3D Burner Cap
Gama Knobs - White

***Key Features***

Flame Safety Device
One Touch Ignition

## TTEH-S2.01

***60cm Table Top Hotplate Hob***

***General Features***

HOB ID 4E-03
1 X 145 Hotplate 1000W
1 X 145 Rapid Hotplate 1500W
1 X 180 Hotplate 1500W
1 X 180 Rapid Hotplate 2000W
New Generation Design - White Enamel
Gama Knobs - White

## TTGH-S2.02

***60cm Table Top Gas Hob***

***General Features***

HOB ID 4G-41
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Wok Burner 3200W
New Generation Design - Inox
Cast Iron Pan Support - S TYPE
Cast Iron 3D Burner Cap
Gama Knobs - WH Inox

***Key Features***

Flame Safety Device
One Touch Ignition
Glass Lid

## TTGGH-S2.01

***60cm Table Top Gas on Glass Hob***

***General Features***

HOB ID 4G-40
1 X Auxiliary Burner 1000W
2 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
Enamel Pan Support - Standard
Enamel Flat Burner Cap
Enamel Burner Pan
Big Macro Knobs - White
Flat Glass-White
White Painted Frame

***Key Features***

Flame Safety Device
One Touch Ignition

## TTGGH-S2.02

***60cm Table Top Gas on Glass Hob***

***General Features***

HOB ID 3G1E-31
1 X Auxiliary Burner 1000W
1 X Semi Rapid Burner 1750W
1 X Rapid Burner 3000W
1 X 145mm Hotplate 1000W
Cast Iron Pan Support - Plus X
Cast Iron Flat Burner Cap
Matte Enamel Burner Pan
Big Macro Knobs - Black
Flat Glass-Black
Silver Painted Frame

***Key Features***

Flame Safety Device
One Touch Ignition

| BUILT IN SINGLE OVEN SPECIFICATIONS (50L) | | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|---|
| **Dimensions** | | | | |
| **Product Height** | mm | 455 | 455 | 455 |
| **Product Width** | mm | 595 | 595 | 595 |
| **Product Depth (with / without Control Panel)** | mm | 575/550 | 575/550 | 575/550 |
| **Cabinet Dimensions (Width / Heigth / Depth) -Control panel located inside the cabinet** | mm | - | - | - |
| **Cabinet Dimensions (Width / Heigth / Depth) -Control panel not located inside the cabinet** | mm | min.560-max.580 / 450 / 555 | min.560-max.580 / 450 / 555 | min.560-max.580 / 450 / 555 |
| **Oven Features** | | | | |
| **Oven Type** | | Electric | Electric | Electric |
| **Oven Volume Wire Rack Platform (without/with fan)** | lt | 54 / 50 | 54 / 50 | 54 / 50 |
| **Cavity Dimensions Molded Platform (without/with fan) (Width / Heigth / Depth)** | mm | - | - | - |
| **Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Heigth / Depth)** | mm | 470 x 252,5 x 452,2 / 470 x 252,5 x 418,4 | 470 x 252,5 x 452,2 / 470 x 252,5 x 418,4 | 470 x 252,5 x 452,2 / 470 x 252,5 x 418,4 |
| **Cooling Fan** | | Standard | Standard | Standard |
| **Oven Lamp on Rear Wall (Standard - 25W)** | | Standard | Standard | Standard |
| **Oven Lamp on Rear Wall (LED - 3.4W)** | | Optional (depends on oven controller) | - | Optional (depends on oven controller) |
| **Oven Lamp on Rear Wall and Side Wall** | | Optional | - | - |
| **Easy to Clean Enamel** | | Standard | Standard | Standard |
| **Pyrolitic Enamel** | | - | Standard | - |
| **Catalytic Enamel Panels (Left, right and rear)** | | Optional | - | Optional |
| **Wire Side Racks** | | Standard | Standard | Standard |
| **Mechanical Thermostat** | | Standard | - | - |
| **Electronic Thermostat** | | Optional | Standart | Standart |
| **Oven Functions** | | Static, Fan, TurboFan, Multifunction | Fan, Multifunction | Multifunction |
| **Top Heating Element** | W | 800 | 800 | 800 |
| **Bottom Heating Element** | W | 1100 | 1100 | 1100 |
| **Grill (Thermostatic)** | W | 1500 | 1500 | 1500 |
| **Double Grill (Thermostatic)** | W | 2300 | 2300 | 2300 |
| **Fan** | W | 23 | 23 | 23 |
| **Fan with Ring Heating Element** | W | 1500 | 1500 | 1500 |
| **Automatic Boost Function** | | available for some control unit | available for some control unit | Standard |
| **Turnspit** | | - | - | - |
| **Meat Probe** | | Optional | Optional | - |
| **Thermostat Operation Indicator Light** | | available for some control unit | available for some control unit | - |
| **Oven Operation Indicator Light** | | available for some control unit | available for some control unit | - |
| **Self Cleaning Period** | hours | - | 1,5/1 | - |
| **Energy Consumption during Self Cleaning Function** | | - | ? | - |
| **Technologies** | | | | |
| **HeatWrap** | | - | - | - |
| **Hot Air Shield** | | Optional | - | Optional |
| **Steam Base** | | - | - | - |
| **Steam Base +** | | - | - | - |
| **3D Cooking** | | Optional | Optional | Optional |
| **Active Cool** | | - | Standard | - |
| **Energy Efficiency [A]** | | Default | Default | Default |
| **Energy Efficiency [A+]** | | Optional | - | - |
| **Energy Efficiency [A++]** | | - | - | Optional |
| **UV-C Light** | | - | - | - |
| **Vap Clean** | | Optional | Optional | - |
| **Vap Clean +** | | - | - | Standart |
| **Oven Controllers** | | | | |
| **Mechanical Minute Minder** | | Optional | - | - |
| **Mechanical Timer** | | Optional | - | - |
| **Analog Timer (Programmable)** | | Optional | - | - |
| **Digital Minute Minder** | | Optional | - | - |
| **Digital Timer** | | Optional | Standard | - |
| **Digital Touch Minute Minder** | | Optional | - | |
| **Digital Touch Timer** | | Optional | Optional | - |
| **Visio Touch** | | Optional | Optional | - |
| **Full Touch LED Display** | | Optional | Optional | - |
| **Ready Cook** | | Optional | - | Standard |
| **Monochrome LCD** | | Optional | - | - |
| **Slim LED Touch** | | Optional | - | - |
| **OEM Family Design Digital Touch** | | Optional | - | - |
| **OEM Family Design Visio Touch** | | Optional | - | - |
| **OEM Family Design Full Touch** | | Optional | - | Optional |
| **Control Panel** | | | | |
| **Metal** | | Default | Default | - |
| **Glass** | | Optional | Optional | Standard |
| **Add On Types** | | Optional | Optional | Optional |

| BUILT IN SINGLE OVEN SPECIFICATIONS (50L) | | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|---|
| **Available Colours** | | | | |
| **Metal Control Panel - White** | | Default | Default | - |
| **Metal Control Panel - Black** | | Optional | Optional | - |
| **Metal Control Panel - Silver** | | Optional | Optional | - |
| **Metal Control Panel - Inox** | | Optional | Optional | - |
| **Metal Control Panel - Inox AFG** | | Optional | Optional | - |
| **Metal Control Panel - Dark Inox** | | Optional | Optional | - |
| **Glass Control Panel - Black** | | Optional | Optional | Default |
| **Glass Control Panel - White** | | Optional | Optional | Optional |
| **Glass Control Panel - Mirror** | | Optional | Optional | Optional |
| **Glass Control Panel - Silver** | | Optional | Optional | Optional |
| **Glass Control Panel - Mink** | | Optional | Optional | Optional |
| **Glass Control Panel - Retro Cream** | | Optional | Optional | Optional |
| **Glass Control Panel - Beige** | | Optional | Optional | Optional |
| **Glass Control Panel - Steel Blue** | | Optional | Optional | Optional |
| **Glass Control Panel - Victoria Grey** | | Optional | Optional | Optional |
| **Glass Control Panel - Pure Black** | | Optional | Optional | Optional |
| **Glass Control Panel - Matte Black** | | - | - | - |
| **Glass Control Panel - Metal Print (Aluminium on Black)** | | Optional | Optional | Optional |
| **Rustik Glass Control Panel (Black / White / Cream / Retro Cream)** | | - | - | - |
| **Rustik Metal Art (Black / White / Retro Cream)** | | - | - | - |
| **Oven Door** | | | | |
| **TYPE 2 - Large Glass Oven Door** | | - | - | - |
| **TYPE 3 - Pyrolytic Oven Door** | | - | - | - |
| **TYPE 4 - Full Glass Oven Door** | | - | - | - |
| **Type 5 - Active Cool Oven Door** | | - | Standard | - |
| **TYPE 6 - Full Glass Oven Door/Plastic Profile** | | Standard | - | Standard |
| **Easy to Remove** | | Standard | Standard | Standard |
| **Removable Inner Glass** | | Standard | Standard | Standard |
| **Cool touch Oven door** | | Optional | Standard | Optional |
| **Door Switch** | | Optional | Standard | Optional |
| **Child Lock on Oven Door** | | - | Standard (Electromechanic) | - |
| **Soft Close** | | Optional | Optional | Optional |
| **Soft Open & Close** | | - | - | - |
| **Easy Clean** | | - | - | - |
| **Accessories** | | | | |
| **Baking Tray (Shallow Tray)** | | 1 (Default) | 1 (Default) | 1 (Default) |
| **Roasting Tray (Deep Tray)** | | Optional | Optional | Optional |
| **Glass Tray** | | - | - | - |
| **Chromed Grid with Stoper** | | 1 (Default) | 1 (Default) | 1 (Default) |
| **VestFry** | | - | - | - |
| **Rotisserie** | | - | - | - |
| **Wire grid for deep tray** | | Optional | Optional | Optional |
| **Broil Pan with Handle Set** | | Optional | Optional | Optional |
| **Half Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional | Optional |
| **Full Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional | Optional |
| **Mechanical Oil Filter** | | Optional | Optional | Optional |
| **Others** | | | | |
| **Total Power (Depends on Model) Maximum** | kW | 2500,0 | 2600,0 | 3300,0 |
| **Axial Cooling Fan** | W | Default | - | Default |
| **Axial Cooling Fan Noise Level** | dBA | to be determined | - | to be determined |
| **Tangential Cooling Fan** | W | Optional (only with hotairshield) | Standard | Optional (only with hotairshield) |
| **Tangential Cooling Fan Noise Level** | dBA | to be determined | to be determined | to be determined |
| **Voltage** | V | 230 | 230 | 230 |
| **Electric Cooker Energy Rating (Depends on Model)** | | A | A | A |
| **Cavity Insulation** | | White / Yellow | White (with Aluminum foil) | White (with Aluminum foil) / Yellow (with Aluminum foil) |
| **Pop-in / Pop-out Knob** | | Optional | Optional | Optional |
| **Main Cable** | | Standard | Standard | Standard |
| **Shrink Packed Product Dimensions (Width / Depth / Height)** | mm | 650X640X510 | 650X640X510 | 650X640X510 |
| **Carton Box Packaging** | | Optional | Optional | Optional |
| **RoHS Compliance** | | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard |
| **Net Weight (Depends on Model) Maximum** | kg | to be determined | to be determined | to be determined |
| **Gross Weight (Depends on Model) Maximum** | kg | to be determined | to be determined | to be determined |
| **Container Loading Quantity (20 ft Container)** | pcs | 108 | 108 | 108 |
| **Container Loading Quantity (40 ft Container)** | pcs | 216 | 216 | 216 |
| **Container Loading Quantity (40 ft HC Container)** | pcs | 270 | 270 | 270 |

| BUILT IN SINGLE OVEN SPECIFICATIONS (65L) | | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|---|
| **Dimensions** | | | | |
| **Product Height** | mm | 595 | 595 | 595 |
| **Product Width** | mm | 595 | 595 | 595 |
| **Product Depth (with / without Control Panel)** | mm | 575 / 550 | 575 / 550 | 575 / 550 |
| **Cabinet Dimensions (Width / Heigth / Depth) -If control panel located inside the cabinet** | mm | 600 / 600 / 590 | 600 / 600 / 590 | 600 / 600 / 590 |
| **Cabinet Dimensions (Width / Heigth / Depth) -If control panel not located inside the cabinet** | mm | min.560 max.580 / min.600 / min.555 | min.560 max.580 / min.600 / min.555 | min.560 max.580 / min.600 / min.555 |
| **Oven Features** | | | | |
| **Oven Type** | | Electric | Electric (Pyrolytic) | Electric |
| **Oven Volume (without/with fan)** | lt | 72 / 65 (mold runners) - 76 / 69 (wire rack) | "64 (mold runners) - 69 (wire rack) Only with fan" | "65 (mold runners) - 69 (wire rack) Only with fan" |
| **Cavity Dimensions Molded Platform (without/with fan) (Width / Heigth / Depth)** | mm | 450 x 352 x 452 / 450 x 352 x 413 | "450 x 352 x 404 (Type 3 Oven Door) 450 x 352 x 413 (Type 5 Oven Door) Only with fan" | "450 x 352 x 413 Only with fan" |
| **Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Heigth / Depth)** | mm | 475 x 352 x 452 / 475 x 352 x 413,4 | "475 x 352 x 404 (Type 3 Oven Door) 475 x 352 x 413 (Type 5 Oven Door) Only with fan" | "475 x 352 x 413,4 Only with fan" |
| **Cooling Fan** | | Standard | Standard | Standard |
| **Oven Light (25W)** | | Standard | Standard | Standard |
| **Oven Lamp on Rear Wall (LED - 3.4W)** | | Optional (depends on oven controllers) | - | Optional (depends on oven controllers) |
| **Oven Lamp on Rear Wall and Side Wall** | | Optional (available with wire side racks) | - | - |
| **Easy to Clean Enamel** | | Standard | Standard | Standard |
| **Pyrolitic Enamel** | | - | Standard | - |
| **Catalytic Enamel Panels (Left, right and rear)** | | Optional | - | Optional |
| **Wire Side Racks** | | Optional | Optional | Optional |
| **Mechanical Thermostat** | | Default | - | - |
| **Electronic Thermostat** | | Optional | Standart | Standart |
| **Oven Functions** | | Static, Fan, TurboFan, Multifunction | Fan, Multifunction | Multifunction |
| **Top Heating Element** | W | 1200 | 1200 | 1200 |
| **Bottom Heating Element** | W | 1100 | 1100 | 1100 |
| **Grill (Thermostatic)** | W | 1400 | 1400 | 1400 |
| **Double Grill (Thermostatic)** | W | 2600 | 2600 | 2600 |
| **Fan** | W | 23 | 23 | 23 |
| **Fan with Ring Heating Element** | W | 2000 | 2000 | 2000 |
| **Automatic Boost Function** | | available for some control unit | available for some control unit | available for some control unit |
| **Turnspit** | | Optional | Optional | - |
| **Meat Probe** | | Optional | Optional | - |
| **Thermostat Operation Indicator Light** | | Standard | Standard | - |
| **Oven Operation Indicator Light** | | Standard | - | - |
| **Self Cleaning Period** | hours | - | 1,5 / 1 | - |
| **Energy Consumption during Self Cleaning Function** | kwh | - | 2,6 | - |
| **Technologies** | | | | |
| **HeatWrap** | | - | - | - |
| **Hot Air Shield** | | Optional | - | Optional |
| **Steam Base** | | Optional | Optional | - |
| **Steam Base +** | | Optional | - | - |
| **3D Cooking** | | Optional | Optional | Optional |
| **Active Cool** | | - | Optional | - |
| **Energy Efficiency [A]** | | Default | Standard | Standard |
| **Energy Efficiency [A+]** | | Optional | - | - |
| **Energy Efficiency [A++]** | | Optional | - | Optional |
| **UV-C Light** | | - | - | - |
| **Vap Clean** | | Optional | - | - |
| **Vap Clean +** | | - | - | Standard |
| **Oven Controllers** | | | | |
| **Mechanical Minute Minder** | | Optional | - | - |
| **Mechanical Timer** | | Optional | - | - |
| **Analog Timer (Programmable)** | | Optional | - | - |
| **Digital Minute Minder** | | Optional | - | - |
| **Digital Timer** | | Optional | Default | - |
| **Digital Touch Timer** | | Optional | Optional | - |
| **Digital Touch Minute Minder** | | Optional | - | |
| **Visio Touch** | | Optional | Optional | - |
| **Full Touch LED Display** | | Optional | Optional | - |
| **Ready Cook** | | Optional | Optional | Optional |
| **Monochrome LCD** | | Optional | Optional | - |
| **Slim LED Touch** | | - | - | - |
| **OEM Family Design Digital Touch** | | Optional | Optional | - |
| **OEM Family Design Visio Touch** | | Optional | Optional | - |
| **OEM Family Design Full Touch** | | Optional | Optional | Optional |
| **Control Panel** | | | | |
| **Metal** | | Default | Default | - |
| **Glass** | | Optional | Optional | Standard |
| **Add On Types** | | Optional | Optional | Optional |

| BUILT IN SINGLE OVEN SPECIFICATIONS (65L) | | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|---|
| **Available Colours** | | | | |
| **Metal Control Panel - White** | | Default | Default | - |
| **Metal Control Panel - Black** | | Optional | Optional | - |
| **Metal Control Panel - Silver** | | Optional | Optional | - |
| **Metal Control Panel - Inox** | | Optional | Optional | - |
| **Metal Control Panel - Inox AFG** | | Optional | Optional | - |
| **Metal Control Panel - Dark Inox** | | Optional | Optional | - |
| **Glass Control Panel - Black** | | Optional | Optional | Default |
| **Glass Control Panel - White** | | Optional | Optional | Optional |
| **Glass Control Panel - Mirror** | | Optional | Optional | Optional |
| **Glass Control Panel - Silver** | | Optional | Optional | Optional |
| **Glass Control Panel - Mink** | | Optional | Optional | Optional |
| **Glass Control Panel - Retro Cream** | | Optional | Optional | Optional |
| **Glass Control Panel - Beige** | | Optional | Optional | Optional |
| **Glass Control Panel - Steel Blue** | | - | - | - |
| **Glass Control Panel - Victoria Grey** | | Optional | Optional | Optional |
| **Glass Control Panel - Pure Black** | | Optional | Optional | Optional |
| **Glass Control Panel - Matte Black** | | - | - | - |
| **Glass Control Panel - Metal Print (Aluminium on Black)** | | - | - | - |
| **Rustik Glass Control Panel (Black / White / Cream / Retro Cream)** | | Optional | - | - |
| **Rustik Metal Art (Black / White / Retro Cream)** | | Optional | - | - |
| **Oven Door** | | | | |
| **TYPE 2 - Large Glass Oven Door** | | Default | - | |
| **TYPE 3 - Pyrolytic Oven Door** | | - | Default | |
| **TYPE 4 - Full Glass Oven Door** | | Optional | - | Default |
| **Type 5 - Active Cool Oven Door** | | Optional | Optional | - |
| **TYPE 6 - Full Glass Oven Door/Plastic Profile** | | Optional | - | Optional |
| **Easy to Remove** | | Standard | Standard | Standard |
| **Removable Inner Glass** | | Optional | Standard (with TYPE 5 Door) | Optional |
| **Cool touch Oven door** | | Optional | Standard (with TYPE 5 Door) | Optional |
| **Door Switch** | | Optional | Standard | Optional |
| **Child Lock on Oven Door** | | - | Standard (Electromechanic) | - |
| **Soft Close** | | Optional | Optional (with TYPE 5 Door) | Optional |
| **Soft Open & Close** | | Optional | Optional (with TYPE 5 Door) | Optional |
| **Easy Clean** | | - | - | - |
| **Accessories** | | | | |
| **Baking Tray (Shallow Tray)** | | 1 (Default) | 1 (Default) | 1 (Default) |
| **Roasting Tray (Deep Tray)** | | Optional | Optional | Optional |
| **Glass Tray** | | Optional | Optional | Optional |
| **Chromed Grid with Stoper** | | 1 (Default) | 1 (Default) | 1 (Default) |
| **VestFry** | | Optional | Optional | - |
| **Rotisserie** | | Optional | Optional | - |
| **Wire grid for deep tray** | | Optional | Optional | Optional |
| **Broil Pan with Handle Set** | | Optional | Optional | Optional |
| **Half Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional | Optional |
| **Full Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional | Optional |
| **Mechanical Oil Filter** | | Optional | Optional | Optional |
| **Others** | | | | |
| **Total Power (Depends on Model) Maximum** | kW | 3,1 | 2,6 | 2,6 |
| **Axial Cooling Fan** | W | Default | - | Default |
| **Axial Cooling Fan Noise Level** | dBA | to be determined | to be determined | to be determined |
| **Tangential Cooling Fan** | W | Optional (only with hotairshield) | Standard | Optional (only with hotairshield) |
| **Tangential Cooling Fan Noise Level** | dBA | to be determined | to be determined | to be determined |
| **Voltage** | V | 230 | 230 | 230 |
| **Electric Cooker Energy Rating (Depends on Model)** | | A++/A+ / A | A | A |
| **Cavity Insulation** | | White / Yellow | White (with Aluminum foil) | White (with Aluminum foil) / Yellow (with Aluminum foil) |
| **Pop-in / Pop-out Knob** | | Optional | Optional | Optional |
| **Main Cable** | | Standard | Standard | Standard |
| **Shrink Packed Product Dimensions (Width / Depth / Height)** | mm | 650 x 640 x 650 | 650 x 640 x 650 | 650 x 640 x 650 |
| **Carton Box Packaging** | | Optional | Optional | Optional |
| **RoHS Compliance** | | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard |
| **Net Weight (Depends on Model) Maximum** | kg | 35 | 34 | 36 |
| **Gross Weight (Depends on Model) Maximum** | kg | 37.7 | 36.2 | 38,2 |
| **Container Loading Quantity (20 ft Container)** | pcs | 81 | 81 | 81 |
| **Container Loading Quantity (40 ft Container)** | pcs | 162 | 162 | 162 |
| **Container Loading Quantity (40 ft HC Container)** | pcs | 216 | 216 | 216 |

| BUILT IN SINGLE OVEN SPECIFICATIONS (75L) | | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|---|
| **Dimensions** | | | | |
| **Product Height** | mm | 595 | 595 | 595 |
| **Product Width** | mm | 595 | 595 | 595 |
| **Product Depth (with / without Control Panel)** | mm | 575 / 550 | 575 / 550 | 575 / 550 |
| **Cabinet Dimensions (Width / Heigth / Depth) -If control panel located inside the cabinet** | mm | 600 / 600 / 590 | 600 / 600 / 580 | 600 / 600 / 590 |
| **Cabinet Dimensions (Width / Heigth / Depth) -If control panel not located inside the cabinet** | mm | min.560 max.580 / min.600 / min.555 | min.560 max.580 / min.600 / min.555 | min.560 max.580 / min.600 / min.555 |
| **Oven Features** | | | | |
| **Oven Type** | | Electric | Electric | Electric |
| **Oven Volume (without/with fan)** | lt | 80 / 73 (mold runners) - 84 / 78 (wire rack) | 73 (mold runners) - 78 (wire rack) Only with fan | 73 (mold runners) - 78 (wire rack) Only with fan |
| **Cavity Dimensions Molded Platform (without/with fan) (Width / Heigth / Depth)** | mm | 450 x 392 x 452 / 450 x 392 x 413 | 450 x 392 x 413 Only with fan | 450 x 392 x 413 Only with fan |
| **Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Heigth / Depth)** | mm | 475 x 392 x 452 / 475 x 392 x 413 | 475 x 392 x 413 Only with fan | 475 x 392 x 413 Only with fan |
| **Cooling Fan** | | Standard | Standard | Standard |
| **Oven Light (25W)** | | Standard | Standard | Standard |
| **Oven Lamp on Rear Wall (LED - 3.4W)** | | Optional (depends on oven controllers) | - | Optional (depends on oven controllers) |
| **Oven Lamp on Rear Wall and Side Wall** | | Optional (available with wire side racks) | - | - |
| **Easy to Clean Enamel** | | Standard | Standard | Standard |
| **Pyrolitic Enamel** | | - | Standard | - |
| **Catalytic Enamel Panels (Left, right and rear)** | | Optional | - | Optional |
| **Wire Side Racks** | | Optional | Optional | Optional |
| **Mechanical Thermostat** | | Standard | - | - |
| **Electronic Thermostat** | | Optional | Standart | Standart |
| **Oven Functions** | | Static, Fan, TurboFan, Multifunction | Fan, Multifunction | Multifunction |
| **Top Heating Element** | W | 1200 | 1200 | 1200 |
| **Bottom Heating Element** | W | 1100 | 1100 | 1100 |
| **Grill (Thermostatic)** | W | 1400 | 1400 | 1400 |
| **Double Grill (Thermostatic)** | W | 2600 | 2600 | 2600 |
| **Fan** | W | 23 | 23 | 23 |
| **Fan with Ring Heating Element** | W | 2000 | 2000 | 2000 |
| **Automatic Boost Function** | | available for some control unit | available for some control unit | available for some control unit |
| **Turnspit** | | Optional | Optional | - |
| **Meat Probe** | | Optional | - | - |
| **Thermostat Operation Indicator Light** | | Standard | Standard | - |
| **Oven Operation Indicator Light** | | Standard | - | - |
| **Self Cleaning Period** | hours | - | 1,5 / 1 | - |
| **Energy Consumption during Self Cleaning Function** | kwh | - | 2,6 | - |
| **Technologies** | | | | |
| **HeatWrap** | | Optional | - | - |
| **Hot Air Shield** | | Optional | - | Optional |
| **Steam Base** | | Optional | Optional | - |
| **Steam Base +** | | Optional | - | - |
| **3D Cooking** | | Optional | Optional | Optional |
| **Active Cool** | | - | Standard | - |
| **Energy Efficiency [A]** | | Default | Default | Standard |
| **Energy Efficiency [A+]** | | Optional | Optional | - |
| **Energy Efficiency [A++]** | | - | - | - |
| **UV-C Light** | | Optional | - | - |
| **Vap Clean** | | Optional | Optional | - |
| **Vap Clean +** | | - | - | Standard |
| **Oven Controllers** | | | | |
| **Mechanical Minute Minder** | | Optional | - | - |
| **Mechanical Timer** | | Optional | - | - |
| **Analog Timer (Programmable)** | | - | - | - |
| **Digital Minute Minder** | | Optional | - | - |
| **Digital Timer** | | Optional | Default | - |
| **Digital Touch Timer** | | Optional | Optional | - |
| **Digital Touch Minute Minder** | | Optional | - | |
| **Visio Touch** | | Optional | Optional | - |
| **Full Touch LED Display** | | Optional | Optional | - |
| **Ready Cook** | | Optional | Optional | Optional |
| **Monochrome LCD** | | Optional | Optional | - |
| **Slim LED Touch** | | Optional | - | - |
| **OEM Family Design Digital Touch** | | Optional | Optional | - |
| **OEM Family Design Visio Touch** | | Optional | Optional | - |
| **OEM Family Design Full Touch** | | Optional | Optional | Optional |
| **Control Panel** | | | | |
| **Metal** | | Default | Default | - |
| **Glass** | | Optional | Optional | Standard |
| **Add On Types** | | Optional | Optional | Optional |

| BUILT IN SINGLE OVEN SPECIFICATIONS (75L) | | Standard | Pyrolytic | Steam Assisted |
|---|---|---|---|---|
| **Available Colours** | | | | |
| **Metal Control Panel - White** | | Default | Default | - |
| **Metal Control Panel - Black** | | Optional | Optional | - |
| **Metal Control Panel - Silver** | | Optional | Optional | - |
| **Metal Control Panel - Inox** | | Optional | Optional | - |
| **Metal Control Panel - Inox AFG** | | Optional | Optional | - |
| **Metal Control Panel - Dark Inox** | | Optional | Optional | - |
| **Glass Control Panel - Black** | | Optional | Optional | Default |
| **Glass Control Panel - White** | | Optional | Optional | Optional |
| **Glass Control Panel - Mirror** | | Optional | Optional | Optional |
| **Glass Control Panel - Silver** | | Optional | Optional | Optional |
| **Glass Control Panel - Mink** | | Optional | Optional | Optional |
| **Glass Control Panel - Retro Cream** | | Optional | Optional | Optional |
| **Glass Control Panel - Beige** | | Optional | Optional | Optional |
| **Glass Control Panel - Steel Blue** | | Optional | Optional | Optional |
| **Glass Control Panel - Victoria Grey** | | Optional | Optional | Optional |
| **Glass Control Panel - Pure Black** | | Optional | Optional | Optional |
| **Glass Control Panel - Matte Black** | | Optional | Optional | Optional |
| **Glass Control Panel - Metal Print (Aluminium on Black)** | | Optional | Optional | Optional |
| **Rustik Glass Control Panel (Black / White / Cream / Retro Cream)** | | - | - | - |
| **Rustik Metal Art (Black / White / Retro Cream)** | | - | - | - |
| **Oven Door** | | | | |
| **TYPE 2 - Large Glass Oven Door** | | - | - | - |
| **TYPE 3 - Pyrolytic Oven Door** | | - | - | |
| **TYPE 4 - Full Glass Oven Door** | | Default | - | Default |
| **Type 5 - Active Cool Oven Door** | | - | Standard | - |
| **TYPE 6 - Full Glass Oven Door/Plastic Profile** | | Optional | - | Optional |
| **Easy to Remove** | | Standard | Standard | Standard |
| **Removable Inner Glass** | | Standard | Standard | Standard |
| **Cool touch Oven door** | | Optional | Standard | Optional |
| **Door Switch** | | Optional | Standard | Optional |
| **Child Lock on Oven Door** | | - | Standard (Electromechanic) | - |
| **Soft Close** | | Optional | Optional | Optional |
| **Soft Open & Close** | | Optional | Optional | Optional |
| **Easy Clean** | | Optional | - | Optional |
| **Accessories** | | | | |
| **Baking Tray (Shallow Tray)** | | 1 (Default) | 1 (Default) | 1 (Default) |
| **Roasting Tray (Deep Tray)** | | Optional | Optional | Optional |
| **Glass Tray** | | Optional | Optional | Optional |
| **Chromed Grid with Stoper** | | 1 (Default) | 1 (Default) | 1 (Default) |
| **VestFry** | | Optional | Optional | - |
| **Rotisserie** | | Optional | Optional | - |
| **Wire grid for deep tray** | | Optional | Optional | Optional |
| **Broil Pan with Handle Set** | | Optional | Optional | Optional |
| **Half Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional | Optional |
| **Full Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional | Optional |
| **Mechanical Oil Filter** | | Optional | Optional | Optional |
| **Others** | | | | |
| **Total Power (Depends on Model) Maximum** | kW | 3,1 | 2,6 | 2,6 |
| **Axial Cooling Fan** | W | Default | - | Default |
| **Axial Cooling Fan Noise Level** | dBA | to be determined | to be determined | to be determined |
| **Tangential Cooling Fan** | W | Optional (only with hotairshield) | Standard | Optional (only with hotairshield) |
| **Tangential Cooling Fan Noise Level** | dBA | to be determined | to be determined | to be determined |
| **Voltage** | V | 230 | 230 | 230 |
| **Electric Cooker Energy Rating (Depends on Model)** | | A | A | A |
| **Cavity Insulation** | | White / Yellow | White (with Aluminum foil) | White (with Aluminum foil) / Yellow (with Aluminum foil) |
| **Pop-in / Pop-out Knob** | | Optional | Optional | Optional |
| **Main Cable** | | Standard | Standard | Standard |
| **Shrink Packed Product Dimensions (Width / Depth / Height)** | mm | 650 x 640 x 650 | 650 x 640 x 650 | 650 x 640 x 650 |
| **Carton Box Packaging** | | Optional | Optional | Optional |
| **RoHS Compliance** | | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard |
| **Net Weight (Depends on Model) Maximum** | kg | 36 | 36 | 36 |
| **Gross Weight (Depends on Model) Maximum** | kg | 38,2 | 38,2 | 38,2 |
| **Container Loading Quantity (20 ft Container)** | pcs | 81 | 81 | 81 |
| **Container Loading Quantity (40 ft Container)** | pcs | 162 | 162 | 162 |
| **Container Loading Quantity (40 ft HC Container)** | pcs | 216 | 216 | 216 |

| BUILT IN DOUBLE OVEN SPECIFICATIONS | | 90 cm BUILT-IN DOUBLE OVEN | 70 cm BUILT-UNDER DOUBLE OVEN |
|---|---|---|---|
| **Dimensions** | | | |
| **Product Height** | mm | 890 | 720 |
| **Product Width** | mm | 595 | 595 |
| **Product Depth (with / without Control Panel)** | mm | 575 / 550 | 575 / 550 |
| **Cabinet Dimensions (Width / Heigth / Depth) -If control panel located inside the cabinet** | mm | - | - |
| **Cabinet Dimensions (Width / Heigth / Depth) -If control panel not located inside the cabinet** | mm | min.560 max.580 / min.880 / min.555 | min.560 max.580 / min.715 / min.555 |
| **Main Oven Features** | | | |
| **Oven Type** | | Electric | Electric |
| **Oven Volume (without/with fan)** | lt | 80 / 74 (mold runners) - 84 / 78 (wire rack) | 51 / 48 (mold runners) - 54 / 50 (wire rack) |
| **Cavity Dimensions Molded Platform (without/with fan) (Width / Heigth / Depth)** | mm | 450 x 392 x 452 / 450 x 392 x 418 | 450 x 252,5 x 452 / 450 x 252,3 x 418 |
| **Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Heigth / Depth)** | mm | 475 x 392 x 452 / 475 x 392 x 418 | 470 x 252,5 x 452 / 470 x 252,3 x 418 |
| **Oven Back Light (25W)** | | Standard | Standard |
| **Side Light (15W)** | | Optional | Optional |
| **Oven Lamp on Rear Wall (LED - 3.4W)** | | - | - |
| **Easy to Clean Enamel** | | Standard | Standard |
| **Catalytic Enamel Panels (Left, right and rear)** | | Optional | Optional |
| **Wire Side Racks** | | Optional | Optional |
| **Mechanical Thermostat** | | Standard | Standard |
| **Electronic Thermostat** | | - | - |
| **Oven Functions** | | Static, Fan, TurboFan, Multifunction | Static, Fan, TurboFan, Multifunction |
| **Top Heating Element** | W | 1200 | 800 |
| **Bottom Heating Element** | W | 1100 | 1100 |
| **Grill (Thermostatic)** | W | 1400 | 1500 |
| **Double Grill (Thermostatic)** | W | 2600 | 2300 |
| **Fan** | W | 23 | 23 |
| **Fan with Ring Heating Element** | W | 2000 | 1500 |
| **Automatic Boost Function** | | - | - |
| **Turnspit** | | - | - |
| **Meat Probe** | | - | - |
| **Thermostat Operation Indicator Light** | | Standard | Standard |
| **Oven Operation Indicator Light** | | - | - |
| **Self Cleaning Period** | | - | - |
| **Energy Consumption during Self Cleaning Function** | | - | - |
| **Top Oven Features** | | | |
| **Oven Type** | | Electric | Electric |
| **Oven Volume (without fan)** | lt | 37 (mold runners) - 39 (wire rack) | 37 (mold runners) - 39 (wire rack) |
| **Cavity Dimensions Molded Platform (without fan) (Width / Heigth / Depth)** | mm | 450 x 189,7 x 439 | 450 x 189,7 x 439 |
| **Cavity Dimensions Wire Rack Platform (without fan) (Width / Heigth / Depth)** | mm | 470 x 189,7 x 439 | 470 x 189,7 x 439 |
| **Oven Back Light (25W)** | | Optional | Optional |
| **Side Light (15W)** | | - | - |
| **Oven Lamp on Rear Wall (LED - ?W)** | | - | - |
| **Easy to Clean Enamel** | | Standard | Standard |
| **Catalytic Enamel Panels (Left, right)** | | Optional | Optional |
| **Wire Side Racks** | | Optional | Optional |
| **Mechanical Thermostat** | | Standard | Standard |
| **Electronic Thermostat** | | - | - |
| **Oven Functions** | | Up to 6 | Up to 6 |
| **Top Heating Element** | W | 1000 | 1000 |
| **Bottom Heating Element** | W | 1100 | 1100 |
| **Grill (Thermostatic)** | W | 1200 | 1200 |
| **Double Grill (Thermostatic)** | W | 2200 | 2200 |
| **Automatic Boost Function** | | N/A | N/A |
| **Thermostat Operation Indicator Light** | | Standard | Standard |
| **Oven Operation Indicator Light** | | N/A | N/A |
| **Technologies** | | | |
| **HeatWrap** | | - | - |
| **Hot Air Shield** | | - | - |
| **Steam Base** | | - | - |
| **Steam Base +** | | - | - |
| **3D Cooking** | | Optional | Optional |
| **Active Cool** | | - | - |
| **Energy Efficiency [A]** | | Standard | Standard |
| **Energy Efficiency [A+]** | | - | - |
| **Energy Efficiency [A++]** | | - | - |
| **UV-C Light** | | - | - |
| **Vap Clean** | | - | - |
| **Vap Clean +** | | - | - |
| **Oven Controllers** | | | |
| **Mechanical Minute Minder** | | Optional | Optional |
| **Mechanical Timer** | | Optional | Optional |
| **Analog Timer (Programmable)** | | - | - |
| **Digital Minute Minder** | | Optional | Optional |
| **Digital Timer** | | Optional | Optional |
| **Digital Touch Timer** | | Optional | Optional |
| **Digital Touch Minute Minder** | | Optional | Optional |
| **Visio Touch** | | - | - |
| **Full Touch LED Display** | | - | - |
| **Ready Cook** | | - | - |
| **Monochrome LCD** | | - | - |
| **Slim LED Touch** | | - | - |
| **OEM Family Design Digital Touch** | | Optional | Optional |
| **OEM Family Design Visio Touch** | | - | - |
| **OEM Family Design Full Touch** | | - | - |

| BUILT IN DOUBLE OVEN SPECIFICATIONS | | 90 cm BUILT-IN DOUBLE OVEN | 70 cm BUILT-UNDER DOUBLE OVEN |
|---|---|---|---|
| **Control Panel** | | | |
| **Metal** | | Default | Default |
| **Glass** | | Optional | Optional |
| **Add On Types** | | Optional | Optional |
| **Available Colours** | | | |
| **Metal Control Panel - White** | | Default | Default |
| **Metal Control Panel - Black** | | Optional | Optional |
| **Metal Control Panel - Silver** | | Optional | Optional |
| **Metal Control Panel - Inox** | | Optional | Optional |
| **Metal Control Panel - Inox AFG** | | Optional | Optional |
| **Metal Control Panel - Dark Inox** | | Optional | Optional |
| **Glass Control Panel - Black** | | Optional | Optional |
| **Glass Control Panel - White** | | Optional | Optional |
| **Glass Control Panel - Mirror** | | - | - |
| **Glass Control Panel - Silver** | | Optional | Optional |
| **Glass Control Panel - Mink** | | Optional | Optional |
| **Glass Control Panel - Retro Cream** | | - | - |
| **Glass Control Panel - Beige** | | - | - |
| **Glass Control Panel - Steel Blue** | | - | - |
| **Glass Control Panel - Victoria Grey** | | Optional | Optional |
| **Glass Control Panel - Pure Black** | | Optional | Optional |
| **Glass Control Panel - Matte Black** | | - | - |
| **Glass Control Panel - Metal Print (Aluminium on Black)** | | Optional | Optional |
| **Rustik Glass Control Panel (Black / White / Cream / Retro Cream)** | | - | - |
| **Rustik Metal Art (Black / White / Retro Cream)** | | - | - |
| **Oven Door** | | | |
| **TYPE 2 - Large Glass Oven Door** | | - | - |
| **TYPE 3 - Pyrolytic Oven Door** | | - | - |
| **TYPE 4 - Full Glass Oven Door** | | - | - |
| **Type 5 - Active Cool Oven Door** | | - | - |
| **TYPE 6 - Full Glass Oven Door/Plastic Profile** | | Standard | Standard |
| **Easy to Remove** | | Standard | Standard |
| **Removable Inner Glass** | | Standard | Standard |
| **Cool touch Oven door** | | Optional | Optional |
| **Door Switch** | | - | - |
| **Child Lock on Oven Door** | | - | - |
| **Soft Close** | | Optional | Optional |
| **Soft Open & Close** | | Optional | Optional |
| **Easy Clean** | | Optional (Available for main oven door) | - |
| **Accessories** | | | |
| **Baking Tray (Shallow Tray)** | | 1 (Default) | 1 (Default) |
| **Roasting Tray (Deep Tray)** | | Optional | Optional |
| **Chromed Grid with Stoper** | | 1 (Default) | 1 (Default) |
| **VestFry** | | - | - |
| **Rotisserie** | | - | - |
| **Wire grid for deep tray** | | Optional | Optional |
| **Broil Pan with Handle Set** | | Optional | Optional |
| **Half Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional |
| **Full Extension Telescopic Rail (1 or 2 racks)** | | Optional | Optional |
| **Mechanical Oil Filter** | | Optional | Optional |
| **Others** | | | |
| **Total Power (Depends on Model) Maximum** | kW | 5,3 | 4,8 |
| **Axial Cooling Fan** | W | - | - |
| **Axial Cooling Fan Noise Level** | dBA | - | - |
| **Tangential Cooling Fan** | W | Standard | Standard |
| **Tangential Cooling Fan Noise Level** | dBA | to be determined | to be determined |
| **Voltage** | V | 230 | 230 |
| **Electric Cooker Energy Rating (Depends on Model)** | | A | A |
| **Cavity Insulation** | | White / Yellow | White / Yellow |
| **Pop-in / Pop-out Knob** | | Optional | Optional |
| **Main Cable** | | Optional | Optional |
| **Shrink Packed Product Dimensions (Width / Depth / Height)** | mm | 650 x 640 x 945 | 650 x 640 x 775 |
| **Carton Box Packaging** | | Optional | Optional |
| **RoHS Compliance** | | Standard | Standard |
| **CE Compliance** | | Standard | Standard |
| **Net Weight (Depends on Model) Maximum** | kg | to be determined | to be determined |
| **Gross Weight (Depends on Model) Maximum** | kg | to be determined | to be determined |
| **Container Loading Quantity (20 ft Container)** | pcs | 54 | 81 |
| **Container Loading Quantity (40 ft Container)** | pcs | 108 | 162 |
| **Container Loading Quantity (40 ft HC Container)** | pcs | 108 | 162 |

| **Built In Single Oven Energy Class Decleration** | | | | | | |
|---|---|---|---|---|---|---|
| Oven Function Identitiy | Oven Type | Oven Function ID | Available Energy Class Declerations | | | Function Used for Energy Decleration |
| | | | 50L | 65L | 75L | |
| Static | Standard | 1\|2\|4\|13\|15 | A | A | A | Top + Bottom |
| Turbo Fan / Multifunction | Standard | 6\|7\|9\|16\|17\|19\|23\|24\|50\|51\|56\|57\|59\|60\|62\|64\|65 | A, A+ | A, A+ | A, A+ | Fan + Ring |
| | Pyrolytic | 28\|29\|66\|67\|68\|69 | A | A | A, A+ | |
| | Steam Assisted | 56\|68 | A, A+ | A, A+ | A, A+ | |
| Turbo Lite | Standard | 50\|51 | - | A++ | - | Fan + Ring |
| Fan Assisted | Standard | 10\|12\|20\|22\|25\|26\|52\|53\|54\|55\|61 | A | A | A | Top + Bottom + Fan |
| | Pyrolytic | 27 | A | A | A | |
| Owner of this document is Vestel Beyaz Esya A.S. (VBE). VBE has right to make changes on these values without notification by referring this document. 10.05.2015 | | | | | | |

| Built in Double Oven Functions Table | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Oven Function ID** | Oven Functions | Function Elements | Number of Functions | Identity in the Market | Function Pictograms | Compatible Oven Controllers (Check Oven Controllers-Page X for notations) | Electrical Power at 230V |
| **Oven Functions for Top Oven** | | | | | | | |
| **1** | 0 / Grill | Grill | 1 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 1200 |
| **2** | 0 / Grill / Double Grill | Grill \| Double Grill | 2 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2200 |
| **3** | 0 / Top+Bottom / Bottom / Top / Grill | Top \| Bottom Grill | 4 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2100 |
| **4** | 0 / Top+Bottom / Top / Grill / Double Grill | Top \| Bottom Grill \| Double Grill | 4 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2200 |
| **5** | 0 / OvenLight / Top+Bottom / Bottom / Top / Grill /Double Grill | Top \| Bottom Grill \| Double Grill | 6 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2200 |
| **Oven Functions for Main Oven** | | | | | | | |
| **1** | 0 / Top+Bottom | Top \| Bottom | 1 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2300 |
| **2** | 0 / Top+Bottom / Bottom / Top | Top \| Bottom | 3 | Static | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2300 |
| **3** | 0 / Defrost / Fan+Ring | Fan \| Ring | 2 | Turbo Fan | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2000 |
| **4** | 0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan | Top \| Bottom Fan \| Ring | 4 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2300 |
| **5** | 0 / Defrost / Top+Bottom / Top+Bottom+Fan | Top \| Bottom Fan | 3 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2300 |
| **6** | 0 / Defrost / Top+Bottom / Top+Bottom+Fan / Gril / Grill+Fan | Top \| Bottom Fan Grill | 5 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2300 |
| **7** | 0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Gril / Grill+Fan | Top \| Bottom Fan Grill | 6 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2300 |
| **8** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Gril / Double Grill / Double Grill+Fan | Top \| Bottom Fan \| Ring Grill \| Double Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 3100 |
| **9** | 0 / OvenLight / Bottom / Top / Top+Bottom / Top+Bottom+Fan / Gril / Grill+Fan / Fan+Ring / 3D | Top \| Bottom Fan \| Ring Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 2600 |
| **10** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Gril / Double Grill / Double Grill+Fan / Vap Clean | Top \| Bottom Fan \| Ring Grill \| Double Grill | 10 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT) | 3100 |

| Built in Single / Polyvalent Oven Functions Table | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Oven Function ID** | Oven Functions | Function Elements | Number of Functions | Identity in the Market | Function Pictograms | Compatible Oven Controllers (Check Oven Controllers-Page X for notations) | 50L | 65L | 75L | Polyvalent 65L /75L | Electrical Power for 50L at 230V | Electrical Power for 65/75L at 230V |
| **1** | 0 / Top + Bottom / Bottom / Top | Top \| Bottom | 3 | Static | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **2** | 0 / Top + Bottom / Bottom / Top / Grill + Turnspit | Top \| Bottom Grill Turnspit | 4 | Static | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **6** | 0 / Defrost / Fan + Ring / Grill + Turnspit / Grill + Fan + Turnspit | Fan \| Ring Grill TurnSpit | 4 | Turbo Fan | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2000 |
| **9** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit | Top \| Bottom Fan \| Ring Grill \| Double Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC) | - | A | A | A | - | 3100 |
| **12** | 0 / OvenLight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit | Top \| Bottom Fan Grill \| Double Grill Turnspit | 8 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2600 |
| **15** | 0 / OvenLight / Top+Bottom / Bottom / Top / Grill / Double Grill | Top \| Bottom Grill \| Double Grill | 6 | Static | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | A | A | A | A | 2300 | 2600 |
| **16** | 0 / Defrost / Fan + Ring / Grill / Grill + Fan | Fan \| Ring Grill | 4 | Turbo Fan | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2000 |
| **17** | 0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan | Top \| Bottom Fan \| Ring Grill | 6 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **19** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan | Top \| Bottom Fan \| Ring Grill \| Double Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC) | A | A | A | A | 2600 | 3100 |
| **20** | 0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan | Top \| Bottom Fan Grill | 5 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | A | A | A | A | 1900 | 2300 |

| Built in Single / Polyvalent Oven Functions Table | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Oven Function ID** | Oven Functions | Function Elements | Number of Functions | Identity in the Market | Function Pictograms | Compatible Oven Controllers (Check Oven Controllers-Page X for notations) | 50L | 65L | 75L | Poly-valent 65L /75L | Electrical Power for 50L at 230V | Electrical Power for 65/75L at 230V |
| **22** | 0 / OvenLight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan | Top \| Bottom Fan Grill \| Double Grill | 8 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | A | A | A | A | 2300 | 2600 |
| **24** | 0 / Defrost / Fan + Ring + Turnspit / Top + Bottom + Turnspit / Top + Bottom + Fan + Turnspit | Top \| Bottom Fan \| Ring Turnspit | 4 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **25** | 0 / Defrost / Top + Bottom / Top + Bottom + Fan | Top \| Bottom Fan | 3 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **26** | 0 / Defrost / Top + Bottom + Turnspit / Top + Bottom + Fan + Turnspit | Top \| Bottom Fan TurnSpit | 3 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **27** | 0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Pyrolysis | Top \| Bottom Fan Grill \| Double Grill | 6 | Fan Assisted | | Mechanical Controllers (DT-DTT-FDDTT-VT-FT) | - | A | A | - | - | 2600 |
| **28** | 0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill/ Double Grill + Fan / Pyrolysis | Top \| Bottom Fan \| Ring Grill \| Double Grill | 8 | Multifunction | | Mechanical Controllers (DT-DTT-FDDTT) Electronic Controllers (VT-FT) | A | A | A | - | 2300 | 2600 |
| **29** | 0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit / Double Grill + Fan + Turnspit / Pyrolysis | Top \| Bottom Fan \| Ring Grill \| Double Grill Turnspit | 8 | Multifunction | | Mechanical Controllers (DT-DTT-FDDTT) Electronic Controllers (VT-FT) | - | A | A | - | - | 2600 |
| **50** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill + Turnspit / Double Grill+ Turnspit / Double Grill+Fan + Turnspit / VapClean | Top \| Bottom Fan \| Ring Grill \| Double Grill Turnspit | 10 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC) | - | A | A | A | - | 3100 |
| **51** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom /Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan / VapClean | Top \| Bottom Fan \| Ring Grill \| Double Grill | 10 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC) | A | A | A | A | 2600 | 3100 |
| **52** | 0/ Defrost / Bottom / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan | Top \| Bottom Fan Grill | 6 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **56** | 0 / OvenLight / Defrost / Fan+Ring / Top+Bottom /Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan / VapClean+ / Steam | Top \| Bottom Fan \| Ring Grill \| Double Grill | 11 | Multifunction | | Electronic Controllers (RC) | A | A | A | - | 2600 | 3100 |
| **57** | 0 / OvenLight / Defrost / Bottom / Top+Bottom / Top+Bottom+Fan / Fan+Ring / Pizza / 3D / Grill / Grill+Fan / Double Grill / Double Grill+Fan | Top \| Bottom Fan \| Ring Grill \| Double Grill | 12 | Multifunction | | Electronic Controllers (MC) | * | A | A | - | * | 3100 |
| **59** | 0 / OvenLight / Bottom / Top / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan / Fan+Ring / 3D | Top \| Bottom Fan \| Ring Grill \| Double Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | A | A | A | A | * | 2600 |
| **60** | 0 / OvenLight / Defrost / Bottom / Top / Top+Bottom / Top+Bottom+Fan / Fan+Ring / Pizza / Double Grill | Top \| Bottom Fan \| Ring Double Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 3100 |
| **61** | 0 /Bottom / Top / Top+Bottom / Top+Bottom+Fan / Bottom+Fan | Top \| Bottom Fan | 5 | Fan Assisted | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2300 |
| **62** | 0 / OvenLight / Defrost / Bottom / Top / Top+Bottom / Top+Bottom+Fan / Fan+Ring / Grill+Fan / Double Grill | Top \| Bottom Fan \| Ring Grill \| Double Grill | 9 | Multifunction | | Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) | - | A | A | A | - | 2600 |
| **64** | Defrost / Fan+Ring / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Double Grill / DoubleGrill+Fan / VapClean | Top \| Bottom Fan \| Ring Double Grill | 9 | Multifunction | | Electronic Controllers (SLEDT) | - | - | A | - | - | 3100 |
| **65** | Defrost / Fan+Ring / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / DoubleGrill+Turnspit / DoubleGrill+Fan+Turnspit/VapClean | Top \| Bottom Fan \| Ring Double Grill Turnspit | 9 | Multifunction | | Electronic Controllers (SLEDT) | - | - | A | - | - | 3100 |
| **66** | 0 / Defrost / Fan+Ring / Bottom / Top+Bottom / Top+Bottom+Fan/Pizza / Double Grill / Double Grill+Fan /VapClean / Pyrolysis | Top \| Bottom Fan \| Ring Double Grill | 9 | Multifunction | | Electronic Controllers (SLEDT-RC-MC) | * | A | A | - | * | 3100 |
| **67** | 0 / Defrost / Fan+Ring / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Double Grill+Turnspit / DoubleGrill+Fan+Turnspit /VapClean / Pyrolysis | Top \| Bottom Fan \| Ring Double Grill Turnspit | 9 | Multifunction | | Electronic Controllers (SLEDT-RC-MC) | - | A | A | - | - | 3100 |
| **68** | 0 / Defrost / TURBO / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Grill+Fan / 3D / VapClean or Pyrolysis or Steam | Top \| Bottom Fan \| Ring Grill | 10 | Multifunction | | Electronic Controllers (FDVT-FDFT) | * | A | A | - | * | 3100 |
| **69** | 0 / Defrost / TURBO / Bottom / Top+Bottom / Top+Bottom+Fan / Pizza / Grill+Turnspit / Grill+Fan+Turnspit /3D / VapClean or Pyrolysis | Top \| Bottom Fan \| Ring Grill Turnspit | 10 | Multifunction | | Electronic Controllers (FDVT-FDFT) | - | A | A | - | - | 3100 |

| BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET | | BI Gas/Combined Hobs | | | | | |
|---|---|---|---|---|---|---|---|
| | | 60 CM | 60 CM | 60 CM | 60 CM | 60 CM | 70 CM |
| | | Flat / Surface | Extenda | Classic | PlusX | Division | PlusX |
| **Available Colours** | | | | | | | |
| **White** | | Standard | Standard | Standard | Standard | - | Standard |
| **Brown** | | Optional | Optional | Optional | Optional | - | Optional |
| **Terre de France** | | Optional | Optional | Optional | Optional | - | Optional |
| **Black** | | Optional | Optional | Optional | Optional | - | Optional |
| **Stainless Steel** | | Optional | Optional | Optional | Optional | Standard | Optional |
| **Product Dimensions** | | | | | | | |
| **Height (max., varies from model to model)** | mm | 40 | 40 | 40 | 42 | 42 | 42 |
| **Width** | mm | 580 | 580 | 580 | 580 | 580 | 700 |
| **Depth (max., do not include gas connection detail)** | mm | 510 | 510 | 510 | 515 | 510 | 515 |
| **Cut-out Dimensions** | | | | | | | |
| **Width** | mm | 560 | 560 | 560 | 560 | 560 | 560 |
| **Depth** | mm | 490 | 490 | 490 | 490 | 490 | 490 |
| **Hob Features** | | | | | | | |
| **Hob** | | Enamel / Stainless Steel | Enamel / Stainless Steel | Enamel / Stainless Steel | Enamel / Stainless Steel | Stainless Steel | Enamel / Stainless Steel |
| **Rapid Gas Burner Ø10cm** | W | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| **Semi-rapid Gas Burner Ø7.5cm** | W | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 |
| **Auxiliary Gas Burner Ø5.5cm** | W | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| **Wok (Tripple Flame) Gas Burner Mono Ø14cm** | W | 3600 | 3600 | 3600 | - | - | 3600 |
| **Wok (Tripple Flame) Gas Burner Dual Ø14cm** | W | - | - | - | - | - | - |
| **Wok (Tripple Flame) Gas Burner Ø11cm** | W | - | - | - | 3200 | - | - |
| **Ø 145 mm Hotplate** | W | - | - | 1000 | 1000 | - | 1000 |
| **Ø 180 mm Hotplate** | W | 1500 | 1500 | - | - | - | - |
| **Ø 145 mm Rapid Hotplate** | W | - | - | - | - | - | - |
| **Ø 180 mm Rapid Hotplate** | W | - | - | - | - | - | - |
| **Ø145 mm Highlight Element** | W | - | - | - | - | - | - |
| **Ø180 mm Highlight Element** | W | - | - | - | - | - | - |
| **Ø210 mm Highlight Element** | W | - | - | - | - | - | - |
| **Ø180 mm Dual Highlight Element** | W | - | - | - | - | - | - |
| **Ø145 mm Oval Highlight Element** | W | - | - | - | - | - | - |
| **Ø210 mm Dual Highlight Element** | W | - | - | - | - | - | - |
| **Ø210 mm Tripple Highlight Element** | W | - | - | - | - | - | - |
| **Ø290 mm Dual Highlight Element** | W | - | - | - | - | - | - |
| **Ø 160 mm Induction Zone(Serie 1 and Serie 2)** | W | - | - | - | - | - | - |
| **Ø 200 mm Induction Zone(Serie 1)** | W | - | - | - | - | - | - |
| **Ø 210 mm Induction Zone(Serie 2)** | W | - | - | - | - | - | - |
| **Ø 250 mm Induction Zone(Serie 1)** | W | - | - | - | - | - | - |
| **Ø 290 mm Induction Zone(Serie 2)** | W | - | - | - | - | - | - |
| **Boost Funcion** | | - | - | - | - | - | - |
| **Pot Dedection** | | - | - | - | - | - | - |
| **Automatic Heatup** | | - | - | - | - | - | - |
| **Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - |
| **Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - |
| **Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - |
| **Child Lock for vitro ceramic hobs (If touch control selected)** | | - | - | - | - | - | - |
| **Hot Surface Indicator Light** | | - | - | - | - | - | - |
| **Hotplate Operation Indicator Light** | | Standard | Standard | Standard | Standard | - | Standard |
| **Side Knob Control** | | Standard | Standard | Standard | - | - | - |
| **Front Knob Control** | | - | - | - | Standard | | Standard |
| **Double Side Front Control** | | - | - | - | - | Standard | - |
| **Front Triangular Touch Control** | | - | - | - | - | - | - |
| **Front Slder Touch Control** | | - | - | - | - | - | - |
| **Front Touch Control** | | - | - | - | - | - | - |
| **Bevelled Edges** | | - | - | - | - | - | - |
| **Logo** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Special Decoration on Glass** | | - | - | - | - | - | - |
| **Vitroceramic Glass Artwork** | | - | - | - | - | - | - |
| **Inox Frame** | | - | - | - | - | - | - |
| **Stainless Steel Burner Pan** | | - | - | - | - | - | - |
| **Table Top Installation (not built-in)** | | Optional | Optional | Optional | - | - | - |
| **Glass Lid** | | - | - | - | - | - | - |
| **Burner Safety Valves** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Button Ignition** | | Optional | Optional | Optional | - | - | - |
| **One-touch-Ignition through knobs** | | Optional | Optional | Optional | Optional | Standard | Optional |
| **Enamel Pan Supports** | | Standard | Standard | Standard | Standard | - | Standard |
| **Cast Iron Pan Supports** | | Optional | Optional | - | Optional | Standard | Optional |
| **Cast Iron Burner Caps** | | Optional | Optional | - | Optional | Optional | Optional |
| **Coffee Adaptor** | | Optional | Optional | Optional | Optional | Optional | Optional |
| **Wok Adaptor** | | Optional | Optional | Optional | Optional | - | Optional |
| **Vitroceramic Glass Cleaning Spatula** | | - | - | - | - | - | - |
| **Gas Conversion Kit** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Others** | | | | | | | |
| **Total Gas Power (Depends on Model) Maximum** | kW | 8, 1 | 8, 1 | 8, 1 | 7, 7 | 7, 5 | 11, 1 |
| **Total Electric Power (Depends on Model) Maximum** | kW | 1, 5 | 1, 5 | 1 | 1 | - | 1 |
| **Voltage** | V | 230V~ | 230V~ | 230V~ | 230V~ | 230V~ | 230V~ |
| **RoHS Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Carton Box Packaging** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Packed Product Dimensions (WxDxH)** | mm | 626 x 580 x 140 | x | 626 x 560 x 130 | x | x | x |
| **Loading Quantity 20 ft (Wrapped Carton)** | pcs | 576 | x | 612 | x | x | x |
| **Loading Quantity 40 ft (Wrapped Carton)** | pcs | 1216 | x | 1292 | x | x | x |
| **Loading Quantity 40 HC (Wrapped Carton)** | pcs | 1368 | x | 1444 | x | x | x |
| **Packed Product Dimensions (WxDxH) Box** | mm | 640 x 584 x 152 | 647 x 582 x 164 | 635 x 564 x 142 | 647 x 582 x 164 | 647 x 582 x 164 | 769 x 582 x 164 |
| **Loading Quantity 20 ft (Carton Box)** | pcs | 405 | 378 | 576 | 378 | 378 | 378 |
| **Loading Quantity 40 ft (Carton Box)** | pcs | 900 | 840 | 1152 | 840 | 840 | 840 |
| **Loading Quantity 40 HC (Carton Box)** | pcs | 1020 | 960 | 1296 | 960 | 960 | 960 |
| **Net Weight (Depends on Model) Maximum** | kg | 9 | 9, 5 | 6, 6 | 9, 5 | 11 | 12, 5 |
| **Gross Weight (Depends on Model) Maximum** | kg | 9, 75 | 10, 5 | 7, 5 | 10, 5 | 12 | 13, 5 |

| BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET | | BI Gas Securit Hobs | | | | | |
|---|---|---|---|---|---|---|---|
| | | 60 CM | 60 CM | 60 CM | 60 CM | 70 CM | 90 CM |
| | | Securit II | Trio | PlusX | Division | PlusX | |
| **Available Colours** | | | | | | | |
| **White** | | Optional | Optional | Optional | - | Optional | Optional |
| **Brown** | | Optional | Optional | Optional | - | Optional | Optional |
| **Terre de France** | | Optional | Optional | Optional | - | Optional | Optional |
| **Black** | | Standard | Standard | Standard | Standard | Standard | STANDARD |
| **Dark Green** | | Optional | Optional | Optional | - | Optional | Optional |
| **Stainless Steel** | | - | - | - | - | - | - |
| **Product Dimensions** | | | | | | | |
| **Height (max., varies from model to model)** | mm | 44 | 44 | 44 | 44 | 44 | 47 |
| **Width** | mm | 594 | 594 | 594 | 594 | 700 | 882 |
| **Depth (max., do not include gas connection detail)** | mm | 523 | 523 | 523 | 523 | 520 | 520 |
| **Cut-out Dimensions** | | | | | | | |
| **Width** | mm | 560 | 560 | 560 | 560 | 560 | 850 |
| **Depth** | mm | 490 | 490 | 490 | 490 | 490 | 480 |
| **Hob Features** | | | | | | | |
| **Hob** | | Securit | Securit | Securit | Securit | Securit | Securit |
| **Rapid Gas Burner Ø10cm** | W | 3000 | 3000 | 3000 | 3000 | 3000 | 3000 |
| **Semi-rapid Gas Burner Ø7.5cm** | W | 1750 | 1750 | 1750 | 1750 | 1750 | 1750 |
| **Auxiliary Gas Burner Ø5.5cm** | W | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| **Wok (Tripple Flame) Gas Burner Mono Ø14cm** | W | 3600 | 3600 | 3600 | - | 3600 | 4500 |
| **Wok (Tripple Flame) Gas Burner Dual Ø14cm** | W | - | - | - | - | - | 4500 |
| **Wok (Tripple Flame) Gas Burner Ø11cm** | W | - | - | - | - | - | - |
| **Ø 145 mm Hotplate** | W | - | - | 1000 | - | - | - |
| **Ø 180 mm Hotplate** | W | - | - | - | - | - | - |
| **Ø 145 mm Rapid Hotplate** | W | - | - | - | - | - | - |
| **Ø 180 mm Rapid Hotplate** | W | - | - | - | - | - | - |
| **Ø145 mm Highlight Element** | W | - | - | - | - | - | - |
| **Ø180 mm Highlight Element** | W | - | - | - | - | - | - |
| **Ø210 mm Highlight Element** | W | - | - | - | - | - | - |
| **Ø180 mm Dual Highlight Element** | W | - | - | - | - | - | - |
| **Ø145 mm Oval Highlight Element** | W | - | - | - | - | - | - |
| **Ø210 mm Dual Highlight Element** | W | - | - | - | - | - | - |
| **Ø210 mm Tripple Highlight Element** | W | - | - | - | - | - | - |
| **Ø290 mm Dual Highlight Element** | W | - | - | - | - | - | - |
| **Ø 160 mm Induction Zone(Serie 1 and Serie 2)** | W | - | - | - | - | - | - |
| **Ø 200 mm Induction Zone(Serie 1)** | W | - | - | - | - | - | - |
| **Ø 210 mm Induction Zone(Serie 2)** | W | - | - | - | - | - | Standard |
| **Ø 250 mm Induction Zone(Serie 1)** | W | - | - | - | - | - | - |
| **Ø 290 mm Induction Zone(Serie 2)** | W | - | - | - | - | - | - |
| **Boost Funcion** | | - | - | - | - | - | - |
| **Pot Dedection** | | - | - | - | - | - | - |
| **Automatic Heatup** | | - | - | - | - | - | - |
| **Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - |
| **Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - |
| **Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - |
| **Child Lock for vitro ceramic hobs (If touch control selected)** | | - | - | - | - | - | - |
| **Hot Surface Indicator Light** | | - | - | - | - | - | - |
| **Hotplate Operation Indicator Light** | | - | - | Standard | - | - | - |
| **Side Knob Control** | | Standard | Standard | - | - | - | - |
| **Front Knob Control** | | - | - | Standard | | Standard | Standard |
| **Double Side Front Control** | | - | - | - | Standard | - | - |
| **Front Triangular Touch Control** | | - | - | - | - | - | - |
| **Front SIder Touch Control** | | - | - | - | - | - | - |
| **Front Touch Control** | | - | - | - | - | - | - |
| **Bevelled Edges** | | - | - | - | - | - | Optional |
| **Logo** | | Optional | Optional | Standard | Standard | Standard | Standard |
| **Special Decoration on Glass** | | Optional | Optional | - | - | - | - |
| **Vitroceramic Glass Artwork** | | - | - | - | - | - | - |
| **Inox Frame** | | - | - | - | - | - | Optional |
| **Stainless Steel Burner Pan** | | Optional | Optional | Optional | - | Optional | Optional |
| **Table Top Installation (not built-in)** | | - | - | - | - | - | - |
| **Glass Lid** | | - | - | - | - | - | - |
| **Burner Safety Valves** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Button Ignition** | | Optional | Optional | - | - | - | - |
| **One-touch-Ignition through knobs** | | Optional | Optional | Optional | Standard | Optional | Standard |
| **Enamel Pan Supports** | | Standard | Standard | Standard | - | Standard | - |
| **Cast Iron Pan Supports** | | Optional | Optional | Optional | Standard | Optional | Standard |
| **Cast Iron Burner Caps** | | Optional | Optional | Optional | Optional | Optional | Standard |
| **Coffee Adaptor** | | Optional | Optional | Optional | Optional | Optional | Optional |
| **Wok Adaptor** | | Optional | Optional | Optional | - | Optional | Optional |
| **Vitroceramic Glass Cleaning Spatula** | | - | - | - | - | - | - |
| **Gas Conversion Kit** | | Standard | Standard | Standard | Standard | Standard | Optional |
| **Others** | | | | | | | |
| **Total Gas Power (Depends on Model) Maximum** | kW | 8, 1 | 8, 1 | 8, 1 | 7, 5 | 11, 1 | 12 |
| **Total Electric Power (Depends on Model) Maximum** | kW | - | - | 1 | - | | |
| **Voltage** | V | 230V~ | 230V~ | 230V~ | 230V~ | 230V~ | 230V~ |
| **RoHS Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Carton Box Packaging** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Packed Product Dimensions (WxDxH)** | mm | 622 x 580 x 140 | 622 x 580 x 140 | x | x | x | x |
| **Loading Quantity 20 ft (Wrapped Carton)** | | 576 (without wok burner) / 432 (with wok burner) | 576 | x | x | x | x |
| **Loading Quantity 40 ft (Wrapped Carton)** | | 1216 (without wok burner) / 912 (with wok burner) | 1216 | x | x | x | x |
| **Loading Quantity 40 HC (Wrapped Carton)** | | 1368 (without wok burner) / 912 (with wok burner) | 1368 | x | x | x | x |
| **Packed Product Dimensions (WxDxH) Box** | mm | x | x | 647 x 582 x 164 | 647 x 582 x 164 | 769 x 582 x 164 | 935 x 582 x 164 |
| **Loading Quantity 20 ft (Carton Box)** | pcs | x | x | 378 | 378 | 378 | 252 |
| **Loading Quantity 40 ft (Carton Box)** | pcs | x | x | 840 | 840 | 840 | 560 |
| **Loading Quantity 40 HC (Carton Box)** | pcs | x | x | 960 | 960 | 960 | 640 |
| **Net Weight (Depends on Model) Maximum** | kg | 9, 5 | 9, 5 | 11, 5 | | 13, 8 | 20, 5 |
| **Gross Weight (Depends on Model) Maximum** | kg | 10, 25 | 10, 25 | 12, 5 | | 14, 8 | 21, 5 |

| BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET | | BI Electric Hobs | BI Vitro Ceramic Hobs | | BI Induction Ceramic Hobs | | |
|---|---|---|---|---|---|---|---|
| | | 60 CM | 60 CM | 78 CM | 60 CM | 78 CM | 90CM |
| | | Flat / Surface | C Serie | C Serie | Vestel Induction | Vestel Induction | Vestel Induction |
| **Available Colours** | | | | | | | |
| **White** | | Standard | Optional | Optional | Optional | Optional | Optional |
| **Brown** | | Optional | - | - | - | - | - |
| **Terre de France** | | Optional | - | - | - | - | - |
| **Black** | | Optional | Standard | Standard | Standard | Standard | Standard |
| **Stainless Steel** | | Optional | - | - | - | - | - |
| **Product Dimensions** | | | | | | | |
| **Height (max., varies from model to model)** | mm | 40 | 41- 47, 5 | 41 | 56 | 56 | 56 |
| **Width** | mm | 580 | 590 | 780 | 590 | 590 | 890 |
| **Depth (max., do not include gas connection detail)** | mm | 510 | 520 | 520 | 520 | 520 | 520 |
| **Cut-out Dimensions** | | | | | | | |
| **Width** | mm | 560 | 560 | 750 | 560 | 750 | 860 |
| **Depth** | mm | 490 | 490 | 490 | 490 | 490 | 490 |
| **Hob Features** | | | | | | | |
| **Hob** | | Enamel / Stainless Steel | Vitro Ceramic | Vitro Ceramic | Induction Ceramic | Induction Ceramic | Induction Ceramic |
| **Rapid Gas Burner Ø10cm** | W | Enamel / Stainless Steel | Vitro Ceramic | Vitro Ceramic | Induction Ceramic | Induction Ceramic | Induction Ceramic |
| **Semi-rapid Gas Burner Ø7.5cm** | W | - | - | - | - | - | - |
| **Auxiliary Gas Burner Ø5.5cm** | W | - | - | - | - | - | - |
| **Wok (Tripple Flame) Gas Burner Mono Ø14cm** | W | - | - | - | - | - | - |
| **Wok (Tripple Flame) Gas Burner Dual Ø14cm** | W | - | - | - | - | - | - |
| **Wok (Tripple Flame) Gas Burner Ø11cm** | W | - | - | - | - | - | - |
| **Ø 145 mm Hotplate** | W | 1000 | - | - | - | - | - |
| **Ø 180 mm Hotplate** | W | 1500 | - | - | - | - | - |
| **Ø 145 mm Rapid Hotplate** | W | 1500 | - | - | - | - | - |
| **Ø 180 mm Rapid Hotplate** | W | 2000 | - | - | - | - | - |
| **Ø145 mm Highlight Element** | W | - | 1200 | 1200 | - | - | - |
| **Ø180 mm Highlight Element** | W | - | 1800 | 1800 | - | - | - |
| **Ø210 mm Highlight Element** | W | - | 2300 | 2300 | - | - | - |
| **Ø180 mm Dual Highlight Element** | W | - | 1700 | 1700 | - | - | - |
| **Ø145 mm Oval Highlight Element** | W | - | 1800 | 1800 | - | - | - |
| **Ø210 mm Dual Highlight Element** | W | - | 2200 | 2200 | - | - | - |
| **Ø210 mm Tripple Highlight Element** | W | - | 2300 | - | - | - | - |
| **Ø290 mm Dual Highlight Element** | W | - | 2700 | - | - | - | - |
| **Ø 160 mm Induction Zone (Serie 1 and Serie 2)** | W | - | - | - | Nominal 2100 W max. Boost 2500 W | Nominal 2100 W max. Boost 2500 W | Nominal 2100 W max. Boost 2500 W |
| **Ø 160 mm Induction Zone (Serie 2e)** | W | - | - | - | Nominal 1300 W max | - | - |
| **Ø 200 mm Induction Zone (Serie 1)** | W | - | - | - | - | - | Nominal 2100 W max. Boost 2500 W |
| **Ø 210 mm Induction Zone (Serie 2)** | W | - | - | - | Nominal 2100 W max. Boost 2500 W | - | - |
| **Ø 210 mm Induction Zone (Serie 2e)** | W | - | - | - | Nominal 1500 W max. Boost 1700 W | - | - |
| **Ø 250 mm Induction Zone (Serie 1)** | W | - | - | - | - | - | Nominal 2800 W max. Boost 3500 W |
| **Ø 290 mm Induction Zone (Serie 2)** | W | - | - | - | Nominal 2800 W max. Boost 3500 W | - | - |
| **Flex Induction Zone (1 zone)** | W | - | - | - | Nominal 900 W max. Boost 1200 W | Nominal 900 W max. Boost 1200 W | - |
| **Boost Funcion** | | - | - | - | Standard | Standard | Standard |
| **Pot Dedection** | | - | - | - | Standard | Standard | Standard |
| **Automatic Heatup** | | - | - | - | - | - | - |
| **Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)** | | - | Optional | Optional | Optional | Optional | Standard |
| **Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | Optional | Optional | - |
| **Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | Optional | - | - |
| **Child Lock for vitro ceramic hobs (If touch control selected)** | | - | Standard | Standard | Standard | Optional | Optional |
| **Hot Surface Indicator Light** | | - | Standard | Standard | Standard | Standard | Standard |
| **Hotplate Operation Indicator Light** | | Standard | - | - | - | - | - |
| **Side Knob Control** | | Standard | Standard | - | - | - | - |
| **Front Knob Control** | | - | - | - | - | - | - |
| **Double Side Front Control** | | - | - | - | - | - | - |
| **Front Triangular Touch Control** | | - | Optional | Standard | - | - | - |
| **Front Slder Touch Control** | | - | Optional | Optional | Optional | Optional | - |
| **Front Touch Control** | | - | - | - | Optional | Optional | Optional |
| **Bevelled Edges** | | - | Optional | Optional | Optional | Optional | Optional |
| **Logo** | | Standard | Optional | Optional | Optional | Optional | Optional |
| **Special Decoration on Glass** | | - | Optional | Optional | Optional | Optional | Optional |
| **Vitroceramic Glass Artwork** | | - | Slim / Arc | Slim / Arc | Slim / Plus / Line | Slim | Slim |
| **Inox Frame** | | - | Optional | - | Optional | Optional | Optional |
| **Stainless Steel Burner Pan** | | - | - | - | - | - | - |
| **Table Top Installation (not built-in)** | | - | - | - | - | - | - |
| **Glass Lid** | | - | - | - | - | - | - |
| **Burner Safety Valves** | | - | - | - | - | - | - |
| **Button Ignition** | | - | - | - | - | - | - |
| **One-touch-Ignition through knobs** | | - | - | - | - | - | - |
| **Enamel Pan Supports** | | - | - | - | - | - | - |
| **Cast Iron Pan Supports** | | - | - | - | - | - | - |
| **Cast Iron Burner Caps** | | - | - | - | - | - | - |
| **Coffee Adaptor** | | - | - | - | - | - | - |
| **Wok Adaptor** | | - | - | - | - | - | - |
| **Vitroceramic Glass Cleaning Spatula** | | - | Optional | Optional | Optional | Optional | Optional |
| **Gas Conversion Kit** | | - | - | - | - | - | - |
| **Others** | | | | | | | |
| **Total Gas Power (Depends on Model) Maximum** | kW | - | - | - | - | - | - |
| **Total Electric Power (Depends on Model) Maximum** | kW | 6 | 6, 5 | 8, 3 | 7, 4 | 7, 4 | 10, 8 |
| **Voltage** | V | 230V~ / 400V 2N~ | 230V~/400V3N~ | 230V~ / 400V 3N~ | 230V~ / 400V 3N~ | 230V~ / 400V 3N~ | 230V~ / 400V 3N~ |
| **RoHS Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Carton Box Packaging** | | Standard | Standard | Standard | Standard | Standard | Standard |
| **Packed Product Dimensions (WxDxH)** | mm | 626 x 580 x 140 | 620 x 578 x 133 | 810 x 578 x 133 | 626 x 581 x 142 | 816 x 581 x 142 | 926 x 581 x 142 |
| **Loading Quantity 20 ft (Wrapped Carton)** | pcs | 576 | 612 | 476 | 432 | 336 | 252 |
| **Loading Quantity 40 ft (Wrapped Carton)** | pcs | 1216 | 1292 | 952 | 960 | 672 | 560 |
| **Loading Quantity 40 HC (Wrapped Carton)** | pcs | 1368 | 1444 | 1064 | 1080 | 756 | 560 |
| **Packed Product Dimensions (WxDxH) Box** | mm | 640 x 584 x 152 | 631 x 580 x 143 | x | 643 x 583 x 152 | x | 941 x 583 x 152 |
| **Loading Quantity 20 ft (Carton Box)** | pcs | 405 | 576 | x | 405 | x | 252 |
| **Loading Quantity 40 ft (Carton Box)** | pcs | 900 | 1152 | x | 900 | x | 560 |
| **Loading Quantity 40 HC (Carton Box)** | pcs | 1020 | 1296 | x | 1020 | x | 560 |
| **Net Weight (Depends on Model) Maximum** | kg | 9, 5 | 9, 5 | 10, 15 | 11 | 12 | 16 |
| **Gross Weight (Depends on Model) Maximum** | kg | 10, 25 | 10, 25 | 11 | 12 | 13 | 17 |

| BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET | | TT Gas/ Comnined/ Gas Securit Hobs | | | | TT Electric Hobs | | |
|---|---|---|---|---|---|---|---|---|
| | | 60 CM | 60 CM | 60 CM | 60 CM | 60 CM | 60 CM | 60 CM |
| | | Flat / Surface | Smoothline | New Gen. | PlusX | Flat / Surface | Smoothline | New Gen. |
| **Available Colours** | | | | | | | | |
| **White** | | Standard | Standard | Standard | Optional | Standard | Standard | Standard |
| **Brown** | | Optional | Optional | - | Optional | Optional | Optional | - |
| **Terre de France** | | Optional | Optional | - | Optional | Optional | Optional | - |
| **Black** | | Optional | Optional | Optional | Standard | Optional | Optional | Optional |
| **Stainless Steel** | | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| **Product Dimensions** | | | | | | | | |
| **Height (max., varies from model to model)** | mm | 95, 5 - 104, 5 | 95, 5 - 104, 5 | 95, 5 - 104, 5 | 104 | 56, 5 - 104, 5 | 56, 5 - 104, 5 | 56, 5 - 104, 5 |
| **Width** | mm | 585 | 585 | 580 | 597 | 585 | 585 | 585 |
| **Depth (max., do not include gas connection detail)** | mm | 540 | 540 | 540 | 526 | 540 | 540 | 540 |
| **Cut-out Dimensions** | | | | | | | | |
| **Width** | mm | - | - | - | - | - | - | - |
| **Depth** | mm | - | - | - | - | - | - | - |
| **Hob Features** | | | | | | | | |
| **Hob** | | Enamel / Stainless Steel | Enamel / Stainless Steel | Enamel / Stainless Steel | Securit | Enamel / Stainless Steel | Enamel / Stainless Steel | Enamel / Stainless Steel |
| **Rapid Gas Burner Ø10cm** | W | 3000 | 3000 | 3000 | 3000 | - | - | - |
| **Semi-rapid Gas Burner Ø7.5cm** | W | 1750 | 1750 | 1750 | 1750 | - | - | - |
| **Auxiliary Gas Burner Ø5.5cm** | W | 1000 | 1000 | 1000 | 1000 | - | - | - |
| **Wok (Tripple Flame) Gas Burner Mono Ø14cm** | W | 3600 | 3600 | 3600 | 3600 | - | - | - |
| **Wok (Tripple Flame) Gas Burner Dual Ø14cm** | W | - | - | - | - | - | - | - |
| **Wok (Tripple Flame) Gas Burner Ø11cm** | W | - | - | - | - | - | - | - |
| **Ø 145 mm Hotplate** | W | - | 1000 | - | 1000 | 1000 | 1000 | 1000 |
| **Ø 180 mm Hotplate** | W | 1500 | - | 1500 | - | 1500 | 1500 | 1500 |
| **Ø 145 mm Rapid Hotplate** | W | - | 1500 | - | - | 1500 | 1500 | 1500 |
| **Ø 180 mm Rapid Hotplate** | W | 2000 | - | 2000 | - | 2000 | 2000 | 2000 |
| **Ø145 mm Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø180 mm Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø210 mm Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø180 mm Dual Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø145 mm Oval Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø210 mm Dual Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø210 mm Tripple Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø290 mm Dual Highlight Element** | W | - | - | - | - | - | - | - |
| **Ø 160 mm Induction Zone(Serie 1 and Serie 2)** | W | - | - | - | - | - | - | - |
| **Ø 200 mm Induction Zone(Serie 1)** | W | - | - | - | - | - | - | - |
| **Ø 210 mm Induction Zone(Serie 2)** | W | - | - | - | - | - | - | - |
| **Ø 250 mm Induction Zone(Serie 1)** | W | - | - | - | - | - | - | - |
| **Ø 290 mm Induction Zone(Serie 2)** | W | - | - | - | - | - | - | - |
| **Boost Funcion** | | - | - | - | - | - | - | - |
| **Pot Dedection** | | - | - | - | - | - | - | - |
| **Automatic Heatup** | | - | - | - | - | - | - | - |
| **Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - | - |
| **Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - | - |
| **Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | - | - | - | - |
| **Child Lock for vitro ceramic hobs (If touch control selected)** | | - | - | - | - | - | - | - |
| **Hot Surface Indicator Light** | | - | - | - | - | - | - | - |
| **Hotplate Operation Indicator Light** | | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| **Side Knob Control** | | Standard | Standard | Standard | - | Standard | Standard | Standard |
| **Front Knob Control** | | - | - | - | Standard | - | - | - |
| **Double Side Front Control** | | - | - | - | - | - | - | - |
| **Front Triangular Touch Control** | | - | - | - | - | - | - | - |
| **Front SIder Touch Control** | | - | - | - | - | - | - | - |
| **Front Touch Control** | | - | - | - | - | - | - | - |
| **Bevelled Edges** | | - | - | - | - | - | - | - |
| **Logo** | | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| **Special Decoration on Glass** | | - | - | - | - | - | - | - |
| **Vitroceramic Glass Artwork** | | - | - | - | - | - | - | - |
| **Inox Frame** | | - | - | - | - | - | - | - |
| **Stainless Steel Burner Pan** | | - | - | - | - | - | - | - |
| **Table Top Installation (not built-in)** | | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| **Glass Lid** | | Optional | Optional | Optional | - | Optional | Optional | Optional |
| **Burner Safety Valves** | | Standard | Standard | Standard | Standard | - | - | - |
| **Button Ignition** | | Optional | Optional | Optional | Optional | - | - | - |
| **One-touch-Ignition through knobs** | | Optional | Optional | Optional | Optional | - | - | - |
| **Enamel Pan Supports** | | Standard | Standard | Standard | Standard | - | - | - |
| **Cast Iron Pan Supports** | | Optional | Optional | Optional | Optional | - | - | - |
| **Cast Iron Burner Caps** | | Optional | Optional | Optional | Optional | - | - | - |
| **Coffee Adaptor** | | Optional | Optional | Optional | Optional | - | - | - |
| **Wok Adaptor** | | Optional | Optional | Optional | Optional | - | - | - |
| **Vitroceramic Glass Cleaning Spatula** | | - | - | - | - | - | - | - |
| **Gas Conversion Kit** | | Standard | Standard | Standard | Standard | - | - | - |
| **Others** | | | | | | | | |
| **Total Gas Power (Depends on Model) Maximum** | kW | 8, 1 | 8, 1 | 8, 1 | 8, 1 | - | - | - |
| **Total Electric Power (Depends on Model) Maximum** | kW | - | - | - | 1 | 6 | 6 | 6 |
| **Voltage** | V | 230V~ | 230V~ | 230V~ | 230V~ | 230 / 400V 3N~ | 230 / 400V 3N~ | 230 / 400V 3N~ |
| **RoHS Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| **Carton Box Packaging** | | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| **Packed Product Dimensions (WxDxH)** | mm | 643 x 645 x 132 | 643 x 645 x 132 | x | x | 643 x 645 x 132 | 643 x 645 x 132 | x |
| **Loading Quantity 20 ft (Wrapped Carton)** | pcs | 408 | 408 | x | x | 408 | 408 | x |
| **Loading Quantity 40 ft (Wrapped Carton)** | pcs | 918 | 918 | x | x | 918 | 918 | x |
| **Loading Quantity 40 HC (Wrapped Carton)** | pcs | 1026 | 1026 | x | x | 1026 | 1026 | x |
| **Packed Product Dimensions (WxDxH) Box** | mm | 662 x 648 x 140 (default for glass lid option) | 662 x 648 x 140 (default for glass lid option) | 662 x 648 x 140 | 645 x 648 x 140 | 662 x 648 x 140 (default for glass lid option) | 662 x 648 x 140 (default for glass lid option) | 662 x 648 x 140 |
| **Loading Quantity 20 ft (Carton Box)** | pcs | 348 | 348 | 348 | 384 | 384 | 384 | 384 |
| **Loading Quantity 40 ft (Carton Box)** | pcs | 864 | 864 | 864 | 864 | 864 | 864 | 864 |
| **Loading Quantity 40 HC (Carton Box)** | pcs | 972 | 972 | 972 | 972 | 972 | 972 | 972 |
| **Net Weight (Depends on Model) Maximum** | kg | 13 | 13 | 14 | 15 | 13, 5 | 13, 5 | 14, 5 |
| **Gross Weight (Depends on Model) Maximum** | kg | 14.25 | 14.25 | 15 | 16 | 14.75 | 14.75 | 15, 5 |

| DOMINO HOB SPECIFICATION SHEET | | Domino Gas Hobs | Domino Electirc Hobs | Domino Gas Securit Hobs | Domino Vitro Ceramic Hobs | Domino Induction Ceramic Hobs |
|---|---|---|---|---|---|---|
| | | 30 CM | 30 CM | 30 CM | 30 CM | 30 CM |
| **Available Colours** | | | | | | |
| **White** | | - | - | Optional | Optional | Optional |
| **Brown** | | - | - | - | - | - |
| **Terre de France** | | - | - | - | - | - |
| **Black** | | - | - | Standard | Standard | Standard |
| **Stainless Steel** | | Standard | Standard | - | - | - |
| **Product Dimensions** | | | | | | |
| **Height (varies from model to model)** | mm | 42, 5 | 42, 5 | 47, 5 | 47, 5 | 56 |
| **Width** | mm | 290 | 290 | 290 | 290 | 290 |
| **Depth** | mm | 510 | 510 | 520 | 520 | 520 |
| **Cut-out Dimensions** | | | | | | |
| **Width** | mm | 270 | 270 | 270 | 270 | 270 |
| **Depth** | mm | 490 | 490 | 490 | 490 | 490 |
| **Hob Features** | | | | | | |
| **Hob** | | Stainless Steel | Stainless Steel | Securit | Vitro Ceramic | Induction Ceramic |
| **Rapid Gas Burner Ø10cm** | W | 3000 | - | 3000 | - | - |
| **Semi-rapid Gas Burner Ø7.5cm** | W | - | - | - | - | - |
| **Auxiliary Gas Burner Ø5.5cm** | W | 1000 | - | 1000 | - | - |
| **Wok (Tripple Flame) Gas Burner Ø14cm** | W | 3600 | - | 3600 | - | - |
| **Ø 145 mm Hotplate** | W | - | 1000 | - | - | - |
| **Ø 180 mm Hotplate** | W | - | 1500 | - | - | - |
| **Ø 145 mm Rapid Hotplate** | W | - | - | - | - | - |
| **Ø 180 mm Rapid Hotplate** | W | - | 2000 | - | - | - |
| **Ø145 mm Highlight Element** | W | - | - | - | 1200 | - |
| **Ø180 mm Highlight Element** | W | - | - | - | 1800 | - |
| **Ø210 mm Highlight Element** | W | - | - | - | - | - |
| **Ø180 mm Dual Element** | W | - | - | - | 1700 | - |
| **Ø145 mm Oval Element** | W | - | - | - | - | - |
| **Ø210 mm Dual Element** | W | - | - | - | - | - |
| **Ø210 mm Tripple Element** | W | - | - | - | - | - |
| **Ø270 mm Tripple Element** | W | - | - | - | - | - |
| **Rectangular Element** | W | - | - | - | - | - |
| **Ø 160 mm Induction Zone** | W | - | - | - | - | Nominal 1400W<br>max. Boost 1800W |
| **Ø 200 mm Induction Zone** | W | - | - | - | - | Nominal 2100W<br>max. Boost 2500W |
| **Oval Induction Zone** | | | | - | - | - |
| **Boost Funcion** | | | | - | - | Standard |
| **Pot Dedection** | | - | - | - | - | Standard |
| **Automatic Heatup** | | - | - | - | - | Standard |
| **Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)** | | - | - | - | Optional | Standard |
| **Child Lock for vitro ceramic hobs (If touch control selected)** | | - | - | - | Standard | Standard |
| **Hot Surface Indicator Light** | | - | - | - | Standard | Standard |
| **Hotplate Operation Indicator Light** | | - | Standard | - | - | - |
| **Side Knob Control** | | - | Standard | - | - | - |
| **Front Knob Control** | | Standard | - | Standard | Standard | - |
| **Front Touch Control** | | - | - | - | Optional | Standard |
| **Front Slim Touch Control** | | - | - | - | - | - |
| **Bevelled Edges** | | - | - | - | Optional | Optional |
| **Logo** | | Standard | Standard | Optional | Optional | Optional |
| **Special Decoration on Glass** | | - | - | Optional | Optional | Optional |
| **Inox Frame** | | - | - | Optional | Optional | Optional |
| **Stainless Steel Burner Pan** | | - | - | Optional | - | - |
| **Table Top Installation (not built-in)** | | - | - | - | - | - |
| **Glass Lid** | | - | - | - | - | - |
| **Burner Safety Valves** | | Optional | - | Optional | - | - |
| **Button Ignition** | | Optional | - | - | - | - |
| **One-touch-Ignition through knobs** | | Optional | - | Optional | - | - |
| **Enamel Pan Supports** | | Standard | - | Standard | - | - |
| **Cast Iron Pan Supports** | | Optional | - | Optional | - | - |
| **Cast Iron Burner Caps** | | Optional | - | Optional | - | - |
| **Coffee Adaptor** | | Optional | - | Optional | - | - |
| **Wok Adaptor** | | Optional | - | Optional | - | - |
| **Vitroceramic Glass Cleaning Spatula** | | - | - | - | Optional | Optional |
| **Gas Conversion Kit** | | Standard | - | Standard | - | - |
| **Gas Conversion Kit** | | Standard | - | Standard | - | - |
| **Others** | | | | | | |
| **Total Power (Depends on Model) Maximum** | kW | 4 | 3, 5 | 4 | 3 | 3, 6 |
| **Voltage** | V | 230 V ~ | 230 V ~ | 230V ~ | 230 V~ | 230 V~ |
| **RoHS Compliance** | | Standard | Standard | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard | Standard | Standard |
| **Carton Box Packaging** | | Standard | Standard | Standard | Standard | Standard |
| **Packed Product Dimensions (WxDxH)** | mm | x | x | 330 x 578 x 140 | 326 x 578 x 133 | 332 x 581 x 142 |
| **Packed Product Dimensions (WxDxH) Box** | mm | 331 x 566 x 143 | 331 x 566 x 143 | x | x | x |
| **Net Weight (Depends on Model) Maximum** | kg | 5, 5 | 4, 75 | 4, 7 | 4, 7 | 5, 5 |
| **Gross Weight (Depends on Model) Maximum** | kg | 6 | 5, 4 | 5 | 5 | 6, 2 |
| **Container Loading Quantity (20 ft Container)** | pcs | 1190 | 1190 | 1088 | 1088 | 864 |
| **Container Loading Quantity (40 ft Container)** | pcs | 2499 | 2499 | 2304 | 2304 | 1920 |
| **Container Loading Quantity (40 ft HC Container)** | pcs | 2793 | 2793 | 2592 | 2592 | 2160 |

| POLY HOB SPECIFICATION SHEET | | Electric Built-in Hob | Vitroceramic Built-in Hob | Induction Built-in Hob |
|---|---|---|---|---|
| | | 60cm | 60cm | 60cm |
| **Available Colours** | | | | |
| **White** | | - | Optional | - |
| **Black** | | Standard | Standard | Standard |
| **Stainless Steel** | | Optional | - | - |
| **Product Dimensions** | | | | |
| **Height** | mm | 39 | 41 | 53 |
| **Width** | mm | 580 | 590 | 590 |
| **Depth** | mm | 510 | 520 | 520 |
| **Cut-out Dimensions** | | | | |
| **Width** | mm | 560 | 560 | 560 |
| **Depth** | mm | 490 | 490 | 490 |
| **Hob Features** | | | | |
| **Hob** | | Enamel | Vitroceramic | Induction |
| **Ø 145 mm Hotplate** | W | 1000 | - | - |
| **Ø 180 mm Hotplate** | W | 1500 | - | - |
| **Ø145 mm Highlight Element** | W | - | 1200 | - |
| **Ø180 mm Highlight Element** | W | - | 1800 | - |
| **Ø180 mm Dual Element** | W | - | 1700 | - |
| **Ø145 mm Oval Element** | W | - | 1800 | - |
| **Ø210 mm Highlight Element** | W | - | 2300 | - |
| **Ø145 mm Radiant Heating Element** | W | - | 1200 | - |
| **Ø180 mm Radiant Heating Element** | W | - | 1700 | - |
| **Ø 160 mm Induction Zone** | W | - | - | Nominal 1400 W max. Boost 1800 W |
| **Ø 200 mm Induction Zone** | W | - | - | Nominal 2100 W max. Boost 2500 W |
| **Boost Funcion** | | - | - | Standard |
| **Pot Dedection** | | - | - | Standard |
| **Timer (If touch control and some hob Configuration selected for vitroceramic hob)** | | - | - | Standard |
| **Child Lock (If touch control selected for vitroceramic hob)** | | - | - | Standard |
| **Hot Surface Indicator Light** | | - | Standard | Standard |
| **Controls on the built-in oven panel** | | Standard | Standard | Standard |
| **Controller** | | 7 step switch | Energy Regulator/<br>7 step switch<br>(with radiant element) | Encoder |
| **Hotplate Operation Indicator Light** | | Standard | - | - |
| **Bevelled Edges** | | - | Optional | Optional |
| **Logo** | | Standard | Optional | Optional |
| **Special Artwork on Glass** | | - | Slim | Slim |
| **STANDARD Vitroceramic Glass Artwork** | | - | Slim Design<br>Arc Design<br>Point Design | Slim Design<br>Arc Design<br>Point Design |
| **Inox Frame** | | - | Optional | Optional |
| **Vitroceramic Glass Cleaning Spatula** | | - | Optional | Optional |
| **Others** | | | | |
| **Total Power (Depends on Model) Maximum** | kW | 8, 1 | 9, 6 | 10, 5 |
| **Voltage** | V | 230V~ | 230V~ | 230V~ |
| **RoHS Compliance** | | Standard | Standard | Standard |
| **CE Compliance** | | Standard | Standard | Standard |
| **Carton Box Packaging** | | Standard | Standard | Standard |
| **Packed Product Dimensions (WxDxH)** | mm | 628x580x137 | 618x578x132 | 624X580x142 |
| **Net Weight (Depends on Model) Maximum** | kg | 8, 75 | 7 | 11 |
| **Gross Weight (Depends on Model) Maximum** | kg | 9, 5 | 8 | 12 |

| Induction Hob Features | 30cm Domino | 60cm | 60cm Polyvalent | 60cm V-Flex | 78cm | 78cm Down Air | 78cm V-Flex | 90cm |
|---|---|---|---|---|---|---|---|---|
| Pot Detection | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Speed Heating | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Safety Function | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Pause Function | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Hot Surface Indicator | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Timer | Standard | Optional** | Standard | Standard | Optional | Standard | Standard | Standard |
| Touch Control | Default | Default | Default | N/A | Default | Default | N/A | Default |
| Slider Touch Control | N/A | Optional* | N/A | Default | Optional | N/A | Default | Optional |
| Key Lock | Standard | Standard | N/A | Standard | Standard | Standard | Standard | Standard |
| Child Lock | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Auto Off | Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Power Management | Optional | Optional* | N/A | Standard | Optional | N/A | N/A | N/A |
| Cleaning Function | N/A | N/A | N/A | Standard | N/A | N/A | Standard | N/A |
| Special Cooking Functions | N/A | Optional* | N/A | Standard | Optional | Standard | Standard | Optional |
| Bridge Zone | N/A | Optional* | N/A | Standard | Optional | Standard | Standard | Optional |
| Flex Zone | N/A | N/A | N/A | Standard | N/A | N/A | Standard | N/A |

*Not Availbale for 60cm Series 2e and Pure Design Hobs
**Standard for Pure Design Hobs

| Ceramic Hob Features | 30cm | 60cm | | 60cm | 78cm |
|---|---|---|---|---|---|
| | Domino | Touch Control | Knob Control | Polyvalent | |
| Timer | Optional | Optional | N/A | N/A | Optional |
| Touch Control | Default | Default | N/A | N/A | Default |
| Slider Touch Control | N/A | Optional | N/A | N/A | Optional |
| Speed Heating | Standard | Standard | N/A | N/A | Standard |
| Pause Function | N/A | Optional | N/A | N/A | Optional |
| Auto Off | Standard | Standard | N/A | N/A | Standard |
| Safety Function | Standard | Standard | N/A | N/A | Standard |
| Hot Surface Indicator | Standard | Standard | Standard | Standard | Standard |
| Child Lock | Standard | Standard | N/A | N/A | Standard |
| Key Lock | Standard | Standard | N/A | N/A | Standard |
| Dual Zone | Optional | Optional | Optional | Optional | Optional |
| Oval Zone | N/A | Optional | Optional | Optional | Standard |

| Built-in Down Air 78 cm Induction Ceramic Hob Specifications | |
|---|---|
| **Product Dimensions** | |
| **Width x Depth x Height** | 780 x 520 mm |
| **Cut-out Dimensions** | |
| **Width x Depth x Height** | 750 x 490 mm |
| **Hob Features** | |
| **Hob** | Induction |
| **Zone** | 3x160 1400W/ 1800W<br>1x200 2100W/ 2500W |
| **Pot Detection** | Standard |
| **Smart pause** | Standard |
| **Buzzer** | Standard |
| **Child Lock** | Standard |
| **Key Lock** | Standard |
| **Hot Surface Indicator** | Standard |
| **Down Air Hood Touch Control** | Standard |
| **Timer** | Standard |
| **Slider Touch Control** | - |
| **Beveled Edges** | Optional |
| **Logo** | Optional |
| **Special Decoration on Glass** | Optional |
| **Inox Frame** | Optional |
| **Vitroceramic Glass Cleaning Spatula** | Optional |
| **Vitroceramic Glass Artwork** | Optional |
| **Others** | |
| **Total Electric Power Maximum (Hob)** | 7,4 kW |
| **Voltage** | 220-240 V, 50/60 Hz |
| **RoHS Compliance** | Standard |
| **CE Compliance** | Standard |
| **Carton Box Packaging** | Standard |

| Down Air Hood Specifications | |
|---|---|
| **Directive EU 65/2014 – EN61591, EN60704-2-13, EN50564** | |
| **Total Electric Power Maximum (Down Air)(W)** | 150 |
| **Annual Energy Consumption (AEC)(kWh/a)** | 46 |
| **Energy Efficiency Class (EEI)** | A |
| **Fluid Dynamic Efficiency(FDE)** | 29,6 |
| **Fluid Dynamic Efficiency class (FDE) (Indice)** | A |
| **Grease Filtering Efficiency (GFE)** | 75,5 |
| **Grease Filtering Efficiency Class (GFE)(indice)** | C |
| **Minimum Air Flow in Normal Use MIN ($m^3$/h)** | 314 |
| **Maximum Air Flow in Normal Use (intensive / boost excluded) MAX ($m^3$/h)** | 648 |
| **Sound Power Level at Minimum Speed Avaible in Normal Use MIN (LWA)(dB)** | 54 |
| **Sound Power Level at Maximum Speed Avaible in Normal Use MAX (LWA) (dB)** | 71 |
| **Measured air flow rate at best efficiency point (QBEP)($m^3$/h)** | 329,8 |
| **Power Consuption in Standby Mode (Ps)(W)** | 0,43 |
| **Product Information compliant to commission regulation (EU) No 66/2014** | |
| **Time increase factor (f)** | 0,9 |
| **Energy Efficiency (EElhood)** | 51,4 |
| **Measured air flow rate at best efficiency point (QBEP)($m^3$/h)** | 329,8 |
| **Measured air pressure at best efficiency point (PBEP)(Pa)** | 434 |
| **Measured electric power input at best efficiency point (WBEP)(W)** | 134,4 |

| Built-in Free Air 2X30 cm Induction Ceramic Hob Specifications | |
|---|---|
| **Product Dimensions** | |
| **Width x Depth x Height** | 710 x 520 mm |
| **Cut-out Dimensions** | |
| **Width x Depth x Height** | 680 x 490 mm |
| **Hob Features** | |
| **Hob** | Induction |
| **Zone** | 2x160 1400W/ 1800W<br>2x200 2100W/ 2500W |
| **Pot Detection** | Standard |
| **Smart pause** | Standard |
| **Buzzer** | Standard |
| **Child Lock** | Standard |
| **Key Lock** | Standard |
| **Hot Surface Indicator** | Standard |
| **Free Flow Touch Control** | Standard |
| **Timer** | Optional |
| **Slider Touch Control** | N/A |
| **Beveled Edges** | Optional |
| **Logo** | Optional |
| **Special Decoration on Glass** | Optional |
| **Inox Frame** | N/A |
| **Vitroceramic Glass Cleaning Spatula** | Optional |
| **Vitroceramic Glass Artwork** | Optional |
| **Others** | |
| **Total Electric Power Maximum (Hob)** | 7,4 kW |
| **Voltage** | 220-240 V, 50/60 Hz |
| **RoHS Compliance** | Standard |
| **CE Compliance** | Standard |
| **Carton Box Packaging** | Standard |

| Free Air Hood Specifications | |
|---|---|
| **Directive EU 65/2014 – EN61591, EN60704-2-13, EN50564** | |
| **Annual Energy Consumption (AEC)(kWh/a)** | 55 |
| **Energy Efficiency Class (EEI)** | B |
| **Fluid Dynamic Efficiency(FDE)** | 24,5 |
| **Fluid Dynamic Efficiency class (FDE) (Indice)** | B |
| **Grease Filtering Efficiency (GFE)** | 46,3 |
| **Grease Filtering Efficiency Class (GFE)(indice)** | F |
| **Minimum Air Flow in Normal Use MIN ($m^3$/h)** | 321 |
| **Maximum Air Flow in Normal Use (intensive / boost excluded) MAX ($m^3$/h)** | 603 |
| **Sound Power Level at Minimum Speed Avaible in Normal Use MIN (LWA)(dB)** | 55 |
| **Sound Power Level at Maximum Speed Avaible in Normal Use MAX (LWA) (dB)** | 68 |
| **Measured air flow rate at best efficiency point (QBEP)($m^3$/h)** | 318 |
| **Power Consuption in Standby Mode (Ps)(W)** | 0,35 |
| **Product Information compliant to commission regulation (EU) No 66/2014** | |
| **Time increase factor (f)** | 1,1 |
| **Energy Efficiency (EElhood)** | 60,6 |
| **Measured air flow rate at best efficiency point (QBEP)($m^3$/h)** | 318 |
| **Measured air pressure at best efficiency point (PBEP)(Pa)** | 380 |
| **Measured electric power input at best efficiency point (WBEP)(W)** | 137 |

| Induction Hob Configurations for Built-in Hobs and Polyvalente Hobs | | | | | |
|---|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** | **Control System** |
| **28** | 3I-28 | 1 x 160mm, 1400/1800W induction element<br>2 x 210mm, 2100/2500W induction element | Available only for 60cm | | Standard |
| **29** | 3I-29 | 1 x 160mm, 1400/1800W induction element<br>2 x 210mm, 2100/2500W induction element<br>Timer (Standard)<br>Mode Function (Optional) | Available only for 60cm | | Standard |
| **30** | 3I-30 | 1 x 160mm, 1400/1800W induction element<br>1 x 210mm, 2100/2500W induction element<br>1 x 290mm, 2800/3500W induction element | Available only for 60cm | | Standard |
| **31** | 3I-31 | 1 x 160mm, 1400/1800W induction element<br>1 x 210mm, 2100/2500W induction element<br>1 x 290mm, 2800/3500W induction element<br>Timer (Standard)<br>Mode Function (Optional) | Available only for 60cm | | Standard Or Slider Control |
| **48** | 3I-48 | 1 x 160mm, 1400/1800W induction element<br>1 x 210mm, 2100/2500W induction element<br>1 x 290mm, 2500/3000W induction element | Available only for 60cm | | Standard |
| **49** | 3I-49 | 1 x 160mm, 1400/1800W induction element<br>1 x 210mm, 2100/2500W induction element<br>1 x 290mm, 2500/3000W induction element<br>TIMER (Standard) | Available only for 60cm | | Standard Or Slider Control |
| **34** | 3I-34 | 2 x 160mm, 1400/1800W induction element<br>1 x 290mm, 2100/2500W induction element<br>Timer (Standard)<br>Bridge Zone (Standard)<br>Mode Function (Standard) | Available only for 60cm | | Slider Control |
| **42** | 3I-42 | 1 x 160mm, 1300W induction element<br>1 x 210mm, 1500W induction element<br>1 x 210mm, 1500/1700W induction element | Available only for 60cm | | Standard |
| **43** | 3I-43 | 1 x 160mm, 1300W induction element<br>1 x 210mm, 1500W induction element<br>1 x 210mm, 1500/1700W induction element<br>Timer (Standard) | Available only for 60cm | | Standard |
| **44** | 4I-44 | 2 x 160mm, 1300W induction element<br>1 x 210mm, 1500W induction element<br>1 x 210mm, 1500/1700W induction element | Available only for 60cm | | Standard |
| **45** | 4I-45 | 2 x 160mm, 1300W induction element<br>1 x 210mm, 1500W induction element<br>1 x 210mm, 1500/1700W induction element<br>Timer (Standard) | Available only for 60cm | | Standard |
| **32** | 4I-32 | 2 x 160mm, 1400/1800W induction element<br>2 x 210mm, 2100/2500W induction element | Available only for 60cm and 78cm | | Standard |
| **33** | 4I-33 | 2 x 160mm, 1400/1800W induction element<br>2 x 210mm, 2100/2500W induction element<br>Timer (Standard)<br>Mode Function (Optional) | Available only for 60cm and 78cm | | Standard Or Slider Control |
| **35** | 4I-35 | 3 x 160mm, 1400/1800W induction element<br>1 x 210mm, 2100/2500W induction element<br>Timer (Standard)<br>Bridge Zone (Standard)<br>Mode Function (Standard) | Available only for 60cm | | Standard Or Slider Control |
| **37** | 4I-37 | 2 x 160mm, 1400/1800W induction element<br>2 x 210mm, 2100/2500W induction element<br>Timer (Standard)<br>13/15/16/32A Power management | Available only for 60cm and 78cm | | Standard Or Slider Control |
| **38** | 4I-38 | 4 x 160mm, 1400/1800W induction element<br>Timer (Standard)<br>Double Bridge Zone (Standard) | Available only for 60cm | | Standard Or Slider |
| **46** | 8I-46 | 2xFlex Zone<br>Timer (Standard)<br>Bridge Zone (Standard)<br>Mode Function (Standard) | Available only for 60cm and 78cm | | Slider |

| Induction Hob Configurations for Ventilation Hobs | | | | | |
|---|---|---|---|---|---|
| **Hob ID** | | **Configuration** | **Limitations** | **Element Placement** | **Control System** |
| **47** | 4I-47 | 3 x 160mm, 1400/1800W induction element<br>1 x 210mm, 2100/2500W induction element<br>Timer (Standard)<br>Bridge Zone (Standard)<br>Down Air System | Available only for 78cm | | Standard |

| 90 cm Induction Hob Configurations | | | | | |
|---|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** | **Control System** |
| **26** | **5I-26** | 2 x 160mm, 1400/1800W induction element<br>2 x 200mm, 2100/2500W induction element<br>1 x 250mm, 2800/3500W induction element<br>Timer (Standard) | Available only for 90cm | | Standard |
| **39** | **5I-39** | 3 x 160mm, 1400/1800W induction element<br>1 x 200mm, 2100/2500W induction element<br>1 x 250mm, 2800/3500W induction element<br>Timer (Standard) Bridge Zone (Standard) | Available only for 90cm | | Slider |
| **40** | **5I-40** | 4 x 160mm, 1400/1800W induction element<br>1 x 250mm, 2800/3500W induction element<br>Timer (Standard) Double Bridge Zone (Standard)<br>Mode Function (Standard) | Available only for 90cm | | Slider |
| **41** | **5I-41** | 2 x 160mm, 1400/1800W induction element<br>2 x 200mm, 2100/2500W induction element<br>1 x 250mm, 2800/3500W induction element<br>Timer (Standard) Mode Function (Standard) | Available only for 90cm | | Slider |

| 60cm Vitroceramic Hob with Front Triangular Touch Control (FRTR) | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Element Placement** | **Control System** |
| **1** | **4V-01** | 2 x 145mm 1200W highlight element<br>2 x 180mm 1800W highlight element | | Standart |
| **27** | **4V-27** | 2 x 145mm 1200W highlight element<br>2 x 180mm 1800W highlight element<br>Timer | | Standart |
| **2** | **4V-02** | 2 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 180mm Dual 700W/1700W highlight element | | Standart |
| **3** | **4V-03** | 2 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 210mm 1800W highlight element | | Standart |
| **28** | **4V-28** | 2 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 210mm 1800W highlight element<br>Timer | | Standart |
| **6** | **4V-12** | 2 x 145mm 1200W highlight element<br>1 x 180mm Dual 700W/1700W highlight element<br>1 x OVAL 1000W/1800W highlight element | | Standart Or Slider Control |
| **8** | **4V-08** | 2 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 180mm Dual 700W/1700W highlight element<br>Timer | | Standart Or Slider Control |
| **9** | **4V-09** | 2 x 145mm 1200W highlight element<br>1 x 180mm Dual 700W/1700W highlight<br>1 x OVAL 1000W/1800W highlight element<br>Timer | | Standart Or Slider Control |
| **22** | **3V-22** | 1 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 210mm 1800W highlight element | | Standart Or Slider Control |
| **36** | **3V-36** | 1 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 210mm 1800W highlight element<br>Timer | | Standart |
| **25** | **3V-25** | 1 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 290mm Dual 1800W/2700W highlight element | | Standart |
| **26** | **3V-26** | 1 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 290mm Dual 1800W/2700W highlight element<br>Timer | | Standart Or Slider Control |

**Available upon request*

| 78cm Vitroceramic Hob Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Highlight Element Configuration** | **Element Placement** | **Control System** |
| **1** | **4V-05** | 2 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x OVAL 1000W/1800W highlight element | | Standard |
| **10** | **4V-10** | 1 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 180mm DUAL 700W/1700W highlight element<br>1 x OVAL 1000W/1800W highlight element<br>Timer | | Standard or slider control |

**: Available upon request with warranty of a certain amount.*

| 60cm Vitroceramic Hob with Side Knob Control (SDKB) | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **CONFIGURATION** | **Element Placement** | **Limitations** |
| **1** | **4V-01** | 2 x 145mm 1200W highlight element<br>2 x 180mm 1800W highlight element | | None |
| **3** | **4V-03** | 2 x 145mm 1200W highlight element<br>1 x 180mm 1800W highlight element<br>1 x 210mm 2300W highlight element | | None |

**Available upon request*

| 60cm Vitroceramic Hob for Combi Built-in Oven (POLY) | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Element Placement** | **Control System** |
| **04** | **4V-01** | 2 x 145mm 1200W highlight element<br>2 x 180mm 1800W highlight element<br>(U shape order_145-180-145-180) | | Polyvalent Knob |
| **09** | **4V-09** | 2 x 145mm 1200W highlight element<br>1 x 180mm DUAL 700W/1700W highlight<br>1 x OVAL 1000W/1800W highlight element<br>(U shape order_145 - 180dual - 145 - oval) | | Polyvalent Knob |

| Induction Hob Configurations for Polyvalent Hobs | | | | | |
|---|---|---|---|---|---|
| **Hob ID** | | **Configuration** | **Limitations** | **Element Placement** | **Control System** |
| **21** | **4I-21** | 2 x 160mm, 1400/1800W induction element<br>2 x 210mm, 2100/2500W induction element<br>Timer (Standard) | Available only for 60cm | | Polyvalent Knob |

| Induction Hob Configurations for Domino Hobs | | | | | |
|---|---|---|---|---|---|
| **Hob ID** | | **Configuration** | **Limitations** | **Element Placement** | **Control System** |
| **25** | **2I-25** | 1 x 160mm, 1400/1800W induction element<br>1 x 200mm, 2100/2500W induction element<br>Timer (Standard) | Available only for 30cm | | Standart |

| 60cm Side Controlled Solid Hotplate and Polyvalante Built-in Electric Hob Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** |
| **01** | **4E-01** | 2 x 145mm 1000W hotplate<br>2 x 180mm 1500W hotplate | None | |
| **02** | **4E-02** | 2 x 145mm 1000W hotplate<br>1 x 180mm 1500W hotplate<br>1 x 180mm 2000W rapid hotplate | None | |
| **03** | **4E-03** | 1 x 145mm 1000W hotplate<br>1 x 145mm 1500W rapid hotplate<br>1 x 180mm 1500W hotplate<br>1 x 180mm 2000W rapid hotplate | Not available for polyvalent hobs | |
| ***04** | **4E-04** | 1 x 145mm 1000W hotplate<br>1 x 145mm 1500W rapid hotplate<br>2 x 180mm 1500W hotplate | Not available for polyvalent hobs | |

*60Cm side controlled solid hotplate hobs are available for table top*
*: Available upon request with warranty of a certain amount.

| 60cm Pure Design Combined Hobs Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** |
| **62** | **2G2V-62** | Gas Burners<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>Ceramic Heaters<br>1 X 145mm 1200W<br>1 X 180mm 1800W | Available for only side knob control | |
| **67** | **3G1V-67** | Gas Burners<br>1 X Auxiliary Burner 1000W<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>Ceramic Heaters<br>1 X 180mm Dual 700W/1800W | Available for only side knob control | |
| **69** | **2G2I-69** | Gas Burners<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>Induction Heaters with timer<br>1 X 160mm 1400W/B1800W<br>1 X 200mm 2100W/B2500W | Available for only side control. Touch control is standard for induction heaters, knob control is standard for gas heaters. | |

| 60cm Side Controlled Gas Hob Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** |
| **31** | **3G1E-31** | 1 X Auxiliary Burner 1000W<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>1 X 180mm Hotplate 1500W | Not available for gas on glass hob | |
| **40** | **4G-40** | 1 X Auxiliary Burner 1000W<br>2 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W | None | |
| **41** | **4G-41** | 1 X Auxiliary Burner 1000W<br>2 X Semi Rapid Burner 1750W<br>1 X Wok Burner 3600W | None | |

*60cm side controlled gas hobs are available for table top application*

| 90cm Front Controlled Gas Hob Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** |
| **51** | **5G-51** | 1 X Auxiliary Burner 1000W<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>1 X Wok Burner 4500W | None | |

| 70cm Front Controlled Gas Hob Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** |
| **51** | **5G-51** | 1 X Auxiliary Burner 1000W<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>1 X Wok Burner*<br>* 3600W for Plus X Design<br>5000W for Smart Plus Design | None | |

| 60cm Front Controlled Gas Hob Configurations | | | | | |
|---|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** | |
| **31** | **3G1E-31** | 1 X Auxiliary Burner 1000W<br>1 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W<br>1 X 145 Hotplate 1000W | None | | |
| **40** | **4G-40** | 1 X Auxiliary Burner 1000W<br>2 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W | None | | |
| **41** | **4G-41** | 1 X Auxiliary Burner 1000W<br>2 X Semi Rapid Burner 1750W<br>1 X Wok Burner*<br>* 3600W for PlusX Metal Cooktop Design<br>3200W for PlusX Gas on Glass Design | Glass Control Panel is Standard for PlusX Metal Cooktop Design | | |

| 65cm Side Controlled Gas Hob Configurations | | | | |
|---|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Limitations** | **Element Placement** |
| **40** | **4G-40** | 1 X Auxiliary Burner 1000W<br>2 X Semi Rapid Burner 1750W<br>1 X Rapid Burner 3000W | Only for Smart Plus Design | |
| **41** | **4G-41** | 1 X Auxiliary Burner 1000W<br>2 X Semi Rapid Burner 1750W<br>1 X Wok Burner 5000W | Only for Smart Plus Design | |

| 30cm Gas On Glass Hob Configurations | | | |
|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Element Placement** |
| **10** | **1G-10** | 1 x Tripple Flame Burner | |
| **20** | **2G-20** | 1 x Auxiliary, 1 x Rapid Burner | |

| 30cm Solid Hotplate Hob Configurations | | | |
|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Element Placement** |
| **05** | 2E-05 | 1 x 145, 1 x 180 hotplate | |
| ***06** | 2E-06 | 1x145 rapid hotplate, 1x180 rapid hotplate | |
| ***07** | 2E-07 | 1x145rapid hotplate, 1x180 hotplate | |
| **08** | 2E-08 | 1x145 hotplate, 1x180 rapid hotplate | |

**: Available upon request with warranty of a certain amount.*

| 30cm Vitroceramic Hob Configurations | | | |
|---|---|---|---|
| **Hob ID** | **WEB DI Code** | **Configuration** | **Element Placement** |
| **16** | 2V-16 | 1 x 180 Highlight, 1 x 145 Highlight element | |
| **19** | 2V-19 | 1 x 180 Highlight, 1 x 145 Highlight element with timer | |
| **20** | 2V-20 | 1 x 180 Dual, 1 x 145 Highlight element with timer | |

*All element Configurations are applicable for both knob control and touch control unit*

| | SIDE CONTROLLED GAS SECURIT HOBS | | ENAMELLED PAN SUPPORTS | | | CAST IRON PAN SUPPORTS | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | **Mono, Standard** | **Mono, Plusx** | **Mono, Profile** | **Mono Cast Iron** | **Mono Cast, Plusx** | **Line Cast Iron** | **Deluxe Cast Iron** | **E-type** | **S-type** |
| | | | **45°** | **45°** | **45°** | **45°** | **45°** | **0°** | **45°** | | **0°** |
| SIDE CONTROLLED GAS SECURIT HOBS | **Securit Standard 60cm\|65 cm 3G(Trio) \|4G\|3G1W** | | | | | | | N/A | N/A | N/A | N/A |
| | **Smart Plus 65cm 4G\|3G1W** | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| | **Pure Ceramic Design 60cm 2G2V\|3G1V\| 2G2I** | | | | | | | N/A | N/A | N/A | N/A |
| | **Pure Induction Design 60cm 2G2V\|3G1V\| 2G2I** | | | | | | | N/A | N/A | N/A | N/A |
| | **Division 60cm 4G** | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| FRONT CONTROLLED GAS SECURIT HOBS | **Domino Series1\|Series2 30 cm 2G /1G** | | | | | | | N/A | N/A | N/A | N/A |
| | **Securit Plus X 60cm 4G\|3G1W\|3G1E Available for Table Top** | | | | | | | | | | N/A |
| | **Securit Plus X 70cm 4G1W** | | | | | | | | | N/A | N/A |
| | **Securit Smart Plus 70cm 4G1W** | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| | **Securit Standard 75cm 2W** | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |
| | **Securit Standard 90cm 4G1W** | | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | |

| SIDE CONTROLLED HOBS | | ENAMELLED PAN SUPPORTS | | | CAST IRON PAN SUPPORTS | | |
|---|---|---|---|---|---|---|---|
| | | S-type | V-type | D-type | S type | E Type | Extenda Design |
| | | 0° | 0° | 0° | 0° | 0° | 0° |
| **FLAT (R, S type)** | | | | | | N/A | N/A |
| **FLAT (T type)** | | | | | | N/A | |
| **SURFACE** | | | | | | N/A | N/A |
| **SMOOTHLINE** | | | | N/A | N/A | N/A | N/A |
| **NEW BULIT-IN** | | | | | | N/A | N/A |
| **DIVISION** | | N/A | N/A | N/A | | N/A | N/A |
| **DOMINO Series 2** | | | N/A | N/A | | N/A | N/A |
| **PLUS X 60cm** | | | N/A | N/A | | | N/A |
| **PLUS X 70cm** | | | N/A | N/A | | N/A | N/A |

| Knob Limitation Table Built-in Cookers | | | | | |
|---|---|---|---|---|---|
| | | **BUILT-IN** | **Side Controlled HOB** | **Front Controlled HOB** | **DOMINO S-I / S-II** |
| **ALFA** | | ✓ | ✓ | ✓ | ✓ |
| **ANTERO** | | ✓ | ✓ | ✓ | ✓ |
| **MACRO** | | ✓ | ✓ | ✓ | Not suitable for Domino range. (Alternative - Small Macro) |
| **TRIO** | | ✓ | ✓ | ✓ | ✓ |
| **ECLIPSE** | | ✓ | ✓ | ✓ | ✓ |
| **FEROUS** | | ✓ | ✓ | ✓ | ✓ |
| **GAMA** | | ✓ | ✓ | Height of knob is not suitable for FC range | ✓ |
| **JANNU** | | ✓ | ✓ | ✓ | ✓ |
| **NORD** | | ✓ | ✓ | Height of knob is not suitable for FC range | ✓ |
| **PIPO** | | ✓ | Pop in-Pop out mechanism is not avaliable for Hob range. | Pop in-Pop out mechanism is not avaliable for Hob range. | Pop in-Pop out mechanism is not avaliable for Domino range. |
| **RUSTIC** | | ✓ | ✓ | Height of knob is not suitable for FC range | ✓ |
| **ZENITH** | | ✓ | ✓ | Knob with ring Not applicable to Hob range | ✓ |
| **FLAT** | | ✓ | ✓ | ✓ | ✓ |
| **FLAT PIPO** | | ✓ | ✓ | ✓ | ✓ |
| **LINEA** | | ✓ | ✓ | ✓ | ✓ |
| **PRIMUS** | | ✓ | ✓ | ✓ | ✓ |

| Built-in Household Cooking Appliances Container Loading Quantities | | | | | |
|---|---|---|---|---|---|
| Product Family | Packaging and Container Couples | Packaging Size WxDxH mm | Loading Quantity | Max. Stacking Quantities In Warehouse | Quantities On a Pallet |
| BUILT IN OVENS | 60 cm built-in oven shrink 20ft | 650x640x650 | 81 | 6 | Not applicable |
| | 60 cm built-in oven shrink 40ft | 650x640x650 | 162 | 6 | Not applicable |
| | 60 cm built-in oven shrink 40 HC | 650x640x650 | 216 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box with Lid (without handle cap) 20 ft | 660x650x660 | 81 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box with Lid (without handle cap) 40 ft | 660x650x660 | 162 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box with Lid (without handle cap) 40 hc | 660x650x660 | 216 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box with Lid (witht handle cap) 20 ft | 665x655x665 | 81 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box with Lid (with handle cap) 40 ft | 665x655x665 | 162 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box with Lid (with handle cap) 40 hc | 665x655x665 | 216 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box without Lid 20 ft | 660x645x650 | 81 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box without Lid 40 ft | 660x645x650 | 162 | 6 | Not applicable |
| | 60 cm built-in oven Cardboard Box without Lid 40 hc | 660x645x650 | 216 | 6 | Not applicable |
| POLYVALENTE (German Type) BUILT IN OVEN AND HOB SET | 60 cm Polyvalente shrink 20ft | 650x640x795 | 81 | 4 | Not applicable |
| | 60 cm Polyvalente shrink 40ft | 650x640x795 | 162 | 4 | Not applicable |
| | 60 cm Polyvalente shrink 40 HC | 650x640x795 | 162 | 4 | Not applicable |
| | 60 cm Polyvalente box 20ft | 660x650x795 | 81 | 4 | Not applicable |
| | 60 cm Polyvalente box 40ft | 660x650x795 | 162 | 4 | Not applicable |
| | 60 cm Polyvalente box 40 HC | 660x650x795 | 162 | 4 | Not applicable |
| BUILT IN DOUBLE OVEN | 90 cm built-in double oven shrink 20ft | 650x640x945 | 54 | 5 | Not applicable |
| | 90 cm built-in double oven shrink 40ft | 650x640x945 | 108 | 5 | Not applicable |
| | 90 cm built-in double oven shrink 40 HC | 650x640x945 | 108 | 5 | Not applicable |
| BUILT UNDER DOUBLE OVEN | 70 cm built-under double oven shrink 20ft | 650x640x775 | 81 | 5 | Not applicable |
| | 70 cm built-under double oven shrink 40ft | 650x640x775 | 162 | 5 | Not applicable |
| | 70 cm built-under double oven shrink 40 HC | 650x640x775 | 162 | 5 | Not applicable |
| COMPACT OVEN | 45 cm built-in oven shrink 20ft | 650X640X510 | 108 | 6 | Not applicable |
| | 45 cm built-in oven shrink 40ft | 650X640X510 | 216 | 6 | Not applicable |
| | 45 cm built-in oven shrink 40 HC | 650X640X510 | 270 | 6 | Not applicable |

| Built-in/ Table Top Hobs Container Loading Quantities | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Product Family | Size | Product Definitions | Product Code Structure | Packaging Size WxDxH mm | 40 HC | 40 ft | 20 ft | Max. Stacking Quantities In Warehouse |
| GAS/ COMBINED | 60 cm | gas/ combined hobs (Classic) | GG66Y-GK66Y Classic | 626 x 560 x 130 | 1444 | 1292 | 612 | 16 |
| | 60 cm | gas/ combined hobs (Flat/Surface) | GG66Y-GK66Y Flat-Surface | 626 x 580 x 140 | 1368 | 1216 | 576 | 16 |
| | 60 cm | gas on glass hobs | GS66Y21-GS66Y40 | 622 x 580 x 140 | 1368 | 1216 | 576 | 16 |
| | 60 cm | gas on glass hobs (One is Tripple flame) | GS66Y41 | 622 x 580 x 140 | 912 | 912 | 432 | 12 |
| | 60 cm | gas/ gas on glass hobs (Plusx-Pure-Division | GG61O-GS61O-GS61Y-GG61D | 647 x 582 x 164 | 1152 | 1008 | 448 | 16 |
| | 70 cm | gas/ gas on glass hobs hobs (Plusx) | GG71O-GS71O | 769 x 582 x 164 | 960 | 840 | 392 | 16 |
| | 75 cm | gas on glass hobs | GS75O | 822 x 522 x 164 | 896 | 784 | 336 | 16 |
| | 90 cm | gas on glass hobs | GS90O | 935 x 582 x 164 | 768 | 672 | 336 | 16 |
| VITRO CERAMIC | 60 cm | vitro ceramic hobs | GC66 | 620 x 578 x 133 | 1444 | 1292 | 612 | 16 |
| | 60 cm | vitro ceramic hobs, box | GC66 Box | 631 x 580 x 143 | 1296 | 1152 | 512 | 16 |
| | 78 cm | vitro ceramic hobs | GC78 | 810 x 578 x 133 | 1064 | 952 | 408 | 16 |
| INDUCTION | 60 cm | induction hobs | GI66 | 626 x 581 x 142 | 1368 | 1216 | 576 | 16 |
| | 60 cm | induction hobs, box | GI66 Box | 643 x 583 x 152 | 1224 | 1080 | 480 | 16 |
| | 78 cm | induction hobs | GI78 | 816 x 581 x 142 | 1008 | 896 | 384 | 16 |
| | 90 cm | built-in induction hobs ,box | GI90 Box | 941 x 583 x 152 | 748 | 600 | 315 | 14 |
| DOMINO | 30 cm | gas/ electric hobs | GG30-GE30 | 331 x 566 x 143 | 2646 | 2304 | 1120 | 16 |
| | 30 cm | gas on glass hobs | GS30 | 330 x 578 x 140 | 2520 | 2240 | 1008 | 16 |
| | 30 cm | induction hobs | GI30 | 332 x 581 x 142 | 2520 | 2240 | 1008 | 16 |
| | 30cm | vitro ceramic hobs | GC30 | 326 x 578 x 133 | 2660 | 2380 | 1071 | 16 |
| TABLE TOP | 60 cm | gas/ electric/ combined hobs | SG/SK/SE (60Y-66Y) | 662 x 648 x 140 | 972 | 864 | 384 | 16 |
| | 60 cm | gas on glass hobs hobs (Plusx) | SS61O | 645 x 648 x 140 | 972 | 864 | 384 | 16 |

## ***Installations***

Installation of 60 cm Built-in Oven

## *Installations*
Installation of Polyvalente Built-in Cooker Set

| Installation dimensions for hob | | | |
|---|---|---|---|
| | Vitroceramic | Induction | Hotplate |
| A1 (mm) | 590 | 590 | 580 |
| B1 (mm) | 520 | 520 | 510 |
| C1 (mm) | 41 | 56 | 40 |
| D1 (mm) | 560 | 560 | 560 |
| E1 (mm) | 490 | 490 | 490 |
| F1 (mm) | min. 50 | min. 50 | min. 50 |
| G1 (mm) | min. 50 | min. 50 | min. 50 |
| Installation dimensions for oven | | | |
| A2 (mm) | 557 | G2 (mm) | min. 555 |
| B2 (mm) | 550 | H2 (mm) | 590 |
| C2 (mm) | 595 | I2 (mm) | 600 |
| D2 (mm) | 575 | J2 (mm) | 25 |
| E2 (mm) | 576 | K2 (mm) | 2 |
| F2 (mm) | min. 560-580 | | |

## *Installations*

# Installation Of Built-in Hob

| Product Types | Size | Aesthetic | W (mm) | D (mm) | H (mm) | C1 (mm) | C2 (mm) | Min A (mm) | Min B (mm) |
|---|---|---|---|---|---|---|---|---|---|
| Domino Hobs | 30 cm | Gas Serie 2 | 510 | 290 | 42,5 | 270 | 490 | 50 | 50 |
| | 30 cm | Electric Serie 2 | 510 | 290 | 42,5 | 270 | 490 | 50 | 50 |
| | 30 cm | Securit Serie 1 | 520 | 290 | 47,5 | 270 | 490 | 50 | 50 |
| | 30 cm | Securit Serie 2 | 510 | 290 | 47,5 | 270 | 490 | 50 | 50 |
| | 30 cm | Vitro Ceramic Serie 1 | 520 | 290 | 47,5 | 270 | 490 | 50 | 50 |
| | 30 cm | Vitro Ceramic Serie 2 | 510 | 290 | 47,5 | 270 | 490 | 50 | 50 |
| | 30 cm | Vestel Induction Serie 1 | 520 | 290 | 56 | 270 | 490 | 50 | 50 |
| | 30 cm | Vestel Induction Serie 2 | 510 | 290 | 56 | 270 | 490 | 50 | 50 |
| Gas on Glass Hobs | 60 cm | Securit 2 / Securit 2 Trio / Division | 594 | 523 | 44 | 560 | 490 | 50 | 50 |
| | 60 cm | PlusX | 590 | 520 | 44 | 560 | 490 | 50 | 50 |
| | 60 cm | Pure, Gas+Vitro Ceramic/ Gas+Induction Ceramic | 590 | 520 | 52 | 560 | 490 | 50 | 50 |
| | 65 cm | Plus X | 646 | 523 | 44 | 560 | 490 | 50 | 50 |
| | 70 cm | PlusX | 700 | 520 | 44 | 560 | 490 | 50 | 50 |
| | 75 cm | Standard 75x45 2Wok | 750 | 450 | 53 | 690 | 380 | 50 | 50 |
| | 90 cm | PlusX | 882 | 520 | 47 | 850 | 490 | 50 | 50 |
| Gas/ Combined/ Electric Hobs | 60 cm | Flat / Surface / Extenda / Classic / Division | 580 | 510 | 40 | 560 | 490 | 50 | 50 |
| | 60 cm | PlusX | 580 | 515 | 42 | 560 | 490 | 50 | 50 |
| | 70 cm | PlusX | 700 | 515 | 42 | 560 | 490 | 50 | 50 |
| Vitro Ceramic Hobs | 60 cm | C Serie with touch controlled | 590 | 520 | 41 | 560 | 490 | 50 | 50 |
| | 60 cm | C Serie with knob controlled | 590 | 520 | 47,5 | 560 | 490 | 50 | 50 |
| | 78 cm | C Serie | 780 | 520 | 41 | 750 | 490 | 50 | 50 |
| Induction Ceramic Hobs | 60 cm | Vestel Induction | 590 | 520 | 54 | 560 | 490 | 50 | 50 |
| | 78 cm | Vestel Induction | 780 | 520 | 54 | 750 | 490 | 50 | 50 |
| | 90 cm | Vestel Induction | 890 | 520 | 54 | 860 | 490 | 50 | 50 |
| | 78 cm | Vestel Induction | 780 | 520 | 56 | 750 | 490 | 50 | 50 |
| | 90 cm | Vestel Induction | 890 | 520 | 56 | 860 | 490 | 50 | 50 |
| Domino Gas Hobs | 30 cm | Gas Serie 2 | 510 | 290 | 42, 5 | 270 | 490 | 50 | 100 |
| Domino Electric Hobs | 30 cm | Electric Serie 2 | 510 | 290 | 42, 5 | 270 | 490 | 50 | 50 |
| Domino Gas on Glass Hobs | 30 cm | Securit Serie 1 | 520 | 290 | 47, 5 | 270 | 490 | 50 | 100 |
| | 30 cm | Securit Serie 2 | 510 | 290 | 47, 5 | 270 | 490 | 50 | 100 |
| Domino Vitro Ceramic Hobs | 30 cm | Vitro Ceramic Serie 1 | 520 | 290 | 47, 5 | 270 | 490 | 50 | 50 |
| | 30 cm | Vitro Ceramic Serie 2 | 510 | 290 | 47, 5 | 270 | 490 | 50 | 50 |
| Domino Induction Ceramic Hobs | 30 cm | Vestel Induction Serie 1 | 520 | 290 | 56 | 270 | 490 | 50 | 50 |
| | 30 cm | Vestel Induction Serie 2 | 510 | 290 | 56 | 270 | 490 | 50 | 50 |

## *Installations*
Installation of Built-in Double Oven

| | | | |
|---|---|---|---|
| **A (mm)** | **557** | **E (mm)** | **878** |
| **B (mm)** | **550** | **min./max. F (mm)** | **560/580** |
| **H (mm)** | **890** | **min. G (mm)** | **555** |
| **C (mm)** | **595** | **min. I (mm)** | **880** |
| **D (mm)** | **575** | **min. J/K (mm)** | **5/10** |

## *Installations*
Installation of Built-under Double Oven

Installation under a worktop (A)

# Installation of Built-under Double Oven

Installation under a worktop (B)

Installation in a wall unit

| | | | |
|---|---|---|---|
| **A (mm)** | **557** | **min./max. F (mm)** | **560/580** |
| **B (mm)** | **550** | **min. G (mm)** | **555** |
| **H (mm)** | **720** | **min. L/I (mm)** | **725/715** |
| **C (mm)** | **595** | **min. J/K (mm)** | **5/10** |
| **D (mm)** | **575** | **M (mm)** | **40** |
| **E (mm)** | **712** | | |

## *Installations*
Island Worktop Installation (Side Outlet)

## *Installations*

Island Worktop Installation (Frontal Outlet)

## *Installations*

Standard 60 cm Worktop Installation (Side Outlet)

## *Installations*

Standard 60 cm Worktop Installation (Frontal Outlet)

# Notes

# Notes

# Notes

**Vestel Trade Co.**
Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
**Phone:** 90 - 236 233 25 82
**Fax:** 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com

**Vestel Germany GmbH**
Parkring 6 D-85748 Garching bei München/Germany
**Phone:** 49 - 89 55295 - 0
**Fax:** 49 - 89 55295 - 2000
info@vestel-germany.de
www.vestel-germany.de

**Vestel UK Ltd**
Vestel House, Waterside Drive
Langley, Berkshire SL3 6EZ
**Phone:** 44 - 3330 146 400
info@vestel-uk.com
www.vestel.co.uk

**Vestel France SASU**
17 Rue de la Couture - Parc Icade
BP 10190 - 94563 RUNGIS Cedex/France
**Phone:** 33 - 1 46 75 00 29
**Fax:** 33 - 1 41 80 99 31
info@vestel.fr
www.vestel-france.fr

**Vestel Benelux B.V.**
Stationsplein 45, A1-194
3013 AK Rotterdam,
The Netherlands
**Phone:** 31 - 10 235 1005
info@vestelbenelux.nl
www.vestelbenelux.nl

**Vestel Iberia, S. L.**
Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain
**Phone:** 34 - 91 320 63 98
**Fax:** 34 - 91 320 52 58
vestel@vestel.es
www.vestel.es

**Vestel CIS Ltd.**
1-st Graivoronovsky Proezd, No.20 Building 16,
109518,
Moscow /Russia
**Phone:** 7 - 095 956 8230
**Fax:** 7 - 095 956 8233
info@vestel.ru
www.vestel.ru

**Vestel Electronics Gulf DMCC**
Unit No: ALMAS-06-C ALMAS Tower Plot
No: JLT-PH1-A0
Jumeirah Lakes Towers Dubai Bae
info@vestel-gulf.ae
www.vestel-gulf.ae

**TOO Vestel Central Asia**
050026 Kazakhsatan/Almaty Aiteke bi 187,
office:215
**Phone:** 7 - 727 263 39 39
info@vestel.kz

**Vestel Poland**
ul. Salsy 2, Warszawa kod 02-823
**Phone:** 48 22 272 73 00
info@vestel-poland.com
www.vestel-poland.com

**Vestel Electronica**
Bucharest, 1st District, 2-4 Murmurului Entrance,
014114
Bucharest/Romania
**Phone:** 40 - 31 425 42 93
**Fax:** 40 -31 425 42 95
office@vestel.ro
www.vestel.ro

VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

**Phone:** 90 - 236 233 25 82
**Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA

/vestelinternational