





COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.



18.500 Employees

15 MILLION
TV Production Capacity

1.163.000 M² Closed Production Area

\$ 2,5 BILLION

30 MILLION
Device Production
Capacity

\$ 3,2 BILLION
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 10 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

The company is recognized for its cuttingedge designs, high product quality, large production capacity, and superior market share growth with an annual manufacturing capacity of 15 million television sets.

Total productive maintenance and the six sigma approach implemented throughout the manufacturing process improve efficiency and productivity in all areas, making Vestel a world-class manufacturer.

All Vestel products are tested in-house in the company's certified quality labs to ensure electronic and mechanical sustainability.

Leading the European market in digital products, Vestel has established agreements with the major digital television operators in Europe for the production of digital television and set-top boxes. Vestel places the utmost importance to product design and development. The company invests in new technological developments continuously to lead the electronics and major domestic appliances markets.

R&D facilities located in Turkey, UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

Vestel has proven its success in product design by receiving the most prestigious design Awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 36% of the nation's major domestic appliances exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 23 years.

More information: www.vestelinternational.com



TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS

MARKETING & SALES COMPANIES

Manisa, Turkey Istanbul, Turkey Bristol, United Kingdom

Shanghai, China

Vestel Trade, Turkey Vestel France, France Vestel Germany, Germany Vestel UK, United Kingdom

Vestel Iberia, Spain Vestel Poland, Poland Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai



Design and Technology

Modern TV design is changing day by day with the improvements in technology. It is also subject to change in Vestel as a leading technology investor and design manufacturer. Nowadays, TVs become less visible, ultra-thin elegant designs are more integrated onto the surrounding surfaces like walls, doorways, anywhere. These designs come with extraordinary technology of high quality resolution in well-sized TVs. The design of TVs will go beyond the standards with simple beautiful cabinet and shelving, we will see the space softened by few accessories around its astonishing pictures.





BMS Technology And Led Designs

Vestel uses own in-house design process in order to build huge amount of various TV models in different sizes and cosmetics. This system is called BMS (Built-in Module System) technology that allows supply of the cell only and rest of the materials including light filters, light-guide plates and backlight systems are separately built by Vestel. Therefore, BMS technology is the perfect supporter of flexibility in production and flexibility in defining various combinations of TV product in terms of size and cosmetic design. Thanks to BMS technology, Vestel has

become expert in meeting various customer demands that makes Vestel company pioneer OEM/ ODM TV manufacturer globally.

Via BMS technology, 2 main design models are applied by Vestel. These design models are segmented based on the bezel thicknesses.



Frameless

New generation frameless family offers you completely new level of elegance. Vestel offers you less than 3mm bezel thickness with this new generation DLED technology.



UNB (ultra narrow bezel) design

vestel UNB (Ultra Narrow Bezel) technology is the newest design segment that is offered by Vestel. UNB models are built by including front metal frame starting from 6 . Moreover, UNB models are ELED and SLIM DLED systems in order to cover any advantage of ELED and DLED systems.



VNB (very narrow bezel) design

Vestel VNB (Very Narrow Bezel) technology which is another specific design subset of BMS technology allows production of TVs with plastic fronts starting from 10 to provide users very wide watching area on the screen for an amazing watching experience.

New Display Technologies



QLED

QLED TV, quantum-dot television, is a new type of LED-backlit LCD TV. The blue LED light technology drives the blue hues of the picture, but red and green light is created by the quantum dots. This perfect combination helps to achieve the desired color.



High color gamut with Quantum Dot

More realistic colors and performance closer to the limits of

Very Sharp and Narrow Emission Peak More Accurate Colors More Vivid Hues Adding QD-Film in the Backlight Achievement of ≥ 90% Color Gamut (DCI-P3)

OLED

Discover Vestel, discover sensational TV viewing. Introducing more of the latest TV technologies to more homes, Vestel has developed its own OLED TV. Promising to deliver a more powerful, compelling and deeply immersive viewing experience, the TV displays authentic blacks for incredible on-screen effect. Ensuring unprecedented colour precision and picture accuracy, this model sets the deepest blacks against the purest shades and hues to create spectacular colour contrasts.





Perfect Black, Perfect Colors

Perfect OLED black creates stunning contrast, made possible by self-illuminating pixels.

High contrast adds depth to all colors and brings out details for the visual experience.



High Level of Color Accuracy

Being very close to the colors of the original image makes everything you watch look the way the content creator intended.

CABINET DIMENSIONS



		SIZE	X-mm	Y-mm	T1-mm	T2-mm	T3-mm
		24	12,7	22	20,9	41	62,9
DLED HVNB	BC550	32	13,8	20,4	12,5	50,2	77,8
		40	11,2	16,6	15,4	55,2	83,9
		40 INX	12,8	18,2	15,4	55,2	83,9
		43	12,2	17,6	15,4	52,7	81,5
		49	12,1	17,7	15,5	52,7	84,2
		50	13,3	18,6	15,5	56,2	84,3
		55	12,5	17,4	12,8	52,5	81,2
		58	13,7	17,5	15,7	52,9	84,5
		65	13,3	18,9	15,7	47,4	74,9
DLED Frameless OD40	BC650	2,5	13,8	10,3	50,3	82	39,6
		2,5	13,8	10,4	50,4	82,1	39,8
		2,5	13,8	10,6	50,6	82,3	43,5
DLED Frameless Skinny- OD20	BC660	32	1,85	19,2	10,3	32,3	66,0
		43	2,5	14,9	10,3	32,3	66
		50	2,5	14,9	10,3	32,3	66
		55	2,5	14,8	10,5	32,5	66,2
		58	2,5	13,4	10,5	32,5	66,2
		65	2,5	17,0	10,5	40,5	72,2
DLED Next Gen. Frameless	BC700	43	<1.5	<16	<10	<32	<69
		50	<1.5	<16	<10	<32	<69
		55	<1.5	<16	<10	<32	<69
DLED Next Gen. Frameless		55	<1.5	<16	<11	<26.5	<64.5
	BC710	65	<1.5	<16	<11	<32	<70.5
4	BC760	55	2,7	2,7	5	N/A	51,1
OLED		65	2,7	2,7	5	N/A	51,1





UHD TV

UHD, the abbreviation for 'Ultra High Definition', is the most popular issue in TV business worldwide. Basically, UHD TV provides resolution of 3840x2160 (4K:2K) which equals to 4 times resolution of Full HD TV by doubling the pixel count of the Full HD TV both horizontally and vertically.

Vestel UHD TV offers an extreme watching experience with sharper and more colorful pictures thanks to higher pixel count. You will catch every detail on every corner of the screen thanks to stunning image production. Moreover, you will feel like living in a colorful virtual world while watching a scene on your UHD screen. While watching your favorite movie, watching a sports event or your favorite TV series delusive events are brought to your living room to fulfill your imaginations.

Thanks to its state of art industrial design and lifelike colorful image presentation, you will feel like that you are surrounded by paintings of famous artists in an art gallery while Vestel UHD TV is around.





HDR 10+

HDR10+ works differently than HDR10. It sends dynamic metadata, which allow TVs to set up colour and brightness levels frame-by-frame. This makes the picture look realistic. HDR10 aims to produce 1000 nits of peak brightness, whereas HDR 10+ $\,$ supports up to 400 nits.

Standard Technology



HDR Technology





Micro Dimming

Algorithm for better contrast and vivid picture quality. This is provided by deep analysis of each pixels, realizing dark and bright regions and applying separate backlight.





Blue Strech

Human eye perceives cooler whites as brighter white, Blue Stretch feature changes White balance of mid-high gray levels to cooler color temperature



De-Contour

De-contour reduces the contour effects which are especially seen in low bitrate contents or auto scaling services like Youtube, Netflix etc. Contour effects are mostly seen in flat areas like sky and de-contour recognizes these problematic flat areas and makes these areas smoother.

		NON-SMART FHD/HD		NON- SMART UHD	SMART FHD/HD		SMART UHD		
		MB140	MB140TC	MB180E G32	MB171	MB181TC	MB181	MB180E G32 wo/MEMC	MB180 G31 w/MEMC
		(Non-Smart)	(Non-Smart)	(Non-Smart)	(Android)	(Linux)	(Linux)	(Linux)	(Linux)
	SDR to HDR	X	X	X	X	X	X	X	X
	SDK to HDK			^		^	^	^	^
	HDR10	X	X	· •	~	~	~	~	~
	Dolby Vision	Х	Х	~	Χ	Х	Х	~	~
PQ	HLG	Х	Х	~	~	~	~	~	*
	Super Resolution	Х	Х	~	Χ	~	~	~	✓
	Micro Dimming	Х	Х	~	Χ	~	~	~	*
	MEMC	Х	Х	Х	Χ	Х	X	Х	✓
	Blue Stretch	Х	Х	~	~	~	~	~	*
	De-Contour	Х	Х	Х	Χ	X	Х	Х	~
AQ	Dolby Atmos	Х	Х	~	Χ	Х	Х	~	*
	DTS Virtual: X	Х	Х	~	Χ	~	~	~	~
	DAP	Х	Х	~	~	~	~	~	~

		SMART UHD			
		MB170	MB185		
		(Android Ref+ v1)	(Android Ref+ v2)		
	Android version	9	11		
General	RAM	1.5 GB	2 GB		
	HDMI version	2	2.Jan		
	1/0	4 HDMI – 2 USB	3 HDMI – 2 USB		
	Far Field Google Assistant Support	X	~		
PQ	OLED 100Hz support	X	~		
	AV1 support	X	~		
	HDR10	~	~		
			HDR10+ support		
	Dolby Vision	~	~		
	MEMC	X	~		
	De-Contour	X	~		
AQ	Dolby Atmos	Х	~		
	DTS Virtual: X	Х	~		
	DAP	~	~		



What is Dolby Vision?

Vestel & Dolby Vision cooperation transforms the way you experience movies, TV shows, and games with incredible brightness, contrast, and color that bring entertainment to life before your eyes. By fully leveraging the maximum potential of new cinema projection technology and new TVs' display capabilities, Dolby Vision delivers high-dynamicrange (HDR) and wide-color-gamut content. The result is a refined, lifelike image that will make you forget you are looking at a screen. Current

DOLBY VISION

consumer video delivery and cinema standards are based on the limitations of old technologies and require altering the original content before it can be reproduced for playback-dramatically reducing the range of colors, brightness, and contrast from that captured by modern cameras. Dolby Vision changes that, giving creative teams the confidence that images will be reproduced faithfully on TVs, PCs, and mobile devices that feature Dolby Vision.

Why Dolby Vision?



Refined Detail

Refined detail helps reveal the nuanced textures and patterns of our world on the screen through the precise use of expanded color and contrast ranges.



Expended Contrast

Expanded contrast uses the much wider range of brights to darks to more closely capture the look of the real world, such as when bright shafts of light come streaming through a window into a dark train station.



Deep Darks

Deep darks provide a new level of richness and precision that makes every scene look more real and nuanced, helping you uncover secrets in the shadows or see the full depth of night skies.



Astonishing Brightness

Brightness blazes from the screen more brightly than today's standard TV sets allow while maintaining lifelike color and detail, so you can see the fiery flash of an explosion as well as the true beauty of a warm sunset.



Ultravivid Colors

Ultravivid colors display many more hues across the full brightness range — some never before seen on standard televisions — to show everything from the most intense neon lights to the subtlest shades of flowers to the true red of a London double-decker bus.



Enhanced Dimensionality

Enhanced dimensionality emerges from the picture, with more lifelike forms that have realistic shadows and crisp edges to impart a subtle but convincing three-dimensional feel.

DOLBY ATMOS°

Dolby Atmos Ecosystem





Content

Dolby has built relationships with studios and creatives

Creation Tools

Spec mixing studios integrated Atmos into content creation

Cinema

More than 3200 screens and 360+ Dolby Cinemas have Atmos



Distribution Tools

HW & SW tools and audio codecs created for delivery



Distribution

Atmos enabled on linear, VoD and OTT services



Playback

Device manufacturers decode codecs for the Atmos experience

A consumer can experience Dolby Atmos in the cinema and get that same Dolby Atmos experience in the home like no other sound solution.




Dolby Atmos for TVs

A TV with front or down - firing stereo speakers using Dolby Atmos audio processing will provide breathtaking sound that has impressive clarity, richness, detail, and depth.

DOLBY AUDIO

DAP Device Processing

Improves the audio experience for speaker playback.



Dolby Audio Processing Engine

Dolby Audio Processing (DAP) is a suite of post - processing technologies designed to improve the audio playback experience on a TV using TV speakers.

Surround Virtualizer + Upmixer

Volume Leveler

Dialogue Enhancement

Bass Enhancement and Virtual Bass


Speaker Tuning

Media Intelligence

TV Line-up

In terms of design and technology, Vestel offers considerably wide lineup range in order to meet broad expectations of people from a TV. One of the most popular technologies, such as UHD TV arises with elegant OLED design at the top of this lineup as it reflects the strength and quality of Vestel TV lineup. Moreover, elegant slim models including ultra narrow bezel designs, quality metal applications or fashionable stand designs are all positioned in attractive lineup of Vestel. Flexibility, design capability and know-how of high technology allow Vestel to offer the most suitable product for your demand that fits your personal delight as well.







xx760 Vestel OLED TV, with its high image and sound quality, is designed for customers who aspire to take their Television experience into a new level. This thin, minimalist and premium TV has an innovative and user friendly cable solution on its pedestal as a design element.

Vestel xx760 OLED TV is designed for customers who aspire to have high quality image and sound with minimalist design. The design itself has been manufactured with premium materials that brings forward its OLED Technology. Vestel xx760 OLED TV stands out with its metal pedestal design that highlights its sharp features as well as the front metal deco piece that preserves its holistic design. This front metal deco piece elegantly combines the two separate OLED screen and IRLED area, and allows them to be perceived as a continuation of each other. Its unique cable solution on the pedestal design allows users to hide all cables at the back of the pedestal and maintain Vestel OLED TVs minimalistic and holistic design.

The design is unique in the market with its innovative cable solution and elegant design language.

- In order to achieve the minimalistic design approach, all mechanical parts and joints are designed to be assembled without undermining the holistic and aesthetic perception of the design.
- The product is designed to be perceived as a whole dark glass that has a thin, shiny belt which allows it to maintain its sculpture-like aesthetic during the "off" state.
- The product is aesthetic both from the front and back.
- All parts of the pedestal design joints come together with great precision, maintaining the product's integral design.

Next Generation Frameless

With 2021 models, Vestel brings two new platforms with new design approaches; "modularity" and "high variability".

Within the new industrial design conceptual base of modularity and creating high differentiation possibilities, there lies the basics of science of optic and engineering.

Optic distance -which creates the depth of the backlight unit- of the new half back cover designs reduced drastically with the collaborative R&D studies to catch up with the global design trends.





Cell-in-Frame

Borderless front look Modern, sharp and slim frame design Plastic side frame can be H/S coated Metal back panel Half type plastic back cover

Trendy linear texture on plastic back cover Differentiation options with bottom frames y bands



Cell-on-Frame

Borderless front look

Slim frame design with premium approach

Metal side frame with diamond cut effect

Metal back panel

Half type plastic back cover

Trendy linear texture on plastic back cover

Differentiation options by frame color

Metal premium stand design





Frameless Skinny





Being the slimmest series in the new OD20 platform, XX660 is highly competitive within the market with its several versions.

Thanks to its design, OD20 metal backlight unit almost seems as edge-led model while the half back cover unit supports the visual conception.








XX661 DLED Frameless TV is a high end yet affordable product with borderless frame design. Metal half back cover, assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment. Cosmetic lens is inspired by the latest design trends, offering inmold texture finishes enhanced with Premium hotstamp area."



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION*



XX662 DLED Frameless TV is a high end yet affordable product with borderless frame design. Metal half back cover, assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment. Cosmetic lens is inspired by the latest design trends, offering inmold texture finishes with recent repetitive line slim line trend.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION[™]




XX663 DLED Frameless TV is a high end yet affordable product with borderless frame design. Metal half back cover, assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment. Cosmetic lens is inspired by the latest design trends, offering glossy and matte finishes on the front as well as hotstamp finishes.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION*



XX664 DLED Frameless TV is a high end yet affordable product with borderless frame design. Metal half back cover, assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment. Cosmetic lens is inspired by the latest design trends, offering glossy and matte finishes on the front with an elegans sleek look.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION[™]



XX665 DLED Frameless TV is a high end yet affordable product with borderless frame design. Metal half back cover and metallic cosmetic lens provides a rich look. Assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION*




XX666 DLED Frameless TV is a high end yet affordable product with borderless frame design. Metal half back cover, assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment. Cosmetic lens is inspired by the latest design trends, offering glossy and matte finishes on the front.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION[™]




XX651 DLED Frameless TV is an affordable yet rich looking TV with borderless frame design. Metal half back cover and hotstamp cosmetic lens offers a high end finish product with very affordable prices . Assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION*



XX652 DLED Frameless TV is an affordable yet rich looking TV with borderless frame design. Metal half back cover offers a high end finish product with very affordable prices . Assembly details, matte&gloss finishes on the design and the premium finishing of product are beyond the quality perception expected from any product of this segment.



D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION[™]



XX653 DLED Frameless TV is an affordable yet rich looking TV with borderless frame design. Metal half back cover and trendy cosmetic lens with metallic hotstamp feature offers a high end finish product with very affordable prices . Assembly details as well as premium finishing of product is beyond the quality perception expected from any product of this segment.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION*



XX654 DLED Frameless TV is an affordable yet rich looking TV with borderless frame design. Metal half back cover and glossy&matte cosmetic lens offers a high end finish product with very affordable prices . Assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment.

AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"



■ DOLBY VISION[™]



XX655 DLED Frameless TV is an affordable yet rich looking TV with borderless frame design. Metal half back cover and metallic cosmetic lens offers a high end finish product with very affordable prices . Assembly details and the premium finishing of product are beyond the quality perception expected from any product of this segment.



AVAILABLE SIZES

D-LED 32", 43", 50", 55", 58", 65"

■ DOLBY VISION[™]





Plastic high gloss fully flat cabinet suitable for matte & gloss coloring options.



AVAILABLE SIZES

D-LED 24", 32", 40", 43", 50", 55", 58", 65"

DOLBY VISION**



The special triangular cut edged hot stamp area is available for differentiation with several hot-stamp options.



AVAILABLE SIZES


D-LED 24", 32", 40", 43", 50", 55", 58", 65"

■ DOLBY VISION*

X X 5 5 2



Linear hot-stamp area including the brand position is located on the special textured at the bezel bottom.



AVAILABLE SIZES

X X 5 5 3




Special area left at the bottom frame is appropriate $for \ several \ hot-stamp \ variations \ for \ differentiation.$



AVAILABLE SIZES

D-LED 24", 32", 40", 43", 50", 55", 58", 65"

■ DOLBY VISION*



Matte and glossy surface section draws attention and creates the thickness deception.



AVAILABLE SIZES

D-LED 24°, 32°, 43°, 50°, 55°

DOLBY VISION



Thin silver hot-stamp at the bottom frame highlights the brand



AVAILABLE SIZES

D-LED 24", 32", 43", 50", 55"

■ DOLBY VISION*




Tiny hole pattern creates a visual deception for the bottom frame area with strong differentiation.



AVAILABLE SIZES

D-LED 32", 43", 50", 55"

DOLBY VISION*



Special hotstamped area with logo area differentiation creates a high customization.



AVAILABLE SIZES

D-LED 32", 43", 50", 55"

■ DOLBY VISION**



F H D

SMARTTV

WIDE COLOR GAMUT

XL sized TV with black frame design.

AVAILABLE SIZES

D-LED 75


DOLBY VISION**

AVAILABLE LENSES










androidty

As one of the leading manufacturers of the new version of Android TVs running on the latest Android Operating System, Vestel is proud to announce its commitment to the Android ecosystem.

Android TV brings content to the forefront of the TVs and allows for easy discovery and consumption of OTT content with its built-in Google Assistant.

Android TVs are going to get steady security updates and version upgrades within the 3 years from their development. This will assure our customers to always access the new improvements without the need to replace their products.

With their Android TVs Integrated with the Android ecosystem, customers will be able to control their smart home devices through their TVs and share their Android phone screens to their TVs with the integrated Chromecast support.



Voice Enabled BT Remote

CONTENT

Netflix

Prime Video

YouTube

Google Play Movies

Google Play Music

3000+ apps thru Google Play

USAGE

Google Assistant (in selected countries)

Built-in Chromecast



Google certified



Simple



Secure & up-to date



Comprehensive content







Consumers are able to use Alexa to control their Vestel Smart TVs through embedded microphone on their TVs - all without a need for an additional Echo device! Alexa is able to help customers perform functions -additional to the Alexa utterances- such as turning the TV on and off, increasing or decreasing the volume, and changing the channels etc.



Built-In Hey Google*

Use Hey Google to control your Vestel Android TVs through embedded microphone on their TVs - all without a need for an additional Google Assistant device! Hey Google is able to help customers perform functions -additional to the Hey Google utterancessuch as turning the TV on and off, increasing or decreasing the volume, and changing the channels etc.

*Built-In Hey Google with Far-Field embedded microphone feature is in Project stage, it will be ready end of 2022.





Smart TV Works with Alexa

Vestel TVs are able to work with Alexa. Users can control their Vestel TVs through Amazon Echo devices by just adding the TV to Smart Home device list. Customers can differentiate these TVs with their works with Alexa badges.



Smart TV Works with Hey Google

Consumers can control their Vestel Smart TVs with their Google Assistant devices. Users in Google Home available countries are able to control their Vestel Smart TVs with their voice in their own languages.

Al on TV











Smart AVL

Leverage of the sound after 22:00

Dolby Audio

Normalizes loudness for all content to the same volume, identifies the location of dialogue and improves intelligibility easier to understand and also automatically selects the appropriate audio profile based on the content.

Content Offer

Getting information from Samba and using this information to offer content over Smart Center app.

Setting Recommendation

This can be made in 2 way, one of them is to detect the content and offer a picture setting and other one is offering a common watched content to people.

Smart Detection

Detecting the scene and giving more information of the content. This can be information about the place or a dress the actress wears

Suroundings Detection

In order to get more information about the environment (like whether it is dark or under light), the sensors of the mobile devices can be used and this information can be used to change the backlight setting of the TV according to content.

Device Recommendations

Detecting the connected devices in the same network, so that the end user can use the connected devices with their TV (like lambs)

Network Recommendation

Detecting the router and offering a better connection setting (like changing the router setting from 2.4GHz to 5GHz)

Personalization

Detecting the devices with Bluetooth in order to understand that the person is in the room and changing the setting or offering the content according to the person in rooms needs.



Vestel Smart TV allows you to access various internet contents with a simple click on the remote control. Using Smart TV apps, basically, you can stream music, videos and movies in real time from several websites. You can watch the missed episodes of your favorite TV shows via catch up service; you can rent the latest movies or watch internet videos. Moreover, you have access to many online applications in various categories such as news, sports, games, weather, entertainment, social networks and more. For instance, you can stay connected and the latest updates on your social media accounts. Vestel Smart TV allows you to enjoy your favorite internet contents gathered in one common place by making your life designed for your personal preferences while using your Smart TV.

While using your Vestel Smart TV, you can browse among apps and access to widgets while you are watching TV at the same time!

Available Services for Smart TV

Video VOD

Premium VOD Local content Rental Video services

Catch-up

Local TV channels

Internet Video

Personal Music Channel

Social Networking

Music

Personal Radio Music-on-demand Web Radio

Games

Information Services

Weather

News

NETFLIX

Netflix is the most famous and essential VoD provider to watch movies and TV shows over internet connection. Vestel Smart TV enables you to watch thousands of movies and TV shows anytime you want and as much as you want via Netflix service. Having access to incredible world of TV episodes and movies, Vestel Smart TV instantly transforms your living room to a movie theater or a TV studio!



Prime Video is the Video on Demand service developed, owned and operated by Amazon. It offers television shows and films for rent or purchase as well as a selection of Amazon Studios original content and licensed acquisitions. You can get access to Amazon's carefully curated and steadfastly expanding content with an Amazon Prime or Prime Video Membership. As a close partner of Amazon, Vestel Smart TVs bring the Amazon experience to your living rooms at your fingertips or through your voice!

YouTube

Youtube is the world's biggest and most popular video sharing platform. The latest and greatest music videos, trends and channels are in here. You can also synch your mobile device to the app and enjoy the content. Being the most used app on Smart Tvs through out the world, Youtube is essential.



Freeview Play is another smart portal that Vestel supports which includes BBC iPlayer, ITV, All4 and Demand5. You can enjoy catch up services of these channels via backward EPG, all in one place. Just connect to internet, open your Freeview Play and start watching without a subscription fee.



Vestel HBB (Hybrid Broadband Broadcast) TV feature provides a delightful entertainment to the users through the harmonized variety in broadband and broadcast delivery by extending the reach of multimedia content on your TV set. More entertainment services from broadcasters and online providers such as video-on-demand (VoD), interactive advertising, personalization, voting, games and social networking as well as program related services such as digital text and EPGs will be accessed by end-user.



Rakuten TV is a video-on-demand streaming service, offering movies and TV series for subscription, rental and purchase. Rakuten TV's catalogue includes content from studios around the world including Warner Bros., Disney, Sony Pictures Entertainment and Twentieth Century Fox Home Entertainment, local distributors, and independent labels.

Operational in 11 countries across Europe, Rakuten is a longterm partner of Vestel.



BBC Sports offers users to access best sport coverage both with live streams and VoD. You can watch live sport events from tennis tournaments to rugby games. Besides, you can watch latest highlights and headlines for these delusive events. Major sport events available come to your home with Vestel Smart TV via BBC Sports.



BBC News provides you latest news and highlights from global journalists. You can quickly find the topic you are interested in as well as reaching the news based on the categories you are interested in.

BBC iPlayer

BBC iPlayer is an online VoD platform including whole TV shows as well as range of video clip contents. You can watch live contents and your favorite TV programs that you missed via BBC iPlayer on your Smart TV. Vestel Smart TV is all you need to meet your expectations from an online TV and radio service by providing you an opportunity to experience devastating entertainment show.

Twitch eklenecek

DTS

Vestel is offering immersive audio experience option using DTS sound systems. DTS is a series of multichannel audio technologies owner. The company is specialized in digital surround sound formats used for both commercial/theatrical and consumer grade applications. DTS licenses its technologies to consumer electronics manufacturers and Vestel is the one of the manufacturers holds DTS license. Why sound matters? Mobile era has changed the consumer needs and content consumption habits. In order to satisfy viewers Vestel is offering higher quality

DTS Virtual:X simplifies the expansion of the surround sound listening by providing primarily the perception of height channels, without requiring additional speakers. DTS achieves 3D surrounding sounds natively without sound conversion process from 2D to 3D.

audio, which has less effect on bandwidth and more effect on likeability than picture quality, thanks to the DTS technologies. DTS 2.0, DTS TruSurround, DTS HD are already equipped with Vestel TVs. Keeping track of enhanced sound system technologies makes us move for newest DTS technologies as well, expecting to offer DTS Headphone X for Vestel TV range.

Experience supreme sound quality thanks to the integrated DTS on Vestel mainboards; enjoy concerts, movies or any sports program with sound excellence.














Multiscreen Technology

Vestel Smart TV allows you to use your companion devices (tablet pc and smartphone) by synchronizing them with your Smart TV. Meanwhile, you can build multi-screen system at your home that upgrades you to a higher entertainment level. You can control your Smart TV with your mobile devices wirelessly, you can send multimedia contents from your devices to your TV in order to view them on TV screen and transfer TV stream to your companion devices to watch the stream on device simultaneously.



Wireless display

Wireless display feature allows mirroring the screen of your compatible Android device to stream videos up to 1080p on your Vestel Smart TV. While you are streaming a video on your smartphone, you can simultaneously mirror the screen of Android device on your wider Smart TV screen to enjoy detailed and higher quality pictures on TV without using any cable. Moreover, it is possible to send up to 5.1-surround sound that enables you to experience high quality sound as well. Besides, you can just share the home screen of your device, to scroll between the apps on your Android device. Directly connect mobile device

to your TV and get a new perspective on sharing! Besides, wireless display technology allows users to send stream, photos, music, videos and apps from compatible Intel based PCs or portable devices to your wireless display compatible Vestel TV wirelessly. You can send up to 1080p video and 5.1 surround sound and have the opportunity to display the stream or multimedia contents on the bigger screen of TV with excellent picture and sound quality. You don't have to stick to little screen of your PC or portable device anymore. Just enjoy the new entertainment experience on your TV!





You can use your phone, tablet, or computer to control supported applications on TV. This feature of Youtube application helps the user to connect their personal accounts to their Smart Tv only with a few clicks. You will have the comfort and efficiency of your mobile devices while watching the content desire on your Smart Tv. Just make sure your phone, tablet, or computer is connected to the same Wi-Fi network as your TV device. You also have the option to link with a TV code.



TV control: voice control, touchpad, keyboard and remote

You don't need your classical remote anymore! Via Smart Center, there are many options to control your TV over your mobile device. By using remote control panel on your mobile device; you can use your device as classical remote control. Moreover, you can use keyboard option while searching on internet. While using open browser, you can turn your mobile device into a touchpad controller. Attractively, you can give voice coands over Smart Center to control some features of your Smart TV.

Followme TV

Do you have to do some work in kitchen and want to continue to watch your favorite program? Smart Center allows viewers to deliver the video stream from Smart TV to tablet pc. While watching your favorite program, just transfer the broadcast to your mobile device. You can take your mobile device with you and continue to watch your favorite program in your kitchen!

Social media interaction

You can follow and send program related tweets or like your favorite programs on Facebook while watching your favorite TV program on your Vestel Smart TV. This way, you can connect to people all over the world that have the same delight with you!

EPG via Gracenote

EPG (Electronic Program Guide) data provides necessary information to viewers about TV broadcast prograing and program schedule for current and upcoming programs. Via Gracenote, Smart Center app will provide you broadcast schedule data and you will be aware of TV programs in details such as cast and crew. Moreover, you will be able to set reminders to watch your favorite programs as well as recording on time schedule of programs based on EPG data.

Media share

Via Smart Center, it is possible to send music, pictures and videos from your mobile device to your Smart TV TV by swiping over DLNA protocol and view them full size on your Smart TV to enhance your viewing experience. For instance, you can display your holiday photos together with your family on your big screen quality Smart TV with a simple swipe movement.

Portal launcher

Viewers can launch Smart TV Apps from personal tablet PC. Without using classical remote control, via Smart Center, you can connect your mobile device to your TV and directly launch various Smart TV apps and open browser by using your mobile device.

TV programs and vod (video-on-demand)

Viewers can browse TV channels, search movies or on-demand services on Smart Center. You can arrange your favorite TV channels, you can see the details of your favorite program and watch videos by using VoD that are related to your favorite TV program on internet.



Vestel Smart Center

Vestel is set to bring viewers extra features for their Smart TVs with the Smart Center appS. Free-todownload, the new remote control app is designed for Smart TVs from fifty popular as well as premium brands, offering more personalised control, ultraconvenient and fast access to TV listings, apps, and screen share functions.

Split into five sections - Home, Guide, Remote, Applications, and Settings, the app simplifies the navigation process, enabling users to enjoy a more intuitive user experience from their connected iOS and Android mobile devices.




Vestel Smart Center




TV Smart Centre









Home Screen

To help narrow down searches, the Home screen's Dashboard features extra information for up to thirty programmes and films, providing insightful synopses about shows and movies, as well as more detail about the genres and casts. While the Primetime section picks out and highlights specific programmes for peak evening viewing times between 8pm and midnight, the "For You" section does so for programmes, regardless of when they are scheduled.

The Home screen also offers quick and easy access to a whole range of flexible, and customisable viewing options. With one tap of the screen mirroring button, viewers can bring their saved videos, music, and photos straight to the big

screen, and with one tap of the red control, record or set a reminder for their favourite TV series.

From the Home screen, Follow Me TV can also be accessed, enabling users to tune into live TV content on any connected mobile device from anywhere within range of the user's home WiFi network.

Please could you share how the programmes are selected? Why are they highlighted?

It shows the disfferent programmes randomly from that days's tv programmes between 20:00-24:00

Screen mirroring in the Home and Guide menus, not in the remote section.







Remote Screen

Bringing together all the most frequently used functions to one centralised place, the TV Smart Centre app Remote screen features a power button to switch the TV on, a 4-way D-pad, and buttons for several alternative search style options. These include modes for searching with numerical and alphabetical keyboards, and a touchpad, as well as a voice search function for simple remote control commands.

To stream the most highly sought-after content quickly and easily, there are also shortcut buttons for Netflix and YouTube, and a selection of media player controls that are immediately to hand.

These features in the "Remote" screen. Not in the Home screen. Maybe there can be also Remote subtitle to cover those features.





Guide and Apps

Giving viewers more personalised control and flexibility, the Guide screen offers further access to the screen mirroring button and the Follow Me TV function, along with the latest, most up-todate TV listings with its "What's on TV" section.

Searching for must-see VoD content is also quick and easy, thanks to the Apps screen. Viewers can count on one-click access to all the streaming apps available on their Smart TVs, including Netflix, Amazon Prime Video, and YouTube as well as Rakuten, Twitch, Amazon Music, YouTube Kids and Red Bull TV.



DVB-T + C, DVB-T2 and DVB-S2

DVBT2/C/S2 Vestel TV employs the integration of DVB-T + C, DVB-T2, and DVB-S2 tuner which allow TV set to recieve digital terrestrial cable, and satellite broadcasts without using a set-top box or a Pay tv reciever.

Microsoft PlayReady DRM

Wide range of applications including VoD, sports, games, social media, and etc. with support of Microsoft Playready DRM.





Multi IR RCU*

In areas where there are multiple TVs installed, thanks to the Multi IR remote control unit, each remote can be assigned to a different TV with no signal interference from other remote controls. Up to four TVs can use this function simultaneously.

One Channel List

There may be several programs which can be received from terrestrial, cable or satellite broadcasts. VESTEL HotelTV provides a convenient channel list management with a single channel list which consists all the programs regardless of broadcast type.

USB

USB allows easy connection of external storage devices directly to your TV set. Via USB you can quickly connect external storage and access digital contents such as image files, video files and audio files. Simply connect your external memory source to USB port of Vestel TV to watch your favorite movies or to display photos that are stored on big screen of TV instead of being obliged to display these contents on the small screen of your computer. Plug yourself in bigger screen for higher pleasure!

BLUETOOTH

Vestel Smart TV's Bluetooth feature helps you to connect you accessories to your TV via Bluetooth. You can connect your headphones, sound systems, compatible 3D glasses and Vestel Touchpad remotes to enrich your TV using experience. Bluetooth feature completely changes your classical TV using habits and a true item for you to multiply the joy you have while watching TV!

HDMI

Through HDMI 2.0, you can experience the combination of pure sound and excellent visual content on your TV set. HDMI 2.0 is perfect and fastest source to transfer multimedia contents (video and audio) by providing clear pictures and clean sounds which results in an amazing user experience.

HDMI 2.0 provides, perfect source for potential UHD content and connection of various electronic devices to your TV set using only one compatible cable.

Auto-Data Erase

Hotel TVs have the ability to clear all cache data for Smart TV applications such as Facebook, Twitter, Youtube, etc. This increases the security for hotel guests.

Anti-Theft Battery Cover*

The anti-theft battery cover is a simple screw lock providing a fool-proof security to prevent the remote control battery from being stolen. It just makes your life easier.



Hotel Mode Features

Basic hotel mode is particularly configured mode which makes usage of TV more specific and more accurate for commercial TV business branches thanks to the features it includes. Some basic features provide enhanced differentiation and to the point meet of expectations in hospitality applications which can be accessed via special controller combination.

Wake-Up Alarm

In hotel mode, guests can set a wake-up time and TV can automatically wake up at the desired time and an alarm rings to wake you up. Concurrently, welcome image is shown on the screen while alarm is ringing.

Welcome Screen

Commercial logo, message or default pictures can be used and displayed at the start-up of TV. These can be displayed if the hotel mode is enabled. This feature allows you to benefit from customization at the high levels.

USB Cloning

USB cloning allows you to copy the settings of one TV to all other TV units in an easier way. For instance, you can copy the settings or channel list of one TV to high amounts of TV by using USB cloning. By this way, you can simply standardize all TVs without spending a lot of time. Helpful USB cloning feature prevents you from dealing with time-consuming installations and makes your life easier.



Start-Up Position

This feature allows you to specify the starting channel when TV is switched on.

Volume Limit And Fixed Volume Value

You can set the maximum and minimum values as you wish. If you set volume limit, you set the maximum value the volume can have. Moreover, when fixed volume enable is on, volume cannot be set to a value other than the fixed volume value.

Osd Disable On/Off

OSD disable allows you to control TV settings and prevents guests from changing the installation settings. Users cannot reach channel table or installation menu and that means channel list and installation settings cannot be changed.

Custom Bootlogo

Custom Bootlogo feature allows you to choose your favorite photo such as your family photo, favorite nature photo and more for the opening screen of TV. Meanwhile, customization opportunity will make your TV exclusive for you!

Last Status

When 'last status' feature is set to on, this feature enables TV to open with the closing status. Otherwise, TV opens with standby status.



Energy saving

With convenient design and latest technologies applied, your TV tends to consume less energy in order to meet energy efficiency standard. Paying attention to energy efficiency issues, your TV truly cares about you and work to build a 'brighter' future for you.

Power board

Application of power safe mode and effective power efficiency usage prevents your TV from unnecessarily excess power consumption in order to contribute energy saving.

Panel Design

LED Lighting systems used while building TV anticipate the effective selection and placement of LEDs in order to enhance energy efficiency levels by consuming less power.

Mainboard

Advanced technology applied in new mainboard designs that are used, allows TV to consume less energy by ensuring the optimum harmony between lighting system and signal distribution that is achieved by mainboard.



DVB-T + C, DVB-T2 and DVB-S2

DVB-T+C is the abbreviation for Digital Video Broadcasting- Terrestrial and Cable. Vestel TV employs the integration of terrestrial tuner and cable tuner which allows TV set to receive digital terrestrial and cable broadcasts as well as traditional analog signals. Viewers can eliminate the set-top box and Pay TV receiver because of the availability of CI+ module slot.

DVB-T2 that stands for Digital Video Broadcasting-Second Generation Terrestrial is the most advanced digital terrestrial broadcast system. Vestel TV includes a DVB-T2 tuner and allows TV to receive both standard and high definition terrestrial broadcasts without using a set-top-box or a Pay TV receiver.

DVB-S2 corresponds to Digital Video
Broadcasting-Second Generation Satellite that
provides digital satellite broadcasts. Vestel TV that
is equipped with a DVB-S2 tuner enables user to
watch both standard definition and high definition
satellite broadcasts without the necessity for a settop-box.

D/3T2/C/S2

Country Based Approvals and Broadcast

Country Based Approved Operators	Terrestrial DVB-T	Terrestrial DVB-T2	Cable DVB-C	Satelitte DVB-S/S2
Australia	freeview - '			
Austria		simpliTV	Magenta ®TV	ORF HD AUSTRIA Sky
Belgium			telenet READY	TÉLÉSAT TV VLAANDEREN
Croatia		CERTIFICIRANO		
Czech		CRA\\\ ctae aadorgeninkaace		SKYLINK
Denmark		BOXER HD	youSee ° Stofa:	
Finland		ANTENNAREADY ANTENNAREADY READY	CABLE HD READY	
France	CANAL			fran <mark>sat connect fransat</mark>
Germany		DVB-T2 HD Freenet TV	Kabel Deutschland Initymedia kabel bw	Integriert: HD + 4 Monute gratis ready for HD + Sky
Ghana		digital <mark>g</mark> hana		
Greece	EPT HYBRIO			
Hungary	MinDig TV MinDig		vodafone	use direct
Ireland		SAORVIEW		







Country Based Approved Operators	Terrestrial DVB-T	Terrestrial DVB-T2	Cable DVB-C	Satelitte DVB-S/S2
Italy		CAM READY PAYTY DIGITALE TERRESTRE		tivù sot in so the sot in so the sot in so the sot in sot in so the soul so the sou
Netherlands			geschikt 10 geschikt 10 geschikt 10 geschikt 10 geschikt 10 geschie 10 geschi	CANAL DIGITAAL
New Zealand	freeview plus			
Norway	RiksTV			
Poland			W _{upc}	
Romania			vodafone	FOCUS SAY
Slovakia				SKYLINK
Spain	Loves tv			
Serbia		Digital TV Coming soon		
Sweden		BOXER HD	com hem	
Switzerland			W upc	
Turkey		DVB-T2 RTUK	TurksatKablo	Digiturk DISMART
UK		FreeviewPlay		

Accessories

Elder Remote

Simple remote has a new design with new features. It is the most practical way of controlling your daily standard TV activities with lesser number of buttons. After configuring system settings of your TV with standard remote, the rest could be easily managed by this 18 button RC. Select your source, navigate between channels and do simple operations with bigger buttons.

Air Mouse

Air Mouse is enjoyable and easy way of controlling your Smart TV to live an amazing user experience. You can perform 2 control options by using your Air Mouse wirelessly: Point and Gesture!

Point: Discover the simple way of using Smart TV and internet. Simply point, click, enter any content or move anywhere on your Smart TV.

Gesture: You don't have to spend more time for movement on menus. Air Mouse enables you to zoom in and out by moving back and forth while holding OK button.

Functional Remote Controllers

Less buttons and elegant design remote controller which will ensure that the remote controller is as simple as possible. Operational complexity will be reduced by this kind of remote controllers. Ability to control your Smart TV with less button.

Different Types of Remote Controllers

Remote controllers which bring great convenience to our daily life, come with different technologies. Infrared remote controllers, bluetooth remote controllers and voice control remote controllers are available for your smart TVs.









Remote Controls








Stand Designs Single Neck And Twin-Stand Design


Vestel designs own TV stands by applying creative design process. Applying the latest unique design trends, Vestel TV is the representative of elegance with its huge amount of stylish stand design options.


Including many different trendy stand designs, Vestel TV stands are designed and classified as two

main categories: Single-Neck and Twin Stands.


Single-neck and twin-stand options make Vestel flexible to use both concepts to form different combinations of TV lineups. Using these options, Vestel TVs provides different look matching with the environment that TV stands in.








Stand Designs 2020









xx509 xx400 xx406


Stand Designs 2020





xx280





Awards

























MB140 S097	20"	22"	24"	28"	32"	39"	40"	43"	48"	49"	50"	55"
MAIN FEATURES	20"	22	24	28"	32"	39"	40	45	48	49	50"	22
	1	1	1	1				1		1		
FULL HD	-	•	-	-	0	0	•	•	•	•	•	•
LED DIRECT BACK LIGHT (DLED)	-	-	0	0	0	0	0	0	0	0	0	0
LED EDGE BACK LIGHT (ELED)	•	•	0	0	0	0	0	0	0	0	0	0
DVB-T MPEG2	•	•	•	•	•	•	•	•	•	•	•	•
DVB-C MPEG2	•	•	•	•	•	•	•	•	•	•		•
DVB-S MPEG2	0	0	0	0	0	0	0	0	0	0	0	0
DVB-T MPEG4	•	•	•	•	•		•	•	•	•		•
DVB-C MPEG4	•	•	•	•	•	•	•	•	•	•	•	•
DVB-S MPEG4	0	0	0	0	0	0	0	0	0	0	0	0
DVB-T2 MPEG4	0	0	0	0	0	0	0	0	0	0	0	0
DVB-S2 MPEG4	0	0	0	0	0	0	0	0	0	0	0	0
HEVC (H.265)	0	0	0	0	0	0	0	0	0	0	0	0
TV-DVD PLAYER COMBI	0	0	0	0	0	-	0	0	-	-	-	-
MEDIA PLAYER	•	•	•		•		•					•
PVR READY (USB RECORD)	0	0	0	0	0	0	0	0	0	0	0	0
HDMI (1.1/1.2/1.3/1.4/2.0/2.1)	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
SCREEN FORMAT												
VISIBLE SCREEN SIZE	50	55	61	71	81	99	102	109	122	124	127	139
SCREEN FORMAT	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:9	16:09	16:9	16:9
RECEPTION & TUNING SYSTEMS												
TUNER VHF/UHF/CABLE												
APS / ATS (AUTO SEARCH)												
PROGRAM STORAGE CAPACITY (ANALOG)	200	200	200	200	200	200	200	200	200	200	200	200
PAL SECAM B/G D/K I/I' (TRI STANDART)												
UNICABLE	0	0	0	0	0	0	0	0	0	0	0	0
DISEQC	0	0	0	0	0	0	0	0	0	0	0	0
SOUND	l											
GER(D) + NICAM STEREO												
EQUALIZER (5 BAND)	5 band	5 band	5 band	5 band	5 band	5 band	5 band	5 band	5 band	5 band	5 band	5 band
W2II (DOFBA)												
MS11 (DOLBY) DTS TRUSURROUND												
DTS TRUSURROUND	0	0	0	0	0	0	0	0	0	0	0	0
DTS TRUSURROUND DTS HD SURROUND SOUND	0	0 0	0	0 0	0	0	0 0	0	0	0 0	0	0 0
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS)	0	0	0	0	0	0	0	0	0	0	0	0
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O	0	0 0	0	0 0	0	0	0	0	0	o o 2x8W	0	0 0
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL	o o 2x2.5W	o o 2x2.5W	o o 2x2.5W	o o 2x6W	o o	o o	o o	o o	o o	o o 2x8W	o o 2x8W	o o
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART	o o	o o	o o	o o	o o	o o	o o	o o	o o	o o	o o	o o
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN	o o	o o	o o	o o	o o o	o o	o o o	o o o o o o o o o o o o o o o o o o o	o o o	o o o o o o o o o o o o o o o o o o o	o o c c c c c c c c c c c c c c c c c c	o o o
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o	o o	o o	o o c c c c c c c c c c c c c c c c c c	o o	o o	o o o
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA	0 0	o	0	0 0 2x6W	0 0	0 0		0 0	0 0	0 0	0 0	0 0
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15)	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o	o o	o o	o o c c c c c c c c c c c c c c c c c c	o o	o o	o o o
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN	o o v 2x2.5W · · · · · · · · · · · · · · · · · · ·	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	0 0 2x6W	0 0 2x6W							0 0 2x8W
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back)	o	o o	o o	0 0 2x6W	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0 2x8W
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back)	o	o o c c c c c c c c c c c c c c c c c c	0 0 2x2.5W	0 0	0 0			0 0	0 0 2x8W ·		0 0	
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back)	o	o o c c c c c c c c c c c c c c c c c c										
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2)	o o c c c c c c c c c c c c c c c c c c	o o o o o o o o o o o o o o o o o o o							0 0 2x8W ·			
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL)	o o c c c c c c c c c c c c c c c c c c											
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC)	o o c c c c c c c c c c c c c c c c c c											
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL)	o o c c c c c c c c c c c c c c c c c c	. 2x2.5W	. 2x2.5W	. 2x6W								
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC)	o o c c c c c c c c c c c c c c c c c c											
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL)	o o c 2x2.5W ·	. 2x2.5W	. 2x2.5W	. 2x6W								
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side)	o o c c c c c c c c c c c c c c c c c c	o o o c zx2.5W		. 2x6W								
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9)	o o c c c c c c c c c c c c c c c c c c	o o o c zx2.5W	. 2x2.5W		. 2x6W							
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9)	o o c c c c c c c c c c c c c c c c c c	o o o c zx2.5W										
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9) DIGITAL SW UPDATE	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o o	o o o o o o o o o o o o o o o o o o o	o o o	o o o	o o o	o o o	o o o		o o o o o o o o o o o o o o o o o o o
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO)	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o o		o o o	o o o	o o o	o o o	o o o		
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO) COMB FILTER (2D / 3D)	o o c 2x2.5W	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c		o o o		o o o		o o o		
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO) COMB FILTER (2D / 3D) CTI/LTI	o	o o o c 2x2.5W	o o c c c c c c c c c c c c c c c c c c							o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDM1 (ARC) (Back) HDM1 2 (Back) HDM1 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO) COMB FILTER (2D / 3D) CTI/LTI DIGITAL NOISE REDUCTION	o o c c c c c c c c c c c c c c c c c c	o o o c zx2.5W	o o c c c c c c c c c c c c c c c c c c	o o o o o o o o o o o o o o o o o o o		o o o c zx8W		o o o o o o o o o o o o o o o o o o o		o o o o o o o o o o o o o o o o o o o	o o c c c c c c c c c c c c c c c c c c	
DTS TRUSURROUND DTS HD SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS I/O RF: TV/CATV 75 OHMS COAXIAL SVHS VIA SCART COMPOSITE VIDEO/AUDIO IN AUDIO LINE OUT VIA HEADPHONE YPBPR IN VIA VGA VGA (PC IN: D-SUB15) PC AUDIO IN HDMI 1 (ARC) (Back) HDMI 2 (Back) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) USB1 (2.0) (Side) USB2 (2.0) (Back) RS232 (IN/OUT) (D-SUB 9) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO) COMB FILTER (2D / 3D) CTI/LTI	o	o o o c 2x2.5W	o o c c c c c c c c c c c c c c c c c c							o o c c c c c c c c c c c c c c c c c c	o o c c c c c c c c c c c c c c c c c c	

MB140 S097	20"	22"	24"	28"	32"	39"	40"	43"	48"	49"	50"	55"
ADDITIONAL FEATURES			1									1
NTSC PLAYBACK	Via Scart 8	& Side AV										
SLEEP TIMER												
HOTEL MODE (PASSIVE)												
CHILD LOCK												
NO IDENT TIMER												
USB CLONING	0	0	0	0	0	0	0	0	0	0	0	0
3 WAY SWITCH				0	0	0	0	0	0	0	0	0
FEATURE OSD	0	0	0	0	0	0	0	0	0	0	0	0
DIGITAL (DVB)						'		'				
PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800	800	800	800	800	800	800	800	800	800	800	800
PROGRAM STORAGE CAPACITY (DIGITAL S/S2)	7000	7000	7000	7000	7000	7000	7000	7000	7000	7000	7000	7000
MENU LANGUAGES	Danish, Ge Norwegiar Persian, H	erman, Eston 1, Polish, Port ebrew, Belari	ian, English, uguese, Russ ussian, Flemis	Spanish, Gre ian, Romania ih, Macedoni	ek, French, C in, Albanian, an, Montene	Saelic, Galleg Slovenian, Sl grin, Kazakh,	an, Croatian, ovak, Serbiar	Italian, Latvi , Finnish, Sw	an, Lithuania edish, Turkisl	n, Luxembou n, Czech, Uki	rgish, Hunga ranian, Bulga	rian, Dutch, rian, Arabic,
DIGITAL TELETEXT MHEG/MHP	UK: MHE	G 5 1.06 PA	N EU: VBI (ONLY FOR	UK ID TV)							
EPG (ELECTRONIC PROGRAM GUIDE)			•							•		
EPG TIMELINE SCHEDULE												
COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)				•			•					•
LCN INSTALLATION (CHECK FOR COUNTRY)			•									
COMMUNICATION												
CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI)	•			•			•					•
OPERATION												
ROCKER SWITCH	0	0	0	0	0	0	0	0	0	0	0	0
POWER SUPPLY	220-240\	/AC										
STAND-BY POWER	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W
SUPPLIED EXTRAS (RELATED TO CABINET AND	ONCEPT)											
WALL HANGING KIT	0	0	0	0	0	0	0	0	0	0	0	0
CERTIFICATES												
WEEE COMPLIANT												
ROHS COMPLIANT												

MB181TC S114	22"	24"	32"	39"	40"	43"
MAIN FEATURES	22	24	32	37	+0	+3
FULL HD	•	-	0	-	•	•
LED DIRECT BACK LIGHT (DLED)	-	-	•	•	•	•
LED EDGE BACK LIGHT (ELED)	•	•	-	-	-	-
DVB-T MPEG2	•	•	•	•	•	•
DVB-C MPEG2	•	•	•	•	•	•
DVB-S MPEG2	0	0	0	0	0	0
DVB-T MPEG4	•	•	•	•	•	•
DVB-C MPEG4	•	•	•	•	•	•
DVB-S MPEG4	0	0	0	0	0	0
DVB-T2 MPEG4	0	0	0	0	0	0
DVB-S2 MPEG4	0	0	0	0	0	0
HEVC (H.265)	•	•	•	•	•	•
TV-DVD PLAYER COMBI	0	0	0	-	-	-
MEDIA PLAYER				•		•
PVR READY (USB RECORD)	0	0	0	0	0	0
HDMI (1.1/1.2/1.3/1.4/2.0/2.1)	1.4	1.4	1.4	1.4	1.4	1.4
SCREEN FORMAT				1		1
VISIBLE SCREEN SIZE	55	61	81	99	102	109
SCREEN FORMAT	16:9	16:9	16:9	16:9	16:9	16:9
RECEPTION & TUNING SYSTEMS	I .	I	1	1	1	1
TUNER VHF/UHF/CABLE		1.				
APS / ATS (AUTO SEARCH)						
PROGRAM STORAGE CAPACITY (ANALOG)	200	200	200	200	200	200
PAL SECAM B/G D/K I/I' (TRI STANDART)				200	200	200
UNICABLE						
	0	0	0	0	0	0
DISEQC	0	0	0	0	0	0
SOUND	T	I				
GER(D) + NICAM STEREO	•	•	•	•	•	
EQUALIZER (5 BAND)	5 band	5 band	5 band	5 band	5 band	5 band
MS12 (DOLBY)	•	•	•	•	•	•
DOLBY AUDIO PROCESSING (DAP)	•	•	•	•	•	•
DOLBY AC4	•	•	•	•	•	•
DTS HD	0	0	0	0	0	0
DTS VIRTUAL:X	0	0	0	0	0	0
SURROUND SOUND	•	•	•	•	•	•
AUDIO OUTPUT POWER (RMS)	2x2.5W	2x2.5W	2x6W	2x8W	2x8W	2x8W
CONNECTORS I/O						
RF: TV/CATV 75 OHMS COAXIAL	•		•	•	•	•
COMPOSITE VIDEO/AUDIO IN	•					
AUDIO LINE OUT VIA HEADPHONE	0	0	0	0	0	0
YPBPR IN VIA VGA	0	0	0	0	0	0
VGA (PC IN: D-SUB15)				•		•
PC AUDIO IN	via Back AV					
HDMI1 (Side)						
HDMI 2 (ARC) (Back)						
HDMI 3 (Back)	0	0	0	0	0	0
HDCP (1.2/ 2.0 / 2.2)	2.2	2.2	2.2	2.2	2.2	2.2
DIGITAL AUDIO OUTPUT (COAXIAL)			0	-	-	-
DIGITAL AUDIO OUTPUT (OPTIC)	-	-	0			
HEADPHONE OUT (MAIN VOLUME CONTROL)	0	0	0	0	0	0
HEADPHONE OUT (HEADPHONE VOL.CONTROL SUPPORT DUAL			•		•	•
CHANNELS)						
						•
USB1 (2.0) (Side)			•	•	•	
USB1 (2.0) (Side) USB2 (2.0) (Side)		•	•	•	•	0
						•
USB2 (2.0) (Side)	0	0	0	0	0	
USB2 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45	•	0	0	0	0	
USB2 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45 RS232 (IN/OUT)	o • via VGA	0	0	0	0	
USB2 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45 RS232 (IN/OUT) DIGITAL SW UPDATE PICTURE	o • via VGA	0	0	0	0	
USB2 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45 RS232 (IN/OUT) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO)	o via VGA USB & LAN	•	•	•	•	
USB2 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45 RS232 (IN/OUT) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO) COMB FILTER (2D / 3D)	o via VGA USB & LAN		·	• • 3D	• • 3D	
USB2 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45 RS232 (IN/OUT) DIGITAL SW UPDATE PICTURE ZOOM MODES (ASPECT RATIO)	o via VGA USB & LAN	•	•	•	•	

MB181TC S114	22"	24"	32"	39"	40"	43"
PICTURE	1	1	1			
DYNAMIC CONTRAST	Ι.	1.			l.	
PROGRESSIVE SCAN						
HDR (HDR10, HLG)						
BLUE STRETCH						
MICRO DIMMING						
SUPER RESOLUTION						
CONNECTIVITY FEATURES						
HBBTV (2.0.2)						
FREEVIEW PLAY						
HTML5 SUPPORT (BY YOUTUBE LB4 2014)						
BLUETOOTH	0	0	0	0	0	0
PORTAL SUPPORT						
WIFI (INTERNAL)	0	0	0	0	0	0
OPEN INTERNET						
BBC IPLAYER, NEWS, SPORTS, CRB						
NETFLIX						
AMAZON PRIME VIDEO	0	0	0	0	0	0
AMAZON ALEXA READY (WORKS WITH ALEXA)	0	0	0	0	0	0
AMAZON ALEXA WITH FAR-FIELD MICROPHONE BOX						
MIRACAST	0	0	0	0	0	0
	•	•		•		•
WAKE UP ON LAN (WOLAN / WOWLAN)		•	•	•	•	•
ADDITIONAL FEATURES	: D A\/			,		
NTSC PLAYBACK SLEEP TIMER	via Back AV					
	•	•		•	•	•
HOTEL MODE (PASSIVE)	•	•	•	•	•	•
CHILD LOCK	•	•	•	•	•	•
NO IDENT TIMER	•	•	•	•	•	•
USB CLONING	0	0	0	0	0	0
3 WAY SWITCH	•	•	0	0	0	0
FEATURE OSD	0	0	0	0	0	0
ANIMATED FEATURE OSD	0	0	0	0	0	0
E-IB	0	0	0	0	0	0
STR (SUSPEND TO RAM = INSTANT ON)	•	•	•	•	•	•
DIGITAL (DVB)		I				
PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800	800	800	800	800	800
PROGRAM STORAGE CAPACITY (DIGITAL S/S2)	10000	10000	10000	10000	10000	10000
MENU LANGUAGES	English, German, I Italian, Polish, Port Ukrainian, Serbian Belarussian	French, Danish, Finni uguese, Romanian, F , Arabic, Persian, Hel	sh, Norwegian, Swed Russian, Slovak, Slove orew, Albenian, Gaeli	ish, Croatian, Czech, nian, Spanish, Turkish c, Macedonian, Mon	Dutch, Greek, Bulga n, Lithuanian, Latvian tenegrin, Flemish, Ka	arian, Hungarian, , Estonian, , zakh, Thai,
DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV)	UK: MHEG 5 1.06	PAN EU: VBI				
EPG (ELECTRONIC PROGRAM GUIDE)						
EPG TIMELINE SCHEDULE			•	•	•	
COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)			•			
LCN INSTALLATION (CHECK FOR COUNTRY)						
COMMUNICATION	'		'	1		1
CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI)						
OPERATION	1	I.	1	I	1	1
ROCKER SWITCH	0	0	0	0	0	0
POWER SUPPLY	220-240V AC	I.	ı	I.	ı	I.
STAND-BY POWER	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W
AC/DC TV (MOBIL TV)	0	0	-	-	-	-
SUPPLIED EXTRAS (RELATED TO CABINET AND CONCEPT)	<u> </u>	l .	I	I	I	I
WALL HANGING KIT	0	0	0	0	0	0
CERTIFICATES			I .	<u> </u>	I	<u> </u>
WEEE COMPLIANT						
ROHS COMPLIANT						
NOTIC COMPLEMENT	1	1	<u> </u>		<u> </u>	

DefaultOptional- •/A

 $Ethernet \, (LAN) \, \& \, Mobil \, TV \, (12Vdc \, Input) \, combination \, is \, not \, supported \, at \, the \, same \, time \, Composite \, (RCA) \, as \, Back \, AV \, IN$

MB171 S112	22"	432
MAIN FEATURES	32"	43"
	1.	
FULL HD LED DIRECT BACK LIGHT (DLED)	0	•
LED EDGE BACK LIGHT (ELED)	0	0
DVB-T MPEG2	•	•
DVB-C MPEG2		
DVB-S MPEG2		
DVB-T MPEG4	•	•
DVB-C MPEG4		
DVB-S MPEG4	•	0
DVB-T2 MPEG4		•
DVB-S2 MPEG4		0
HEVC (H.265)		•
MEDIA PLAYER		
PVR READY (USB RECORD)		
HDMI (1.1/1.2/1.3/1.4/2.0/2.1)	0	1.4
SCREEN FORMAT	1.4	1.4
	01	100
VISIBLE SCREEN SIZE	81	109
SCREEN FORMAT	16:9	16:9
RECEPTION & TUNING SYSTEMS		
TUNER VHF/UHF/CABLE	•	•
APS / ATS (AUTO SEARCH)	•	•
PROGRAM STORAGE CAPACITY (ANALOG)	200	200
PAL SECAM B/G D/K I/I' (TRI STANDART)	•	•
UNICABLE	0	0
DISEQC	0	0
SOUND	I	I
GER(D) + NICAM STEREO	•	•
EQUALIZER (5 BAND)	5 band	5 band
MS12 (DOLBY)	•	•
DOLBY AUDIO PROCESSING (DAP)	•	•
AUDIO OUTPUT POWER (RMS)	2x6W	2x8W
CONNECTORS	I	I
RF: TV/CATV 75 OHMS COAXIAL	•	•
COMPOSITE VIDEO/AUDIO IN	•	•
AUDIO LINE OUT VIA HEADPHONE	•	•
YPBPR IN VIA VGA	•	•
VGA (PC IN: D-SUB15)	•	•
PC AUDIO IN	via Back AV	via Back AV
HDMI1 (Side)	•	•
HDMI 2 (ARC) (Back)	•	•
HDMI 3 (Back)	•	•
HDCP (1.2/ 2.0 / 2.2)	2.2	2.2
DIGITAL AUDIO OUTPUT (COAXIAL)	0	-
DIGITAL AUDIO OUTPUT (OPTIC)	0	•
HEADPHONE OUT (MAIN VOLUME CONTROL)		•
USB1 (2.0) (Side)		•
USB2 (2.0) (Side)	•	•
LAN-ETHERNET (IEEE 802.3) RJ45 (FOR RETURN CHANNEL-UK MARKET)	•	•
RS232 (IN/OUT)	via VGA	via VGA
DIGITAL SW UPDATE	USB / GOTA	USB / GOTA
PICTURE		
ZOOM MODES (ASPECT RATIO)	•	•
COMB FILTER (2D / 3D)	3D	3D
CTI/LTI	•	•
DIGITAL NOISE REDUCTION	•	•
DYNAMIC CONTRAST		•
PROGRESSIVE SCAN		•
HDR (HDR10, HLG)		•
BLUE STRETCH		•
	I .	

MB171 S112	32"	43"
CONNECTIVITY FEATURES		
HBBTV (2.0.2)	•	•
FREEVIEW PLAY	0	0
HTML5 SUPPORT (BY YOUTUBE LB4 2014)	•	•
BLUETOOTH	•	•
WIFI (INTERNAL)	•	•
BBC IPLAYER, NEWS, SPORTS, CRB	0	0
NETFLIX	•	•
AMAZON PRIME VIDEO	•	•
GOOGLECAST	•	•
WAKE UP ON LAN (WOLAN / WOWLAN)	•	•
ADDITIONAL FEATURES		
NTSC PLAYBACK	Via Back AV	Via Back AV
SLEEP TIMER	•	•
NO IDENT TIMER	•	•
3 WAY SWITCH	0	0
ANIMATED FEATURE OSD	0	0
E-IB	•	•
STR (SUSPEND TO RAM = INSTANT ON)	•	•
DIGITAL (DVB)		
PROGRAM STORAGE CAPACITY (DIGITAL T/ T2/C)	1000	1000
PROGRAM STORAGE CAPACITY (DIGITAL S/S2)	10000	10000
MENU LANGUAGES	English, German, French, Danish, Croatian, Czech, Dutch, Greek, E Polish, Portuguese, Romanian, Ru Turkish, Lithuanian, Latvian, Estor Persian, Hebrew, Gaelic, Macedon	Bulgarian, Hungarian, Italian, Issian, Slovak, Slovenian, Spanish, Jian, Ukrainian, Serbian, Arabic.
DIGITAL TELETEXT MHEG/MHP	MHEG 5 1.06 (ONLY FOR UK	ID TV)
EPG (ELECTRONIC PROGRAM GUIDE)	•	•
EPG TIMELINE SCHEDULE	•	•
COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)	•	•
LCN INSTALLATION (CHECK FOR COUNTRY)	•	•
COMMUNICATION		
CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI)	•	•
OPERATION		
ROCKER SWITCH	0	0
POWER SUPPLY	220-240V AC	220-240V AC
STAND-BY POWER	<0.5W	<0.5W
SUPPLIED EXTRAS (RELATED TO CABINET AND C	ONCEPT)	
WALL HANGING KIT	0	0
CERTIFICATES		
WEEE COMPLIANT	•	•
ROHS COMPLIANT	•	•

DefaultOptional- •/A

	1		T	l	4==
MB180E S116	43"	50"	55"	58"	65"
MAIN FEATURES	T		T	I	
ULTRA HD	•	•	•	•	•
LED DIRECT BACK LIGHT (DLED)	0	0	0	0	0
LED EDGE BACK LIGHT (ELED)	0	0	0	-	0
DVB-T MPEG2					
DVB-C MPEG2			•		
DVB-S MPEG2	0	0	0	0	0
DVB-T MPEG4					
DVB-C MPEG4	1.				
DVB-S MPEG4					
	0	0	•	0	0
DVB-T2 MPEG4	•	•		•	•
DVB-S2 MPEG4	0	0	0	0	0
HEVC (H.265)	•	•	•	•	•
MEDIA PLAYER	•	•	•	•	•
PVR READY (USB RECORD)	0	0	0	0	0
HDMI (1.1/1.2/1.3/1.4/2.0/2.1)	2.1	2.1	2.1	2.1	2.1
SCREEN FORMAT					
VISIBLE SCREEN SIZE	109	127	140	147	164
SCREEN FORMAT	16:9	16:9	16:9	16:9	16:9
RECEPTION & TUNING SYSTEMS	1	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
TUNER VHF/UHF/CABLE					_
	0	0	0	0	0
APS / ATS (AUTO SEARCH)	0	0	0	0	0
PROGRAM STORAGE CAPACITY (ANALOG)	200	200	200	200	200
PAL SECAM B/G D/K I/I' (TRI STANDART)	0	0	0	0	0
UNICABLE	0	0	0	0	0
DISEQC	0	0	0	0	0
SOUND					
GER(D) + NICAM STEREO	0	0	0	0	0
EQUALIZER (5 BAND)	5 band	5 band	5 band	5 band	5 band
MS12 (DOLBY)	0	0	0	0	0
DOLBY AUDIO PROCESSING (DAP)	<u> </u>				
	0	0	0	0	0
DOLBY ATMOS	0	0	0	0	0
DOLBY AC4	•	•	•	•	•
DTS TRUSURROUND	0	0	0	0	0
DTS VIRTUAL:X	0	0	0	0	0
SURROUND SOUND		•	•		•
AUDIO OUTPUT POWER (RMS)	2x10W	2x10W	2x10W	2x10W	2x12W
SUBWOOFER AUDIO OUTPUT MAX POWER (RMS)	-	12W	12W	12W	12W
CONNECTORS I/O		l .	ı		I.
RF: TV/CATV 75 OHMS COAXIAL	0	0	0	0	0
AUDIO LINE OUT VIA HEADPHONE					
HDM11(Side)					
	•				
HDMI 2 (ARC) (Side)	•	•	•	•	•
HDMI 3 (Back)	0	0	0	0	0
HDCP (1.2/ 2.0 / 2.2)	2.2	2.2	2.2	2.2	2.2
DIGITAL AUDIO OUTPUT (OPTIC)		•	•	•	•
HEADPHONE OUT (MAIN VOLUME CONTROL)	0	0	0	0	0
HEADPHONE OUT (HEADPHONE VOL.CONTROL SUPPORT	0	0	0	0	0
DUAL CHANNELS)					
INTERNAL SUBWOOFER	-	0	0	0	0
USB1 (2.0) (Side)	•	•	•	•	•
USB2 (2.0) (Side)	0	0	0	0	0
LAN-ETHERNET (IEEE 802.3) RJ45	0	0	0	0	0
(FOR RETURN CHANNEL-UK MARKET)					
RS232 (IN/OUT)	via HDMI1	via HDMI1	via HDMI1	via HDMI 1	via HDMI1
DIGITAL SW UPDATE	USB (Single SW)	USB (Single SW)	USB (Single SW)	USB (Single SW)	USB (Single SW)
PICTURE					
ZOOM MODES (ASPECT RATIO)				•	
COMB FILTER (2D / 3D)	3D	3D	3D	3D	3D
CTI/LTI		•	•	•	•
DIGITAL NOISE REDUCTION	1.				
DYNAMIC CONTRAST	•	•	•	•	•
PROGRESSIVE SCAN	•	•	•	•	•
ME/MC (MOTION ESTIMATION MOTION COMPENSATION)	0	0	0	0	0
HDR (HDR10, HLG)	•	•	•	•	•
DOLBY VISION HDR	0	0	0	0	0

	· ·				
MB180E S116	43"	50"	55"	58"	65"
HDR10+	0	0	0	0	0
BLUE STRETCH	0	0	0	0	0
MICRO DIMMING	0	0	0	0	0
DE-CONTOUR	0	0	0	0	0
GAMUT MAPPING	0	0	0	0	0
SUPER RESOLUTION	0	0	0	0	0
CONNECTIVITY FEATURES					
HBBTV (2.0.2)	0	0	0	0	0
FREEVIEW PLAY	0	0	0	0	0
4K SUPPORT (BY YOUTUBE VP9 2015)	+				
	0	0	0	0	0
DLNA1.5	0	0	0	0	0
BLUETOOTH	0	0	0	0	0
HOTELTV	0	0	0	0	0
PORTAL SUPPORT	0	0	0	0	0
WIFI (INTERNAL)	0	0	0	0	0
OPEN INTERNET	0	0	0	0	0
BBC IPLAYER, NEWS, SPORTS, CRB	0	0	0	0	0
NETFLIX 4K	0	0	0	0	0
AMAZON PRIME VIDEO	0	0	0	0	0
AMAZON ALEXA READY (WORKS WITH ALEXA)	0	0	0	0	0
AMAZON ALEXA WITH FAR-FIELD MICROPHONE BOX	0	0	0	0	0
AMAZON DASH (DASH REPLENISHMENT SYSTEM)	0	0	0	0	0
SAMBA ACR (AUTO CONTENT RECOGNITION)	0	0	0	0	0
MIRACAST	0	0	0	0	0
INTEL WI-DI	0	0	0	0	0
WAKE UP ON LAN (WOLAN / WOWLAN)	0	0	0	0	0
ADDITIONAL FEATURES	1-	1			
NTSC PLAYBACK	Via Back AV	Via Back AV	Via Back AV	Via Back AV	Via Back AV
SLEEP TIMER	VIA DACK AV	• Vid DdCk AV	• VId DdCk AV	• VIA DACK AV	VId DdCk AV
	•	•	•		•
HOTEL MODE (PASSIVE)	•	•	•	•	•
CHILD LOCK	•	•	•	•	•
NO IDENT TIMER	•	•	•	•	•
ONBOARD TACT SWITCH	0	0	0	0	0
USB CLONING	0	0	0	0	0
FEATURE OSD	0	0	0	0	0
		0	0	0	0
ANIMATED FEATURE OSD	0				
ANIMATED FEATURE OSD E-IB	0	0	0	0	0
	+		•	•	
E-IB	0	0			0
E-IB STR (SUSPEND TO RAM = INSTANT ON)	0	0			0
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB)	0	•			•
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800 10000	800	800 10000	800 10000	800 10000
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2)	800 10000	800 10000 , Danish, Finnish, Norwegia anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor	800 10000	800 10000	800 10000
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew,	800 10000 , Danish, Finnish, Norwegia anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor	800 10000	800 10000	800 10000
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN	800 10000 Danish, Finnish, Norwegianian, Russian, Slovak, Sl	800 10000 In, Swedish, Croatian, Czec enian, Spanish, Turkish, Lith iian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgarian uanian, Latvian, Estonian, Kazakh, Thai, Belarussian	800 10000 Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN	800 10000 , Danish, Finnish, Norwegianian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI	800 10000 In, Swedish, Croatian, Czec enian, Spanish, Turkish, Lith ian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgariar uanian, Latvian, Estonian, Kazakh, Thai, Belarussian	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 5 1.06 PAN 0	800 10000 , Danish, Finnish, Norwegianian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0	800 10000 In, Swedish, Croatian, Czec enian, Spanish, Turkish, Lit iian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgarian uanian, Latvian, Estonian, Kazakh, Thai, Belarussian	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 5 1.06 PAN o	800 10000 , Danish, Finnish, Norwegianian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0	800 10000 n, Swedish, Croatian, Czeenian, Spanish, Turkish, Littian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgarian uanian, Latvian, Estonian, Kazakh, Thai, Belarussian	800 10000 , Hungarian, Italian, Ukrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN 0	800 10000 Danish, Finnish, Norwegianian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Litkiian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgarian uanian, Latvian, Estonian, Kazakh, Thai, Belarussian o o o	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN o o	800 10000 Janish, Finnish, Norwegianian, Russian, Slovak, Slovak Albenian, Gaelic, Macedor EU: VBI 0 0 0	800 10000 In, Swedish, Croatian, Czeenian, Spanish, Turkish, Littian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN o o o	800 10000 , Danish, Finnish, Norwegis anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0	800 10000 an, Swedish, Croatian, Czeenian, Spanish, Turkish, Lithian, Montenegrin, Flemish o o o	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN o o	800 10000 Janish, Finnish, Norwegianian, Russian, Slovak, Slovak Albenian, Gaelic, Macedor EU: VBI 0 0 0	800 10000 In, Swedish, Croatian, Czeenian, Spanish, Turkish, Littian, Montenegrin, Flemish	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN 0 0 0	800 10000 10000 Noarish, Finnish, Norwegii anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0 0	800 10000 In, Swedish, Croatian, Czeenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0	800 10000 h, Dutch, Greek, Bulgariar uanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION ROCKER SWITCH	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN 0 0 0	800 10000 10000 Noarish, Finnish, Norwegis anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0 0	800 10000 In, Swedish, Croatian, Czeenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0 0	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION ROCKER SWITCH POWER SUPPLY	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 5 1.06 PAN 0 0 0 0 220-240V AC	800 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 100000 1000000	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0 0 0 220-240V AC	800 10000 h, Dutch, Greek, Bulgariar unanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0 0 0 220-240V AC	800 10000 , Hungarian, Italian, Jkrainian, Serbian, 0 0 0 0 0 220-240V AC
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION ROCKER SWITCH POWER SUPPLY STAND-BY POWER	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN 0 0 0	800 10000 10000 Noarish, Finnish, Norwegis anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0 0	800 10000 In, Swedish, Croatian, Czeenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0 0	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0	800 10000 , Hungarian, Italian, Jkrainian, Serbian,
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION ROCKER SWITCH POWER SUPPLY STAND-BY POWER AC/DC TV (MOBIL TV)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 5 1.06 PAN 0 0 0 0 220-240V AC	800 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 100000 1000000	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0 0 0 220-240V AC	800 10000 h, Dutch, Greek, Bulgariar unanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0 0 0 220-240V AC	800 10000 , Hungarian, Italian, Jkrainian, Serbian, 0 0 0 0 0 0 220-240V AC
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION ROCKER SWITCH POWER SUPPLY STAND-BY POWER	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 5 1.06 PAN 0 0 0 0 220-240V AC	800 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 100000 1000000	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0 0 0 220-240V AC	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0 0 0 220-240V AC <0.5W	800 10000 , Hungarian, Italian, Jkrainian, Serbian, 0 0 0 0 0 0 220-240V AC
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) eARC (W/ HDMI 2.1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1) OPERATION ROCKER SWITCH POWER SUPPLY STAND-BY POWER AC/DC TV (MOBIL TV)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 5 1.06 PAN 0 0 0 0 220-240V AC	800 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 100000 1000000	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Turkish, Lithian, Montenegrin, Flemish 0 0 0 0 0 220-240V AC	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian 0 0 0 0 0 0 220-240V AC <0.5W	800 10000 , Hungarian, Italian, Jkrainian, Serbian, 0 0 0 0 0 0 220-240V AC
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) &ARC (W/ HDMI 2:1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2:1) OPERATION ROCKER SWITCH POWER SUPPLY STAND-BY POWER AC/DC TV (MOBIL TV) SUPPLIED EXTRAS (RELATED TO CABINET AND CONCEPT)	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN 0 0 0 0 220-240V AC <0.5W	800 10000 , Danish, Finnish, Norwegii anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0 0 0 220-240V AC <0.5W	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Turkish, Littian, Montenegrin, Flemish o o o o o 220-240V AC <0.5W	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian o o o o o 220-240V AC <0.5W	800 10000 , Hungarian, Italian, Jkrainian, Serbian, 0 0 0 0 0 220-240V AC <0.5W
E-IB STR (SUSPEND TO RAM = INSTANT ON) DIGITAL (DVB) PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C) PROGRAM STORAGE CAPACITY (DIGITAL S/S2) MENU LANGUAGES DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV) EPG (ELECTRONIC PROGRAM GUIDE) EPG TIMELINE SCHEDULE COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS) LCN INSTALLATION (CHECK FOR COUNTRY) COMMUNICATION CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI) &ARC (W/ HDMI 2:1) ALLM (AUTO LOW LATENCY MODE W/ HDMI 2:1) OPERATION ROCKER SWITCH POWER SUPPLY STAND-BY POWER AC/DC TV (MOBIL TV) SUPPLIED EXTRAS (RELATED TO CABINET AND CONCEPT) WALL HANGING KIT	800 10000 English, German, French Polish, Portuguese, Rom Arabic, Persian, Hebrew, UK: MHEG 51.06 PAN 0 0 0 0 220-240V AC <0.5W	800 10000 , Danish, Finnish, Norwegii anian, Russian, Slovak, Slov Albenian, Gaelic, Macedor EU: VBI 0 0 0 0 0 220-240V AC <0.5W	800 10000 In, Swedish, Croatian, Czecenian, Spanish, Turkish, Littian, Montenegrin, Flemish o o o o o 220-240V AC <0.5W	800 10000 h, Dutch, Greek, Bulgariar uuanian, Latvian, Estonian, Kazakh, Thai, Belarussian o o o o o 220-240V AC <0.5W	800 10000 , Hungarian, Italian, Jkrainian, Serbian, 0 0 0 0 0 220-240V AC <0.5W

LAN (Ethernet) and Mobil TV (12V DC adapter option) can not be supported together. ARC feature is supported through HDMI-2 (Back) Composite (RCA) is supported as Back AV IN

DefaultOptional- •/A

MB170 S108	43"	49"	50"	55"	58"	65"	75"
MAIN FEATURES				l			1
ULTRA HD							
LED DIRECT BACK LIGHT (DLED)	0	0	0	0	0	0	0
LED EDGE BACK LIGHT (ELED)	0	0	0	0	0	0	0
DVB-T MPEG2							
DVB-C MPEG2							
DVB-S MPEG2	0	0	0	0	0	0	0
DVB-T MPEG4							
DVB-C MPEG4							1.
DVB-S MPEG4	0	0	0	0	0	0	0
DVB-T2 MPEG4							
DVB-S2 MPEG4	0	0	0	0	0	0	0
HEVC (H.265)					•		
MEDIA PLAYER	•		•			•	
PVR READY (USB RECORD)	0	0	0	0	0	0	0
HDMI (1.1/1.2/1.3/1.4/2.0/2.1)	2.0	2.0	2.0	2.0	2.0	2.0	2.0
SCREEN FORMAT	1.00	T.0.1	1.07	1			1.00
VISIBLE SCREEN SIZE	109	124	127	140	147	164	190
SCREEN FORMAT	16:9	16:9	16:9	16:9	16:9	16:9	16:9
RECEPTION & TUNING SYSTEMS			I	I			
TUNER VHF/UHF/CABLE	•	•	•	•	•	•	•
APS / ATS (AUTO SEARCH)	•	•	•	•	•	•	•
PROGRAM STORAGE CAPACITY (ANALOG)	200	200	200	200	200	200	200
PAL SECAM B/G D/K I/I' (TRI STANDART)	•	•	•	•	•	•	•
UNICABLE	0	0	0	0	0	0	0
DISEQC	0	0	0	0	0	0	0
SOUND			I	T		T	
GER(D) + NICAM STEREO	•	•	•	•	•	•	•
EQUALIZER (5 BAND)	5 band						
MS12 (DOLBY)	·	•	•	•	•	•	•
DOLBY AUDIO PROCESSING (DAP)	•	•	•	•	•	•	•
DOLBY AC4	•	•	•	•	•	•	•
DTS HD	•	•	•	•	•	•	•
AUDIO OUTPUT POWER (RMS)	2x10W	2x10W	2x10W	2x10W	2x10W	2x12W	2x12W
CONNECTORS							
RF: TV/CATV 75 OHMS COAXIAL	•	•	•	•	•	•	•
COMPOSITE VIDEO/AUDIO IN	•	•	•	•	•	•	•
AUDIO LINE OUT VIA HEADPHONE	•	•	•	•	•	•	•
YPBPR IN VIA VGA	•	•	•	•	•	•	•
VGA (PC IN: D-SUB15)	•	•	•	•	•	•	•
PC AUDIO IN	via Back AV						
HDMI1 (Side)		•	•	•	•	•	•
HDMI 2 (ARC) (Back)		•	•	•	•	•	•
HDMI 3 (Back)	•	•	•	•	•		
HDMI 4 (Back)	•	•	•	•	•	•	•
HDCP (1.2/ 2.0 / 2.2)	2.2	2.2	2.2	2.2	2.2	2.2	2.2
DIGITAL AUDIO OUTPUT (OPTIC)		•					
HEADPHONE OUT (MAIN VOLUME CONTROL)		•		•			
USB1 (2.0) (Side)		•			•		
USB2 (2.0) (Side)							
LAN-ETHERNET (IEEE 802.3) RJ45 (FOR RETURN CHANNEL-UK MARKET)	•	•	•	•	•	•	•
RS232 (IN/OUT)	via VGA						
DIGITAL SW UPDATE	USB / GOTA						

MB170 S108	43"	49"	50"	55"	58"	65"	75"
PICTURE				I	I.	I.	
ZOOM MODES (ASPECT RATIO)							
COMB FILTER (2D / 3D)	3D	3D	3D	3D	3D	3D	3D
CTI/LTI							
DIGITAL NOISE REDUCTION	_						
DYNAMIC CONTRAST							
PROGRESSIVE SCAN							
HDR (HDR10, HLG)			•				
· · · · · · · · · · · · · · · · · · ·	•	•	•				
DOLBY VISION HDR		•	•				
BLUE STRETCH		•	•			•	
MICRO DIMMING		•	•		•	•	•
SUPER RESOLUTION	•	•	•	•	•	•	•
CONNECTIVITY FEATURES							
HBBTV (2.0.2)	•	•	•	•	•	•	•
FREEVIEW PLAY	0	0	0	0	0	0	0
HTML5 SUPPORT (BY YOUTUBE LB4 2014)	•	•	•	•	•	•	•
4K SUPPORT (BY YOUTUBE VP9 2015)	•	•	•	•	•	•	•
BLUETOOTH	•	•	•	•	•	•	•
WIFI (INTERNAL)	•	•	•	•	•	•	•
BBC IPLAYER, NEWS, SPORTS, CRB	0	0	0	0	0	0	0
NETFLIX	•	•	•	•	•	•	•
NETFLIX 4K	•	•	•	•	•	•	•
AMAZON PRIME VIDEO	•	•	•	•	•	•	•
GOOGLECAST	•	•	•	•	•	•	•
WAKE UP ON LAN (WOLAN / WOWLAN)	•	•	•	•	•	•	•
ADDITIONAL FEATURES							
NTSC PLAYBACK	Via Back AV	Via Back AV	Via Back AV	Via Back AV	Via Back AV	Via Back AV	Via Back AV
SLEEP TIMER	•	•	•	•	•	•	•
NO IDENT TIMER	•	•	•	•	•	•	•
3 WAY SWITCH	0	0	0	0	0	0	0
ANIMATED FEATURE OSD	0	0	0	0	0	0	0
STR (SUSPEND TO RAM = INSTANT ON)	•	•	•	•	•	•	•
DIGITAL (DVB)							
PROGRAM STORAGE CAPACITY (DIGITAL T/ T2/C)	1000	1000	1000	1000	1000	1000	1000
PROGRAM STORAGE CAPACITY (DIGITAL S/S2)	10000	10000	10000	10000	10000	10000	10000
MENU LANGUAGES	English, German, Fr Romanian, Russian, Macedonian, Kazakh	ench, Danish, Finnish, Slovak, Slovenian, Spa n, Thai, Belarussian	Norwegian, Swedish, nish, Turkish, Lithuani	Croatian, Czech, Dute an, Latvian, Estonian,	ch, Greek, Bulgarian, I Ukrainian, Serbian, Ar	Hungarian, Italian, Poli abic, Persian, Hebrew,	sh, Portuguese, Gaelic,
DIGITAL TELETEXT MHEG/MHP	MHEG 5 1.06 (ON						
EPG (ELECTRONIC PROGRAM GUIDE)							
EPG TIMELINE SCHEDULE							
COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)	•	•	•	•	•	•	•
LCN INSTALLATION (CHECK FOR COUNTRY)				•			•
COMMUNICATION	I.	1		II.			1
CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI)	•	•	•	•	•	•	•
OPERATION		,					
ROCKER SWITCH	0	0	0	0	0	0	0
POWER SUPPLY	220-240V AC	220-240V AC	220-240V AC	220-240V AC	220-240V AC	220-240V AC	220-240V AC
STAND-BY POWER	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W	<0.5W
	ONCEPT)		L.	II.			1
SUPPLIED EXTRAS (RELATED TO CABINET AND C	01102117						
WALL HANGING KIT	0	0	0	0	0	0	0
		0	0	0	0	0	0
WALL HANGING KIT		•	•	•	•	•	•

DefaultOptional- •/A

MB185 \$122	43"	50"	55"	65"
MAIN FEATURES	43	30	33	03
ULTRA HD				
100HZ (FLICKER FREE)	•	•	•	•
	-	_	-	_
LED EDGE BACK LIGHT (DLED)	0	0	0	0
LED EDGE BACK LIGHT (ELED)	0	0	0	0
OLED DVB T HDECO	-	-	-	-
DVB-T MPEG2	•	•	•	•
DVB-C MPEG2	•	•	•	•
DVB-S MPEG2	0	0	0	0
DVB-T MPEG4	•	•	•	•
DVB-C MPEG4	•	•	•	•
DVB-S MPEG4	0	0	0	0
DVB-T2 MPEG4	•	•	•	•
DVB-C2 MPEG4	-	-	-	-
DVB-S2 MPEG4	0	0	0	0
HEVC (H.265)	•	•	•	•
MEDIA PLAYER	•	•	•	•
PVR READY (USB RECORD)	0	0	0	0
HDMI (1.1/1.2/1.3/1.4/2.0/2.1)	2.1	2.1	2.1	2.1
SCREEN FORMAT	T	T	Т	T
SCREEN FORMAT	16:9	16:9	16:9	16:9
RECEPTION & TUNING SYSTEMS		1	T	T
PROGRAM STORAGE CAPACITY (ANALOG)	200	200	200	200
PAL SECAM B/G D/K I/I' (TRI STANDART)	•		•	•
UNICABLE	0	0	0	0
DISEQC	0	0	0	0
SOUND				
OFFICE AUGUSTEET				
GER(D) + NICAM STEREO	•	•	•	•
GER(D) + NICAM STEREO EQUALIZER (5 BAND)	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND)				
EQUALIZER (5 BAND) BASS / TREBLE	5 band		5 band	
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3)	5 band -	5 band	5 band -	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY)	5 band	5 band	5 band -	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP)	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD	5 band	5 band	5 band	5 band
EQUALIZER (S BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS)	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS	5 band	5 band	5 band	5 band
EQUALIZER (S BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR)	5 band - - - - - - - - - - - - -	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side)	5 band	5 band	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side)	5 band	5 band - - - - - - - - - - - - -	5 band	5 band
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side)	5 band - - - - - - - - - - - - -	5 band	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (S BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2)	5 band - - - - - - - - - - - - -	5 band	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (S BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL)	5 band - - - - - - - - - - - - -	5 band	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDMI 3 (Back) HDCP (1:2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (COTIC)	5 band	5 band	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDMI 3 (Back) HDCP (1,2/2,0/2,2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (MAIN VOLUME CONTROL) INTERNAL SUBWOOFER	5 band	5 band	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (MAIN VOLUME CONTROL)	5 band - - - - - - - - - - - - -	5 band	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (5 BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (OPTIC) HEADPHONE OUT (MAIN VOLUME CONTROL) INTERNAL SUBWOOFER USBI (2.0) (Side)	5 band - - - - - - - - - - - - -	5 band - - - - - - - - - - - - -	5 band	5 band - - - - - - - - - - - - -
EQUALIZER (S BAND) BASS / TREBLE DOLBY DIGITAL PLUS (DD+) (E-AC3) MS12 (DOLBY) DOLBY AUDIO PROCESSING (DAP) DOLBY ATMOS DOLBY AC4 DTS HD DTS VIRTUAL:X DTS:X SURROUND SOUND AUDIO OUTPUT POWER (RMS) CONNECTORS RF: TV/CATV 75 OHMS COAXIAL SCART (EUROCONNECTOR) AUDIO LINE OUT VIA HEADPHONE HDMI 1 (Side) HDMI 2 (ARC) (Side) HDMI 3 (Back) HDCP (1.2/ 2.0 / 2.2) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (COAXIAL) DIGITAL AUDIO OUTPUT (COAXIAL) INTERNAL SUBWOOFER USB1 (2.0) (Side) LAN-ETHERNET (IEEE 802.3) RJ45 (FOR RETURN	5 band - - - - - - - - - - - - -	5 band - - - - - - - - - - - - -	5 band	5 band - - - - - - - - - - - - -

LAN (Ethernet) and Mobil TV (12V DC adapter option) can not be supported together. ARC feature is supported through HDMI-2 (Back) Composite (RCA) is supported as Back AV IN

[•] Default o Optional - •/A

MB185 \$122	43"	50"	55"	65"
PICTURE	45	50"	22	65
ZOOM MODES (ASPECT RATIO)	•	•	•	•
COMB FILTER (2D / 3D)	3D	3D	3D	3D
CTI/LTI	•	•	•	<u> </u>
DIGITAL NOISE REDUCTION	•	•	•	•
DYNAMIC CONTRAST	•	•	•	·
PROGRESSIVE SCAN	•	•	•	•
ME/MC (MOTION ESTIMATION – MOTION COMPENSATION)	0	0	0	0
HDR (HDR10, HLG)				
DOLBY VISION HDR				
HDR10+	-	-	-	-
BLUE STRETCH				
MICRO DIMMING				
DE-CONTOUR				
GAMUT MAPPING				
SDR TO HDR (Max Vivid menu item)				
SUPER RESOLUTION				
FILM MAKER MODE	-	-	-	-
DOLBY VISION IQ	-	-	-	-
Al	-	-	-	-
TEXT				
FAST TEXT				
NUMBER OF TELETEXT PAGES	1000	1000	1000	1000
CONNECTIVITY FEATURES				
HBBTV (2.0.2)		1.	1.	1.
FREEVIEW PLAY	0	0	0	0
HTML5 SUPPORT (BY YOUTUBE LB4 2014)			1.	
4K SUPPORT (BY YOUTUBE VP9 2015)			1.	1.
BLUETOOTH	1.			1.
HOTEL TV	1.	1-	1-	1-
WIFI (INTERNAL)	1.		1.	1.
BBC IPLAYER, NEWS, SPORTS, CRB	0	0	0	0
NETFLIX			1.	
NETFLIX 4K	1.		1.	
AMAZON PRIME VIDEO	1.	1.	1.	1.
AMAZON ALEXA READY (WORKS WITH ALEXA)	1.		-	<u> </u>
AMAZON ALEXA WITH FAR-FIELD MICROPHONE BOX				
GOOGLECAST				1.
WAKE UP ON LAN (WOLAN / WOWLAN)	1.		1.	1.
ADDITIONAL FEATURES	1.		1.	<u> '</u>
SLEEP TIMER	1.	1.	1.	1.
HOTEL MODE (PASSIVE)		1.	•	-
NO IDENT TIMER				
ANIMATED FEATURE OSD	0	•	0	0
E-IB			•	•
STR (SUSPEND TO RAM = INSTANT ON)	1.	1.	1.	1.
DIGITAL (DVB)	1.		_1.	
	800	900	800	800
PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	10000	10000	10000	10000
PROGRAM STORAGE CAPACITY (DIGITAL S/S2)	10000	110000	110000	10000
CEC (CONNECTED EQUIDMENT EEATURES VIA LIDMI)	1.		1.	
CEC (CONNECTED EQUIPMENT FEATURES VIA HDMI)		•	•	•
eARC (W/ HDMI 2.1)		•	•	•
ALLM (AUTO LOW LATENCY MODE W/ HDMI 2.1)	•	•	•	•
OPERATION DOCKED SWITCH	Τ.		T.	
ROCKER SWITCH	0	0	0	0 220 240 / 40
POWER SUPPLY CTAND BY DOWER	220-240V AC	220-240V AC	220-240V AC	220-240V AC
STAND-BY POWER	<0.5W	<0.5W	<0.5W	<0.5W
AC/DC TV (MOBIL TV)		10.511	10.011	10.511

Notes			

Notes	

Notes	

Notes	

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 vesteltrade@vestel.com.tr www.vestelinternational.com

Vestel Germany GmbH

Parkring 6 D-85748 Garching bei München/Germany

Phone: 49 - 89 55295 - 0 Fax: 49 - 89 55295 - 2000 info@vestel-germany.de www.vestel-germany.de

Vestel UK Ltd

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ Phone: 44 - 3330 146 400

info@vestel-uk.com www.vestel.co.uk

Vestel France SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France

Phone: 33 - 146 75 00 29 Fax: 33 - 141 80 99 31

info@vestel.fr www.vestel-france.fr

Vestel Benelux B.V.

Stationsplein 45, A1-194 3013 AK Rotterdam, The Netherlands

Phone: 31 - 10 235 1005 info@vestelbenelux.nl www.vestelbenelux.nl

Vestel Iberia, S. L.

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: 34 - 91 320 63 98 Fax: 34 - 91 320 52 58

vestel@vestel.es www.vestel.es

Vestel CIS Ltd.

1-st Graivoronovsky Proezd, No.20 Building 16, 109518.

Moscow /Russia

Phone: 7 - 095 956 8230 Fax: 7 - 095 956 8233 info@vestel.ru

www.vestel.ru

Vestel Electronics Gulf DMCC

Unit No: ALMAS-06-C ALMAS Tower Plot No: JLT-PH1-A0 Jumeirah Lakes Towers Dubai Bae info@vestel-gulf.ae www.vestel-gulf.ae

TOO Vestel Central Asia

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

Vestel Poland

ul. Salsy 2, Warszawa kod 02-823

Phone: 48 22 272 73 00 info@vestel-poland.com www.vestel-poland.com

Vestel Electronica

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114

Bucharest/Romania

Phone: 40 - 31 425 42 93 Fax: 40 -31 425 42 95

office@vestel.ro www.vestel.ro



Organize Sanayi Bolgesi, 45030 Manisa/Turkey

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr www.vestelinternational.com FOLLOW US ON SOCIAL MEDIA











/vestelinternational