

BUILT-IN HOUSEHOLD APPLIANCES 2022-2023
DISHWASHERS

>

WWW.VESTELINTERNATIONAL.COM

VESTEL







COMPANY PROFILE

2-3

GLOBAL OPERATIONS

4-5

60 CM DISHWASHERS

6-79

45 CM DISHWASHERS

80-121

SPECIFICATIONS

122-125

ADDRESSES

129

COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



18.500
Employees

1.163.000 M²
Closed Production Area

Export Leader of Turkey with
\$ 2,5 BILLION

\$ 3,2 BILLION
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 24 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 14 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 24 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).

More information: www.vestelinternational.com



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS



TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

MARKETING & SALES COMPANIES

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Holland, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai

Vestel USA, USA

Vestel Vietnam, Vietnam

Vestel China, China



Features





Steam Wash

Steam wash technology softening the most stubborn dirt by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



Extra Drying

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.



Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.



Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.



QuickClean

VESTEL dishwashers achieves A class cleaning performance with advanced cleaning program in only 50 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaning performance in only 50 minutes for standard soiled dishes according to EN standards.



Extra Rinse

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.



Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.



Tablet Option

With this option, water reaches optimum temperature to dissolve the combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



Hydro Power

This technology enables all other options and program to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.



KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start time of between 1 hour and 24 hours can be selected.



Vario Space

VarioSpace is a general feature that gives many options to the end user regarding lower and upper basket variations.



Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.



Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.



Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water gets drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



3rd Rack

Eco/Easy/Comfort Tray

Eco Tray

New fixed design option for 3rd rack that provides up to 15 place setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 15 place setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.



Super Active Drying System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.



Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is much more forced, hence results in most efficient drying performance.

Accessories



TOP NOZZLE



IMPELLER



AQUA STOP



PLASTIC FILTER
Optional



STAINLESS STEEL FILTER
Default

Pop-in-pop-out-knob for semi integrated dishwasher



ANTI BACTERIAL FILTER (V2)
Optional



ANTI BACTERIAL FILTER (V1)
Optional



Adjustable Rear Foot From The Front



Front Decor Fixations Different Weights



Adjustable Plinth

0-100 mm dept adjustment
820-870 mm machine
height adjustment
with high feet


The machine can be
elevated by 50 mm
(820 → 870-920 mm
with high feet)

High Feet




Interior Lighting

1 spot



4 spots





INFOLED 2.1

New floor reflection for built-in range.



Programme
is running



Programme
has ended

infoLED



Colour Options

Semi-Integrated Panel Color Options

WHITE



BLACK



INOX



ALUMINIUM LOOK



DARK SILVER



WHITE



Fully-Integrated Panel Color Options

WHITE



BLACK



DARK SILVER



INOX LOOK



For each aesthetics, please ask for different color options.

Integrated Inox Options



Inox cladding



Inox half cladding



Inox add-on

Available for 60 and 45 cm ranges

Integrated Dark Inox Options



Dark inox cladding



Dark inox half cladding



Dark inox add-on

Available for 60 and 45 cm ranges





Semi-integrated



Fully Integrated



60 cm Dishwashers
*Semi-integrated &
Integrated Ranges*



VESTEL



P

2:89



PREHEAT
60-70°C

Basket Types




V-type baskets



with ion tech



with purebeam



Flat-type baskets



with ion tech



with purebeam





Vario Space

Upper basket



Adjustable Mug Shelves




Adjustable Upper Basket with Load
2 and 3 level high adjustment options




Adjustable Upper Basket without Load




Handle with Customized Logo
* For 15 place settings and only for upper basket





Wire Handle



Plastic Handle

Lower basket



Foldable Wire
(2 Or 4)



Multi-Functional Kit
For Lower Basket




Bottle Holder



Plastic Handle



Wine Glass Holder



Mug Shelf Support
**W/Or W/O Soft Touch*



Tray Holder




Knife Shelf





Universal Cutlery Basket



Hygiene Box*




Standard Cutlery Basket
(fixed)



Sliding Cutlery Basket




Modular Cutlery Basket
(for 12 Settings)



 **3rd Rack**
Comfort Tray

New side by side sliding design option for 3rd rack that provides up to 15 place setting.

*Cutlerly basket is optional



 **3rd Rack**
Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

*Cutlery basket is optional

*Up to 15 place settings




 **3rd Rack**
Eco Tray

New fixed design option for 3rd rack that provides up to 15 place setting.

*Cutlerly basket is optional

SLIDING DOOR




w/o Sliding Door

Max Decorative Panel Height (A)
717 mm

Plinth Depth (B)
30-80 mm

Minimum Plinth Height (C)
80 mm




w/ Sliding Door (Option 1)

Max Decorative Panel Height (A)
797 mm

Plinth Depth (B)
0-80 mm

Sliding Range
80 mm

Minimum Plinth Height (C)
20 mm



w/ Sliding Door (Option 2)

Max Decorative Panel Height (A)
757 mm

Plinth Depth (B)
0-80 mm

Sliding Range
40 mm

Minimum Plinth Height (C)
60 mm



MAXIMUM PLATE DIMENSIONS

2 Baskets



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm


2 Baskets + 3rd Rack



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

A 4 SERIES

semi integrated



PureBeam


Energy Labeling

A **B** **C** **D** **E**

Major Features

-  **Delay Timer**
-  **Half Load**
-  **Auto Door**
-  **Water Box**
-  **Hydro Power**
-  **Direct Wash**
-  **Triple Wash**

 **3rd Rack**
Eco/Easy/Comfort Tray

 **Interior Lighting**
1 or 4 Spot

See product specifications for default and optional features

A 4 1 - Y

6/7/10 programs
icon-LED display (full touch control)
A/B/C/D/E energy labeling
BLDC circulation pump
Mini active / super active / turbo drying
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf),
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A4



**A4
inox add-on**



A41	6 programs, BLDC.	A46	6 programs.
A42	7 programs, BLDC.	A47	7 programs, BLDC.
A43	10 programs, BLDC.	A48	10 programs, BLDC.
A44	10 programs, BLDC, Auto Door	A49	10 programs, BLDC.
A45	10 programs, BLDC, Auto Door, Water Box.	A4X	10 programs, BLDC, Water Box.
A4Y	10 programs, BLDC, Auto Door, Water Box.		

A 3 SERIES

semi integrated



PureBeam


Energy Labeling

B C D E

Major Features

-  **Delay Timer**
-  **Half Load**
-  **Auto Door**
-  **Water Box**
-  **Hydro Power**
-  **Direct Wash**
-  **Triple Wash**

 **3rd Rack**
Eco/Easy/Comfort Tray

 **Interior Lighting**
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - X

6/8 programs
icon-LED display (optional touch control)
B/C/D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A3



**A3
inox add-on**



A31	6 programs, AC.	A37	7 programs, AC.
A32	8 programs, AC.	A38	8 programs, AC.
A33	6 programs, BLDC, Auto Door	A39	9 programs, BLDC, Auto Door
A34	8 programs, BLDC, Auto Door	A3X	9 programs, BLDC, Water Box.
A35	8 programs, BLDC, Auto Door, Water Box.		
A36	6 programs, BLDC.		

A 2 SERIES

semi integrated



PureBeam


Energy Labeling

B C D E

Major Features

-  **Delay Timer**
-  **Half Load**
-  **Auto Door**
-  **Water Box**
-  **Hydro Power**
-  **Direct Wash**
-  **Triple Wash**

 **3rd Rack**
Eco/Easy/Comfort Tray

 **Interior Lighting**
1 or 4 Spot

See product specifications for default and optional features

A 21 - 6

6/7/8 programs

LED display

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna

SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A2X



**inox
add-
on**



A21 6 programs, AC.

A22 7 programs, AC.

A23 8 programs, AC.

A24 8 programs, BLDC, Auto Door

A25 8 programs, BLDC, Auto Door, Water Box.

A26 6 programs, BLDC.

A27 7 programs, AC.

A28 8 programs, AC.

A29 9 programs, AC.

A2X 9 programs, BLDC, Water Box.

A1 SERIES

semi integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load




Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

A 1 2 - 7

3 to 8 programs
LED indicator
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - G

3 to 8 programs
LED display
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),
13 PS (2 baskets),
13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A1 w/o display



A1 w display



A12 3 programs, AC.
A13 4 programs, AC.
A14 5 programs, AC.
A15 6 programs, AC.
A16 7 programs, AC.
A17 8 programs, AC.

A1B 3 programs, AC.
A1C 4 programs, AC.
A1D 5 programs, AC.
A1E 6 programs, AC.
A1F 7 programs, AC.
A1G 8 programs, AC.

A Series
Daisy



A Series
Gardenya



A Series
Luna





T3 SERIES

semi integrated



Energy Labeling

B **D** **E**

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash




Triple Wash



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

T 3 1 - 6

6/8 programs
icon-LED display
E/D/B energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

Design Options

SI Ares, Patara

Model Versions

T3X
Amber
display



T3X
White
display



- T31** 6 programs, AC.
- T32** 8 programs, AC.
- T34** 8 programs, BLDC, Auto Door.
- T35** 8 programs, BLDC, Auto Door Water Box.
- T36** 8 programs, BLDC.

T3 Series
Ares




T3 Series
Patara



T 2 / 1 SERIES

semi integrated




Energy Labeling

B **D** **E**

Major Features

-  **Delay Timer**
-  **Half Load**
-  **Auto Door**
-  **Water Box**
-  **Hydro Power**
-  **Direct Wash**
-  **Triple Wash**

 **3rd Rack**
Eco/Easy/Comfort Tray

 **Interior Lighting**
1 or 4 Spot

See product specifications for default and optional features

T 1 1 - 3

3/4/6 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
46/44/42/41/39 dBA (w/ BLDC)
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer (T11 w/o delay timer)

T 2 1 - 6

8 programs
LED display
B/D energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

Design Options

SI Amaranth

Model Versions

T1 Series

T11



3 programs, AC.

T12



4 programs, AC.

T13



6 programs, AC.

T2 Series

T21



8 programs, AC.

T24



8 programs, BLDC, Auto Door.

T25



8 programs, BLDC, Auto Door, Water Box

T26



8 programs, BLDC.


T2-T1 Series **Amaranth**





Y 2 SERIES

semi integrated



Energy Labeling

D E

Major Features



See product specifications for default and optional features

Y 2 1 - 6

6 to 9 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21		6 programs, AC.
Y22		7 programs, AC.
Y23		8 programs, AC.
Y24		9 programs, AC.
Y25		9 programs, BLDC, Auto Door.
Y26		9 programs, BLDC.

Y1 SERIES

semi integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load




Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

- 2 to 6 programs
- LED indicator
- E energy labeling
- AC circulation pump
- Mini active / super active / turbo drying
- 57/54/52/49/47/45 dBA
- 12 lt water consumption (9 lt with aquazone)
- 1 mode half load
- 3-6-9 hours delay timer

Y 1 A - F

- 2 to 7 programs
- LED display
- E energy labeling
- AC circulation pump
- Mini active / super active / turbo drying
- 57/54/52/49/47/45 dBA
- 12 lt water consumption (9 lt with aquazone)
- 1 mode half load
- 1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w display

Y11



2 programs, AC.

Y12



3 programs, AC.

Y13



4 programs, AC.

Y14



5 programs, AC.

Y15



6 programs, AC.

w/o display

Y1A



2 programs, AC.

Y1B



3 programs, AC.

Y1C



4 programs, AC.

Y1D



5 programs, AC.

Y1E



6 programs, AC.

Y1F



7 programs, AC.

Y Series **Silva Y**



Y Series
Camelia Y



X SERIES

semi integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack

Eco/Easy/Comfort Tray

See product specifications for default and optional features

X 11 - 6

- 2 to 7 programs
- LED indicator
- E energy labeling
- AC circulation pump
- Mini active / super active drying
- 57/54/52/49/47/45 dBA
- 12 lt water consumption (9 lt with aquazone)
- 1 mode half load
- 3-6-9 hours delay timer

X 11 A - F

- 2 to 7 programs
- LED display
- E energy labeling
- AC circulation pump
- Mini active / super active drying
- 57/54/52/49/47/45 dBA
- 12 lt water consumption (9 lt with aquazone)
- 1 mode half load
- 1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

SI Camelia, Silva, Silva (Inox add-on)

Model Versions

w display

X11



2 programs, AC.

X12



3 programs, AC.

X13



4 programs, AC.

X14



5 programs, AC.

X15



6 programs, AC.

X16



7 programs, AC.

w/o display

X1A



2 programs, AC.

X1B



3 programs, AC.

X1C



4 programs, AC.

X1D



5 programs, AC.

X1E



6 programs, AC.

X1F



7 programs, AC.

X Series
Camelia



X Series
Silva



S1-2 SERIES

fully integrated



Energy Labeling

D E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash




Aqua Zone

infoLED



3rd Rack
Eco/Easy/Comfort Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

S12-6

2 to 6 programs
Button Control / Touch Control
LED Indicator
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
Wifi option

S23-9

3 to 9 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24hr hours delay timer with LED indicator
Wifi option

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack)

Design Options

Hera


Model Versions

S12-6



S12	2 programs, AC.
S13	3 programs, AC.
S14	4 programs, AC.
S15	5 programs, AC.
S16	6 programs, AC.

S23-9



S23	3 programs, AC.
S24	4 programs, AC.
S25	5 programs, AC.
S26	6 programs, AC.
S27	7 programs, AC.
S28	8 programs, AC.
S29	9 programs, AC.

S3 SERIES

fully integrated



Energy Labeling

B **C** **D** **E**



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash




Aqua Zone

infoLED



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

S 31-8

7 to 9 programs	49/47/45/44/42/41/39 dBA
Button Control / Touch Control	9 lt water consumption
Hidden LED Display	3 mode half load
E/D/C/B energy labeling	1-24hr hours delay timer
AC /BLDC circulation pump	Wifi option
Mini Active / Super Active / Turbo Drying	
57/54/52/49/47/45/44 dBA	

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 14 PS (2 baskets+3rd rack), 15 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

S3 Button Control



S31	7 programs, AC.
S32	8 programs, AC.
S33	9 programs, AC.

S3 Touch Control



S34	9 programs, BLDC.
S35	7 programs, BLDC.
S36	8 programs, BLDC.
S37	9 programs, BLDC.
S38	9 programs, BLDC.

I 1 - 2 SERIES

fully integrated



Energy Labeling

B **C** **D** **E**



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash




Aqua Zone

infoLED



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G

2 to 8 programs
LED Indicator / Hidden LED Display
E/D energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-X

7/8/9 programs
LED Indicator / Hidden LED Display
E/D/C/B energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

Astrum, Rhea, Rhea (Inox Cladding, Inox Half Cladding, Inox add-on)

Model Versions

I11-6 w/display



I1A-G w/o display



I11-A	2 programs, AC.
I12-B	3 programs, AC.
I13-C	4 programs, AC.
I14-D	5 programs, AC.
I15-E	6 programs, AC.
I16-F	7 programs, AC.
I1G	8 programs, AC.



I21	7 programs, AC.
I22	8 programs, AC.
I23	9 programs, AC.
I24	9 programs, BLDC, Auto Door.
I25	9 programs, BLDC, Water Box.
I26	6 programs, BLDC.
I27	7 programs, BLDC.
I28	8 programs, BLDC.
I29	9 programs, BLDC.
I2X	9 programs, BLDC, Water Box.

I Series
Astrum



I Series
Rhea



I 5 SERIES

semi integrated




Energy Labeling

B **C** **D** **E**



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door



Water Box



Hydro Power



Direct Wash



Triple Wash




Aqua Zone

infoLED



3rd Rack

Eco/Easy/Comfort Tray



Interior Lighting

1 or 4 Spot

See product specifications for default and optional features

I 51 - 9

7/8/9 programs

LED display

E/D/C/B energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption (I51: 12 lt (9 lt with aquazone))

3 mode half load (1 mode for I51)

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),

14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

Design Options

Freya, Freya (Inox look)

Model Versions

Black control panel



Inox look control panel



I51	7 programs, AC.
I52	8 programs, AC.
I53	9 programs, AC.
I54	9 programs, BLDC, Auto Door.
I55	9 programs, BLDC, Auto Door, Water Box.
I56	6 programs, BLDC.
I57	7 programs, BLDC.
I58	8 programs, BLDC.
I59	9 programs, BLDC.
I5X	9 programs, BLDC, Water Box.

US (TALL-TUB) INTEGRATED RANGE



Energy Labeling



Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Hydro Power

Dimensions

Height (inch, mm)	33 7/8" ; 861 mm
Width (inch, mm)	23 9/16" ; 598 mm
Depth (inch, mm)	22 1/2" ; 570 mm



3rd Rack

Eco/Easy/Comfort Tray

See product specifications for default and optional features

Z A 5 - Z B 5 - Z B 7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-19 hours delay timer

Place Setting Options

14 PS (2 baskets)
15 PS (2 baskets + 3rd rack)

Design Options

Rhea, Astrum

Z C 5 - Z D 5 - Z D 7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-24 hours delay timer

Place Setting Options


14 PS (2 baskets)
15 PS (2 baskets + 3rd rack)

Design Options

Freya

Model Versions


Astrum



Rhea



Freya





SA5 - SC5 - SB7 - SD7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44/42 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-24 hours delay timer

Place Setting Options


14 PS (2 baskets), 15 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

SA5



SC5



SB7



SD7



Tall-tub Integrated Range

Rhea



Tall-tub Integrated Range

Astrum




Tall-tub Integrated Range
Freya






Standard Tub

Semi-Integrated




Integrated




Tall Tub

Full Door



Integrated





45 cm Dishwashers
*Semi-integrated &
Integrated Ranges*






3rd Rack
Easy Tray

Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

FEATURES

Maximum Plate Diameter




Lower Basket - 10 Place Settings



Standard Cutlery Basket



Adjustable Basket



Adjustable only when loaded

Adjustable Upper Basket



Adjustable only when empty

Inox Look Control Panels

60 & 45 cm I5 series (FI)

Dead front display & full touch control



MAXIMUM PLATE DIMENSIONS

2 Baskets



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm


2 Baskets + 3rd Rack



	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

A 4 SERIES

integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load




Auto Door



Hydro Power



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 4 1 - 5

6/7/10 programs
icon-LED display (full touch control)
D/E energy labeling
BLDC circulation pump
Turbo drying
44 dBA
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A4X




**A4X
inox
add-on**



- A41** 6 programs, BLDC.
- A42** 7 programs, BLDC.
- A43** 10 programs, BLDC, Auto Door.
- A44** 10 programs, BLDC, Auto Door.

A 3 SERIES

integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load




Auto Door



Hydro Power



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - 3 6

6/8 programs
icon-LED display (optional touch control)
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A3X



**A3X
inox
add-on**



A31

6 programs, AC.

A32

8 programs, AC.

A33


6 programs, BLDC, Auto Door.

A34

8 programs, BLDC, Auto Door.

A 2 SERIES

integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load




Auto Door



Hydro Power



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 21 - 4

6 to 8 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A21



6 programs, AC.

A22



7 programs, AC.

A23



8 programs, AC.

A24




8 programs, BLDC, Auto Door.

**A24
inox
add-on**



A1 SERIES

integrated



Energy Labeling

E

Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

A 1 2 - 5

3 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - E

3 to 6 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A12



3 programs, AC.

A13



4 programs, AC.

A14



5 programs, AC.

A15



6 programs, AC.

**inox
add-on
version**



A1B



3 programs, AC.

A1C



4 programs, AC.

A1D



5 programs, AC.

A1E




6 programs, AC.



T 2 / 1 SERIES

integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load



Auto Door




Aqua Zone



Hydro Power



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

T 1 4 - 5

7 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (T15 w/o half load)
1-24 hours delay timer (3-6-9 hours for T15)

T 2 1 - 4

8 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Vento

Model Versions

T14



7 programs, AC.

T21



8 programs, AC.

T15



7 programs, AC.

T22



8 programs, AC.


T24



8 programs, BLDC, Auto Door.

Y2 SERIES

integrated



Energy Labeling

D E

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 5

- 6 to 9 programs
- LED display
- D/E energy labeling
- AC / BLDC circulation pump
- Mini active / super active / turbo drying
- 57/54/52/49/47/45 dBA (w/o BLDC)
- 44 dBA (w/ BLDC)
- 9 lt water consumption
- 3 mode half load
- 1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21



6 programs, AC.

Y22



7 programs, AC.

Y23



8 programs, AC.

Y24



9 programs, AC.


Y25



9 programs, BLDC, Auto Door.

Y1 SERIES

integrated



Energy Labeling

E

Major Features



Delay Timer



Half Load



Auto Door



Hydro Power



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 11 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w/o display

Y11



2 programs, AC.

Y12



3 programs, AC.

Y13



4 programs, AC.

Y14



5 programs, AC.

Y15



6 programs, AC.

w display

Y1A



2 programs, AC.

Y1B



3 programs, AC.

Y1C



4 programs, AC.

Y1D



5 programs, AC.

Y1E



6 programs, AC.

Y1F



7 programs, AC.

Y Series
Silva



Y Series
Lydia




Y Series
Camelia



Y Series
Klikya



X SERIES



Energy Labeling

E

Major Features



Delay Timer



Half Load



Aqua Zone

See product specifications for default and optional features

X 1 1 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

SI Orchis

Model Versions

w/o display

X11



2 programs, AC.

X12



3 programs, AC.

X13



4 programs, AC.

X14



5 programs, AC.

X15



6 programs, AC.

X16



7 programs, AC.

w display

X1A



2 programs, AC.

X1B



3 programs, AC.

X1C



4 programs, AC.

X1D



5 programs, AC.

X1E



6 programs, AC.

X1F



7 programs, AC.

S1-2 SERIES

fully integrated



Energy Labeling

E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Aqua Zone



3rd Rack
Easy Tray

See product specifications for default and optional features

S12-6

2 to 6 programs
Button Control / Touch Control
LED Indicator
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
Wifi option

S23-7

3 to 7 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24hr hours delay timer with LED indicator
Wifi option

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

S12-6



S12	2 programs, AC.
S13	3 programs, AC.
S14	4 programs, AC.
S15	5 programs, AC.
S16	6 programs, AC.

S23-7



S23	3 programs, AC.
S24	4 programs, AC.
S25	5 programs, AC.
S26	6 programs, AC.
S27	7 programs, AC.

S3 SERIES

fully integrated



Energy Labeling

D E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door




Hydro Power



Aqua Zone



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

S31-5

5 to 7 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC /BLDC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA

44 dBA with BLDC pump
9 lt water consumption
3 mode half load
1-24hr hours delay timer
Wifi option

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets+3rd rack)

Design Options

Hera

Model Versions

S3 Button Control



- S31** 5 programs, AC.
- S32** 6 programs, AC.
- S33** 7 programs, AC.

S3 Touch Control



- S34** 7 programs, BLDC.
- S35** 7 programs, BLDC.

I 1 - 2 SERIES

fully integrated



Energy Labeling

E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Aqua Zone

infoLED



3rd Rack
Easy Tray

See product specifications for default and optional features

I11-6 / I1A-G

3/5/6/7/8 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (D12 w/o half load)
3-6-9 hours / 1-19 hours delay timer
(D12 w/o delay timer)

I 21 - 4

7/8/9 programs
LED display
E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
54/52/49/47/45 dBA (w/o BLDC)
44dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options


10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Alinda, Spero, Spero (Inox Cladding, Inox Half Cladding, Inox add-on)

Model Versions

I11-6 w/display



I1A-G w/o display



I21-4



I11-A 2 programs, AC.
I12-B 3 programs, AC.
I13-C 4 programs, AC.
I14-D 5 programs, AC.
I15-E 6 programs, AC.
I16-F 7 programs, AC.
I1G 8 programs, AC.

I21 7 programs, AC.
I22 8 programs, AC.
I23 9 programs, AC.
I24 9 programs, BLDC, Auto Door.

I Series
Spero



I Series
Alinda



I 5 SERIES

fully integrated



Energy Labeling

D E



Sliding Door



Self Balance

Major Features



Delay Timer



Half Load



Auto Door




Hydro Power



Aqua Zone



3rd Rack
Easy Tray



Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I 51 - 4

6/8 programs

LED display

D / E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 (w/ BLDC)

9 lt water consumption (I51: 12 lt (9 lt with aquazone))

3 mode half load (1 mode for I51)

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options


Hemen, Hemen (Inox look)

Model Versions

Black control panel



Inox look control panel



I51	7 programs, AC.
I52	8 programs, AC.
I53	9 programs, AC.
I54	9 programs, BLDC, Auto Door.

TALL-TUB INTEGRATED RANGE



Energy Labeling



Color Options



Painted

Stainless steel

Major Features



Delay Timer



Half Load



Hydro Power

Dimensions

Height (inch, mm)

32 1/4" ; 820 mm

Width (inch, mm)

17 27/32" ; 450 mm

Depth (inch, mm)

22 1/2" ; 570 mm



3rd Rack

Easy Tray

See product specifications for default and optional features

Z A 5 - Z B 7

Standard-tub structure

6 or 8 programs

LED display

Energy Star

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/55/53/51 dBA (w/o BLDC)

49/47/45/44 dBA (w/ BLDC)

≤ 3,5 gal water consumption

1 or 3 mode half load

1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Spero

Model Versions

ZBA5



6 programs, AC or BLDC.

ZBA7



8 programs, AC or BLDC.


Tall-tub Integrated Range *Spero*






Standard Tub

Semi-Integrated




Integrated




Standard Tub
USA Models

Semi-Integrated



Integrated



Specifications



60 cm

60cm - A Series Key Points																	
w/o display models	A12	A13	A14	A15	A16	A17	-	-	-	-	-	-	-	-	-	-	
w/ display models	A1B	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A26	A27	A28	A29	A24	A2X	A25	
Program Number	3	4	5	6	7	8	6	7	8	6	7	8	9	8	9	8	
Energy Labeling	E (w/Autodoor D)						E (w/Autodoor D)						D		C		B
Water Consumption	12 lt (9 lt with AquaZone)						9 lt										
Sound Level	12-13 -14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						49/47/45/44/42/41						-			
	14 PS with 3rd rack	-						-						44			
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47						49/47/45/44/42/41/39						-			
Circulation pump	Asynchronous						BLDC										
Auto Door	- (Optional)						-						+		-		+
Water Box	-						-						+		-		+
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)						12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)										

60cm - A Series Key Points																								
w/o display models	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
w/ display models	A31	A32	A33	A36	A37	A38	A39	A34	A3X	A35	A41	A42	A43	A46	A47	A48	A49	A44	A4X	A45	A4Y			
Program Number	6	8	6	6	7	8	9	8	8	8	6	7	10	6	7	8	9	10	10	10	10			
Energy Labeling	E (w/Autodoor D)			D			C			B			E			D			C			B		A
Water Consumption	9 lt																							
Sound Level	12-13 -14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47			49/47/45/44/42/41			-			46/44			49/47/45/44/42/41			-							
	14 PS with 3rd rack	-			44			-			-			44			-							
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47			49/47/45/44/42/41/39			-			44/42			49/47/45/44/42/41/39			-							
Circulation pump	Asynchronous			BLDC																				
Auto Door	- (Optional)			+			-			+			-			+			-		+			
Water Box	-			+			-			+			-			+			-		+			
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																							

60cm - D6 Series Key Points		
w/o display models	-	-
w/ display models	D65	D66
Program Number	10	10
Energy Labeling	B	D
Water Cons.	9 lt	
Sound Level	12-13 -14 PS	49 / 47 / 45 / 44 / 42 / 41
	14 PS with 3rd rack	44
	15 PS with 3rd rack	49 / 47 / 45 / 44 / 42 / 41 / 39
Water Box	BLDC	
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)	

60 cm - T3-T4 Series Key Points															
w/o display models	-	-	-	-	-	-	-	-	-	-					
w/ display models	T31	T32	T34	T35	T36	T41	T42	T43	T45	T4X					
Program Number	6	8	8	8	8	6	7	10	10	10					
Energy Labeling	E		D		B		D		E						
Water Consumption	9 lt														
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47			46 / 44		49 / 47 / 45 / 44 / 42 / 41		46/44		49 / 47 / 45 / 44 / 42 / 41		-		-
	14 PS with 3rd rack	-			44		-		-		44		44		
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47			44 / 42		49 / 47 / 45 / 44 / 42 / 41 / 39		44/42		49 / 47 / 45 / 44 / 42 / 41 / 39		-		-
Circulation pump	Asynchronous				BLDC										
Auto Door	-				+		-		-		+		-		
Water Box	-				+		-		-		+		+		
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 basket w/ Knifeshelf) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)														

60 cm - T1-T2 Series Key Points							
w/o display models	T11	-	-	-	-	-	
w/ display models	-	T12	T13	T21	T24	T25	T26
Program Number	3	4	6	8	8	8	8
Energy Labeling	E		D		B		D
Water Cons.	12lt (9lt w/ AquaZone)		9 lt				
Sound Level	12-13 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47		46/44		49 / 47 / 45 / 44 / 42 / 41	
	14 PS	-		44		-	
	15 PS	50 Hz: 49/47/45 60 Hz: 49/47		44/42		49 / 47 / 45 / 44 / 42 / 41 / 39	
Circulation pump	Asynchronous		BLDC				
Auto Door	-		+		+		-
Water Box	-		+		+		-
Place Setting	12-13 PS (2 baskets) / 14 PS (2 basket w/Knifeshelf) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)						

60 cm

60 cm - Y Series Key Points													
w/o display models	Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-	
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26	
Program Number	2	3	4	5	6	7	8	9	9	9	9	9	
Energy Labeling	E						D						
Water Consumption	12 lt (9 lt with AquaZone)						9 lt						
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						46 / 44		49 / 47 / 45 / 44 / 42 / 41			
	15 PS (2 basket + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47						44 / 42		49 / 47 / 45 / 44 / 42 / 41 / 39			
Circulation pump	Asynchronous						BLDC						
Auto Door	-						+		-				
Water Box	-						-						
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack)						12 PS (2 baskets) / 13 PS (2 Baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)						

60 cm - X Series Key Points						
w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	12 lt (9 lt with AquaZone)					
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				
Circulation pump	Asynchronous					
Auto Door	-					
Water Box	-					
Place Setting	12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack)					

60 cm - Full Door I Series Key Points																				
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-			
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I25	I2X	I54		
w/ front display models	I1K	I1L	I1M	I1N	I1O	I1P	I1R	I2K	I2L	I2M	I2P	I2R	I2S	I2T	I2N	I2O	I2U	-		
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9	9		
Energy Labeling	E						E						D			B	C	D		
Water Consumption	12 lt (9 lt with AquaZone)						9 lt													
Sound Level	12-13 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						49 / 47 / 45 / 44 / 42 / 41						-			49 / 47 / 45 / 44 / 42 / 41			
	14 PS	-						-						44			-			
	15 PS	50 Hz: 49/47/45 60 Hz: 49/47						49 / 47 / 45 / 44 / 42 / 41 / 39						-			49 / 47 / 45 / 44 / 42 / 41 / 39			
Circulation pump	Asynchronous						Asynchronous						BLDC							
Auto Door	-						-						+			+			-	+
Water Box	-						-						+			+			-	
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																			

60 cm - I Series Key Points																														
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
w/ hidden display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I2X	I25	I51	I52	I53	I56	I57	I58	I59	I54	I5X	I55			
Program Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	7	8	9	6	7	8	9	9	9	9				
Energy Labeling	E						D						C	B	E	D			C	B										
Water Consumption	12 lt (9 lt with AquaZone)						9 lt																							
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						49 / 47 / 45 / 44 / 42 / 41						-			50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						49 / 47 / 45 / 44 / 42 / 41			-				
	14 PS (2 baskets + 3rd rack)	-						-						44			-						44			-				
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47						49 / 47 / 45 / 44 / 42 / 41 / 39						-			50 Hz: 49/47/45 60 Hz: 49/47						49 / 47 / 45 / 44 / 42 / 41 / 39			-				
Circulation pump	Asynchronous						Asynchronous						BLDC						Asynchronous						BLDC					
Auto Door	-						-						+			-			+			-			+					
Water Box	-						-						+			-			-			+			+					
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 baskets w/KnifeShelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																													

60cm-S Series Key Points																				
Program Number	S12	S13	S14	S15	S16	S23	S24	S25	S26	S27	S28	S29	S31	S32	S33	S34	S35	S36	S37	S38
	2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	9	7	8	9	9
Energy Labeling	E (without Autodoor) D (with Autodoor)															C (without Autodoor) B (with Autodoor)				
Water Consumption	12 lt (9 lt with AquaZone)												9 lt							
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47												49/47/45/44/42/41 Tall Tub: 49/47/45/44						
	14 PS (2 baskets + 3rd rack)	-												44						
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47												49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41						
Circulation pump	Asynchronous																			
Auto Door	Optional																			
Water Box	-																			
Place Setting	12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 baskets w/KnifeShelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																			

45 cm

45 cm - A Series Key Points																	
w/o display models	A12	A13	A14	A15	-	-	-	-	-	-	-	-	-	-	-	-	
w/ display models	A1B	A1C	A1D	A1E	A21	A22	A23	A24	A31	A32	A33	A34	A41	A42	A43	A44	
Program Number	3	4	5	6	6	7	8	8	6	8	6	8	6	7	10	10	
Energy Labeling	E				E			D	E	D			E	D			
Water Consumption	11 lt (9 lt with AquaZone)				9 lt												
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47						44	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47			44					
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47							50 Hz: 49/47/45 60 Hz: 49/47								
Circulation pump	Asynchronous							BLDC	Asynchronous			BLDC		BLDC			
Auto Door	-							+	-			+		-			
Water Box	-																
Place Setting	10 PS (2 baskets)				10 PS (2 baskets + 3rd rack)												

45 cm - T1-T2 Series Key Points						
w/o display models	-	T15	-	-	-	-
w/ display models	T14	-	T21	T22	T24	
Program Number	7	7	8	8	8	
Energy Labeling	E				D	
Water Consumption	11 lt (9 lt with AquaZone)			9 lt		
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47				
Circulation pump	Asynchronous				BLDC	
Auto Door	-				+	
Water Box	-					
Place Setting	10 PS (2 baskets)			10 PS (2 baskets + 3rd rack)		

45 cm - Y Series Key Points													
w/o display models	Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-	
w/ display models	Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25		
Program Number	2	3	4	5	6	7	6	7	8	9	9		
Energy Labeling	E						E						D
Water Consumption	11 lt (9 lt with AquaZone)						9 lt						
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47									44		
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47											
Circulation pump	Asynchronous											BLDC	
Auto Door	-						-						+
Water Box	-												
Place Setting	10 PS (2 baskets)			10 PS (2 baskets + 3rd rack)									

45 cm - X Series Key Points						
w/o display models	X11	X12	X13	X14	X15	X16
w/ display models	X1A	X1B	X1C	X1D	X1E	X1F
Program Number	2	3	4	5	6	7
Energy Labeling	E					
Water Consumption	11 lt (9 lt with AquaZone)					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47				
Circulation pump	Asynchronous					BLDC
Auto Door	-					+
Water Box	-					
Place Setting	10 PS (2 baskets)					

45 cm - Full Door I Series Key Points												
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-
w/ display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24	
Program Number	2	3	4	5	6	7	8	7	8	9	9	
Energy Labeling	E											
Water Consumption	11 lt (9 lt with AquaZone)						9 lt					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47									44	
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47										
Circulation pump	Asynchronous											BLDC
Auto Door	-											+
Water Box	-											
Place Setting	10 PS (2 baskets)			10 PS (2 baskets + 3rd rack)								

45 cm - I Series Key Points															
w/o display models	I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	
w/ display models	I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24	I51	I52	I53	I54
Program Number	2	3	4	5	6	7	8	7	8	9	9	7	8	9	9
Energy Labeling	E						D			E			D		
Water Consumption	11 lt (9 lt with AquaZone)						9 lt			9 lt					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44				
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47					50 Hz: 49/47/45 60 Hz: 49/47								
Circulation pump	Asynchronous						BLDC			Asynchronous			BLDC		
Auto Door	-						+			-			+		
Water Box	-														
Place Setting	10 PS (2 baskets)			10 PS (2 baskets + 3rd rack)											

45cm- S Series Key Points																	
w/ display models	S12	S13	S14	S15	S16	S22	S23	S24	S25	S26	S31	S32	S33	S34	S35		
Program Number	2	3	4	5	6	3	4	5	6	7	5	6	7	7	7		
Energy Labeling	E (without Autodoor) D (with Autodoor)																
Water Consumption	11 lt (9 lt with AquaZone)											9 lt					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47									44						
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47									50 Hz: 49/47/45 60 Hz: 49/47						
Circulation pump	Asynchronous																
Auto Door	Optional																
Water Box	-																
Place Setting	10 PS (2 baskets)			10 PS (2 baskets + 3rd rack)													

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

Vestel Germany GmbH

Parkring 6 D-85748 Garching bei München/Germany

Phone: 49 - 89 55295 - 0

Fax: 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

Vestel UK Ltd

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ

Phone: 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

Vestel France SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563

RUNGIS Cedex, France

Phone: 33 - 146 75 00 29

Fax: 33 - 141 80 99 31

www.vestel-france.fr

Vestel Holland B.V.

Groothandelsgebouw Stationsplein 45 Unit A2.191,

3013 AK Rotterdam, The Netherlands

Phone: 31 - 10 235 1005

info@vestelbenelux.nl

www.vestelbenelux.nl

Vestel Iberia, S.L.

Paseo Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: 34 - 91 320 63 98

Fax: 34 - 91 320 52 58

vestel@vestel.es

www.vestel.es

Vestel CIS Ltd.

2 Gorbunova st., Bld. No 3, office A305 Moscow,

121569, Russia

Phone: 7 - 495 956 8230

Fax: 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

Vestel Electronics Gulf DMC

Unit No: ALMAS-06-C, 6th floor, ALMAS Tower, Plot

No: JLT-PH1-A0 Jumeirah Lakes Towers, Dubai, UAE

info@vestel-gulf.ae

www.vestel-gulf.ae

Vestel Central Asia

Kazakhstan/Almaty Baizakova 125, NP-1, office: 504.

Phone: 7 - 727 263 39 39

info@vestel.kz

Vestel Poland

Salsy 2 str., 02-823 Warsaw, Poland

Phone: 48 - 22 272 73 00

info@vestel-poland.com

www.vestel-poland.com

Vestel Electronica

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest, Romania

Phone: 40 - 31 425 42 91

Fax: 40 - 31 425 42 95

office@vestel.ro

www.vestel.ro

Vestel China

Vestel Electronics (Shanghai) Trading Co., Ltd.

Shenzhen Branch

Room 2606, Time Square Excellence. No 4068 Yi Tian

Rd, Fu Tian District. Shenzhen City, Guangdong, China.

518048

Phone: 86 -755-2266 6726

Vestel Vietnam

Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben

Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

Phone: 84 - 28 6287 5904

Vestel USA INC.

390 Fifth Avenue, Suite 805 New York, NY, 10018

Phone: 1 - 212 689 4622

Fax: 212 689 4380



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational