

# WASHING MACHINES & TUMBLE DRYERS



[WWW.VESTELINTERNATIONAL.COM](http://WWW.VESTELINTERNATIONAL.COM)

2022 - 2023

# VESTEL





**COMPANY PROFILE**

2-3

**GLOBAL OPERATIONS**

4-5

**WASHING MACHINES**

6-107

**TUMBLE DRYERS**

108-167

**ADDRESSES**

169









## COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>





**18.500**  
Employees

**1.163.000 M<sup>2</sup>**  
Closed Production Area

Export Leader of Turkey with  
**\$ 2,5 BILLION**

**\$ 3,2 BILLION**  
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 24 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 14 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKöm factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 24 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).

More information: [www.vestelinternational.com](http://www.vestelinternational.com)





## GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>



## TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

## PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

## REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER,

## COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

### R&D CENTERS

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

### MARKETING & SALES COMPANIES

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Holland, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai

Vestel USA, USA

Vestel Vietnam, Vietnam

Vestel China, China



# Washing Machines







Cotton

- Cotton e
- Eco 20°C
- Synthetics
- Wool
- Duvet
- Extras
- Allergy Safe

80°C e  
40°C e

MEMORY

1200

option

cotton eco

1:00

stain

setting

|| >








### **PYROJET TECHNOLOGY**

Pyrojet technology is a revolutionary unique feature of Vestel washing machines which enables higher water temperature in a shorter time by heating the water during the circulation process.



### **GIANT DOOR**



The largest of the door selections; the Giant Door has a 510mm diameter, PC cover, floating hook design and solenoid feature to achieve a cutting edge aesthetic and high end look.



### **QUIET BLDC MOTOR**

The magnetic BLDC motor reduces the sound level during washing and extraction up to 5 dB and ensures a decrease in loudness for more than “twofold. During the extraction in high speed, it works in a higher performance and a spectacular silence. Thus, you are able to wash your laundry even very late at night.





#### **JOG DIAL**

Program selection with user-friendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



#### **PEARL DRUM**

New drum pattern which provides greater protection for your washing. Provides gentle washing for your clothes.



#### **BOOMERANG CABINET**

Many points, forms are redesigned and strengthened to increase the rigidity. Decreased vibration level and increased stability.



## Features



### Twin Jet System

Better washing performance is achieved by directly injecting water with detergent using a recirculation system and two nozzles connected to it.



### Anti Bacterial 95°C

It provides a very good washing quality at high temperature for your heavily soiled laundry, and a machine “hygiene” feature since you can clean up the drum spotlessly.



### Hot & Cold (Optional)

When water inlet is connected to hot water supply, it will save electricity and prolong the lifetime of washing machine, as internal water heater will not need to function much.



### Stain Level Selection

Selectable 3 stain levels for FL and FG version washer models. Take over the control of the washing machine’s power and adjust it according to your needs.



### Super Rapid 12 Minutes

The shortest program ever! It is ideal for clothes “worn once”, which you need in a hurry.



### Daily 60°C 60'

A class washing performance is possible for your cotton clothes in a very short time like 60 minutes.



### Anti Allergic (Optional)

A special rinsing method is applied in order to get rid of detergent residuals throughly.



### Overflow Protection

Overflow protection system detects potential problems with water supply, which may result in overflowing. If a problem is detected, drain pump is automatically turned on.



### Night Wash

Specially designed program to minimise the noise of the machine by canceling the spinning cycle until the customer pushes the Start button or after 10 hours of waiting.





### Liquid Detergent Reservoir

The reservoir for using liquid detergent more efficiently.



### Easy Ironing

With The Help Of This Function, Clothes Come Out Less Wrinkled.



### No Spin

Spinning Process Is Omitted For Very Sensitive Clothes.



### Delay Timer

Enables you to postpone the starting time of the washing process.

*Standard for R6, RL and F4, FL, FG, DG, FT series. The start time can be delayed by 1-23 hours. Optional for F1, F2 series. The start time can be delayed by 3/6/9/12 hours for F1, F2 series.*



### 60 Hz

Washing machines can also be prepared to support 60Hz (220 - 240 V) versions.



### Buzzer

The optional Buzzer feature goes off when the washing machine finishes the cycle and the laundry is ready to be taken out.



### Child Lock

Child Lock prevents unauthorized changes on the control panel settings while the machine is in operation.



### Filter Clean Indicator

The Indicator Warns The User When The Pump Filter Needs To Be Cleaned (On RI, FI Versions The Warning Appears On Lcd Screen.



### No Tap Water Indication

The System Warns The User When The Tap Water Is Cut (On RI, FI Versions The Warning Appears On Lcd Screen.





### Door Lock Indicator

The System Indicates The Status Of The Washing Machine Door. For RI Versions The Indicator Shows The Open, Closed, Or Locked Status.



### Nickel Diffusion Heater

The Nickel Diffusion Heater allows the machine to have a longer lifetime by avoiding calcareous build-up on the heating element.



### Extra Rinse

Additional Rinsing Is Done In Addition To Standard Rinsing Processes. Recommended For Clothes, Which Will Be Worn On Sensitive Skins.



### Solenoid Door Lock

Solenoid door lock function detects the status of the door and warns you if the door is open, closed, or locked.



### Prewash

Recommended When An Additional Washing Process Is Needed For Heavily Soiled Laundry.



### Cold Wash

Ideal For Washing Slightly Dirty Clothes With Tap Water.



### Eco Time

The electrical energy consumption cost changes during the day according to the time intervals (tariff) set by electricity providers. This lower tariff intervals can be learned from electricity providers and ECO TIME™ running hours must be set accordingly.



### Eco-Logic System (Half Load)

When the machine is half-loaded, energy consumption is automatically decreased upto 50%. Besides, water consumption and program duration are dramatically decreased, since the machine can detect whether it is halfloaded or not. All the models include this feature.



### Memory

The washing or drying program settings can be recorded and recalled.





### Unbalance Control System

In case of unevenly distributed laundry, unbalance control system redistributes the load inside the drum and adjust the spin speed to achieve optimum spinning efficiency.



### Rinse Hold

Recommended When Clothes Cannot Be Taken Immediately After The End Of Washing Cycle, For The Purpose Of Reducing Wrinkles.



### Plus Water

Washing Is Done With Extra Amount Of Water. This Decreases The Friction That Occurs Between Clothes. Recommended For Sensitive Clothes And For The Ones You Desire To Be Rinsed Very Well.



### Allergy Safe

Vestel Washing Machine is effective for allergens and bacteria types with specific program with the “Allergy Safe” technology. It is available for F4, FL and FG models.



#### Allergens

Pollen  
Cat  
Dog  
Dust  
House dust mite  
Living house dust mite



#### Bacteria

*Escherichia coli*  
*Enterococcus faecilis*  
*Staphylococcus aureus*



#### Fungi

*Cladosporium cladosporioides*



### Soak

Leaves Clothes In Water With Detergent For A Certain Period Of Time After The Machine Takes The Initial Water In And Starts Washing Process. Recommended For Very Dirty Clothes.



### Anti-Allergic (Only RI Version)

Recommended For Laundries For Babies And Sensitive Skins. A Special Rinsing Method Is Applied In Order To Get Rid Of The Detergent Residuas Thoroughly.



### Failure Detection System

The user can easily detect a failure on the washing machine with the help of blinking error signals on the control panel buttons.



### Floating Hook Design

Giant Door uses floating hook design; there will be no need for a handle to open the door. There will be improvement over the closing feeling. Due to the Solenoid feature inside the door lock, door will be opened as soon as the program finishes or the moment which the customer wants (if the water level and temperature is appropriate).





### Twinjet technology

# 14 free cycles per 100 cycle

Twinjet technology enables additional waterjets directly onto the laundry.



#### Better Washing Performance

Nozzles directly injects water & detergent mix onto laundry: penetrates better with laundry.



#### Better Rinsing Performance

Lower water & detergent mix.



#### Shorter Program Duration

Fastest program lasts 12 minutes with TJ(15 minutes without TJ)



#### Lower Energy Consumption

Conventional 8 kg D -> 73 kwh/100cycle  
Twinjet 8 kg C -> 63 kwh/100cycle

		7 KG	8KG		9 KG	10 KG	11 KG	12 KG
		Large	Large	Large	Large	Large	Large	Large
		50 LT	55 LT	60 LT	62 LT	61 LT	62 LT	67 LT
TWINJET								
T SERIES	Universal	T0	-	-	-	-	-	-
		T1	(o)	(o)	Default	-	(o)	-
		T2	(o)	(o)	Default	-	(o)	-
		T2T	(o)	(o)	Default	-	(o)	-
		T3	(o)	(o)	Default	-	(o)	-
T SERIES	BLDC	T0	-	-	-	-	-	-
		T1	(o)	(o)	(o)	(o)	(o)	Default
		T2	(o)	(o)	(o)	(o)	(o)	Default
		T2T	(o)	(o)	(o)	(o)	(o)	Default
		T3	(o)	(o)	(o)	(o)	(o)	Default
F SERIES	Universal	F1	-	-	-	-	-	-
		F2	(o)	(o)	Default	-	(o)	-
		F4	(o)	(o)	Default	-	(o)	-
		F4T	(o)	(o)	Default	-	(o)	-
		FL	(o)	(o)	Default	-	(o)	-
		FG	Default	Default	Default	-	Default	-
	BLDC	FT	-	-	-	-	-	-
		F1	-	-	-	-	-	-
		F2	-	-	-	-	-	-
		F4	(o)	(o)	(o)	(o)	(o)	Default
		F4T	(o)	(o)	(o)	(o)	(o)	Default
		FL	(o)	(o)	Default	-	(o)	Default
		FG	Default	Default	Default	Default	Default	Default
		FT	-	-	Default	-	-	-





## Pyrojet technology


# 25 free cycles per 100 cycle

Pyrojet technology is the revolutionary unique feature of Vestel washing machines which enables higher water temperature in a shorter time by heating the water during the circulation process.

### Pyrojet

8kg

B Energy Labeling



### Conventional

8kg

D Energy Labeling



**55**  
kWh/  
100 cycle



**73**  
kWh/  
100 cycle

		7 KG		8 KG		10 KG	
		Large 50 LT	Large 60 LT	Large 61 LT	Large 62 LT	Large 62 LT	Large 62 LT
<b>T SERIES</b>	BLDC	T0	-	-	-	-	-
		T1	-	-	-	-	-
		T2	-	-	-	-	-
		T2T	-	-	-	-	-
		T3	(o)	(o)	(o)	(o)	(o)
<b>F SERIES</b>	BLDC	F1	-	-	-	-	-
		F2	-	-	-	-	-
		F4	-	-	-	-	-
		F4T	-	-	-	-	-
		FL	-	-	-	-	-
		FG	(o)	(o)	(o)	(o)	(o)
		FT	-	(o)	(o)	-	-





## **Hydro Boost**

Mixture of the water and detergent is sprayed onto laundry from 20 different points in the drum.



As a result of powerful sprays from multiple locations  
water/detergent mixture penetrates to the fabric in a much  
more efficient way.

**\*10 kg, T3 BLDC, w/TwinJet**





**Dose On**



### **Easy to Use**

*No need to add detergent and softener before each washing period.*



### **High Capacity**

*20 washes with one filling.*



### **Sensitive Control**

*Sensitive detergent / softener levelling according to the selected program and detected amount of the laundry.*



**System consist of a water-carrying household appliance having a housing, a treatment chamber and a dosing system with a reservoir, delivery pump and a dosing-controller.**

The system;

Determines the necessary amount of liquid by using the load sensors.

Drives the delivery pumps to transfer assigned amount of liquid in to the drum.

The Washing Machine also have an option of using detergent powder which can be selected by control panel manually.

WM has warning system which warns you when detergent level is too low (last 2 cycles).

Easy to clean because autod dosage sytem will be in the detergent drawer.

No more unefficient washing result of using overdose detergent. Autod dosage WM uses only sufficient amount of detergent for the most efficient washing.

Autod dosage Product Range T Series		7 kg	8 kg			9 kg		10 kg
		Standard	Standard	Standard	Large	Standard	Large	Large
		45 lt	51 lt	54 lt	55 lt	59 lt	61 lt	62 lt
<b>UNIVERSAL</b> w/o TwinJet	T0	-	-	-	-	-	-	-
	T1	-	-	-	-	-	-	-
	T2	(o)	(o)	-	-	-	-	-
	T2T	(o)	(o)	-	-	-	-	-
	T3	(o)	(o)	-	-	-	-	-
<b>BLDC</b> w/o TwinJet	T0	-	-	-	-	-	-	-
	T1	-	-	-	-	-	-	-
	T2	(o)	(o)	(o)	(o)	(o)	(o)	(o)
	T2T	(o)	(o)	(o)	(o)	(o)	(o)	(o)
	T3	(o)	(o)	(o)	(o)	(o)	(o)	(o)
<b>BLDC</b> w TwinJet	T0	-	-	-	-	-	-	-
	T1	-	-	-	-	-	-	-
	T2	-	-	-	(o)	-	(o)	(o)
	T2T	-	-	-	(o)	-	(o)	(o)
	T3	-	-	-	(o)	-	(o)	(o)

\* See roadmap for availability.



***Vestel has the most silent  
Washing Machine on Earth  
according to Washing  
Noise Declaration.***

***The Washing Noise is only***

**38 dBA**



**20 dBA**  
Mosquito



**30 dBA**  
Whisper



**38 dBA**  
VESTEL WM



**40 dBA**  
Library Noise



**50 dBA**  
Room Noise

**T3**

**8kg**

60 lt

with BLDC





- + High efficiency
- + High durability
- + Low noise levels

## A energy labeling with Digital Drive Motor

### Digital Drive Motor *Inverter Technology*

Brushed DC motors develop a maximum torque when stationary, linearly decreasing as velocity increases. Some limitations of brushed motors can be overcome by brushless motors, they include higher efficiency and a lower susceptibility of the commutator assembly to mechanical wear.

Brushless motors offer several advantages over brushed DC motors

- » *More torque per weight*
- » *More torque per watt (increased efficiency)*
- » *Increased reliability*
- » *Reduced noise*
- » *Longer lifetime (no brush and commutator erosion)*
- » *Elimination of ionizing sparks from the commutator*
- » *Overall reduction of electromagnetic interference (EMI)*

With no windings on the rotor, they are not subjected to centrifugal forces, and because the windings are supported by the housing, they can be cooled by conduction, requiring no airflow inside the motor for cooling. This in turn means that the motor's internals can be entirely enclosed and protected from dirt or other foreign matter.

Brushless motors are more efficient at converting electricity into mechanical power than brushed motors. This improvement is largely due to motor's velocity being determined by the frequency at which the electricity is switched, not the voltage. Additional gains are due to the absence of brushes, alleviating loss due to friction.



## CONNECTIVITY

*TV + Appliances Combined*

*One Brand Language*

*Ease of Use*

*Modern Look*

*Common Design Elements*

*Interoperability*

*Tv is the Hub*

*Do It Yourself Kit*

*Smart App and TV RC Control*

*Will Work with Smart AIs*

*Different Business Models*

*Smart Home (Appliances) Merge*



**Remote Access and Control**  
*by WiFi*




**Smart Service Network**



**Compatibility**  
*with Android and iOS*




**Big Data Collection**











## PureBeam +

*UV technology for  
hygienic washing*

CRYSTALIGHT			8 KG				9 KG		10 KG
			Standard	Standard	Large	Large	Standard	Large	Large
			51 LT	54 LT	55 LT	60 LT	59 LT	61 LT	62 LT
T SERIES	BLDC w/ TwinJet	T0	—	—	—	—	—	—	—
		T1	—	—	—	—	—	—	—
		T2	—	—	▲	—	—	▲	▲
		T2T	—	—	▲	—	—	▲	▲
F SERIES	BLDC w/ TwinJet	T3	—	—	▲	—	—	▲	▲
		F1	—	—	—	—	—	—	—
		F2	—	—	—	—	—	—	—
		F4	—	—	▲	—	—	▲	▲
		F4T	—	—	▲	—	—	▲	▲
		FL	—	—	—	—	—	—	—
		FG	—	—	—	—	—	—	—
		FT	—	—	—	—	—	—	▲

# Decrease on wrinkle generation & improved hygiene with high temperature steam




## Steam Wash

Steam support with special algorithm

STEAM ASSIST			6 KG		7 KG			8 KG			9 KG		10 KG
			Slim	Standard	Standard	Standard	Large	Standard	Standard	Large	Standard	Large	Large
			41 LT	44 LT	45 LT	49 LT	50 LT	51 LT	54 LT	55 LT	59 LT	61 LT	62 LT
T SERIES	UNIVERSAL w/o TwinJet	T0	—	—	—	—	—	—	—	—	—	—	—
		T1	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
		T2	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
		T2T	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
		T3	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
	UNIVERSAL w/ TwinJet	T0	—	—	—	—	—	—	—	—	—	—	—
		T1	—	—	—	—	▲	—	—	▲	—	▲	▲
		T2	—	—	—	—	▲	—	—	▲	—	▲	▲
		T2T	—	—	—	—	▲	—	—	▲	—	▲	▲
		T3	—	—	—	—	▲	—	—	▲	—	▲	▲
	BLDC w/o TwinJet	T0	—	—	—	—	—	—	—	—	—	—	—
		T1	▲	—	▲	▲	▲	▲	▲	▲	▲	▲	▲
		T2	▲	—	▲	▲	▲	▲	▲	▲	▲	▲	▲
		T2T	▲	—	▲	▲	▲	▲	▲	▲	▲	▲	▲
		T3	▲	—	▲	▲	▲	▲	▲	▲	▲	▲	▲
	BLDC w/ TwinJet	T0	—	—	—	—	—	—	—	—	—	—	—
		T1	—	—	—	—	▲	—	—	▲	—	▲	▲
		T2	—	—	—	—	▲	—	—	▲	—	▲	▲
		T2T	—	—	—	—	▲	—	—	▲	—	▲	▲
		T3	—	—	—	—	▲	—	—	▲	—	▲	▲
F SERIES	UNIVERSAL w/o TwinJet	F1	—	—	—	—	—	—	—	—	—	—	—
		F2	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
		F4	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
		F4T	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
	UNIVERSAL w/ TwinJet	F1	—	—	—	—	—	—	—	—	—	—	—
		F2	—	—	—	—	▲	—	—	▲	—	▲	▲
		F4	—	—	—	—	▲	—	—	▲	—	▲	▲
		F4T	—	—	—	—	▲	—	—	▲	—	▲	▲
	BLDC w/o TwinJet	F1	—	—	—	—	—	—	—	—	—	—	—
		F2	—	—	—	—	—	—	—	—	—	—	—
		F4	▲	—	▲	▲	▲	▲	▲	▲	▲	▲	▲
		F4T	▲	—	▲	▲	▲	▲	▲	▲	▲	▲	▲
	BLDC w/ TwinJet	F1	—	—	—	—	—	—	—	—	—	—	—
		F2	—	—	—	—	—	—	—	—	—	—	—
		F4	—	—	—	—	▲	—	—	▲	—	▲	▲
		F4T	—	—	—	—	▲	—	—	▲	—	▲	▲





ION TECH

Capacity

**9/6kg**  
for washer dryers

Drum volume

**61lt**  
big drum  
models


Active Jet®

Motor

**BLDC**

Version

**D3**



### **Microfiber Filter**

Microfiber Filter prevents the micro-level fibers passing from the laundry to the water to be filtered and thrown away with the discharged water.

Available for 9 kg (61 liter) BLDC, TwinJet model with T2T and T3 user interfaces.



## JOG DIAL



Stylish look and functional interface with Jog Dial technology.

**POWER ON-OFF BUTTON for F Series  
INTEGRATED TO PROGRAM KNOB.**

Power button and 15 LED indicator together



**J1 Chrome**



**J1 Steel Look**



**J1 White**



**J2 Chrome**



**J2 Steel Look**



**J2 White**




**J2 Chrome Metal Ring**



**J3 Metal**



**K3 Metal**



**K5 Chrome**



**K4**



**K6**



**Jog Dial On Callisto**



**Jog Dial On Ganymede**



**Jog Dial On Amy**



**Jog Dial On Juliet**



**Jog Dial On Karma**



**Jog Dial On Marla**



**Jog Dial On Rumil**



**Jog Dial On Shiva**



**Jog Dial On Julia**



**Jog Dial On Pandora**







**Jog Dial On Varuna**



**Jog Dial On Whitney**

# Main Structures

## Door Types

Door Type: Porthole/Door Diameter [cm]		4 kg	5 kg		6 kg			7 kg			8 kg					9 kg		10 kg	11 kg	12 kg
		32 lt	40 lt	42 lt	40lt	41 lt	44 lt	45 lt	49 lt	50 lt	51 lt	54 lt	55 lt	60 lt	62 lt	59 lt	61 lt	62 lt	67 lt	69 lt
	30/44	Default	Default	Default	Default	-	Default	Default	Default	-	Default	Default	-	-	-	Default	-			
	30/47	(o)	(o)	(o)	(o)	-	(o)	(o)	(o)	-	(o)	(o)	-	-	-	(o)	-	-	-	-
	33/47	-	-	-	-	Default	-	-	-	Default	-	-	Default	Default	Default	-	Default	Default	Default	Default
	33/51	-	-	-	-	(o)	-	-	-	(o)	-	-	(o)	(o)	(o)	-	(o)	(o)	(o)	(o)

## Cabinet Types



Standard Body



Boomerang Body



## Drum Types



**Standard Drum**



**Pearl Drum**



CABINET & DRUM TYPES		Cabinet Type		Drum Type	
		Standard	Boomerang	Standard	Pearl
4 kg	32 lt	Default	-	Default	-
5 kg	40 lt	Default	-	Default	-
6 kg	40 lt	Default	-	Default	-
6 kg	41 lt	Default	-	Default	-
5 kg	42 lt	Default	(o)	Default	-
6 kg	44 lt	Default	(o)	Default	-
7 kg	45 lt	-	Default	Default	-
7 kg	49 lt	Default	(o)	Default	-
7 kg	50 lt	Default	(o)	Default	(o)
8 kg	51 lt	-	Default	Default	-
8 kg	54 lt	-	Default	Default	-
8 kg	55 lt	-	Default	Default	(o)
8 kg	60 lt	-	Default	-	Default
9 kg	59 lt	-	Default	Default	-
9 kg	61 lt	-	Default	-	Default
10 kg	62 lt	-	Default	Default	-
11 kg	67 lt	-	Default	Default	-
12 kg	69 lt	-	Default	Default	-

\* See roadmap for availability.

**Color Options**



DARK GRAY



DARK SILVER



CHROME INOX



WHITE



PASTEL BLACK



BLACK





B R O W N



P A S T E L   R E D



R E D



P I N K



G O L D



B L U E



G R E E N

**T Series**  
*Washers  
Washer Dryers*





T Series	Motor Type	Product Range (Wm)		Panel Version	New Regulation Energy Labeling		4 KG		5 KG		6 KG		7 KG		8 KG				9 KG		10 KG	11 KG	12 KG																																																																																																																																																																																																																																																																																																																																																
		Twinjet / Pyrojet			Slim	Standard	40 LT	Slim	Standard	41 LT	Slim	Standard	44 LT	Standard	45 LT	Standard	49 LT	50 LT	Large	Standard	51 LT	Standard	54 LT	Large	55 LT	Standard	59 LT	Large	61 LT	Standard	62 LT	Large	67 LT	Large	69 LT																																																																																																																																																																																																																																																																																																																																				
Universal	w/o TwinJet	E	T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
	w/o TwinJet	D	T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
	w/ Twinjet	C	T1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
	w/o/ TwinJet	C	T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
			T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																				
w/o/ Twinjet	B	T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
w/ Twinjet	B	T1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
w/o/ Twinjet	A	T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
w/ Twinjet	A	T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
w/ Pyrojet	A	T0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
		T2T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																																																																																																																																																					
Depth [cm]:	Standard	30/44	36,2	Default	41,6	49,7	Default	49,7	52,7	52,7	55,7	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2																																																																																																																																																																																																																																																																																																																																				
	Big looking	30/47	36,2	Default	41,6	49,7	Default	49,7	52,7	52,7	55,7	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2																																																																																																																																																																																																																																																																																																																																					
	Big	33/47	36,2	Default	41,6	49,7	Default	49,7	52,7	52,7	55,7	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2																																																																																																																																																																																																																																																																																																																																					
	Giant	33/51	36,2	Default	41,6	49,7	Default	49,7	52,7	52,7	55,7	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2	58,2																																																																																																																																																																																																																																																																																																																																					
Door Type: Porthole/Door Diameter [cm]		* 08: 800 rpm / 10: 1000 rpm / 12: 1200 rpm / 14: 1400 rpm / 16: 1600 rpm																				Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default		Default	

T Series Product Range WD				7/5 KG	7/5 KG	8/6 KG	9/6 KG	10/6 KG
Motor Type	Twinjet / PyroJet	New Regulation Energy Labeling	Panel Version	Large	Large	Large	Large	Large
				51 LT	60 LT	60 LT	61 LT	62 LT
Universal	w/o ActiveJet	D	D2	12/14	12/14	14	14	-
			D2T	12/14	12/14	14	14	-
			D3	-	-	14	14	-
	w/ ActiveJet	C	D2	-	-	-	14	14
			D2T	-	-	-	14	14
			D3	-	-	-	14	14
BLDC	w/o ActiveJet	na	D2	-	-	-	-	-
			D2T	-	-	-	-	-
			D3	-	-	-	-	-
	w/ ActiveJet	B	D2	-	-	-	14	14
			D2T	-	-	-	14	14
			D3	-	-	-	14	14
Depth [cm]:				56,2	58,2	58,2	58,2	58,2
Door Type: Porthole/Door Diameter [cm]		Standard	30/44	-	-	-	-	-
		Big looking	30/47	-	-	-	-	-
		Big	33/47	Default	Default	Default	Default	Default
		Giant	33/51	(o)	(o)	(o)	(o)	(o)

Options & Settings	D2	D2 touch	D3
Cupboard dry	No	No	No
Iron dry	No	No	No
Hanger dry	No	No	No
30 min dry	Yes	Yes	Yes
60 min dry	Yes	Yes	Yes
90 min dry	Yes	Yes	Yes
120 min dry	Yes	Yes	Yes
Washing temperature setting	Yes	Yes	Yes
Spin speed setting	Yes	Yes	Yes
Start time setting	No	No	No
End time setting	No	No	No
Eco time setting	No	No	No
Real-time clock setting	No	No	No
Full graphic display language setting	No	No	No
Full graphic display brightness setting	No	No	No
Full graphic display contrast setting	No	No	No
Full graphic display buzzer sound setting	No	No	No
Return to Factory settings	No	No	No
Pre-wash	No	No	Yes
Extra rinse	No	No	Yes
Easy ironing	No	No	Yes

Options & Settings	D2	D2 touch	D3
Memory	No	No	No
Cotton dry (for cotton load)	Yes	Yes	Yes
Gentle dry (for delicate load)	Yes	Yes	Yes
Quick Wash & Dry	Yes	Yes	Yes
Synthetics Wash & Dry	No	No	No
Cotton Wash & Dry	Yes	Yes	Yes
Refresh (Air)	No	No	No
Allergy Safe program	Yes	Yes	Yes
Soil Level	No	No	No
Dry Level I	Yes	Yes	Yes
Dry Level II	Yes	Yes	Yes
Dry Level III	Yes	Yes	Yes
Delay Timer	Yes	Yes	Yes
ActiveJet System	Optional	Optional	Optional
Full graphic display	No	No	No
Capacitive Touch Buttons	No	Yes	Yes
Load-sensing	No	No	No
Detergent dosage proposal	No	No	No
LCD Display	No	No	No
7 segment LED	Yes	Yes	Yes
Eco Index	No	No	No



# New **Built-in** Washing Machine Range



T Series Built-In Product Range WM				7 KG	8 KG
Motor Type	Twinjet / PyroJet	New Regulation Energy Labeling	Panel Version	Standard	Standard
				49 lt	51 lt
Universal	w/o TwinJet	D	T0	12/14	12/14
			T1	12/14	12/14
			T2	12/14	12/14
			T2T	12/14	12/14
			T3	12/14	12/14
BLDC	w/o TwinJet	A	T0	-	-
			T1	12/14	12/14
			T2	12/14	12/14
			T2T	12/14	12/14
			T3	12/14	12/14
Depth [cm]:				54,4	54,4
Door Type: Porthole/Door Diameter [cm]		Standard	30/44	-	-
		Big looking	30/47	Default	Default
		Big	33/47	-	-
		Giant	33/51	-	-
* 12: 1200 rpm / 14: 1400 rpm					

T Series Built-In Product Range WM				7/5 KG WASHER DRYER
Motor Type	Twinjet / PyroJet	New Regulation Energy Labeling	Panel Version	Large 51 lt
Universal	w/o ActiveJet	D	D2	12/14
			D2T	12/14
			D3	12/14
Depth [cm]:				54,4
Door Type: Porthole/Door Diameter [cm]		Standard	30/44	-
		Big looking	30/47	-
		Big	33/47	Default
		Giant	33/51	-
* 12: 1200 rpm / 14: 1400 rpm				



## Control Panel Versions



### T0

#### Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-24 hours)



### T1

#### Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-24 hours)(Extra rinse, antiallergic, rapid wash, pre-wash, easy ironing)

**Options:** Anti allergic, prewash, easy ironing and extra rinse





## T2

### Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-24 hours)

### 2 Options:

- 4-5. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing



## T2 Touch

### Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-24 hours)

### +2 Options:

- 4-5. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing



### T3

#### Default

1. Delay (1-24 hours)
2. Temperature (including cold wash)
3. Spin Speed (including no spin)
4. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing
5. Eco and speed options

#### +2 Options:

6. Stain level and type selection or auto dosage menu

#### Additional Indicators:

7. Lack of water, pump failure (or wi-fi), door closed, door open



Control Panels

Amy T10



T0



T1



T2



T2T



T3

## Marla T20



T0



T1



T2



T2T



T3




## Julia T30



## T0



## T1



## T2



## T2T



## T3

## Whitney T60



**T0**



**T1**



**T2**



**T2T**




**T3**




## Liz T70



## T0



## T1



## T2



## T2T



## T3

## Norah T80



**T0**



**T1**



**T2**




**T2T**




**T3**




## Kate T90



## T0



## T1



## T2



## T2T



## T3

## Cohen T100



**T0**



**T1**



**T2**



**T2T**




**T3**

**David T130 (built-in)**  
only for washers



**T0**



**T1**



**T2**



**T2T**



**T3**



## Alice T140



T0



T1



T2



T2T



T3

## Riley T150



T0



T1



T2



T2T



T3

## Wonder T160



T0



T1



T2



T2T



T3



# Door Selection

## C1 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C1	C12 (w/o PC cover)	-	C10 (w/o PC cover)	-
	C13 (w/ PC cover)	-	C11 (w/ PC cover)	-



## C2 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C2	C22 (w/o PC cover)	-	-	-
	C23 (w/ PC cover)	-	-	-



\* Only “with PC Cover” versions are available for Washer Dryers

### C3 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>C3</b>	-	-	C30 (w/o PC cover)	C34 (w/o PC cover)
			C31 (w/ PC cover)	C35 (w/ PC cover)



### C4 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>C4</b>	-	-	C40 (w/o PC cover)	C44 (w/o PC cover)
			C41 (w/ PC cover)	C45 (w/ PC cover)



\* Only “with PC Cover” versions are available for Washer Dryers

Door Selection

C5 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C5	-	-	C50 (w/o PC cover)	C54 (w/o PC cover)
			C51 (w/ PC cover)	C55 (w/ PC cover)



C6 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C6	-	-	C60 (w/o PC cover)	-
			-	-



\* Only “with PC Cover” versions are available for Washer Dryers



### C8 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>C8</b>	-	C80 (w/o PC cover) C81 (w/ PC cover)	-	-



### C9 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>C9</b>	-	C90 (w/o PC cover) C91 (w/ PC cover)	-	-



\* Only “with PC Cover” versions are available for Washer Dryers

Door Selection

C11 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C11	-	C110 (w/o PC cover)	C121 (w/PC cover)	-



\* Only available for Built-in.



\* Only available for Built-in Washer Dryer.

C13 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C13	-	-	-	C134 (w/o PC cover) C135 (w/ PC cover)




## Overall Door Options

### DOOR COLOR OPTIONS

>



**White**



**Chrome Plating**



**PC Cover**



**Black & Dark Silver**



**Black &  
Chrome Plating**




**Standard Door**



**Big Looking Door**



**Big Door**




**Giant Door**

Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>C1</b>	C12 (w/o PC cover) C13 (w/ PC cover)	-	C10 (w/o PC cover) C11 (w/ PC cover)	-
<b>C2</b>	C22 (w/o PC cover) C23 (w/ PC cover)	-	-	-
<b>C3</b>	-	-	C30 (w/o PC cover) C31 (w/ PC cover)	C34 (w/o PC cover) C35 (w/ PC cover)
<b>C4</b>	-	-	C40 (w/o PC cover) C41 (w/ PC cover)	C44 (w/o PC cover) C45 (w/ PC cover)
<b>C5</b>	-	-	C50 (w/o PC cover) C51 (w/ PC cover)	C54 (w/o PC cover) C55 (w/ PC cover)
<b>C6</b>	-	-	C60 (w/o PC cover)	-
<b>C8</b>	-	C80 (w/o PC cover) C81 (w/ PC cover)	-	-
<b>C9</b>	-	C90 (w/o PC cover) C91 (w/ PC cover)	-	-
<b>C11</b>	-	C110 (w/o PC cover)	-	-



**Program Knobs**

**K 1**



**K 2**



**K 3 METAL**



**K 3 JOG DIAL**




**K 4**



## K 5 METAL



## K 6



## K 7



## K 8



## Program Knobs


### K 9 BUILT-IN



### K 10



### K 12



### K 13





**K 16**



**K 16 JOG DIAL**



**K 23**



**K 24 BUILT-IN**



**K 25 BUILT-IN**



T Series  
**Amy**



T Series  
**Marla**





T Series  
**Julia**



T Series  
*Whitney*





# T Series **Liz**





T Series  
**Norah**



T Series  
**Kate**





T Series  
**Cohen**





T Series  
**David (Built-in)**



T Series  
**Alice**









T Series  
*Wonder*





**F Series**  
Washers  
Washer Dryers



Motor Type	F Series Product Range WM		4 KG		5 KG		6 KG		7 KG		8 KG			9 KG		10 KG	11 KG	12 KG					
	Twinjet/ Pyrojet	New Reg. Energy Labeling	Panel Version	Slim	Standard	Slim	Slim	Standard	Standard	Standard	Large	Standard	Standard	Large	Standard	Large	Large	Large					
Universal	w/o TwinJet	E	F1	-	-	40 LT	41 LT	-	04/05/06/08/ 10/12/14	-	-	44 LT	-	-	45 LT	49 LT	50 LT	54 LT	55 LT	60 LT	62 LT	66 LT	69 LT
			F2	-	-	10/12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4	-	-	10/12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4T	-	-	10/12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FL	-	-	10/12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	w/ Twinjet	C	FG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLDC	w/o TwinJet	C	F4T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			FG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	w/ Pyrojet	B	F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLDC	w/ Pyrojet	B	FT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F4T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	w/ Pyrojet	B	FL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Depth [cm]:			Standard	30/44	Big looking	30/47	Big	33/47	Big	33/51													
Door Type: Porthole/Door Diameter [cm]			Standard	30/44	Big looking	30/47	Big	33/47	Big	33/51													

\* 04: 400 rpm / 05: 500 rpm / 06: 600 rpm / 08: 800 rpm / 10: 1000 rpm / 12: 1200 rpm / 14: 1400 rpm / 16: 1600 rpm \* (o): Optional



F Series Product Range <i>WD</i>				7/5 KG	7/5 KG	8/6 KG	9/6 KG	10/6 KG
Motor Type	Twinjet / PyroJet	New Regulation Energy Labeling	Panel Version	<i>Standard</i>	<i>Large</i>	<i>Large</i>	<i>Large</i>	<i>Large</i>
				<i>51 LT</i>	<i>60 LT</i>	<i>60 LT</i>	<i>61 LT</i>	<i>62 LT</i>
UNIVERSAL	w/o ActiveJet	D	D4	12/14	12/14	14	14	-
			D4T	-	-	-	-	-
			DL	-	-	-	-	-
			DG	-	-	-	-	-
			DT	-	-	-	-	-
	w/ ActiveJet	C	D4	-	-	-	-	-
			D4T	-	-	-	14	14
			DL	-	-	-	14	-
			DG	-	-	-	14	14
			DT	-	-	-	-	-
BLDC	w/o ActiveJet	na	D4	-	-	-	-	-
			D4T	-	-	-	-	-
			DL	-	-	-	-	-
			DG	-	-	-	-	-
			DT	-	-	-	-	-
	w/ ActiveJet	B	D4	-	-	-	-	-
			D4T	-	-	-	-	-
			DL	-	-	-	14	-
			DG	-	-	-	14	-
			DT	-	-	-	14	-
Depth [cm]:				52,7	58,2	58,2	58,2	58,2
Door Type: Porthole/Door Diameter [cm]		Standard	30/44	-	-	-	-	-
		Big looking	30/47	-	-	-	-	-
		Big	33/47	Default	Default	Default	Default	Default
		Giant	33/51	(o)	(o)	(o)	(o)	(o)
* 12: 1200 rpm / 14: 1400 rpm								

\* 12: 1200 rpm / 14: 1400 rpm

Options & Settings	DT	DG	DL High	DL Low	D4 Touch	D4- D4 Rotated
Cupboard dry	Yes	Yes	No	No	No	No
Iron dry	Yes	Yes	No	No	No	No
Hanger dry	Yes	Yes	No	No	No	No
30 min dry	Yes	Yes	Yes	Yes	Yes	Yes
60 min dry	Yes	Yes	Yes	Yes	Yes	Yes
120 min dry	Yes	Yes	Yes	Yes	Yes	Yes
Washing temperature setting	Yes	Yes	Yes	Yes	Yes	Yes
Spin speed setting	Yes	Yes	Yes	Yes	Yes	Yes
Start time setting	Yes	Yes	No	No	No	No
End time setting	Yes	Yes	No	No	No	No
Eco time setting	Yes	Yes	No	No	No	No
Real-time clock setting	Yes	Yes	No	No	No	No
Full graphic display language setting	Yes	Yes	No	No	No	No
Full graphic display brightness setting	Yes	Yes	No	No	No	No
Full graphic display contrast setting	Yes	Yes	No	No	No	No
Full graphic display buzzer sound setting	Yes	Yes	No	No	No	No
Return to Factory settings	Yes	Yes	No	No	No	No
Pre-wash	Yes	Yes	Yes	Yes	No	No
Extra rinse	Yes	Yes	Yes	Yes	No	No
Easy ironing	Yes	Yes	Yes	Yes	No	No
Memory	Yes	Yes	No	No	No	No
Cotton dry (for cotton load)	Yes	Yes	Yes	Yes	Yes	Yes
Gentle dry (for delicate load)	Yes	Yes	Yes	Yes	Yes	Yes
Quick Wash & Dry	Yes	Yes	Yes	Yes	Yes	Yes
Synthetics Wash & Dry	Yes	Yes	No	No	No	No
Cotton Wash & Dry	Yes	Yes	Yes	Yes	Yes	Yes
Refresh (Air)	Yes	Yes	No	No	No	No
Allergy Safe program	Yes	Yes	Yes	Yes	Yes	Yes
Soil Level	No	No	Yes	Yes	No	No
Dry Level I	No	No	Yes	Yes	Yes	Yes
Dry Level II	No	No	Yes	Yes	Yes	Yes
Dry Level III	No	No	Yes	Yes	Yes	Yes
Delay Timer	Yes	Yes	Yes	Yes	Yes	Yes
ActiveJet System	Yes	Yes	Yes	No	Yes	No
Full graphic display	Yes	Yes	No	No	No	No
Capacitive Touch Buttons	Yes	Yes	Yes	Yes	Yes	No
Load-sensing	Yes	Yes	Yes	No	No	No
Detergent dosage proposal	Yes	Yes	No	No	No	No
LCD Display	No	No	Yes	Yes	No	No
7 segment LED	No	No	No	No	Yes	Yes
Eco Index	Yes	Yes	No	No	No	No



**Intelli-Care**



**Water Level Sensor**



**Water Flow Sensor**



**Detergent Dosage Sensor**



**3D Load Sensor**

### **Detects**

Laundry weight  
Textile type  
Stain level



**Turbidity Sensor**





**Speed Sensor**



**Temperature Sensor**

### **Sets**

Water amount  
Temperature  
Spin speed  
Detergent and softener amount



# Rotated Display

Rotated

**% 40 B I G G E R**  
display compared to standard LED display



Standard LED F4



LED Color Options



White    Amber



**Ganymede Rotated (Ganymeder)**



**Juliet Rotated (Julietr)**



**Feanor Rotated (Feanorr)**



**Rumil Rotated (Rumilr)**



**Callisto Rotated (Callistor)**



**Karma Rotated (Karmar)**

\*They can be considered as new control panel aesthetics.



## Touch Display

### Touch LED

**% 40 BIGGER**

display compared to standard LED display



### Standard LED F4



### LED Color Options



White    Amber



**Callisto Touch**



**Fearnor Touch**



**Ganymede Touch**



**Oberon Touch**



**Juliet Touch**



**Karma Touch**



**Rumil Touch**



**Pandora Touch**



**Umbriel Touch**





















**Pax Touch**

*\*They can be considered as new control panel aesthetics.*

## STAIN TYPE SELECTION

**22 different types of stain selection for FG version washer model. Customize washing washine features by only selecting the stain type. Let the washing machine do the rest.**



**Blood**



**Mud**



**Socks**



**Baby food**



**Sweat**



**Egg**



**Ice cream**



**Coffee**



**Red wine**



**Tomato**



**Tea**



**Soft drink**



**Fruit**



**Grass**



**Collar grime**



**Cuff grime**



**Oil**



**Sauce**



**Chocolate**



**Deodorant**



**Lip stick**



**Make-up**



**Mix**







## Control Panels

### Atlas

**F1**



**F2**



**F4**



**FL**



**FG**



### Elara



### Titania

**F1**



**F2**



**F4**



**FL**



### Himalia



## Juliet

F1



F2



F4



F4T



FL



FG



FT



## Karma



## Leda

F1



F2



F4



FL



## Miranda



## Tyela

F1



F2



F4




F4T



FG



## Pax



## Pandora

F1



F2



F4



F4T



FL



FG



## Nix





## Feanor

F1



F2



F4



F4T



FL



FG



FT



## Rumil



# Door Selection

## D1 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D1	-	-	D10 (w/ PC cover)	-
	D15 (w/o PC cover)		D11 (w/o PC cover)	



## D2 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D2	-	-	-	-
	D25 (w/o PC cover)		D20 (w/o PC cover)	



\* Only “with PC Cover” versions are available for Washer Dryers

## D3 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D3</b>	-	-	-	-
	D35 (w/o PC cover)		D30 (w/o PC cover)	



## D4 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D4</b>	-	-	D40 (w/ PC cover)	-
	D45 (w/o PC cover)		D41 (w/o PC cover)	



\* Only "with PC Cover" versions are available for Washer Dryers



Door Selection

D5 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D5	-	-	-	-
	D55 (w/o PC cover)	D50 (w/o PC cover)		



D6 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D6	-	-	-	-
	D65 (w/o PC cover)		D60 (w/o PC cover)	



\* Only “with PC Cover” versions are available for Washer Dryers

## D7 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D7</b>	-	-	-	-
	D75 (w/o PC cover)		D70 (w/o PC cover)	



## D8 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D8</b>	-	-	-	-
	D85 (w/o PC cover)		D80 (w/o PC cover)	



\* Only "with PC Cover" versions are available for Washer Dryers

Door Selection

D9 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D9	-	D91 (w/ PC cover)	-	-
	D95 (w/o PC cover)	D90 (w/o PC cover)		



D10 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D10	-	-	D100 (w/ PC cover)	-
			-	



\* Only “with PC Cover” versions are available for Washer Dryers



## D11 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D11</b>	-	D111 (w/ PC cover)	-	-
		D110 (w/o PC cover)		



## D12 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D12</b>	-	D121 (w/ PC cover)	-	-
		D120 (w/o PC cover)		



\* Only "with PC Cover" versions are available for Washer Dryers

## Door Selection

### D13 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D13</b>	-	-	-	-
	D135 (w/o PC cover)			



### D14 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D14</b>	-	-	-	-
	D145 (w/o PC cover)			



\* Only "with PC Cover" versions are available for Washer Dryers

# D15 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D15</b>	-	-	-	-
	D155 (w/o PC cover)			



# D18 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D18</b>	-	-	-	-
	D180 (w/PC cover) D181 (w/PC cover, w/ door light)			



\* Only "with PC Cover" versions are available for Washer Dryers



Door Selection

D19 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D19	-	-	-	D190 (w/ PC cover)



D20 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D20	-	-	D200 (w/ PC cover)	-



\* Only “with PC Cover” versions are available for Washer Dryers

## Overall Door Options




**Standard Door**



**Big Looking Door**



**Big Door**



**Giant Door**

	30 cm	30 cm	33 cm	33 cm
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
<b>D1 SERIES</b>	- D15 (w/o PC cover)	-	D10 (w/ PC cover) D11 (w/o PC cover)	-
<b>D2 SERIES</b>	- D25 (w/o PC cover)	-	- D20 (w/o PC cover)	-
<b>D3 SERIES</b>	- D35 (w/o PC cover)	-	- D30 (w/o PC cover)	-
<b>D4 SERIES</b>	- D45 (w/o PC cover)	-	D40 (w/ PC cover) D41 (w/o PC cover)	-
<b>D5 SERIES</b>	- D55 (w/o PC cover)	- D50 (w/o PC cover)	-	-
<b>D6 SERIES</b>	- D65 (w/o PC cover)	-	- D60 (w/o PC cover)	-
<b>D7 SERIES</b>	- D75 (w/o PC cover)	-	- D70 (w/o PC cover)	-
<b>D8 SERIES</b>	- D85 (w/o PC cover)	-	- D80 (w/o PC cover)	-
<b>D9 SERIES</b>	- D95 (w/o PC cover)	D91 (w/ PC cover) D90 (w/o PC cover)	-	-
<b>D10 SERIES</b>	-	-	D100 (w/ PC cover) -	-
<b>D11 SERIES</b>	-	D111 (w/ PC cover) D110 (w/o PC cover)	-	-
<b>D12 SERIES</b>	-	D121 (w/ PC cover) D120 (w/o PC cover)	-	-
<b>D13 SERIES</b>	- D135 (w/o PC cover)	-	-	-
<b>D14 SERIES</b>	- D145 (w/o PC cover)	-	-	-
<b>D15 SERIES</b>	- D155 (w/o PC cover)	-	-	-
<b>D18 SERIES</b>	-	-	-	D180 (w/ PC cover) D181 (w/ PC cover, w/ door light)
<b>D19 SERIES</b>	-	-	-	D190 (w/ PC cover) -
<b>D20 SERIES</b>	-	-	D200 (w/ PC cover) -	-

## Program Knobs

Thick


P1

P6


P7

P9

White



Steel look



Chrome




Spiral effect






**P10**


**White**



**P11**




**P13**





**P18**



**Steel look**




**Chrome**



**P8**

**Metal**



**Program Knobs**  
*Thin*


**P2**

**P3**



**P4**

**P5**




**White**



**Steel look\***



**Chrome**



*\* Product colors are also available for knobs.*

**P12**

**White**



**J1(\*)**



**J2(\*)**



**Steel look**



**Chrome**



**P2**

**Spiral effect**



**P4**

**Metal**



**J2\***

*\* Jog dial control panel available*



**J3\***







### 3D Load Sensor

Helps to calculate the weight of the laundry by measuring the position of the drum. The weight of the laundry is measured and displayed by scale bar indicator.

The machine automatically adjusts the program duration, water consumption and energy consumption according to the laundry load amount in the drum.

By help of load sensor, the machine recommends the detergent dosage helps to prevent from the overloading helps to increase the lifetime by eliminating overloading.



### Eco Time™

The electrical energy consumption cost changes during the day according to the time intervals (tariff) set by electricity providers. This lower tariff intervals can be learned from electricity providers and Eco Time running hours must be set accordingly.


The start of the machine will be delayed automatically to run the machine between the Eco Time hours set.

The machine has a real time clock and the day time must be set correctly at the point of installation to use Eco Time energy saving feature.

The mains electricity must be connected to an electricity meter with a smart-counter feature (multi-tariff counting) to be able to provide this energy saving.

## Eco Index

Informs the users about water and energy consumption of the washing cycle before the program starts (only for 9/6 washerdryers.)



## Memory

One memory storage available. The washing or drying program settings can be recorded and recalled (available for DG and DT models)



## Door Designs

Big Door Ø 330 mm  
port hole, Ø 470 mm and  
Ø 510 mm door diameter

-PC cover

-Suitable for washer


-Dryer

Options for outer rim  
surface finishing

Chrome plating / Painting / Texture


## Finish Timer

The machine can be programmed to start washing to finish at a certain time.



## Delay Timer

10 min. up to 23 hours 50 min.  
by 10 min. steps.



**A(D10)**



**G(D40)**



**N(D100)**



**1(D180)**



**2(D190)**



**9(D181)**

## Refresh

Used for laundry that is not dirty and has odors on (max. 1kg) Blows hot air onto the laundry and refreshes them.

This is not a washing program.

## Drum Cleaning

Washes the drum  
Must be used without laundry in the drum.

## Special Programs

Wash&Use (available for DG & DL High & DT models)  
Used for cotton, coloured and linen laundry with machine dryable label.

The duration of the program determined automatically according to the amount of laundry load measured by the load sensor.  
0.5 kg (3 shirts) → 29 minutes  
1.5 kg (9 shirts) → 60 minutes

F Series  
**Pandora**





F Series  
**Ganymede R**



F Series  
**Karma Touch**





F Series  
**Pax**





F Series  
**Tyela**



# New USA-CAN Product Range

Volume-US 2.2 CuFt    Volume-CAN 62 LT    V/Hz 120V-60Hz    Spin 1400 RPM    C.panel T3    Twinjet (Default)    Circ. Pump BLDC    Water inlet Hot&Cold    Body Boomerang    LED color White    Bottom Cover Yes    Drum Standard



Amy



Julia



Norah



Liz



Ray



Kate



Alice



# Tumble Dryers

VESTEL









# Product Family

## F Series



## T Series



Type	Energy	Cond.	Heat Exchanger	Series	Model	7 KG			8 KG		9 KG	10 KG	11 KG	12 KG
						90 LT	100 LT	112 LT	100 LT	112 LT	112 LT	120 LT	120 LT	120 LT
 Condenser	B	B	NA	F	F1		+		+		+	+		
					F2		+		+		+	+		
					F4		+		+		+	+		
					F4T		+		+		+	+		
				T	T1		+		+		+	+		
					T2		+		+		+	+		
					T2T		+		+		+	+		
					T3		+		+		+	+		
	A+	B	AL	F	F1	+	+		+		+			
					F2	+	+		+		+			
					F4	+	+		+		+			
					F4T	+	+		+		+			
				T	T1	+	+		+		+			
					T2	+	+		+		+			
					T2T	+	+		+		+			
 Heat Pump					T3	+	+		+		+			
	A++	A	AL	F	F1									
					F2									
					F4									
					F4T									
				T	T1					+				
					T2					+				
					T2T					+				
					T3					+				
		B	AL	F	F1	++		+	+		+	+		
					F2	++		+	+		+	+		
					F4	++		+	+		+	+	+	
					F4T	++		+	+		+	+	+	
				T	T1	++		+	+		+	+	+	+
					T2	++		+	+		+	+	+	+
					T2T	++		+	+		+	+	+	+
					T3	++		+	+		+	+	+	+
		B	CU	F	F1							+		
					F2							+		
					F4							+		
					F4T							+		
				T	T1							+		
					T2							+		
					T2T							+		
					T3							+		
	A+++	A [64 dBA]	CU	F	F1									
					F2									
					F4									
					F4T									
				T	T1					+				
					T2					+				
					T2T					+				
					T3					+				
		B	CU	F	F1									
					F2									
					F4		+			+	+			
					F4T		+			+	+			
				T	T1		+			+	+			
					T2		+			+	+			
					T2T		+			+	+			
					T3		+			+	+			

\* See roadmap for availability

## Features



### Pearl Drum

*for gentle drying*



### Aero Lifter

Special designed for  
less wrinkle



### Water Tank Indicator

The indicator warns the user at the end of each cycle and if water tank is full during the cycle.



### Boomerang Cabinet

Boomerang forms are designed to increase rigidity and stability, and to decrease vibration



### Drain Hose

If drain hose is installed, user don't need to empty water tank at the end of each cycle.



### Two way tumbling

Clockwise and counter clockwise drum rotation mixes laundry better and provides uniform drying.



### Buzzer

The optional Buzzer feature goes off when the tumble dryer finishes the cycle and the laundry is ready to be taken out.



### Drum Light

Loading and unloading of garments becomes easier by means of drum light.





### Filter Clean Indicator

The indicator warns the user at the end of each cycle and if filter is blocked because of any reason, not to prevent air flow.

60  
Hz

### 60 Hz

Tumble dryers can also be prepared to support 60Hz (220 - 240 V) versions.



### Failure Detection Systems

Blinking leds and different buzzer tones provides detection of failure easily.




### Condenser Clean Indicator

The indicator warns the user periodically to clean condenser.



### Child Lock

Child lock option prevents unapproved interventions on the control panel during the machine operation by locking the buttons.



### Safety for Heater

One NTC and two thermostats (manual and self) provide a high level protection for heater.



### Delay Timer

Enables you to postpone the starting time of the drying process.

*Standard for F1, F2, F4, and F4 Touch series.*



### Allergy Safe

Allergy safe program removes all allergens on the laundry and provides hygienic drying performance



### Express Dry

2 rapid programs in the same machine

*Condenser;*

*Shirts 12' - 3 shirts in 12 min*

*Express 29' - 8 shirts in 29 min*

*Heat Pump;*

*Shirts 20' - 3 shirts in 20 min*

*Express 30' - 8 shirts in 30 min*

# 500% Eco friendly



**R290 / 3 GWP\***

**R134a / 1430 GWP**

**R407C / 1774 GWP**

\* GWP : global warming potential ( GWP of CO2 : 1 )


*Energy efficient  
Eco friendly  
Sustainable  
Natural Gas*

**The most eco-friendly!**

*Natural refrigerant gas  
used which is 500 times  
more eco friendly on  
heat pump products.*



ION TECH

Type	Energy	Series	Model	7 kg	8 kg	9 kg	10 kg	11 kg
	A++	T	T2	+	+	+	+	+
			T2T	+	+	+	+	+
			T3	+	+	+	+	+
	A+++	T	T2	+	+	+	-	-
			T2T	+	+	+	-	-
			T3	+	+	+	-	-

Ion Tech provides odor, wrinkle and electrostatic charge removal.



# PureBeam +

*UV technology for  
hygienic drying*

PureBeam+	Energy Class	7 KG			8 KG	
		90 LT	100 LT	112 LT	100 LT	112 LT
Heat Pump	A++	T1	—	—	—	—
		T2	—	—	—	▲
		T2T	—	-	—	▲
		T3	—	-	—	▲

PureBeam+	Energy Class	9 KG	10 KG	11 KG	12 KG
		112 LT	120 LT	120 LT	120 LT
Heat Pump	A++	T1	—	—	—
		T2	▲	—	—
		T2T	▲	-	—
		T3	▲	-	—

# T Series

*Tumble Dryers*



## Control Panel Versions



### T1

- + Delay timer, drying label, anti crease selections
- + Larger digit
- + Visual screen for delay timer
- + Display with hour & minute indicator



### T2

- + Delay timer, drying label, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + Display with hour & minute indicator
- + 2 different extra options





### T2 Touch

- + Delay timer, drying label, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + Display with hour & minute indicator
- + 2 different extra options



### T3

- + Delay timer, drying target, drying level, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + 4 different extra options

Control Panels

Amy T10



T1



T2



T2T



T3

Marla T20



T1



T2



T2T



T3



Julia T30



T1



T2




T2T




T3

Whitney T60



T1



T2



T2T



T3

Liz T70



T1



T2




T2T



T3



## Norah T80



T1



T2



T2T



T3

Kate T90



T1



T2



T2T



T3

Cohen T100




T1



T2



T2T



T3



Alice T140



T1



T2



T2T



T3

Riley T150



T1



T2



T2T



T3

Wonder T160




T1



T2



T2T




T3




***Plinth Designs***  
*Heat Pump*

VERSION 1



VERSION 2



VERSION 4



***Plinth Designs***  
*Condenser*

VERSION 1



VERSION 2



VERSION 4



# Door Selection

## C1 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
C16	C10 (w/o PC cover)	-	-
	C11 (w/ PC cover)		
	C18 (w/ PC cover, rev.)		



## C3 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
C36	C30 (w/o PC cover)	C37	-
	C31 (w/ PC cover)		-
	-		C39 (w/ PC cover, rev.)



\* Glass doors are only available with PC cover for Condenser models.

## Door Selection


### C4 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
	C40 (w/o PC cover)		-
C46	C41 (w/ PC cover)	C47	-
	-		C49 (w/ PC cover, rev.)



### C5 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
	C50 (w/o PC cover)		C54 (w/o PC cover)
C56	C51 (w/ PC cover)	-	C55 (w/ PC cover)
	-		-



\* Glass doors are only available with PC cover for Condenser models.



## C6 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
	C60 (w/o PC cover)		
C66	-	-	-
	-		



## C8 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
	C80 (w/o PC cover)		
C86	C81 (w/ PC cover)	-	-
	C88 (w/ PC cover, rev.)		



\* Glass doors are only available with PC cover for Condenser models.

Door Selection

C9 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
C96	C90 (w/o PC cover)	-	-
	C91 (w/ PC cover)		
	C98 (w/ PC cover, rev.)		



\* Glass doors are only available with PC cover for Condenser models.

**Program Knobs**

**K 1**



**K 2**



**K 3 METAL**



**K 3 JOG DIAL**



**K 4**






Program Knobs

K 5 METAL



K 6



K 7




K 8




**K 10**



**K 12**



**K 13**



## Program Knobs

**K 16**



**K 16 JOG DIAL**



**K 23**





T Series  
**Amy T10**



T Series  
**Marla T20**





T Series  
**Julia T30**





# T Series Whitney T60



T Series  
**Liz** T70





T Series  
**Norah T80**





T Series  
**Kate T90**



# T Series Cohen T100





T Series  
**Alice T140**





T Series  
**Riley T150**



T Series  
**Wonder T160**





**F Series**  
*Tumble Dryers*





## Control Panels



**F1**

- + Delay timer (3-6-9 hours)
- + Anti crease or delicate
- + Water tank full, filter warning and cassette warning indicators.



**F4**

- + Delay timer
- + Drying level (1, 2, 3)
- + Time drying
- + Anti crease or delicate
- + Visual screen for delay timer and time drying
- + Water tank full, filter warning and cassette warning indicators.



**F2**

- + Delay timer (3-6-9 hours)
- + Drying level (1, 2, 3)
- + Anti crease and delicate
- + Water tank full, filter warning and cassette warning indicators.



**F4T**

- + Delay timer
- + Drying level (1, 2, 3)
- + Time drying
- + Anti crease or delicate
- + Visual screen for delay timer and time drying
- + Water tank full, filter warning and cassette warning indicators.

**Options:** Anti allergic, prewash, easy ironing and extra rinse

## Control Panels

### Pandora

F1



F2



F4I



F4T



### Eva



### Pax

F1



F2



F4



F4T



### Karma



## Liv

F1



F2



F4



F4I



F4T



## Juliet



## Rumil

F1



F2



F4



F4T



F4T



## Feanor





## Control Panels

## Atlas

**F1**



**F2**



**F4**



**Nix**

[illegible][illegible]

**Tyela**

**F1**



**F2**



**F4**



**F4I**



**F4T**



**Plinth Designs**  
*Heat Pump*

VERSION 1



VERSION 2



VERSION 4



VERSION 5



VERSION 6



VERSION 7



***Plinth Designs***  
Condenser

VERSION 1



VERSION 2



VERSION 4



VERSION 5



VERSION 6



VERSION 7





## ROTATED DISPLAY



### Rotated

**% 40 BIGGER**

display compared to standard LED display



### Standard LED F4



### LED Color Options



White    Amber



**GANYMEDE ROTATED (GANYMEDER)**



**JULIET ROTATED (JULIETR)**



**CALLISTO ROTATED (CALLISTOR)**



**KARMA ROTATED (KARMAR)**



**FEANOR ROTATED (FEANORR)**



**RUMIL ROTATED (RUMILR)**

*\*They can be considered as new control panel aesthetics.*

## TOUCH DISPLAY



### Touch LED

**% 40 BIGGER**

display compared to standard LED display



### Standard LED F4



### LED Color Options



White    Amber



FEANOR TOUCH



JULIET TOUCH



KARMA TOUCH



RUMIL TOUCH



PANDORA TOUCH



PAX TOUCH

*\*They can be considered as new control panel aesthetics.*

# Door Selection

## D1 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
(B) D10 PLASTIC	(A) D10 GLASS (with PC Cover)	-	-
	(C) D11 GLASS (without PC Cover)		
	(D) D10 GLASS Reversible (with PC Cover)		



## D4 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
(H) D40 PLASTIC	(G) D40 GLASS (with PC Cover)	-	-
	(I) D41 GLASS (without PC Cover)		
	(J) D40 GLASS Reversible (With PC Cover)		



\* Glass doors are only available with PC cover for Condenser models.



D10 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
(O) D100 PLASTIC	(N) D100 GLASS (with PC Cover)	-	-



D16 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
C86	(R) D160 PLASTIC (Double Part)	(P) D160 GLASS (with PC Cover)	-



\* Glass doors are only available with PC cover for Condenser models.

**Program Knobs**  
*Thick*



**P1**

**P6**



**P7**

**P9**




**White**



**Steel look**



**Chrome**



**Spiral effect**



**P10**

**White**



**P11**




**P13**



**P18**



**Steel look**




**Chrome**



**P8**

**Metal**





## Accessories

### Stacking Kit



Stacking kit is a laundry accessory that fits between a front load washer and tumble dryer. Other than saving your valuable space, it also ensures your two appliances sit safely as one fixed unit.

Stacking kits are designed to distribute the weight of a dryer on top of a washer, and to absorb vibrations from both Appliances while they are running.



**Dryer Rack**



**3D Rack**



Dryer rack and 3D Rack options are the perfect solution for drying delicates, wool, lingerie, soft toys, and sport shoes in an easy way at home.

They protect the items from rotation during the drying cycle.

## ***Color Options***



**WHITE**



**DARK SILVER**



**DARK GRAY**



**BLACK**

F Series  
***Feanor***





F Series  
**Pandora**



# New USA-CAN Product Range

Volume-US	Volume-CAN	V/Hz	User Interface	Type	Body	LED color
4 Cuft	112 LT	208-240V 60Hz	T3	Condenser	Boomerang	White
4,2 Cuft*	120 LT	208-240V 60Hz	T3	Condenser	Boomerang	White



Amy



Julia



Norah



Liz



Ray



Kate



Alice

\* See roadmap for availability.

## Notes



**Vestel Trade Co.**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

**Phone:** 90 - 236 233 25 82

**Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

**Vestel Germany GmbH**

Parking 6 D-85748 Garching bei München/Germany

**Phone:** 49 - 89 55295 - 0

**Fax:** 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

**Vestel UK Ltd**

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ

**Phone:** 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

**Vestel France SASU**

17 Rue de la Couture - Parc Icade BP 10190 - 94563

RUNGIS Cedex, France

**Phone:** 33 - 146 75 00 29

**Fax:** 33 - 141 80 99 31

www.vestel-france.fr

**Vestel Holland B.V.**

Groothandelsgebouw Stationsplein 45 Unit A2.191,

3013 AK Rotterdam, The Netherlands

**Phone:** 31 - 10 235 1005

info@vestelbenelux.nl

www.vestelbenelux.nl

**Vestel Iberia, S.L.**

Paseo Doce Estrellas, 2, 3o. 28042. Madrid, Spain

**Phone:** 34 - 91 320 63 98

**Fax:** 34 - 91 320 52 58

vestel@vestel.es

www.vestel.es

**Vestel CIS Ltd.**

2 Gorbunova st., Bld. No 3, office A305 Moscow,

121569, Russia

**Phone:** 7 - 495 956 8230

**Fax:** 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

**Vestel Electronics Gulf DMC**

Unit No: ALMAS-06-C, 6th floor, ALMAS Tower, Plot

No: JLT-PH1-A0 Jumeirah Lakes Towers, Dubai, UAE

info@vestel-gulf.ae

www.vestel-gulf.ae

**Vestel Central Asia**

Kazakhstan/Almaty Baizakova 125, NP-1, office: 504.

**Phone:** 7 - 727 263 39 39

info@vestel.kz

**Vestel Poland**

Salsy 2 str., 02-823 Warsaw, Poland

**Phone:** 48 - 22 272 73 00

info@vestel-poland.com

www.vestel-poland.com

**Vestel Electronica**

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest, Romania

**Phone:** 40 - 31 425 42 91

**Fax:** 40 - 31 425 42 95

office@vestel.ro

www.vestel.ro

**Vestel China**

Vestel Electronics (Shanghai) Trading Co., Ltd.

Shenzhen Branch

Room 2606, Time Square Excellence. No 4068 Yi Tian

Rd, Fu Tian District. Shenzhen City, Guangdong, China.

518048

**Phone:** 86 -755-2266 6726

**Vestel Vietnam**

Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben

Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

**Phone:** 84 - 28 6287 5904

**Vestel USA INC.**

390 Fifth Avenue, Suite 805 New York, NY, 10018

**Phone:** 1 - 212 689 4622

**Fax:** 212 689 4380



# VESTEL

Organize Sanayi Bolgesi, 45030  
Manisa/Turkey

**Phone:** 90 - 236 233 25 82

**Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr  
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational