

BUILT-IN HOUSEHOLD APPLIANCES 2022 - 2023  
COOKERS AND HOBS



[WWW.VESTELINTERNATIONAL.COM](http://WWW.VESTELINTERNATIONAL.COM)

**VESTEL**





COMPANY PROFILE  
**2-3**

GLOBAL OPERATIONS  
**4-5**

BUILT-IN OVENS  
**6-59**

BUILT-IN OVENS LINE-UP  
**60-91**

BUILT-IN HOB  
**92-129**

BUILT-IN HOB LINE-UP  
**130-173**

SPECIFICATIONS  
**174-196**

INSTALLATIONS  
**197 - 208**

ADDRESSES  
**209**









## COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>





**18.500**  
Employees

**1.163.000 M<sup>2</sup>**  
Closed Production Area

Export Leader of Turkey with  
**\$ 2,5 BILLION**

**\$ 3,2 BILLION**  
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 24 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 14 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 24 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).

More information: [www.vestelinternational.com](http://www.vestelinternational.com)





## **GLOBAL OPERATIONS**

**MANUFACTURING & ASSEMBLY PLANTS**

**>**



## TV, SET-TOP BOXES

Manisa, Turkey - Kobyerzyce, Poland

## PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

## REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

### R&D CENTERS

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

### MARKETING & SALES COMPANIES

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Holland, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai

Vestel USA, USA

Vestel Vietnam, Vietnam

Vestel China, China



# Built-in Cookers

## Ovens

### 1. Product Family

- Ovens
  - Single Ovens
  - Polyvalent Ovens
  - Double Ovens
- Other Built in Products
  - Warmer Drawer
  - Coffee Machine

### 2. Main Components

- Control Panel
- Oven Door
- Cavity
- Oven Lamp
- Cooling System

### 3. Technologies

- SousVide
- Heat Wrap
- Hot Air Shield
- Steam Assisted Cooking
- Connected Ovens
- Silent Operation
- 3D Cooking
- VestFry
- Active Cool
- Energy Efficiency
- UV-C

### 4. Cleaning

- PyroClean
- VapClean
- VapClean+
- ETC Enamel
- Catalytic Cleaning

### 5. Functions

### 6. Oven Controllers

### 7. Product Design

- Design Models
- Color Options
- Knob Types
- Handle Types

### 8. Accessories

### 9. Packaging Types

### 10. Line-up

### 11. Specifications (Ovens)









## Built-in Cookers Product Family

### Ovens

#### Single Ovens

##### 75l Platform



X-Large Cavity  
Slim Control Panel

*Product Types;*

- Standard
- Pyrolytic
- Steam Assisted

##### 65l Platform



Large Cavity

*Product Types;*

- Standard
- Pyrolytic
- Steam Assisted

##### 50l Platform



Compact Cavity  
Slim Control Panel

*Product Types;*

- Standard
- Pyrolytic
- Steam Assisted

#### Polyvalent Ovens

##### 75l Platform



X-Large Cavity  
Slim Control Panel

*Product Types;*

*Compatible Polyvalent Hob Types;*

- Hotplate
- Vitroceramic
- Induction

##### 65l Platform



Large Cavity

*Product Types;*

*Compatible Polyvalent Hob Types;*

- Hotplate
- Vitroceramic
- Induction






## Double Ovens

### 90 cm Platform



Built-in Double Oven  
Slim Control Panel  
*Product Types;*  
- Standard

### 72 cm Platform



Built-under Double Oven  
Slim Control Panel  
*Product Types;*  
- Standard



## Built-in Cookers Product Family

### Other Built-in Products

#### Warmer Drawer

Maximum 20kg capacity;

6 dinner plates, 6 soup plates, 3 serving bowls and 2 platters.

- 710W side and bottom heating element with tangential fan.
- 30-70C adjustable thermostat
- 90 minute cut off audible timer
- Metal and glass design



#### Coffee Machine

##### 45cm single built-in compact coffee machine

Personalising the coffee as often as you want has never been easier. Choose from short, medium or long, try a strong or extra mild aroma, enjoy it piping hot or at medium temperature.

- Full Touch Control with LCD screen
- Fully automatic
- With coffee beans or ground coffee
- Adjustable grinding
- Adjustable coffee quantity
- Adjustable water quantity
- Adjustable dispenser for varying cups size
- Electronic temperature control
- Silent integrated burr grinder
- Easy to clean
- Water level indicator






## Main Components


### Control Panel

#### Standard Knob Control




- Oven function and temperature is set via knobs
- Control serigraphy is on the panel.

#### Pop In Pop Out Knob Control



- Oven function and temperature is set via knobs
- Control serigraphy is on the knob
- Illumination on knob is optional

#### Touch Control




- Oven function and temperature is set via touch sensors



## Main Components

### Oven Door



### Cool Touch

Adding third glass provides even cooler exterior surface on door thus extra peace of mind and safety for little hands.





### Child Lock

Safe design that prevents the door from being opened accidentally.

Suitable for use with all door types.



### Removable Inner Glass

With the patented system, no tools are needed to remove the inner glass.



### Easy to Remove

It is easy removing the oven door flipping up the hinge latches.

For Full Glass Over Door and Active Cool Oven Door

For Large Glass Oven Door and Pyrolytic Oven Door



### Easy Clean

Advanced easy to clean coating on inner door glass. A quick wipe with a damp microfiber and a few dashes of a cleaning agent is enough.



### Door Switch

Ovens with mechanical control (without timer, with analog timer/mechanical timer/digital timer);

- Oven lamp becomes active when the oven door is opened in case the oven is not functioning

Ovens with electronic control (with electronic timers; visio touch/full touch timers);

- Oven lamp becomes softly active when the oven door is opened in case the oven is functioning.  
- Heating elements are turned off when the oven door is opened in case the oven is functioning.



### Soft Open and Close

Smooth closing and opening of the oven door without applying any other external force.



## Main Components

### Oven Door



#### TYPE 2 – Large Glass Oven Door

- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*

TYPE 2	Standard	Pyrolytic	Steam Assisted
65L	Default	-	Default
75L	-	-	-
50L	-	-	-
Double Oven	-	-	-



#### TYPE 3 – Pyrolytic Oven Door

- Easy to Remove *Standard*

TYPE 3	Standard	Pyrolytic	Steam Assisted
65L	-	Default	-
75L	-	-	-
50L	-	-	-
Double Oven	-	-	-



#### TYPE 4 – Full Glass Oven Door

- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*
- Soft Close *Optional*
- Easy Clean *Optional*

TYPE 4	Standard	Pyrolytic	Steam Assisted
65L	Optional	-	Optional
75L	Default	-	Default
50L	-	-	-
Double Oven	-	-	-



**Main Components**  
Oven Door



**TYPE 5 – Active Cool Pyrolytic Oven Door**

- Easy to Remove *Standard*
- Removable Inner Glass *Standard*
- Active Cool *Standard*
- Door Switch *Optional*
- Soft Close *Optional*
- Soft Open and Close *Optional*

TYPE 5	Standard	Pyrolytic	Steam Assisted
65L	-	Optional	-
75L	-	Default	-
50L	-	Default	-
Double Oven	-	-	-



**TYPE 6 – Full Glass Oven Door**

- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*
- Soft Close *Optional*
- Soft Open and Close *Optional*
- Easy Clean *Optional*

TYPE 6	Standard	Pyrolytic	Steam Assisted
65L	Optional	-	Optional
75L	Optional	-	Optional
50L	Default	-	Default
Double Oven	Default	-	Default



**TYPE 7 – Full Glass Oven Door**

- Easy to Remove *Standard*
- Removable Inner Glass *Optional*
- Cool Touch *Optional*
- Door Switch *Optional*

TYPE 7	Standard	Pyrolytic	Steam Assisted
65L	Optional	-	Optional
75L	-	-	-
50L	-	-	-
Double Oven	-	-	-



## Main Components

### Cavity

#### Features



#### **Easy to Clean Enamel** *Standard*

The special formula of Easy to Clean enamel (ETC) prevents dirt sticking to the inner walls thus cleaning is easier.



#### **Catalytic Enamel Panels** *Optional*

Catalytic enamel self-cleans by absorbing fats and oil and burning them to ash, which can then be easily removed from the floor of the oven with a damp cloth.

### **Cavity Rack Types**

Designed for ease of use

Vestel offers various cavity racks according to consumer needs.

Wire racks can be removed and installed easily without a tool.




Enamel  
Mold Runners




Wire Rack In  
Catalytic Enamel Cavity



Wire Rack In  
Enamel Cavity



Wire Rack of 11 Shelves  
(only 65lt cavity)



Wire Rack of 12 Shelves  
(only 75lt cavity)

### **Easy Fix Telescopic Shelf**

Telescopic rails go in and out smoothly. The shelves allow to remove hot trays or pans from the oven easily and practically



Single  
Telescopic Shelf



Double  
Telescopic Shelves



**Half Extension Telescopic Shelves**

- User friendly and easy installation design
- Ideal for cleaning or moving to a different level.
- Full Extension Telescopic Shelves *Optional*  
It is easy to reach whole of tray or pan so that it is easy to turn and spice food safely fully outside of the hot oven interior.
- Locking system for additional safety.

**Available with full extension shelves**



**Full Extension Telescopic Shelves**



## Main Components

### Oven Lamp

*You can easily watch your food cooking with the oven light.*

#### Oven Lamp on Rear Wall



**Yellow Light** Default



**LED Oven Light** Optional

Better lighting in the oven during cooking.  
Long life.  
White light color.

#### Oven Lamp on Rear Wall and Side Wall



**Yellow Light** Optional

Not Available for Steam and Pyrolytic Ovens.

## Main Components

### Cooling System

All Vestel built in ovens have cooling system.

- Provides proper temperature for safe operation of the product
- Helps perfect cooking solutions





## Technologies

### SousVide



With the special SousVide function, food can be cooked healthily and homogeneously with the precise desired doneness level in a low-temperature water bath.

- *Solution for professional sous-vide cooking in domestic built-in ovens*
- *Special bottom heater*
- *Provides the same cooking performance in every cooking experience*

#### **Available with**

*75L Standard Single Ovens*

#### **Compatible Oven Controllers**

*Family Design Full Touch*



## Technologies Heat Wrap®

75L Built-In Ovens with Fan + Ring cooking function;

- Cooking evenly at 5 levels simultaneously
- No odor mixture up to 4 types of dishes cooking at the same time.
- Perfect cooking results at any level.

### Available with

75L Standard Single Ovens

5 LEVELS COOKING OF SAME TYPE  
DISHES AT THE SAME TIME



### Compatible Oven Controllers

Full Touch Controller

Family Design Full Touch

Ready Cook

Monochrome LCD

Slim LED Touch



4 DIFFERENT TYPES OF  
DISHES AT THE SAME TIME





**Technologies**  
Hot Air Shield®



When oven door is opened during cooking, it creates an air stream between control panel and oven bottom panel. Hence, it prevents the hot and wet air coming out of the oven to reach the end user.

Hot Air Shield®	Single Oven			Polyvalent Oven		Double Oven
	50L	65L	75L	65L	75L	
Standard	Available	Available	Available	Available	Available	-
Pyrolytic	-	-	-	-	-	-
Steam Assisted	Available	Available	Available	-	-	-
Steam Base	-	Available	Available	Available	Available	-
Steam Base+	-	Available	Available	-	-	-

## Technologies

### Steam Assisted Cooking

Steam assisted cooking is a natural, healthy way to preserve vitamins and nutrients in food. By steam assisted cooking the food is kept moist inside with flavors and it is crispy outside.

It allows a huge variety of different foods to be expertly cooked much more quickly than traditional cooking alone, such as fish, pizza, cakes providing restaurant quality results every time. It is particularly great for cooking meat. It also maintains the shine and makes it more succulent. Bread can also be

baked to a professional standard using steam assist. The moisture of the steam enables the dough to grow and develop during cooking, before the outer crust forms. This results in a lighter, more easily digestible dough with an excellent crust.



CONVENTIONAL COOKING



STEAM ASSISTED COOKING

Vestel offers 3 different products for steam assisted cooking;

- *Steam Assisted Oven*
- *Steam Base + Function*
- *Steam Base Function*



## **Technologies**

### Steam Assisted Cooking

#### *Steam Assisted Oven*

Steam Assisted Oven combines steam injections with traditional cooking functions with two different options; automatic or manual.

Steam generator is available for the injection of steam into the oven cavity.



**Available for 50L, 65L and 75L  
Single Built in oven platforms**

#### **Compatible Oven Controllers**

Ready Cook

Family Design Full Touch

- Water is filled in via the pop-in pop-out water tank.

- Steam can be injected into the oven cavity in predetermined times based on the selected automatic cooking programme.

- Steam can be injected into the oven cavity at the desired time during the manual cooking

## Steam Base Function

Steam Base Function combines steam with traditional cooking functions utilizing the evaporation of the water inside the oven cavity.

- Pour water into the form on the oven cavity base.
- Select Steam Base function.

**Available for 65L and 75L Standard Single Built in oven platforms.**

### Compatible Oven Controllers

No Timer

Mechanical Minute Minders / Timers

Digital Minute Minders / Timers

Analog Timer (Programmable)

Family Design Digital Touch Timer



## Steam Base+ Function

Steam Base+ Function combines steam with traditional cooking functions with the evaporation of the water inside of the oven cavity.

- Pour water into the water tank
- Select Steam Base+ function.
- Press Steam Base+ button on controller.

The water will evaporate quickly and add steam to the cavity.

**Available for 65L and 75L Standard Single Built in oven platforms.**

### Compatible Oven Controllers

Family Design Digital Touch Timer

Family Design Visio Touch

Digital Touch Timer

Family Design Digital Touch Timer





## Technologies

### Connected Ovens

#### Veezy App

Single platform making the smart home experience easier for the consumers.

- Remote Access and control through WiFi
- Capability with Android and IOS App
- Smart Device Network
- Program notifications
- Maintenance reminders
- User guide
- Google and Apple Login

Built-in Ovens;

- Remote control through Wi-Fi
- Oven functions can be selected.
- The temperature of the oven can be set and changed.
- The cooking time can be set and changed.
- The status of cooking can be monitored instantly from the application.

#### Be A Chef Function


-Step Cooking with 150 recipes

#### Available with

75L Standard Single Ovens  
50L Standard Compact Ovens

#### Compatible Oven Controllers

Ready Cook  
Monochrome  
Slim LED Touch Control  
Family Design Full Touch



## Technologies

### Silent Operation



Silent operation is an optional feature that is a world record and certified by VDE. Ovens with this feature has a noise level of 35dB during operation.

**Available for 65L and 75L Single Built in oven platforms.**

#### Compatible Oven Controllers

- Visio Touch
- Full Touch Controller
- Slim LED Touch
- Monochrome
- Ready Cook
- Family Design Digital Touch Timer
- Family Design Visio

## Technologies

### 3D Cooking



Simultaneous operation of top, bottom and ring heating element with fan.

- Homogeneous heat distribution in all direction of cooking tray,
- More dough rise for pastry
- Automatic power management for heaters during operation,

- Cooking time is %20 shorter than conventional cooking functions.

- Pre-heating time is %25 shorter than conventional cooking functions.

**Check availability in the Oven Functions Table.**



## Technologies

### Active Cool

Active Cool is a cooling system providing cooler exterior surface on door thus extra peace of mind and safety for little hands even during pyrolytic function.

During the pyrolytic function the surface temperature on oven door is below:

45°C + room temperature for glass


35°C + room temperature for metal

These values are in line with French GIFAM norms for cool door.

Surface temperature on oven door is below 10°C + room temperature at any cooking function.

**Optional for 65L Pyrolytic Built-in Ovens with Type-5 Oven Door.**

**Standard for 75L Pyrolytic Built-in Ovens.**



## Technologies

### Energy Efficiency

All Vestel Built-in Oven Platforms are of A Energy Class. (Standard)

Energy Efficiency Index (EEI) of 62 to 82 is A+ Energy Class.

A+ Energy Class for 65L and 75L Single Built-in Oven Platforms is Optional. Available for all oven controllers.

**Available for all Standard Multifunction Ovens.**

Among the availability in electronic models, Vestel offers the World's first A+ ovens with mechanic control.

**A**

**A+**

**65L**

**75L**

**50L**

**Double oven**

**Standard**

Optional

Optional

Optional

-

**Pyrolytic**

-

Optional

-

-

**Steam Assisted**

Optional

Optional

-

-

**A+**

A++ Energy Class for 65L Single Built-in Oven Platform is Optional.

**Available only with Ready Cook Controller with Turbolite++ function.**

Turbolite++ function's declared values are as below;  
Energy Consumption (EC): 0.52 kWh/cycle

Energy Efficiency Index (EEI): 61.9 Volume(V): 69L

**A++**

**65L**

**75L**

**50L**

**Double oven**

**Standard**

Optional

-

-

-

**Pyrolytic**

-

-

-

-

**Steam Assisted**

-

-

-

-

**A++**



## Technologies Disinfection with Heat

Built-in ovens with functions including fan removes virus and bacteria at 70°C.

*On plastic, cardboard, glass at 70°C;  
In 20 minutes, eliminates 99% of  
bacteria, fungi and viruses.*

*On metal surfaces at 120°C;  
In 20 minutes, eliminates 99,99% of  
bacteria, fungi and viruses.*

**Available with**  
65L Standard Single Ovens

### Compatible Oven Controllers

No Timer  
Mechanical Minute Minders / Timers  
Digital Minute Minders / Timers  
Visio Touch Timers  
Analog Timer (Programmable)

## Technologies VestFry

360° food rotation system design, uniform heating and better frying results.

- Healthy cooking with less oil.
- Perfect for french fries, popcorn and vegetables





## Cleaning



### PyroClean

During the pyrolytic cleaning process the oven heats up to approximately 450°C at which the temperature is kept for 1 hour while the door is locked for safety purposes.

*At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.*

<b>PyroClean®</b>	<b>50L</b>	<b>65L</b>	<b>75L</b>	<b>Double Oven</b>
<b>Standard</b>	-	-	-	-
<b>Pyrolytic</b>	Standard	Standard	Standard	-
<b>Steam Assisted</b>	-	-	-	-
<b>Steam Base</b>	-	-	-	-
<b>Steam Base +</b>	-	-	-	-



### VapClean

With VapClean® function, dried food stains inside the oven cavity is softened with vapor.

*To perform VapClean® a glass of water is poured into the oven base (in Steam Base and Steam Base+ ovens) or into the small tray which will be placed at the bottom of the oven. After that VapClean® function is activated to create vapor inside oven cavity which will soften dried food stains.*

<b>VapClean®</b>	<b>50L</b>	<b>65L</b>	<b>75L</b>	<b>Double Oven</b>
<b>Standard</b>	Optional	Optional	Optional	Optional
<b>Pyrolytic</b>	Optional	Optional	Optional	Optional
<b>Steam Assisted</b>	-	-	-	-
<b>Steam Base</b>	Optional	Optional	Optional	Optional
<b>Steam Base +</b>	Optional	Optional	Optional	-

## Cleaning



<b>VapClean+®</b>	<b>50L</b>	<b>65L</b>	<b>75L</b>	<b>Double Oven</b>
<b>Standard</b>	-	-	-	-
<b>Pyrolytic</b>	-	-	-	-
<b>Steam Assisted</b>	Optional	Optional	Optional	-
<b>Steam Base</b>	-	-	-	-
<b>Steam Base +</b>	-	-	-	-

### VapClean+

Only for steam assisted oven with VapClean+ function, dried food leftovers inside the oven cavity are softened with vapor.

*To perform VapClean+ add 300ml of water into the water tank. After that, VapClean+ is activated to create vapor inside oven cavity which will soften dried food stains.*



<b>ETC Enamel®</b>	<b>50L</b>	<b>65L</b>	<b>75L</b>	<b>Double Oven</b>
<b>Standard</b>	Default	Default	Default	Default
<b>Pyrolytic</b>	Default	Default	Default	Default
<b>Steam Assisted</b>	Default	Default	Default	Default
<b>Steam Base</b>	Default	Default	Default	Default
<b>Steam Base +</b>	Default	Default	Default	Default

### Easy to Clean (ETC) Enamel

Easy To Clean Enamel is standard for all platforms.

The special formula of Easy To Clean enamel (ETC) prevents dirt sticking to the inner walls thus cleaning is easier.



Cleaning




Catalytic Enamel


Catalytic enamel self-cleans by absorbing fats and oil and burning them to ash, which can then be easily removed from the floor of the oven with a damp cloth.

Catalytic	50L	65L	75L	Double Oven
Standard	Optional	Optional	Optional	Optional
Pyrolytic	-	-	-	-
Steam Assisted	Optional	Optional	Optional	Optional
Steam Base	Optional	Optional	Optional	Optional
Steam Base +	Optional	Optional	Optional	Optional


Three different options are available for catalytic enamel;



Fan cover in catalytic enamel (1P)



Side Panels\* (2P)



Side panels\* and fan cover in catalytic enamel (3P)

\*Catalytic Side panels are applicable both for mold runner wracks and wire racks.



Wire Racks



*Vestel offers a wide range of oven functions for Static, Fan Assisted, and Multifunction ovens. Check Functions table for alternatives.*



### **Oven Lamp**



### **Defrost**

Only fan is active.



### **Bottom**

Ideal for slow cooking, keeping cooked food warm.



### **Top**

Ideal for browning food



### **Conventional Cooking**

Ideal for traditional static cooking for one shelf only



### **Fan Assisted Cooking**

The heat in the oven is distributed homogeneously thanks to the fan.



### **Fan + Ring**

The heat is distributed homogeneously thanks to the fan and ring heater and more than one food can be cooked.



### **Pizza**

It is an ideal function for foods that you want to bake more crispy like pizza.



### **Grill**

Ideal for mixed grills.



### **Grill + Fan**

Homogeneous heat distribution occurs thanks to the fan.



### **Double Grill**

It provides cooking in a larger grill area.



### **Double Grill + Fan**

Homogeneous heat distribution occurs thanks to the fan.



### **TurnSpit**

Ideal for whole chickens and roasts. Combined with fan, grill and double grill alternatives



### **3D**

The optimal homogeneous heat distribution all over cooking trays. More fluffy pastries.



### **Bottom + Fan**

Ideal for completing the cooking process





Vestel offers a wide range of oven controllers basically categorized as mechanical and electronic.

## Oven Controllers

### Mechanical Control


Without Timer  
 Mechanical Minute Minder [MMM]  
 Mechanical Timer [MT]  
 Analog Timer (Programmable) [AT]  
 Digital Minute Minder [DMM]  
 Digital Timer [DT]  
 Digital Touch Minute Minder [DTMM]  
 Digital Touch Timer [DTT]  
 Family Design Digital Touch Timer [FDDTT]

### Electronic Control

Visio Touch [VT]  
 Full Touch [FT]  
 Slim LED Touch [SLEDT]  
 Monochrome [MC]  
 Ready Cook [RC]  
 Family Design Visio Touch [FDVT]  
 Family Design Full Touch [FDFT]

## Oven Controllers Mechanical Control

### Mechanical Minute Minder



#### Features

- » Knob Control Unit with Mechanical Minute Minder
- » Timer with audible alarm

#### Compatible Oven Features

- » 3D Cooking
- » VapClean
- » HotAir Shield
- » A+ Energy Efficiency

#### Mechanical Minute Minder

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +


50L	65L	75L	Double Oven
Available	Available	Available	Available
-	-	-	-
-	-	-	-
-	Available	Available	-
-	-	-	-

Available also for 65L and 75L Polyvalent Ovens.

## Oven Controllers

### Mechanical Control

#### Mechanical Timer



##### Features

- » Knob Control Unit with Mechanical Timer
- » Timer with audible alarm

##### Compatible Oven Features

- » 3D Cooking
- » VapClean
- » HotAir Shield
- » A+ Energy Efficiency

##### Mechanical Timer

###### Standard

**50L**

**65L**

**75L**

**Double Oven**

Available

Available

Available

Available

###### Pyrolytic

-

-

-

-

###### Steam Assisted

-

-

-

-

###### Steam Base

-

Available

Available

-

###### Steam Base +

-


-

-

-

Available also for 65L and 75L Polyvalent Ovens.

#### Analog Timer (Programmable)



##### Features

- » Knob Control Unit with Analog Timer
- » LED indicators
- » Displays the day's time
- » Timer with audible alarm

##### Compatible Oven Features

- » 3D Cooking
- » VapClean
- » HotAir Shield
- » A+ Energy Efficiency

##### Analog Timer

**50L**

**65L**

**75L**

**Double Oven**

###### Standard

-

Available

-

-

###### Pyrolytic

-

-

-

-

###### Steam Assisted

-

-

-

-

###### Steam Base

-

Available

-

-

###### Steam Base +

-

-

-

-

Not available for Polyvalent Ovens.



## Oven Controllers

### Mechanical Control

#### Digital Minute Minder



##### Features

- » Knob Control Unit with LED Minute Minder
- » Red LED Display
- » Displays the day's time
- » Timer with audible alarm
- » White LED Display (Optional)

##### Compatible Oven Features

- » 3D Cooking
- » VapClean
- » HotAir Shield
- » A+ Energy Efficiency

##### Digital Minute Minder

###### Standard

###### Pyrolytic

###### Steam Assisted

###### Steam Base

###### Steam Base +

##### 50L

Available

-

-

-

-

##### 65L

Available

-

-

Available

-

##### 75L

Available

-

-

Available

-

##### Double Oven

Available

-

-

-

-

Available also for 65L and 75L Polyvalent Ovens.

#### Digital Touch Timer



Standard and  
Steam Base Oven



Pyrolytic Oven

##### Features

- » Knob Control Unit with LED Touch Digital Timer
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Cooking duration time and end time

##### Compatible Oven Features

- » 3D Cooking (for Standard / Steam Base)
- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)

##### Digital Touch Timer

###### Standard

###### Pyrolytic

###### Steam Assisted

###### Steam Base

###### Steam Base +

##### 50L

Available

Available

-

-

-

##### 65L

Available

Available

-

Available

-

##### 75L

Available

Available

-

Available

-

##### Double Oven

Available

-

-

-

-

Available also for 65L and 75L Polyvalent Ovens..

## Digital Touch Minute Minder



### Features

- » Knob Control Unit with LED Touch Minute Minder
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm

### Compatible Oven Features

- » 3D Cooking
- » VapClean
- » HotAir Shield
- » A+ Energy Efficiency

### Digital Touch Minute Minder

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

#### 50L

Available

-

-

-

-

#### 65L

Available

-

-

Available

-

#### 75L

Available

-

-

Available

-

#### Double Oven

Available

-

-

-

-

Available also for 65L and 75L Polyvalent Ovens.

## Digital Timer



Standard and  
Steam Base Oven



Pyrolytic Oven

### Features

- » Knob Control Unit with LED Digital Timer
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Cooking duration time and end time

### Compatible Oven Features

- » 3D Cooking (for Standard / Steam Base)
- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)
- » A+ Energy Efficiency (for Standard)
- » Meat Probe (for Standard)

### Digital Timer

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

#### 50L

Available

Available

-

-

-

#### 65L

Available

Available

-

Available

-

#### 75L

Available

Available

-

Available

-

#### Double Oven

Available

-

-

-

-

Available also for 65L and 75L Polyvalent Ovens.



## Oven Controllers

### Mechanical Control

#### Extended Digital Touch Timer



##### Features

- » Knob Control Unit with LED Touch Digital Timer
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Cooking duration time and end time

##### Compatible Oven Features

- » 3D Cooking (for Standard / Steam Base)
- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)

##### Extended Digital Touch Timer

###### Standard

###### Pyrolytic

###### Steam Assisted

###### Steam Base

###### Steam Base +

##### 50L

Available

-

-

-

-

##### 65L

Available

-

-

Available

-

##### 75L

Available

-

-

Available

-

##### Double Oven

-

-

-

-

-

Not Available for Polyvalent Ovens

#### Family Design Digital Touch Timer



##### Features

- » Knob Control Unit with Touch LED Display of new Family Design
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Cooking duration time and end time

##### Compatible Oven Features

- » 3D Cooking (for Standard / Steam Base)
- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)
- » A+ Energy Efficiency (for Standard)

##### Family Design Digital Touch Timer

###### Standard

###### Pyrolytic

###### Steam Assisted

###### Steam Base

###### Steam Base +

##### 50L

Available

Available

-

-

-

##### 65L

Available

Available

-

Available

Available

##### 75L

Available

Available

-

Available

Available

##### Double Oven

Available

-

-

-


-

Available also for 65L and 75L Polyvalent Ovens.

## Oven Controllers

### Electronic Control

#### Visio Touch Controller



##### Features

- » Knob Control Unit with Touch Display LED illuminated function and temperature
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Cooking duration time and end time

##### Compatible Oven Features

- » 3D Cooking (for Standard / Steam Base)
- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)
- » A+ Energy Efficiency (for Standard)
- » Meat Probe (for Standard and Pyro)

##### Visio Touch

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +

##### 50L

##### 65L

##### 75L

##### Double Oven

Available

Available

Available

-

Available

Available

Available

-

-

-

-

-

-

-

-

-

-


-

-

-

Available also for 75L Polyvalent Ovens.

#### Family Design Visio Touch Controller



Family Design Visio Touch Controller for Built-in Single Oven



Family Design Visio Touch Controller for Double Oven

##### Features

- » Knob Control Unit with Touch Display LED illuminated function and temperature
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Cooking duration time and end time

##### Compatible Oven Features

- » 3D Cooking (default for all product types)
- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)
- » A+ Energy Efficiency (for Standard)
- » Meat Probe (for Standard and Pyro)

##### Family Design Visio Touch Controller

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +

##### 50L

##### 65L

##### 75L

##### Double Oven

Available

Available

Available

Available

Available

Available

Available

-

-

-

-

-

-

-

-

-

-

Available

Available

-

Available for Polyvalent Ovens.



## Oven Controllers

### Electronic Control

#### Full Touch Controller



##### Features

- » Full touch control unit with LED illuminated function and temperature
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Soft Oven Lighting

##### Compatible Oven Features

- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)
- » HeatWrap (for Standard)
- » A+ Energy Efficiency (for Standard)
- » LED Oven Lamp (for Standard)
- » Meat Probe (for Standard and Pyro)

##### Full Touch Controller

###### Standard

###### Pyrolytic

###### Steam Assisted

###### Steam Base

###### Steam Base +

##### 50L

##### 65L

##### 75L

##### Double Oven

Available

Available

Available

-

Available

Available

Available

-

-

-

-

-

-

-

-

-

-


-

-

-

Not available for Polyvalent Ovens

#### Family Design Full Touch Controller



##### Features

- » Full touch control unit with LED illuminated function and temperature
- » Red LED Display
- » White LED Display (Optional)
- » Displays the day's time
- » Timer with audible alarm
- » Soft Oven Lighting

##### Compatible Oven Features

- » 3D Cooking (default for Standard / Steam)
- » VapClean (for Standard / Steam)
- » HotAir Shield (for Standard / Steam)
- » HeatWrap (for Standard)
- » A+ Energy Efficiency (for Standard)
- » LED Oven Lamp (for Standard)
- » Meat Probe (for Standard and Pyro)
- » Wi-Fi (for standard)
- » Compatible with Veezy App

##### FamilyDesign Full Touch

###### Standard

###### Pyrolytic

###### Steam Assisted

###### Steam Base

###### Steam Base +

##### 50L

##### 65L

##### 75L

##### Double Oven

Available

Available

Available

-

Available

Available

Available

-

Available

Available

Available

-

-

-

-

-

-


-

-

-

Not available for Polyvalent Ovens

## Slim LED Touch



### Features

- » Slim LED illuminated full touch control unit with direct function selection feature.
- » White LED Display
- » Special recipe slots on display
- » Displays the day's time
- » Timer with audible alarm
- » Semi-automatic time adjustment (cooking period)
- » Automatic time adjustment (end of cooking time)
- » Soft Oven Lighting

### Compatible Oven Features

- » VapClean (for Standard / Steam Base)
- » HotAir Shield (for Standard / Steam Base)
- » HeatWrap (for Standard)
- » A+ Energy Efficiency (for Standard)

### Slim LED Touch Controller

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

#### 50L

Available

Available

-

-

-

#### 65L

-

-

-

-

-

#### 75L

Available

Available

-

-

-

#### Double Oven

-

-

-


-

-

Not available for Polyvalent Ovens

- » Wi-Fi (for standard)
- » LED Oven Lamp (for Standard)
- » Meat Probe (for Standard and Pyro)
- » Compatible with Veezy App

## Monochrome



### Features

- » 4.3" monochrome LCD display with touch button control Red LED Display
- » Manual Cooking Mode
- » Auto Cooking Mode
- » Multi Language Support
- » Soft Oven Lighting

### Compatible Oven Features

- » 3D Cooking (for Standard / Steam)
- » VapClean (for Standard / Steam)
- » HotAir Shield (for Standard / Steam)
- » HeatWrap (for Standard)
- » A+ Energy Efficiency (for Standard)

### Monochrome

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

#### 50L

Available

Available

-

-

-

#### 65L

Available

Available

-

-

-

#### 75L

Available

Available

-

-

-

#### Double Oven

-

-

-

-

-

Not available for Polyvalent Ovens

- » Wi-Fi (for standard)
- » LED Oven Lamp (for Standard)
- » Meat Probe (for Standard and Pyro)
- » Compatible with Veezy App



## Ready Cook



We're pleased to bring the color and clarity of TFT displays to a broader range of major home appliances with Vestel's Ready Cook, along with other advanced features previously available only in more high-end oven models.

Ready Cook is designed to help users cook professional recipes easily with auto cooking functions, also allowing the users to implement their own recipes with manual cooking functions. Using a user friendly interface with colored TFT display creates the charm of Ready Cook compared to the existing models in high-end segment.

### Features

- » 4.3" TFT LCD Display with click type knob controls.
- » White LED Display
- » Auto Cooking Mode with 151 Recipes
- » Displays the day's time
- » Manual Cooking Mode
- » Favorites with recipe slots which can be set by end user
- » Multi Language support
- » Real time clock and date adjustment
- » Soft Oven Lighting

### Ready Cook Smart LCD

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

#### 50L

Available

Available

Available

-

-

#### 65L

Available

Available

Available

-

-

#### 75L

Available

Available

Available

-

-

#### Double Oven

-

-

-

-

-

Not available for Polyvalent Ovens.

### Compatible Oven Features

- » VapClean (for Standard)
- » HotAir Shield (for Standard)
- » HeatWrap (for Standard)
- » Meat Probe (for Standard and Pyro)
- » A+ Energy Efficiency (for Standard)
- » A++ Energy Efficiency (65L Standard)
- » Wi-Fi
- » LED Oven Lamp (for Standard)
- » Compatible with Veezy App


Menu



Manual cooking




Function selection



Cooking summary



Auto cooking











Cooking summary



Cooking animation

Recipes



Menu and recipe images may vary depending on the product type.





*Vestel Offers four basic product design families with a wide range of design options of pre-defined design models.*

Check design models for each product design below;

### **Standard (Without AddOn)**

Single Color Designs

Available both for metal and glass control panels.

**No Design Model is available.**

### **Metal AddOn**

Metal AddOn applications

**I Type**

**U Type**

**U Slim Type**

**N Type**

**O Type**

**Mono Stripe Mono**

**Slim Stripe**

**Duo Stripe**

**Duo Slim Stripe**

**Trio Stripe**

### **Printed Design On Glass**

Various design print options on glass.

**Matte Black - Design 1**

**Matte Black - Design 2**

**Matte Black - Design 3**

**Metal Print - Touch**

**Metal Print - Model 1**

**Metal Print - Model 1\_CP**

**Metal Print - Model 8**

### **Rustic**

Available both for metal and glass control panels.

**Glass Design A**

**Glass Design B**

**Glass Design C**

**Glass Design D**

**Customer Specific**

**Metal Art**

## Product Design Design Models

### Metal Add-on / I TYPE

#### SINGLE/POLYVALENTE BUILT IN OVENS

50L - 40 mm cladding add on

65L - 50 mm cladding add on

75L - 40 mm cladding add on



Control Panel: Glass



Control Panel: Metal

#### BUILT IN DOUBLE OVENS

40 mm cladding add on



Control Panel: Glass



Control Panel: Metal

#### Metal Add-on I TYPE

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +

#### Single Oven

	50L	65L	75L
Standard	Available	Available	Available
Pyrolytic	Available	Available	Available
Steam Assisted	Available	-	Available
Steam Base	Available	Available	Available
Steam Base +	Available	-	Available

#### Polyvalent Oven

	65L	75L
Standard	Available	Available*
Pyrolytic	-	-
Steam Assisted	-	-
Steam Base	Available	-
Steam Base +	-	-

#### Double Oven

	Available*
Standard	Available*
Pyrolytic	-
Steam Assisted	-
Steam Base	-
Steam Base +	-

#### \*Exceptions;

For glass control panel with knob control, only PIPO knobs with serigraphy is applicable.

**Available Colors: Inox, Inox(AFG)**

**Not Available for 75L Single Ovens with oven door Type-6**

### Metal Add-on / N TYPE

#### SINGLE/POLYVALENTE BUILT IN OVENS

65L - 50 mm cladding add on

75L - 40 mm cladding add on

**Available only with glass control panel**



Control Panel: Glass

#### Metal Add-on N TYPE

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +

#### Single Oven

	50L	65L	75L
Standard	-	Available	Available
Pyrolytic	-	Available	Available
Steam Assisted	-	-	Available
Steam Base	-	Available	Available
Steam Base +	-	-	Available

#### Polyvalent Oven

	65L	75L
Standard	Available	Available*
Pyrolytic	-	-
Steam Assisted	-	-
Steam Base	Available	Available*
Steam Base +	-	-

#### Double Oven

	-
Standard	-
Pyrolytic	-
Steam Assisted	-
Steam Base	-
Steam Base +	-

#### \*Exceptions;

For glass control panel with knob control, only PIPO knobs with serigraphy is applicable.

**Available Colors: Inox, Inox(AFG)**

**Not Available for 75L Single Ovens with oven door Type-6**



## Metal Add-on / U TYPE

### SINGLE/POLYVALENTE BUILT IN OVENS

50L - 40 mm cladding add on

65L - 50 mm cladding add on

75L - 40 mm cladding add on



Control Panel: Glass



Control Panel: Metal

### BUILT IN DOUBLE OVENS

40 mm cladding add on



Control Panel: Glass



Control Panel: Metal

#### Metal Add-on U TYPE

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +

#### Single Oven

50L

65L

75L

Available

Available

Available

Available

Available

Available

Available

-

Available

Available

Available

Available

Available

-

Available

#### Polyvalent Oven

65L

75L

Available

Available\*

-

-

-

-

Available

-

-

-

#### Double Oven

Available\*

-

-

-

-

#### \*Exceptions;

For glass control panel with knob control, only PIPO knobs with serigraphy is applicable.

**Available Colors: Inox, Inox(AFG), Dark Inox**

**Not Available for 75L Single Ovens with oven door Type-6**

## Metal Add-on / U Slim TYPE

### SINGLE/POLYVALENTE BUILT IN OVENS

65L - 17 mm cladding add on

75L - 17 mm cladding add on

**Available only with glass control panel**



Control Panel: Glass

#### Metal Add-on U SLIM TYPE

##### Standard

##### Pyrolytic

##### Steam Assisted

##### Steam Base

##### Steam Base +

#### Single Oven

50L

65L

75L

-

Available

Available

-

Available

Available

-

Available

Available

-

Available

Available

-

Available

Available

#### Polyvalent Oven

65L

75L

Available

Available

-

-

-

-

Available

Available

-

-

#### Double Oven

-

-

-

-

-

**Available Colors: Inox, Inox(AFG), Dark Inox**

**Not Available for 75L Single Ovens with oven door Type-6**

## Metal Add-on / O TYPE

### SINGLE/POLYVALENTE BUILT IN OVENS

50L - 40 mm cladding add on

65L - 50 mm cladding add on

75L - 40 mm cladding add on



Control Panel: Metal

#### Metal Add-on O TYPE

	Single Oven			Polyvalent Oven		Double Oven
	50L	65L	75L	65L	75L	
<b>Standard</b>	-	-	Available*	-	Available*	-
<b>Pyrolytic</b>	-	-	-	-	-	-
<b>Steam Assisted</b>	-	-	Available*	-	-	-
<b>Steam Base</b>	-	-	Available*	-	Available*	-
<b>Steam Base +</b>	-	-	Available*	-	-	-

Not Applicable for Full Touch Control

**Available Colors: Inox, Inox(AFG), Dark Inox**

**Not Available for 75L Single Ovens with oven door Type-6**

## Metal Add-on / Mono Stripe

### SINGLE/POLYVALENTE BUILT IN OVENS

50 mm cladding add on

**Available Colors: Inox, Inox(AFG), Dark Inox**



Control Panel: Glass



Control Panel: Metal

#### Metal Add-on Mono Stripe

	Single Oven			Polyvalent Oven		Double Oven
	50L	65L	75L	65L	75L	
<b>Standard</b>	Available	Available	Available	Available	Available	-
<b>Pyrolytic</b>	Available	Available	Available	-	-	-
<b>Steam Assisted</b>	Available	Available	Available	-	-	-
<b>Steam Base</b>	Available	Available	Available	Available	Available	-
<b>Steam Base +</b>	Available	Available	Available	-	-	-



## Metal Add-on / Mono Slim Stripe

SINGLE/POLYVALENTE BUILT IN OVENS  
15 mm cladding add on



Control Panel: Glass



Control Panel: Metal

### Metal Addon

Mono Slim  
Stripe

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

### Single Oven

50L

65L

75L

Available

Available

Available

Available

Available

Available

Available

Available

Available

Available

Available

Available

Available

Available

Available

### Polyvalent Oven

65L

75L

Available

Available

-

-

-

-

Available

Available

-

-

### Double Oven

-

-

-

-

-

**Available Colors: Inox,  
Inox(AFG), Dark Inox**

## Metal Add-on / Duo Slim Stripe

SINGLE/POLYVALENTE BUILT IN OVENS  
15-15 mm cladding add on  
**Available only with glass control panel.**

BUILT IN DOUBLE OVENS  
15-15 mm cladding add on  
**Available only with metal control panel.**



Control Panel: Glass



Control Panel: Metal

### Metal Add-on Duo Slim Stripe

#### Standard

#### Pyrolytic

#### Steam Assisted

#### Steam Base

#### Steam Base +

### Single Oven

50L

65L

75L

Available

Available

Available\*

Available

Available

Available\*

Available

Available

Available\*

Available

Available

Available\*

Available

Available

Available\*

### Polyvalent Oven

65L

75L

Available

Available

-

-

-

-

Available

Available

-

-

### Double Oven

Available

-

-

-

-

### \*Exceptions;

Not Applicable for 75L Full  
Touch Control

Not Applicable for 75L  
Ready Cook

**Available Colors: Inox,  
Inox(AFG), Dark Inox**

## Metal Add-on / Duo Stripe

SINGLE/POLYVALENTE BUILT IN OVENS

15-50 mm cladding add on.

**Available only with glass control panel**



Control Panel: Glass

### Metal Add-on Duo Stripe

	Single Oven			Polyvalent Oven		Double Oven
	50L	65L	75L	65L	75L	
<b>Standard</b>	Available	Available	Available*	Available	Available	-
<b>Pyrolytic</b>	Available	Available	Available*	-	-	-
<b>Steam Assisted</b>	Available	Available	Available*	-	-	-
<b>Steam Base</b>	Available	Available	Available*	Available	Available	-
<b>Steam Base +</b>	Available	Available	Available*	-	-	-

### \*Exceptions;

Not Applicable for 75L Full Touch Control  
Not Applicable for 75L Ready Cook

**Available Colors: Inox, Inox(AFG), Dark Inox**

## Metal Add-on / Trio Stripe

SINGLE/POLYVALENTE BUILT IN OVENS

15-15-50 mm cladding add on


**Available only with glass control panel.**



Control Panel: Glass

BUILT IN DOUBLE OVENS

15-15-50 mm cladding add on



Control Panel: Glass

Control Panel: Metal

### Metal Add-on Trio Stripe

	Single Oven			Polyvalent Oven		Double Oven
	50L	65L	75L	65L	75L	
<b>Standard</b>	Available	Available	Available*	Available	Available	Available
<b>Pyrolytic</b>	-	-	-	-	-	-
<b>Steam Assisted</b>	Available	Available	Available*	-	-	-
<b>Steam Base</b>	Available	Available	Available*	Available	Available	-
<b>Steam Base +</b>	Available	Available	Available*	-	-	-

### \*Exceptions;

Not Applicable for 75L Full Touch Control  
Not Applicable for 75L Ready Cook

**Available Colors: Inox, Inox(AFG), Dark Inox**

## Product Design Design Models

### Rustic | Glass Design

Vestel offers 4 glass design models


**Available for 65L Standard Built-in Ovens with glass control panel**

**Available color options;**


White – Gold Serigraphy  
White – Silver Serigraphy  
Cream – Copper Serigraphy  
Black – Gold Serigraphy  
Beige – Mink Serigraphy

**Available Oven Controllers;**


Without Timer  
Analog Timer (Programmable)  
Mechanical Timer / Minute Minder



Rustic Glass Design - A



Rustic Glass Design - B



Rustic Glass Design - C



Rustic Glass Design - D



## Rustic | Customer Specific



Offers combination of different printing colors and serigraphy colors.

**Available for 65L Standard Built-in Ovens with glass control panel**

### Printing Color Options

Black  
White  
Retro Cream  
Beige

### Serigraphy Color Options

Black  
Gold  
Silver  
Copper

### Available Oven Controllers

Without Timer  
Analog Timer  
Mechanical Timer / Minute Minder

## Rustic | Metal Art



Metal front surface design with the compination of different powder paint colors and serigraphy colors.

**Available for 65L Standard Built-in Ovens**

### Printing Color Options

Black  
White  
Retro Cream  
Claret Red

### Serigraphy Color Options

Black  
Gold  
Silver  
Copper

### Available Oven Controllers

Without Timer  
Analog Timer  
Mechanical Timer / Minute Minder





## Product Design

### Color Options

#### Metal Surfaces




##### Powder Paint

Applicable only for control panel

-  Black
-  White
-  Silver
-  Retro Cream

##### Stainless Steel

Applicable for control panel and add on

-  Inox
-  Inox (Antifinger Print)
-  Dark Inox

#### Glass Surfaces

##### Flatt glass printing colors;

-  Black
-  White
-  Silver
-  Mink
-  Beige
-  Retro Cream
-  Steel Blue
-  Mirror
-  Victoria Gray
-  Zara Gray
-  Pure Black

**Pure Black** Pure Black is a special black printed fumed glass.  
Applicable only on oven door with TFT color displays (Monochrome, Ready Cook)  
Applicable on both control panel and oven door with LED displays

When the oven is switched off the whole surface looks completely black.

When the oven lamp is on, inside of the oven is visible, thus you are able to see the food cooking inside.



## Packaging Types



### Shrink (Default)

Default packaging for all built-in oven platforms. - Customized by packaging label

### Flexo Carton Box (Optional)

- Colourful printing is available up to 4 colours.
- Caps on Upper side (Optional)
- Holders (Optional)



### Offset Carton Box (Optional)

- Multiple color high definition printing.
- Background for the surface printing is of white paper.
- Caps on Upper side (Standard)
- Holders (Optional)



## Product Design

### Knobs



Antero



Alfa



Nord



Eclipse



Trio




Gama



Macro



Primus



Linea Inox



Jannu



Feros




Flat





Egon



Linea Art



Flat Pipo



Rotunda




Bonum



Rustic



Haruna



Muria



Nevis




Sierra




Iraya


**Product Design**  
Handles




Arc Tube




Bow




Curved Quadrangle




Cylinder




D Profile Arc




Ellipse Arc




V-Line



Verge




Flat Quadrangle



Flat Slice







Trio




Rustik




Vero




Troy



Slim Bar



Square Bar



Trim

## Accessories



Shallow Tray



Deep Tray



Chromed Wire Grid



Chromed Wire Grid For Deep Tray




Grill Pan Handle Set



80mm Deep Tray



Grill Pan Handle



Heavy Duty Grill Pan Handle



Pizza Set



VestFRY




Oil Filter



Meat Probe



Turnspit Set With Metal Bracket



Turnspit Set With Grid



## Line-up Ovens

### BO.112



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Without AddOn
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Ready Cook
Control Panel	Glass
Glass Color	Pure Black
Knob Type	Ferous - Black
Handle Type	Troy - Inox
Oven Door	Type 6

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	
3D Cooking	(o)
Heat Wrap	(o)
Hot Air Shield	(o)
Silent Operation	(o)
LED Oven Light	(o)
Meat Probe	(o)
A+ Energy Class	(o)
Wifi	(o)

### BO.105



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Without AddOn
Design Model	-
Control Type	Touch Control
Oven Controller	Monochrome
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Troy - Black Painted
Oven Door	Type 6

<b>Technologies</b>	
Soft Oven Lighting	
Vap Clean	(o)
3D Cooking	(o)
Heat Wrap	(o)
Hot Air Shield	(o)
Silent Operation	(o)
LED Oven Lamp	(o)
Meat Probe	(o)
A+ Energy Class	(o)
Wifi	(o)

### BO.113



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Slim Type-Inox
Control Type	Touch Control
Oven Controller	Slim LED Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Bow - Inox
Oven Door	Type 4

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	
Heat Wrap	(o)
Hot Air Shield	(o)
Silent Operation	(o)
LED Oven Lamp	(o)
Meat Probe	(o)
A+ Energy Class	(o)
Wifi	(o)

## BO.109



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	I Type-Inox
Control Type	Touch Control
Oven Controller	Full Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Flat Quadrangle - Inox/WH
Oven Door	Inox Type 4

<b>Technologies</b>	
Soft Oven Lighting	
Vap Clean	(o)
Heat Wrap	(o)
Hot Air Shield	(o)
LED Oven Lamp	(o)
Silent Operation	(o)
Meat Probe	(o)
A+ Energy Class	(o)

## BO.96



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Pop In Pop Out Knob Control
Oven Controller	Visio Touch
Control Panel	Glass
Glass Color	White
Knob Type	Flat Pipo - Wh Inox
Handle Type	Trio - Inox
Oven Door	Type 4

<b>Technologies</b>	
Vap Clean	(o)
Hot Air Shield	(o)
Silent Operation	(o)
Meat Probe	(o)
A+ Energy Class	(o)

## BO.106



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Mono Slim Stripe-Inox
Control Type	Pop In Pop Out Knob Control
Oven Controller	Visio Touch
Control Panel	Metal
Glass Color	Black
Knob Type	Flat Pipo - Black
Handle Type	Troy - Inox
Oven Door	Type 6

<b>Technologies</b>	
Vap Clean	(o)
Hot Air Shield	(o)
Silent Operation	(o)
Meat Probe	(o)
A+ Energy Class	(o)

## BO.173



NEW

Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	O Type-Inox
Control Type	Standard Knob Control
Oven Controller	Extended Touch Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Nevis - Black
Handle Type	V-Line - Inox/Black
Oven Door	Type - 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.174



NEW

Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Extended Touch Timer
Control Panel	Glass
Glass Color	White
Knob Type	Haruna - White
Handle Type	Verge - Inox
Oven Door	Type - 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.143R1



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	OEM Family Design Digital Touch Timer
Control Panel	Glass
Glass Color	White
Knob Type	Linea Inox - White
Handle Type	Troy - Inox
Oven Door	Type 4

<b>Technologies</b>	
Vap Clean	(o)
3D Cooking	(o)
Hot Air Shield	(o)
Steam Base	(o)
Steam Base +	(o)
Silent Operation	(o)
A+ Energy Class	(o)



## BO.97



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Digital Touch Timer
Control Panel	Glass
Glass Color	White
Knob Type	Eclipse - White
Handle Type	Ellipse Arc - White
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.120R1



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	O Type-Dark Inox
Control Type	Standard Knob Control
Oven Controller	Digital Touch Timer
Control Panel	Dark Inox
Glass Color	Black
Knob Type	Nord - Dark Inox
Handle Type	Slim Bar - Black Anodized
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
A+ Energy Class	(o)

## BO.99



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	O Type-Inox
Control Type	Pop In Pop Out Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Flat Pipo - Black
Handle Type	D Profile Arc - Inox
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.144



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Pop In Pop Out Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal- Dark Inox
Glass Color	Black
Knob Type	Flat Pipo - WH Inox
Handle Type	Troy - Inox
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.145R1



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Slim Type-Inox
Control Type	Standard Knob Control
Oven Controller	Ready Cook
Control Panel	Glass
Glass Color	Black
Knob Type	Ferous - Black
Handle Type	Trim - Inox/Black
Oven Door	Type 5

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	
Active Cool	
A+ Energy Class	(o)

## BO.146



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Type-Dark Inox
Control Type	Touch Control
Oven Controller	Monochrome
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Verge - Black Anodized
Oven Door	Type 5

<b>Technologies</b>	
Vap Clean	
Active Cool	
Soft Oven Lighting	
A+ Energy Class	(o)

## BO.147



Product Family

**75L Single Built-in Oven**

Product Type

Pyrolytic

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Touch Control

Oven Controller

Slim LED Touch

Control Panel

Glass

Glass Color

Silver

Knob Type

-

Handle Type

V-Line - Inox/Black

Oven Door

Type 5

### Technologies

Vap Clean

Active Cool

Soft Oven Lighting

A+ Energy Class (o)

## BO.150



Product Family

**75L Single Built-in Oven**

Product Type

Pyrolytic

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Touch Control

Oven Controller

Full Touch

Control Panel

Glass

Glass Color

Silver

Knob Type

-

Handle Type

Verge - Inox

Oven Door

Type 5

### Technologies

Active Cool

Soft Oven Lighting

A+ Energy Class (o)

## BO.151R1



Product Family

**75L Single Built-in Oven**

Product Type

Pyrolytic

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Standard Knob Control

Oven Controller

Family Design Visio Touch

Control Panel

Glass

Glass Color

Black

Knob Type

Linea Inox - Black

Handle Type

V Line - Inox/Black

Oven Door

Type 5

### Technologies

3D Cooking

Active Cool

Vap Clean (o)

Meat Probe (o)

A+ Energy Class (o)



## BO.152



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Mono Stripe-Dark Inox
Control Type	Pop in Pop out
Oven Controller	Visio Touch
Control Panel	Metal - Dark Inox
Glass Color	Black
Knob Type	Flat - Black
Handle Type	Trim - Inox/Black
Oven Door	Type 5

### Technologies

Active Cool	
Meat Probe	(o)
A+ Energy Class	(o)

## BO.115



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Type-Inox
Control Type	Standard Knob Control
Oven Controller	Digital Touch Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Eclipse - WH Inox
Handle Type	Vero- Inox
Oven Door	Type 5

### Technologies

Active Cool	
A+ Energy Class	(o)

## BO.148R1



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Touch Control
Oven Controller	Slim LED Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Verge-Black Anodized
Oven Door	Type 5

### Technologies

Vap Clean	
Active Cool	
Soft Oven Lighting	
A+ Energy Class	(o)

## BO.149



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Type-Dark Inox
Control Type	Touch Control
Oven Controller	Family Design Full Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Trim - Inox/Black
Oven Door	Type 5

<b>Technologies</b>	
Vap Clean	
Active Cool	
Soft Oven Lighting	
A+ Energy Class	(o)

## BO.110



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Steam Assisted
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Duo Stripe-Inox
Control Type	Standard Knob Control
Oven Controller	Ready Cook
Control Panel	Glass
Glass Color	Black
Knob Type	Pipo - Black
Handle Type	Trim - Inox/Black
Oven Door	Type 6

<b>Technologies</b>	
Vap Clean +	
Soft Oven Lighting	
Hot Air Shield	(o)
LED Oven Light	(o)
A+ Energy Class	(o)

## BO.175



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Family Design Full Touch Timer
Control Panel	Glass
Glass Color	Silver
Knob Type	-
Handle Type	Slim Bar - Inox
Oven Door	Type - 4

<b>Technologies</b>	
Steam Base +	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
A+ Energy Class	(o)

## BO.176



Product Family	<b>75L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Pop In Pop Out Knob Control
Oven Controller	Family Design Visio Touch
Control Panel	Glass
Glass Color	Silver
Knob Type	Flat Pipo - Black
Handle Type	Slim Bar - Black Anodized
Oven Door	Type - 6

<b>Technologies</b>	
Steam Base +	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
A+ Energy Class	(o)

## BO.86



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Type-Inox
Control Type	Standard Knob Control
Oven Controller	Ready Cook
Control Panel	Glass
Glass Color	Black
Knob Type	Ferous - Black
Handle Type	D Profile Arc - Inox
Oven Door	Type 6

<b>Features</b>	
Vap Clean	
Soft Oven Lighting	
Hot Air Shield	(o)
Silent Operation	(o)
LED Oven Light	(o)
Meat Probe	(o)
WiFi	(o)
A++ Energy Class	(o)
A+ Energy Class	(o)

## BO.116



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Slim Type-Inox
Control Type	Touch Control
Oven Controller	Monochrome
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	D Profile Arc - Inox
Oven Door	Type 6

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	
3D Cooking	(o)
Hot Air Shield	(o)
Silent Operation	(o)
LED Oven Lamp	(o)
Meat Probe	(o)
WiFi	(o)
A+ Energy Class	(o)



## BO.124



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Trio Stripe-Inox
Control Type	Touch Control
Oven Controller	Family Design Full Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Slim Bar - Inox
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	
Soft Oven Lighting	
Vap Clean	(o)
Hot Air Shield	(o)
LED Oven Lamp	(o)
Meat Probe	(o)
A+ Energy Class	(o)
WiFi	(o)

## BO.70



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	I Type-Inox
Control Type	Touch Control
Oven Controller	Full Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Vero - Inox
Oven Door	Type 4

<b>Technologies</b>	
Soft Oven Lighting	
Vap Clean	(o)
Hot Air Shield	(o)
LED Oven Lamp	(o)
Silent Operation	(o)
Meat Probe	(o)
A+ Energy Class	(o)

## BO.125R1



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	I Type-Inox
Control Type	Pop In Pop Out Knob Control
Oven Controller	OEM Family Design Visio
Control Panel	Glass
Glass Color	White
Knob Type	Flat Pipo - White
Handle Type	Troy - Inox
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	
Vap Clean	(o)
Hot Air Shield	(o)
Silent Operation	(o)
Meat Probe	(o)
A+ Energy Class	(o)

## BO.126R1



Product Family	<b>65L Single Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	Vap Clean	(o)
<b>General Design</b>		Hot Air Shield	(o)
Product Design	Metal AddOn	Silent Operation	(o)
Design Model	I Type-Inox	Meat Probe	(o)
Control Type	Pop In Pop Out Knob Control	A+ Energy Class	(o)
Oven Controller	Visio Touch		
Control Panel	Glass		
Glass Color	Mirror Glass		
Knob Type	Flat Pipo - WH Inox		
Handle Type	Cylinder - Inox		
Oven Door	Type 4		

## BO.78



Product Family	<b>65L Single Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	Vap Clean	(o)
<b>General Design</b>		Hot Air Shield	(o)
Product Design	Metal AddOn	Silent Operation	(o)
Design Model	U Type-Inox	Meat Probe	(o)
Control Type	Pop In Pop Out Knob Control	A+ Energy Class	(o)
Oven Controller	Visio Touch		
Control Panel	Glass		
Glass Color	White		
Knob Type	Pipo - Wh Inox		
Handle Type	Vero - Inox		
Oven Door	Type 4		

## BO.127R1



Product Family	<b>65L Single Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	3D Cooking	(o)
<b>General Design</b>		Vap Clean	(o)
Product Design	Metal AddOn	Hot Air Shield	(o)
Design Model	U Slim Type-Inox	Steam Base	(o)
Control Type	Standard Knob Control	Steam Base +	(o)
Oven Controller	Family Design Digital Touch	Silent Operation	(o)
	Timer	A+ Energy Class	(o)
Control Panel	Glass		
Glass Color	Black		
Knob Type	Nevis - Black		
Handle Type	Square - Inox/Black		
Oven Door	Type 4		

## BO.177



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Extended Touch Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Sierra - Black
Handle Type	V-Line - Inox/Black
Oven Door	Type - 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.178



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Extended Touch Timer
Control Panel	Glass
Glass Color	White
Knob Type	Egon - WH Inox
Handle Type	Flat Quadrangle - Inox
Oven Door	Type - 4

<b>Technologies</b>	
Vap Clean	(o)
3D Cooking	(o)
Hot Air Shield	(o)
Steam Base	(o)
Silent Operation	(o)
A+ Energy Class	(o)

## BO.117



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Type-Inox
Control Type	Standard Knob Control
Oven Controller	Digital Touch Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Big Macro - WH Inox
Handle Type	Troy - Inox
Oven Door	Type 4

<b>Technologies</b>	
Vap Clean	(o)
3D Cooking	(o)
Hot Air Shield	(o)
Steam Base	(o)
Silent Operation	(o)
A+ Energy Class	(o)



## BO.42



Product Family	<b>65L Single Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	Vap Clean	(o)
<b>General Design</b>		3D Cooking	(o)
Product Design	Standard (Without AddOn)	Steam Base	(o)
Design Model	-	Hot Air Shield	(o)
Control Type	Pop In Pop Out Knob Control	Meat Probe	(o)
Oven Controller	Digital Timer with Black Button	A+ Energy Class	(o)
Control Panel	Glass		
Glass Color	Mink		
Knob Type	Flat Pipo - Wh Inox		
Handle Type	Vero - Inox		
Oven Door	Type 2		

## BO.37



Product Family	<b>65L Single Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	Vap Clean	(o)
<b>General Design</b>		3D Cooking	(o)
Product Design	Standard (Without AddOn)	Steam Base	(o)
Design Model	-	Hot Air Shield	(o)
Control Type	Standard Knob Control	A+ Energy Class	(o)
Oven Controller	Digital Minute Minder with Black Button		
Control Panel	Metal-Black		
Glass Color	Black		
Knob Type	Alfa - Black		
Handle Type	Ellipse Arc - Black		
Oven Door	Type 4		

## BO.26



Product Family	<b>65L Single Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	3D Cooking	(o)
<b>General Design</b>		Vap Clean	(o)
Product Design	Standard (Without AddOn)	Steam Base	(o)
Design Model	-	Hot Air Shield	(o)
Control Type	Standard Knob Control	A+ Energy Class	(o)
Oven Controller	Digital Minute Minder with White Button		
Control Panel	Metal-White		
Glass Color	White-Front Side Printed		
Knob Type	Gama - White		
Handle Type	Bow - White		
Oven Door	Type 2		

## BO.167



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-White
Glass Color	White-Front Side Printed
Knob Type	Rimo - White
Handle Type	Bow - White
Oven Door	Type - 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.168



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-Black
Glass Color	Black-Back Side Printed
Knob Type	Rimo - Black
Handle Type	Bow - Black
Oven Door	Type - 2

<b>Technologies</b>	
Vap Clean	(o)
3D Cooking	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.170



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Digital Minute Minder with WH Inox Button
Control Panel	Glass -Black
Glass Color	Black-Back Side Printed
Knob Type	Rimo - WH Inox
Handle Type	Troy - Inox
Oven Door	Type - 2

<b>Technologies</b>	
Vap Clean	(o)
3D Cooking	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.171



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	U Type -Inox
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-Inox
Glass Color	Black-Back Side Printed
Knob Type	Rimo - WH Inox
Handle Type	Bow - Inox
Oven Door	Type - 2

<b>Technologies</b>	
Vap Clean	(o)
3D Cooking	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.17R1



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Mono Stripe-Inox
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Gama - WH Inox
Handle Type	Bow - Inox
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.118R1



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Without Timer
Control Panel	Glass
Glass Color	Black
Knob Type	Big Macro - Black
Handle Type	Flat Slice - Inox/Black
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)



## BO.18R1



Product Family

**65L Single Built-in Oven**

Product Type

Standard

**General Design**

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Standard Knob Control

Oven Controller

Without Timer

Control Panel

Metal-Inox

Glass Color

Black

Knob Type

Nord - WH Inox

Handle Type

Troy - Inox

Oven Door

Type 2

**Technologies**

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

A+ Energy Class (o)

## BO.30R1



Product Family

**65L Single Built-in Oven**

Product Type

Standard

**General Design**

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Standard Knob Control

Oven Controller

Without Timer

Control Panel

Metal-White

Glass Color

White - Front Side Printed

Knob Type

Gama - White

Handle Type

Bow - White

Oven Door

Type 2

**Technologies**

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

A+ Energy Class (o)

## BO.160



Product Family

**65L Single Built-in Oven**

Product Type

Standard

**General Design**

Product Design

Metal AddOn

Design Model

Mono Stripe-Inox

Control Type

Standard Knob Control

Oven Controller

-

Control Panel

Metal-Inox

Glass Color

Black-Back Side Printed

Knob Type

Rimo - WH Inox

Handle Type

Bow - Inox

Oven Door

Type - 2

**Technologies**

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

A+ Energy Class (o)

## BO.161



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	-
Control Panel	Metal-Black
Glass Color	Black-Back Side Printed
Knob Type	Rimo - Black
Handle Type	Bow - Black
Oven Door	Type - 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.162



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	-
Control Panel	Metal-White
Glass Color	White-Front Side Printed
Knob Type	Rimo - White
Handle Type	Bow - White
Oven Door	Type - 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.163



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	I Type -Inox
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-Inox
Glass Color	Black-Back Side Printed
Knob Type	Rimo - WH Inox
Handle Type	Bow - Inox
Oven Door	Type - 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.119



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Metal Art
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal
Glass Color	White-Silver Serigraphy
Knob Type	Risus - Chrome/Black
Handle Type	Risus - Chrome/Black
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.108



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Metal Art
Control Type	Standard Knob Control
Oven Controller	Analog Timer (Programmable)
Control Panel	Metal
Glass Color	Retro Cream-Copper Serigraphy
Knob Type	Risus - Antique Gold/Black
Handle Type	Risus - Antique Gold
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.121



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Metal Art
Control Type	Standard Knob Control
Oven Controller	Without Timer
Control Panel	Metal
Glass Color	Black-Gold Serigraphy
Knob Type	Risus - Antique Gold/Black
Handle Type	Risus - Antique Gold
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)




## BO.129



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard
Design Model	Rustic
Control Type	Glass Design B
Oven Controller	Standard Knob Control
Control Panel	Mechanical Timer
Glass Color	Beige-Mink Serigraphy
Knob Type	Risus - Antique Gold/Black
Handle Type	Risus - Antique Gold/Black
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.50



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Glass Design C
Control Type	Standard Knob Control
Oven Controller	Mechanical Timer
Control Panel	Glass
Glass Color	Cream-Copper Serigraphy
Knob Type	Risus - Copper/Black
Handle Type	Risus - Copper
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.48



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Glass Design A
Control Type	Standard Knob Control
Oven Controller	Analog Timer (Programmable)
Control Panel	Glass
Glass Color	Black-Gold Serigraphy
Knob Type	Risus - Gold/Black
Handle Type	Risus - Gold/Black
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.128



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Glass Design D
Control Type	Standard Knob Control
Oven Controller	Analog Timer (Programmable)
Control Panel	Glass
Glass Color	White-Gold Serigraphy
Knob Type	Risus - Gold/White
Handle Type	Risus - Gold / White
Oven Door	Type 4

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.46



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Rustic
Design Model	Glass Design B
Control Type	Standard Knob Control
Oven Controller	Without Timer
Control Panel	Glass
Glass Color	White-Silver Serigraphy
Knob Type	Risus - Chrome/White
Handle Type	Risus - Chrome
Oven Door	Type 2

<b>Technologies</b>	
3D Cooking	(o)
Vap Clean	(o)
Hot Air Shield	(o)
Steam Base	(o)
A+ Energy Class	(o)

## BO.130R1



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Duo Stripe-Inox
Control Type	Standard Knob Control
Oven Controller	Ready Cook
Control Panel	Glass
Glass Color	Black
Knob Type	Linea Inox - Black
Handle Type	V-Line - Inox/Black
Oven Door	Type 5

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	
Active Cool	
A+ Energy Class	(o)

## BO.132



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal Addon
Design Model	Duo Stripe -Mat Inox
Control Type	Touch Control
Oven Controller	Monochrome
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Slim Bar - Black Anodized
Oven Door	Type 5

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	(o)
Active Cool	(o)
Steam Base	(o)

## BO.67



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Duo Stripe-Inox
Control Type	Touch Control
Oven Controller	Full Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Trio - Inox/WH Inox
Oven Door	Type 5

<b>Technologies</b>	
Soft Lighting	
Active Cool	

## BO.135R1



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Visio Touch - White
Control Panel	Glass
Glass Color	Victoria Gray
Knob Type	Flat Pipo - WH Inox
Handle Type	Square - Inox/Black
Oven Door	Type 3

<b>Technologies</b>	
Meat Probe	(o)
Active Cool	(o)



## BO.136



Product Family

**65L Single Built-in Oven**

Product Type

Pyrolytic

**General Design**

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Pop In Pop Out Knob Control

Oven Controllor

Family Design Digital Touch  
Timer

Control Panel

Glass

Glass Color

Silver

Knob Type

Flat - Black

Handle Type

V Line - Inox/Black

Oven Door

Type 5

**Technologies**

Active Cool

(o)

## BO.65R1



Product Family

**65L Single Built-in Oven**

Product Type

Pyrolytic

**General Design**

Product Design

Metal AddOn

Design Model

N Type-Inox

Control Type

Standard Knob Control

Oven Controllor

Digital Touch Timer

Control Panel

Glass

Glass Color

Black

Knob Type

Rimo - WH Inox

Handle Type

Ellipse Arc - Inox

Oven Door

Type 3

## BO.89R1



Product Family

**65L Single Built-in Oven**

Product Type

Pyrolytic

**General Design**

Product Design

Metal AddOn

Design Model

Mono Stripe-Inox

Control Type

Pop In Pop Out Knob Control

Oven Controllor

Digital Timer with WH Inox  
Button

Control Panel

Metal-Inox

Glass Color

Black

Knob Type

Flat Pipo - WH Inox

Handle Type

Vero

Oven Door

Type 3

## BO.90



Product Family	<b>65L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Digital Timer with Black Button
Control Panel	Glass
Glass Color	White
Knob Type	Gama - White
Handle Type	D Profile Arc - White
Oven Door	Type 3

## BO.133



Product Family	<b>65L Single Built-in Oven</b>	
Product Type	Pyrolytic	
<b>General Design</b>		<b>Technologies</b>
Product Design	Metal AddOn	3D Cooking
Design Model	U Type-Dark Inox	Soft Oven Lighting
Control Type	Touch Control	Active Cool
Oven Controller	Family Design Full Touch	Meat Probe (o)
Control Panel	Glass	
Glass Color	Black	
Knob Type	-	
Handle Type	Verge - Black Anodized	
Oven Door	Type 5	

## BO.88R1



Product Family	<b>65L Single Built-in Oven</b>	
Product Type	Steam Assisted	
<b>General Design</b>		<b>Features</b>
Product Design	Standard (Without AddOn)	Vap Clean +
Design Model	-	Soft Oven Lighting
Control Type	Standard Knob Control	Hot Air Shield (o)
Oven Controller	Ready Cook	LED Oven Light (o)
Control Panel	Glass	A+ Energy Class (o)
Glass Color	Black	
Knob Type	Ferous - Black	
Handle Type	Cylinder - Inox	
Oven Door	Type 4	

## BO.137



Product Family

**65L Single Built-in Oven**

Product Type

Steam Assisted

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Touch Control

Oven Controller

Family Design Full Touch

Control Panel

Glass

Glass Color

Silver

Knob Type

-

Handle Type

Troy - Inox

Oven Door

Type 4

### Features

Soft Oven Lighting

Vap Clean +

Hot Air Shield (o)

LED Oven Lamp (o)

A+ Energy Class (o)

## BO.138



Product Family

**65L Single Built-in Oven**

Product Type

Steam Assisted

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Pop In Pop Out Knob Control

Oven Controller

Family Design Visio Touch

Control Panel

Glass

Glass Color

Silver

Knob Type

Flat - WH Inox

Handle Type

Verge - Inox

Oven Door

Type 6

### Features

3D Cooking

Vap Clean +

Hot Air Shield (o)

A+ Energy Class (o)

## CO.01R1



Product Family

**50L Single Built-in Oven**

Product Type

Steam Assisted

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Standard Knob Control

Oven Controller

Ready Cook

Control Panel

Glass

Glass Color

Black

Knob Type

Linea Inox - Black

Handle Type

Slim Bar - Inox

Oven Door

Type 6

### Technologies

Vap Clean+

Soft Oven Lighting

Hot Air Shield (o)

LED Oven Lamp (o)

A+ Energy Class (o)



## CO.03



Product Family	<b>50L Single Built-in Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Touch Control
Oven Controller	Slim LED Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Slim Bar - Inox
Oven Door	Type 6

<b>Technologies</b>	
Vap Clean	
Soft Oven Lighting	
Hot Air Shield	(o)
Meat Probe	(o)
A+ Energy Class	(o)
WiFi	(o)

## CO.02R1



Product Family	<b>50L Single Built-in Oven</b>
Product Type	Pyrolytic
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Pop In Pop Out Knob Control
Oven Controller	Visio Touch
Control Panel	Metal
Glass Color	Black
Knob Type	Flat Pipo - WH Inox
Handle Type	Slim Bar - Inox
Oven Door	Type 5

<b>Technologies</b>	
Active Cool	
Meat Probe	(o)

## CO.04



Product Family	<b>50L Single Built-in Oven</b>
Product Type	Steam Assisted
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Touch Control
Oven Controller	OEM Family Design Full Touch
Control Panel	Glass
Glass Color	Black
Knob Type	-
Handle Type	Trim - Inox/Black
Oven Door	Type 6

<b>Technologies</b>	
3D Cooking	
Vap Clean +	
Soft Oven Lighting	
Hot Air Shield	(o)
LED Oven Lamp	(o)

## BO.101



Product Family

**75L Polyvalent Built-in Oven**

Product Type

Standard

**General Design**

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Pop In Pop Out Knob Control

Oven Controller

Digital Touch Timer

Control Panel

Glass

Glass Color

Black

Knob Type

Flat Pipo - Black

Handle Type

Cylinder - Inox

Oven Door

Type 4

**Technologies**

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

A+ Energy Class (o)

## BO.111R1



Product Family

**75L Polyvalent Built-in Oven**

Product Type

Standard

**General Design**

Product Design

Metal AddOn

Design Model

O Type-Inox

Control Type

Standard Knob Control

Oven Controller

Digital Touch Timer

Control Panel

Metal-Inox

Glass Color

Black

Knob Type

Trio - WH Inox

Handle Type

D Profile Arc - Inox

Oven Door

Type 4

**Technologies**

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

A+ Energy Class (o)

## BO.102



Product Family

**75L Polyvalent Built-in Oven**

Product Type

Standard

**General Design**

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Pop In Pop Out Knob Control

Oven Controller

Digital Timer with Inox Button

Control Panel

Metal-Inox

Glass Color

Black

Knob Type

Flat Pipo - Wh Inox

Handle Type

Cylinder - Inox

Oven Door

Type 4

**Technologies**

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

Meat Probe (o)

A+ Energy Class (o)

## BO.103



Product Family	<b>75L Polyvalent Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	3D Cooking	(o)
<b>General Design</b>		Vap Clean	(o)
Product Design	Metal AddOn	Hot Air Shield	(o)
Design Model	U Type-Inox	Steam Base	(o)
Control Type	Pop In Pop Out Knob Control	Meat Probe	(o)
Oven Controller	Mechanical Timer	A+ Energy Class	(o)
Control Panel	Metal-Inox		
Glass Color	Black		
Knob Type	Flat Pipo - WH Inox		
Handle Type	Flat Quadrangle - Inox/WH Inox		
Oven Door	Type 4		

## BO.104



Product Family	<b>65L Polyvalent Built-in Oven</b>	<b>Technologies</b>	
Product Type	Standard	3D Cooking	(o)
<b>General Design</b>		Vap Clean	(o)
Product Design	Metal AddOn	Hot Air Shield	(o)
Design Model	Duo Stripe-Inox	Steam Base	(o)
Control Type	Standard Knob Control	A+ Energy Class	(o)
Oven Controller	Digital Touch Timer		
Control Panel	Glass		
Glass Color	Black		
Knob Type	Eclipse - WH Inox		
Handle Type	Trio - Inox		
Oven Door	Type 4		

## BO.91



Product Family	<b>65L Polyvalent Built-in Oven</b>	<b>Features</b>	
Product Type	Standard	Vap Clean	(o)
<b>General Design</b>		Hot Air Shield	(o)
Product Design	Standard (Without AddOn)	Silent Operation	(o)
Design Model	-	Meat Probe	(o)
Control Type	Pop In Pop Out Knob Control	Silent Operation	(o)
Oven Controller	Visio Touch	A+ Energy Class	(o)
Control Panel	Glass		
Glass Color	Black		
Knob Type	Flat Pipo - Black		
Handle Type	Vero - Inox		
Oven Door	Type 4		



## BO.69



Product Family

**65L Polyvalent Built-in Oven**

Product Type

Standard

### General Design

Product Design

Standard (Without AddOn)

Design Model

I Type-Inox

Control Type

Pop In Pop Out Knob Control

Oven Controller

Digital Timer with White Button

Control Panel

Glass

Glass Color

White

Knob Type

Flat Pipo - Inox

Handle Type

Flat Slice - Inox/Inox

Oven Door

Type 2

### Technologies

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

Meat Probe (o)

A+ Energy Class (o)

## BO.02



Product Family

**65L Polyvalent Built-in Oven**

Product Type

Standard

### General Design

Product Design

Metal AddOn

Design Model

I Type-Inox

Control Type

Pop In Pop Out Knob Control

Oven Controller

Digital Timer with Inox Button

Control Panel

Metal-Inox

Glass Color

Black

Knob Type

Flat Pipo - Inox

Handle Type

D Profile Arc - Inox

Oven Door

Type 2

### Technologies

3D Cooking (o)

Vap Clean (o)

Hot Air Shield (o)

Steam Base (o)

Meat Probe (o)

A++ Energy Class (o)

A+ Energy Class (o)

## BO.58



Product Family

**65L Polyvalent Built-in Oven**

Product Type

Standard

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Standard Knob Control

Oven Controller

Mechanical Timer

Control Panel

Metal White

Glass Color

White

Knob Type

Gama - White

Handle Type

Flat Slice - White/White

Oven Door

Type 2

### Technologies

Vap Clean (o)

3D Cooking (o)

Steam Base (o)

Hot Air Shield (o)

A+ Energy Class (o)

## BI.01



Product Family

**Built-in Double Oven**

Product Type

Standard

### General Design

Product Design

Standard (Without AddOn)

Design Model

-

Control Type

Pop In Pop Out Knob Control

Oven Controller

Digital Touch Timer

Control Panel

Glass

Glass Color

Black

Knob Type

Flat - Black

Handle Type

Slim Bar - Inox

Oven Door

Type 6

### Technologies

3D Cooking

(o)

Vap Clean

(o)

## BI.02



Product Family

**Built-in Double Oven**

Product Type

Standard

### General Design

Product Design

Metal AddOn

Design Model

U Type-Inox

Control Type

Pop In Pop Out Knob Control

Oven Controller

OEM Family Design Digital

Touch Timer

Control Panel

Glass

Glass Color

Black

Knob Type

Flat - Black

Handle Type

V Line - Inox/Black

Oven Door

Type 6

### Technologies


3D Cooking

(o)

Vap Clean

(o)

# BI.04




Product Family	<b>Built-in Double Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Trio Stripe-Inox
Control Type	Pop In Pop Out Knob Control
Oven Controller	Digital Touch Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Flat - WH Inox
Handle Type	Trim - Inox/Black
Oven Door	Type 6

## Technologies

3D Cooking	(o)
Vap Clean	(o)

# BU.01



Product Family	<b>Built-under Double Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Standard (Without AddOn)
Design Model	-
Control Type	Standard Knob Control
Oven Controller	Digital Touch Timer
Control Panel	Glass
Glass Color	Black
Knob Type	Linea Inox - Black
Handle Type	Slim Bar - Inox
Oven Door	Type 6

## Technologies

3D Cooking	(o)
Vap Clean	(o)



BU.02




Product Family	<b>Built-under Double Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Trio Stripe-Inox
Control Type	Standard Knob Control
Oven Controller	OEM Family Design Digital Touch Timer
Control Panel	Glass
Glass Color	Black
Knob Type	Flat - Black
Handle Type	Slim Bar - Inox
Oven Door	Type 6

**Technologies**

3D Cooking	(o)
Vap Clean	(o)

BU.04



Product Family	<b>Built-under Double Oven</b>
Product Type	Standard
<b>General Design</b>	
Product Design	Metal AddOn
Design Model	Mono Stripe-Inox
Control Type	Pop In Pop Out Knob Control
Oven Controller	Mechanical Timer
Control Panel	Metal-Inox
Glass Color	Black
Knob Type	Flat Pipo - WH Inox
Handle Type	Trim - Inox/Black
Oven Door	Type 6

**Technologies**

3D Cooking	(o)
Vap Clean	(o)





*Built-in Cookers*  
**Hobs**







### **1. Built-In Hobs**

- Induction Hobs
- Vitroceramic Hobs
- Hotplate Hobs
- Gas Hobs
  - Metal Cooktop Hobs
  - Gas on Glass Hobs

### **2. Polyvalent Hobs**

- Induction Hobs
- Vitroceramic Hobs
- Hotplate Hobs

### **3. Ventilation Hobs**

- Down Air Induction Hob
- Free Air Induction Hob

### **4. Table Top Hobs**

- Metal Cooktop Hobs
- Gas on Glass Hobs

### **5. Knob types**

### **6. Packaging Types**

### **7. Line-up**

### **8. Specifications (Hobs)**

**Built-in Hobs**


**Induction Hobs**



Touch Control  
Slider Touch Control

Product Types;  
- 30 cm  
- 60cm  
- 78cm  
- 90cm

**Ceramic Hobs**



Knob Control  
Touch Control  
Slider Touch Control

Product Types;  
- 30 cm  
- 60 cm  
- 78 cm

**Hotplate Hobs**



Knob Control

Product Types;  
- 30cm  
- 60cm

**Gas Hobs**



Knob Control

Product Types;  
- 30cm (metal and glass cooktops)  
- 60cm (metal and glass cooktops)  
- 65cm (glass cooktops)  
- 70cm (metal and glass cooktops)  
- 75 cm (glass cooktops)  
- 90 cm (glass cooktops)




# Induction Hobs

*%100 Vestel Induction Technology*

Ceramic glass

Induction Zone

Add on/frame



Bevel

Touch control





### Pot Detection

If unsuitable pan or no pan is placed on the cooking zone, pot symbol flashes and the cooking zone will switch off automatically after 2 minutes.



### Safety Function

Thermal cut off system  
Safe usage with pan detector  
The glass surface is not directly heated, thanks to the induction technology.



### Hot Surface Indicator

H symbol is displayed on the display of each zone after cooking



### Touch Surface

Easy to use with touch control unit.



### Key Lock

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.



### Auto Off

The hob will shut off automatically if left idle for a long time. (1.5 to 6 hours depending on the power level)



### Keep Warm

Keeps the cooking zone in 50°C



### Boiling Mode

Fixes the cooking zone in boiling temperature (100°C)



### V-Flex

Allows you to control the cooking zones as you wish.



### Speed Heating

Speed heating with PowerBoost.



### Pause Function

Will pause all the cooking in all zones and restart it from the same power levels when pressing again.  
Keeps the paused zones warm.



### Timer

Cooking duration control with timer



### Slider Touch

Further developed user friendly touch control unit.



### Child Lock

Safe usage with Child Lock



### Power Management

Thanks to the power management function, the user can set the maximum power of the hob if needed. (13A, 15A, 16A, 32A)



### Frying Mode

Fixes the cooking zone in frying temperature (160°C)



### Chocolate Melting

Special function for chocolate melting (40°C)



### Bridge Zone

The function locks two zones to act as a single zone for using large utensils.

Check Induction Hob Features Table for availability based on product type.


## Built-in Hobs

### Induction Hobs


#### Control Types



**Touch Control Panel**  
for 60cm and 78cm induction hobs




**Slider Touch Control Panel**  
for 60cm and 78cm induction hobs




**Touch Control Panel** for 30cm induction hobs




**Touch Control Panel – Single On/Off** for 90cm induction hobs




**Slider Touch Control Panel** for 90cm induction hobs




**Slider Touch Control Panel** for 60cm and 78cm V-Flex Induction Hobs



**Hybrid Control Panel** for 60cm and 78cm Hybrid Induction Hobs




**Multislider Control Panel** for 60cm Induction Hobs




**Multitoggle Control Panel** for 60cm Induction Hobs

**Built-in Hobs**  
Induction Hobs


*Induction Zones*




**160mm Single Zone**  
1400W/Boost 1800W  
1300W for Series 2e



**210mm Single Zone**  
2100W/Boost 2500W  
1500W/Boost 1700W for Series 2e




**290mm Single Zone**  
2800W/Boost 3500W  
2500W/3000W for HOB ID 48/49



**Flex Zone**  
4 x 900W/Boost 1200W

Check hob configurations table for induction hob cooktop options.




**Bridge Zone**  
2 x 160mm 1400W/Boost 1800W




**Built-in Hobs**  
Induction Hobs


*Ceramic Glass Colors*




**Black**




**White**



**Victoria Gray**



**Zara Gray**




**Beige**

**Built-in Hobs**  
Induction Hobs


*Ceramic Glass Design*



**Slim Design**



**Plus Design**



**Line design**




**Flex Design**

# Built-in Hobs

## Induction Hobs

### Design Options



Peripheral Bevel (3D)

Bevel Application	30 cm	60 cm
Peripheral Bevel (3d)	-	+
Front Side Bevel	+	+



Front Side Bevel


	78 cm	90 cm
Front Side Bevel	-	-
	+	+



4 Side Frame




2 Side Add On




2 Side Add On with Front Side Bevel

Add On Application	30 cm	60 cm	78 cm	90 cm
4 Side Add On	-	+	-	-
2 Side Add On	-	+	+	+
2 Side AddOn with front edge Bevel	-	+	+	+



Single Frame – 60cm

Frame Application	30 cm	60 cm
Single Frame	+	+



Single Frame – 30cm Series 2

	78 cm	90 cm
Single Frame	-	-

Logo can be applied on the front edge of the Single Frame-60cm






# Ceramic Hobs

Highlight /  
Radiant Heater

Ceramic Glass

Add on

Add on/frame



Bevel

Touch control



Residual  
Heat Indicator

Knob  
control



### Speed Heating

Speed heating with PowerBoost.



### Timer

Cooking duration control with timer



### Touch Control

Easy to use with touch control unit.



### Slider Touch

Further developed user friendly touch control unit.



### Pause Function

Will pause all the cooking in all zones and restart it from the same power levels when pressing again. Keeps the paused zones warm.



### Child Lock

Safe usage with Child Lock



### Hot Surface Indicator

H symbol is displayed on the display of each zone after cooking



### Safety Function

Thermal cut off system  
Safe usage with pan detector  
The glass surface is not directly heated, thanks to the induction technology.



### Key Lock

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.




### Auto Off


The hob will shut off automatically if left idle for a long time. (1, 5 to 6 hours depending on the power level)

Check Ceramic Hob Features Table for availability based on product type.


## Control Types



**Touch Control Panel**  
for 60cm and 78cm ceramic hobs



**Slider Touch Control Panel**  
for 60cm and 78cm ceramic hobs



**Touch Control Panel**  
for 30cm ceramic hobs



**Knob Control Panel**  
for 30cm and 60 cm ceramic hobs

## **Built-in Hobs**

### Ceramic Hobs

#### *Radiant Heating Elements*


Available only for 60cm ceramic hobs




Single Zone  
Φ145mm 1200W  
Φ180mm 1800W

#### *Highlight Heating Elements*


Available for 30cm, 60cm and 78cm hobs



Single Zone  
Φ145mm 1200W  
Φ180mm 1800W  
Φ210mm 2300W



Dual Zone  
Φ180mm 700W/1700W  
Φ290 mm 1800W/2700W




Oval Zone  
Φ145mm 1000W/1800W

*Check hob configurations table for ceramic hob cooktop options.*




**Built-in Hobs**

*Ceramic Glass Colors*



**Black**



**White**

*Ceramic Glass Design*



**Slim Design**




**Arc Design**

# Built-in Hobs

## Ceramic Hobs

### Design Options



Peripheral Bevel (3D)

Bevel Application	30 cm
Peripheral Bevel (3d)	-
Front Side Bevel	+



Front Side Bevel

	60 cm	78 cm	90 cm
Front Side Bevel	+	-	+



4 Side Frame

Frame/Add On Application	30 cm
4 Side Add On	-
2 Side Add On	+
2 Side AddOn with front edge Bevel	+




2 Side Add On

	60 cm
2 Side Add On	+
2 Side AddOn with front edge Bevel	+




2 Side Add On with Front Side Bevel

	78 cm	90 cm
2 Side Add On with Front Side Bevel	+	+



Single Frame – 60cm

Frame Application	30 cm
Single Frame	+



Single Frame – 30cm Series 2

	60 cm	78 cm	90 cm
Single Frame	+	-	-

Logo can be applied on the front edge of the Single Frame-60cm



# Hotplate Hobs

Metal Cooktop

Hotplate Heater

Knob Control



Hotplate Heater Operation Lamp



Mechanical Timer



## Built-in Hobs

### HotPlate Hobs

#### Features



##### Rapid Heating

Quick heating with rapid hotplates.



##### Mechanical Timer

Only for 30m hotplate hobs



##### Standard Hotplate

Φ145mm 1000W

Φ180mm 1500W



##### Rapid Hotplate

Φ145mm 1500W

Φ180mm 2000W

Check hob configurations table for ceramic hob cooktop options.

#### Design Options



##### Flat R Type

for 60 cm



##### Flat S Type

for 60 cm



##### Flat O Type

for 60 cm



##### Surface

for 60 cm



##### Series 2

for 30 cm

#### Color Options



##### Stainless Steel (Inox)

Available for 30cm and 60cm hotplate hobs



##### Black Enamel

Available only for 60cm hotplate hobs




##### White Enamel

Available only for 60cm hotplate hobs



# Gas Hobs





## Built-in Hobs

### Gas Hobs

#### Metal Cooktop



#### Gas on Glass



#### Product Types;

- 30 cm (full gas hobs)
- 60 cm (full gas, combined hobs)
- 70 cm (full gas, combined hobs)


#### Product Types;

- 30 cm (full gas hobs)
- 60 cm (full gas, combined hobs)
- 65 cm (full gas hobs)
- 70 cm (full gas, combined hobs)
- 75 cm (full gas hobs)
- 90cm (full gas hobs)

### Features



**Flame Failure Device  
for Gas Burners**



**Level Select Gas Control**



**Mechanical Timer**  
available for 60cm and 65 cm, for one burner



**Ignition for Gas Burners**  
One touch ignition; through gas control knob



**Ignition for Gas Burners**  
Button ignition  
only smoothline aesthetic




## Gas Burners and Electric Zones



**Auxiliary Burner** 1000W  
**SemiRapidBurner** 1750W  
**Rapid Burner** 3000W



**Tripple Flame Wok Burner** 3200W  
 Available for 60cm front  
 controlled metal cooktop hob



**Tripple Flame Wok Burner** 3600W



**High Efficiency Wok Burner** 4500W  
 Available for 75cm and 90cm gas on  
 glass hob




**Semi Flat Burner**  
**Auxiliary Burner** 1000W  
**SemiRapidBurner** 1750W  
**Rapid** 3000W  
 Available for 65cm and  
 70cm gas on glass



**Tripple Flame Wok Burner** 5000W  
 Available for 65cm and  
 70cm gas on glass hobs



**Standard Hotplate**  
 Φ145mm 1000W  
 Φ180mm 1500W



**Highlight Zone**  
 Φ145mm 1200W  
 Φ180mm 1800W



**Induction Zones**  
 160mm 1400W /Boost 1800W  
 210mm 2100W/Boost 2500W

Check hob configurations table for gas hob cooktop options.

## Built-in Hobs

### Gas Hobs

#### Burner Caps



**Enamel 3D Burner Cap** *Default*



**Cast Iron 3D Burner Cap** *Optional*



**Enamel Flat Burner Cap** *Optional*



**Cast Iron Flat Burner Cap** *Optional*

#### Pan Support Adapters



**Enamel Wok Adapter**



**Cast Iron Wok Adapter**



**Cast Iron Wok Adapter**  
*for High Efficiency Wok Burner  
only 90cm gas on glass hob*



**Enamel Coffee Support**  
*for Enamel Pan Supports*



**Matte Enamel Coffee Support**  
*for Cast Iron Pan Supports*



## Design Options for Metal Cooktop



**Flat R Type**

*Available for only 60 cm*



**Flat S Type**

*Available for only 60 cm*



**Flat T Type**

*Available for only 60 cm*



**Surface**

*Available for only 60 cm*



**Smoothline**

*Available for only 60 cm*



**Division**

*Available for only 60 cm*



## Built-in Hobs

### Gas Hobs



#### Plus X Design

Available for only 60 cm and 70 cm



#### Plus X Design with Glass Control Panel

Available for 60cm and 70cm



#### Domino Series 2

Available only for 30cm

## Color Options for Metal Cooktops



#### Black Enamel

Available Flat (R, S), Smoothline and 60cm Plus X Design



#### Terra de France

Available for Flat (R, S) and Smoothline Design



#### White Enamel

Available Flat (R, S), Smoothline and 60cm Plus X Design



#### Stainless Steel (inox)

Stainless Steel (Inox)  
Available for all Designs

## Pan Support Types for Metal Cooktops



**S Type – Enamel Pan Support**

*Available for all design options for 60 and 70 cm  
Available also for Matte Enamel*



**V Type – Enamel Pan Support**

*Available only for 60cm Flat and Surface Design  
Available also for Matte Enamel*



**D Type – Enamel Pan Support**

*Available only for 60cm Flat and Surface Design  
Available also for Matte Enamel*



**S Type – Cast Iron Pan Support**

*Available for all design options for 60 and 70 cm*



**Extenda Design- Cast Iron Pan Support**

*Available only for Flat T Design*



**Division Design- Cast Iron Pan Support**

*Available only for Flat T Design*



**E Design- Cast Iron Pan Support**

*Available only for Plus X Design*

Check Pan Support Tables for Availability due design options.

## **Built-in Hobs**

### Gas Hobs

#### *Design Options for Gas on Glass*



**Securit Standard**

*Available for 60cm and 65cm*



**Rustic Design**

*Available only for 60cm*



**Plus X Design**

*Available for 60cm and 70cm*



**90cm Securit Standard**



**Domino Series 1**



**Domino Series 2**

*Available only for 30cm*



**Smart Plus**

*Available for 65cm and 70cm*



**Division**

*Available only for 60cm*



**75cm Securit Standard**



## Design Options for Gas on Glass



**Pure Induction** Available only for 60cm



**Pure Ceramic** Available only for 60cm

## Color Options for Gas on Glass



### **Black**

Available for all Designs



### **Silver**

Available for Standard, Plus X, Smart Plus



### **White**

Available for Standard, Plus X, Rustic Design and Smart Plus



### **Mink**

Available for Standard, Plus X, Smart Plus



### **Beige**

Available for Standard, Plus X, Rustic Design and Smart Plus



### **Mirror**

Available for Standard, Plus X, Smart Plus



### **Rustic Cream**

Available for Rustic Design




### **Retro Cream**

Available for Rustic Designs

## **Built-in Hobs**

### Gas Hobs

#### *Pan Support Types for Gas on Glass*



**Line Design – Cast Iron Pan Support**

*Only for 60cm and 70cm Plus X Design*



**Deluxe Design – Cast Iron Pan Support**

*Only for 60cm and 70cm Plus X Design*



**Division Design – Cast Iron Pan Support**

*Only for Division Design*



**S Type – Cast Iron Pan Support**

*Only for 90cm gas on glass hob*



**E Design- Cast Iron Pan Support**

*Available only for Plus X Design*

## Pan Support Types for Gas on Glass



**S Type – Cast Iron Pan Support**  
*Only for Smart Plus Design*



**Enamel Standard Design**  
Available also for Matte Enamel  
Available for all design options



**Enamel PlusX Design**  
Available also for Matte Enamel  
Available for all design options



**Cast Iron Standard Design**  
Available for all design options



**Cast Iron PlusX Design**  
Available for all design options

**Check pan support table for availability due design options.**

## Burner Pan Options for Gas on Glass



**Enamel Burner Pan**



**Matte Enamel Burner Pan**



**Inox Burner Pan**



## LEVEL SELECT GAS CONTROL



**Nine step flame control  
with Semi Flat Burners and  
extended glass on gas hob**

**More precise control**  
9 step control


**Not available for 60cm Division  
Design Model and for any of  
30cm Hobs**

## Built-in Hobs

Polyvalent Hobs


# Polyvalent Hobs

### Induction Hobs



#### Features

Timer (Default)



#### Induction Zones

160mm 1400W/Boost  
1800W 210mm 2100W/Boost 2500W

Check hob configurations table for induction hob cooktop options.

#### Color Options

Black  
White

#### Design Options

Bevel Application

- Peripheral (3D)


Frame/Add On Options

- Single Frame  
- 2 Sides Add on  
- 4 Sides Add on  
- Frame

Ceramic Glass Design


- Slim  
- Plus  
- Line

### Ceramic Hobs



#### Features

Hot Surface Indicator



#### Highlight Heaters

Single Zone 145mm 1200W  
Single Zone 180mm 1800W  
Dual Zone 180mm 700W/1700W  
Oval Zone 145mm 1000W/1800W

Check hob configurations table for ceramic hob cooktop options.

#### Color Options

Black  
White

#### Design Options

Bevel Application

- Front Side  
- Peripheral (3D)

Frame/Add On Options

- Single Frame  
- 2 Sides Add on  
- 4 Sides Add on  
- Frame

Ceramic Glass Design

- Slim  
- Arc

### Hotplate Hobs



#### Features

Rapid Hotplate (Optional)



#### Hotplate Heaters

145mm 1000W / Rapid 1500W 180mm  
1500W / Rapid 2000W

Check hob configurations table for hotplate hob cooktop options.

#### Color Options

Stainless Steel (Inox)

#### Design Options

- 3D Design (Standard)



# Ventilation Hobs

Down Air Induction Hob  
Free Air Induction


- + *Induction Hob with integrated Ventilation System.*
- + *Ventilation system extracts steam and odors directly at its source.*
- + *Ventilation system design for maximum drawer size.*



## Built-in Hobs

### Ventilation Hobs

#### Down Air Induction Hob



- 78 cm induction hob with integrated extractor
- A Energy Efficiency Class (EEI)
- 4 speed
- Sound Power Level at min. 54 dB(A) – max. 71 dB(A)
- Timer (15 min. automatic overrun)
- Dishwasher safe metal air filter

Check Hood Features Table for details.



#### Speed Heating

Speed heating with PowerBoost.



#### Timer

Cooking duration control with timer



#### Pause Function

Will pause all the cooking in all zones and restart it from the same power levels when pressing again. Keeps the paused zones warm.



#### Auto Off

The hob will shut off automatically if left idle for a long time. (1, 5 to 6 hours depending on the power level)



#### Safety Function

Thermal cut off system  
Safe usage with pan detector  
The glass surface is not directly heated, thanks to the induction technology.

#### Free Air Induction Hob



- Independent extractor with 2 domino hobs.
- A Energy Efficiency Class (EEI)
- 4 speeds
- Sound Power Level at min. 55 dB(A) – max. 68 dB(A)
- Dishwasher safe metal air filter



#### Touch Control

Easy to use with touch control unit.



#### Child Lock

Safe usage with Child Lock



#### Key Lock

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.



#### High Efficiency

High Efficiency with low energy consumption




#### Bridge Zone

This function locks two zones to act as a single zone for using large utensils.

Check Induction Hob Features Table for availability based on product type.



## Table Top Hobs





## Built-in Hobs

### Table Top Hobs

#### Metal Cooktop



Product Types;


- 60 cm gas Hobs
- 60 cm gas-electric combined hobs
- 60cm electric hobs (Hotplate)

#### Gas on Glass




Product Types;

- 60 cm gas Hobs
- 60 cm gas-electric combined hobs



**New Generation Metal**  
Table Top Hob *Frameless Design*



**New Generation Gas on Glass**  
Table Top Hob

#### Features



**Flame Failure Device**  
for Gas Burners



**Ignition for gas burners-1**  
*One touch ignition through gas control knob*



**Ignition for Gas Burners-2**  
*Button Ignitions*  
*Available for Metal CookTop*




**Glass Lid**  
*Available for Metal CookTop*

#### Gas Burners and Electric Zones



**Auxiliary Burner** 1000W  
**SemiRapidBurner** 1750W  
**Rapid Burner** 3000W



**Tripple Flame Wok Burner** 3600W



**Standard Hotplate**  
Φ145mm 1000W  
Φ180mm 1500W

Check hob configurations table for gas hob cooktop options.



## **Built-in Hobs** Table Top Hobs

### *Burner Caps*



**Enamel 3D Burner Cap** *Default*



**Cast Iron 3D Burner Cap** *Optional*



**Enamel Flat Burner Cap** *Optional*



**Cast Iron Flat Burner Cap** *Optional*

### *Pan Support Adapters*



**Enamel WOK Adapter**



**Cast Iron WOK Adapter**



**Enamel Coffee Support**  
for Enamel Pan Supports



**Matte Enamel Coffee Support**  
for Cast Iron Pan Supports

## Color Options for Metal Cooktops



**Black Enamel Cooktop**



**White Enamel Cooktop**



**Stainless Steel (inox) Cooktop**

## Pan Support Types for Metal Cooktops



### **S Type – Enamel Pan Support**

Available for all design options for 60cm and 70  
Available for also for Matte Enamel



### **V Type – Enamel Pan Support**

Available only for 60cm Flat and Surface Design  
Available for also for Matte Enamel



### **D Type – Enamel Pan Support**

Available only for 60cm Flat and Surface Design  
Available for also for Matte Enamel



### **S Type – Cast Iron Pan Support**

Available for all design options for 60cm and 70  
Available for also for Matte Enamel

Check Pan Support Tables for Availability due design options.



## Color Options for Gas on Glass



**Black Glass Cooktop**



**White Glass Cooktop**



**Silver Glass Cooktop**

## Pan Support Types for Gas on Glass



**Enamel Standard Design**

Available also for Matte Enamel



**Cast Iron Standard Design**



**PlusX Enamel Design**

Available for also for Matte Enamel



**Cast Iron PlusX Design**

Check Pan Support Tables for Availability due design options.

## Burner Pan



**Enamel Burner Pan**



**Matte Enamel Burner Pan**



**Inox Burner Pan**

## Color Options for Frame



**Black Painted**



**Silver Painted**



**White Painted**



**Stainless Steel (Inox)**



## Packaging Types

### WRAP CARTON PACK

- Colourful printing is available up to 4 colours.



### FLEXO CARTON BOX

- Colourful printing is available up to 4 colours.




### OFFSET PRINTING

- Multiple color high definition printing. Background for the surface printing is of white paper.
- Available for both Wrap Carton pack and Carton Box



## VIFTC.24



### 90cm Built In Induction Hob

#### General Features

HOB ID 5I-40  
4 x Ø160mm 1400W/B1800W  
1 x Ø250mm 2800W/B3500W  
Bridge Zone (x2)  
Slider Touch Control  
Black Ceramic Glass  
Line Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function

## VIFTC.25



### 90cm Built In Induction Hob

#### General Features

HOB ID 5I-39  
3 x Ø160mm 1400W/B1800W  
1 x Ø200mm 2100W/B2500W  
1 x Ø250mm 2800W/B3500W  
Bridge Zone  
Slider Touch Control  
Black Ceramic Glass  
Line Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function

## VIFTC.26



### 90cm Built In Induction Hob

#### General Features

HOB ID 5I-26  
2 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
1 x Ø250mm 2800W/B3500W  
Touch Control  
Black Ceramic Glass  
Slim Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.01



### 78cm Built In Induction Hob

#### General Features

HOB ID 4I-33  
2 x Ø160mm 1400W/B1800W  
2 x Ø210mm 2100W/B2500W  
Slider Touch Control  
Black Ceramic Glass  
Line Design  
2 Side AddOn with Bevel


#### Optional Features

Mode Function

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.02R1



### 78cm Built In Induction Hob


#### General Features

HOB ID 4I-33  
2 x Ø160mm 1400W/B1800W  
2 x Ø210mm 2100W/B2500W  
Slider Touch Control  
Black Ceramic Glass  
Plus Design  
Peripheral Bevel (3D)  
Front Side Bevel

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function

## VIFTC.05R1



### 78cm Built In Induction Hob

#### General Features

HOB ID 4I-33  
2 x Ø160mm 1400W/B1800W  
2 x Ø210mm 2100W/B2500W  
Touch Control  
Black Ceramic Glass  
Line Design  
Front Side Bevel

#### Optional Features

Mode Function

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function



## VIFTC.06



### 78cm Built In Induction Hob

#### General Features

HOB ID 4I-37  
2 x Ø160mm 1400W/B1800W  
2 x Ø210mm 2100W/B2500W  
Power Management (13A)  
Touch Control  
Black Ceramic Glass  
Slim Design  
2 Side AddOn


#### Optional Features

Power Management  
(15A, 16A, 32A)  
Slider Touch Control

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.28



### 78cm Built In Induction Hob


#### General Features

HOB ID 8I-46  
8 X 900W/B1200W  
Slider Touch Control  
Black Ceramic Glass  
Flex Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Cleaning Function  
Cooking Functions  
Bridge Zone  
Autosense

## VIFTC-DA.01



### Down Air Induction Hob (78cm)

#### General Features

HOB ID 4I-47  
3 x Ø160mm 1400W/B1800W  
1 x Ø210mm 2100W/B2500W  
Bridge Zone  
Touch Control  
Black Ceramic Glass  
Line Design  
Air Filter Design - Hatch

#### Key Features (Hood)

4 Speeds  
Timer (15min. Auto overrun)  
A Energy Efficiency Class (EEI)  
Sound Power Level  
min.54 dB(A) - max. 71 dB(A)

#### Key Features (Hob)

Timer  
Speed Heating  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Child Lock  
Auto Off  
Key Lock

## VIFTC.27



### 60cm Built In Induction Hob

#### General Features

HOB ID 8I-46  
8 X 900W/B1200W  
Slider Touch Control  
Black Ceramic Glass  
Flex Design

#### Key Features

Flex Zone  
Bridge Zone  
Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Cleaning Function  
Cooking Functions  
Autosense  
Power Management

## VIFTC.21



### 60cm Built In Induction Hob

#### General Features

HOB ID 4I-38  
4 X Ø160mm 1400W/B1800W  
Bridge Zone (X2)  
Slider Touch Control  
Black Ceramic Glass  
Line Design  
Single Frame (with Logo)

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIHTC.01



### Free Air Induction Hobs (2x30cm)


#### General Features

HOB ID 6I-50  
4 X 900W/B1200W  
1 X Ø160mm 1400W/B1800W  
1 X Ø210mm 2100W/B2500W  
Bridge Zone  
Slider Touch Control  
Black Ceramic Glass  
Flex Design

#### Key Features (Hob)

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function  
Autosense

## VIFTC.18



### 60cm Built In Induction Hob

#### General Features


HOB ID 4I-35  
3 x Ø160mm 1400W/B1800W  
1 x Ø210mm 2100W/B2500W  
Bridge Zone  
Slider Touch Control  
Black Ceramic Glass  
Slim Design  
Single Frame (with Logo)

-

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function

## VIFTC.09



### 60cm Built In Induction Hob

#### General Features

HOB ID 4I-35  
3 x Ø160mm 1400W/B1800W  
1 x Ø200mm 2100W/B2500W  
Slider Touch Control  
Black Ceramic Glass  
Slim Design  
Peripheral Bevel (3D)


#### Optional Features

Mode Function

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.13



### 60cm Built In Induction Hob

#### General Features

HOB ID 4I-37  
2 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
Touch Control  
Power Management (13A)  
Black Ceramic Glass  
Slim Design

#### Optional Features

Power Management  
(15A, 16A, 32A)  
Slider Touch Control

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock



## VIFTC.08



### 60cm Built In Induction Hob

#### General Features

HOB ID 4I-33  
2 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
Slider Touch Control  
Black Ceramic Glass  
Plus Design  
Peripheral Bevel (3D)

#### Optional Features

Mode Function

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.12



### 60cm Built In Induction Hob


#### General Features

HOB ID 4I-32  
2 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
Touch Control  
Black Ceramic Glass  
Plus Design  
4 Side AddOn

#### Key Features

Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFT.29



### 60cm Built In Induction Hob


#### General Features

HOB ID 4I-35  
3 x Ø160mm 1400W/B1800W  
1 x Ø200mm 2100W/B2500W  
Bridge Zone  
Slider Touch Control  
Black Ceramic Glass  
Plus Design  
Front Side Bevel

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function

## VIFTC.10



### 60cm Built In Induction Hob

#### General Features

HOB ID 3I-31  
1 x Ø160mm 1400W/B1800W  
1 x Ø200mm 2100W/B2500W  
1 x Ø290mm 2800W/B3500W  
Slider Touch Control  
Black Ceramic Glass  
Slim Design  
Optional Features  
Mode Function

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.20



### 60cm Built In Induction Hob

#### General Features

HOB ID 3I-34  
2 x Ø160mm 1400W/B1800W  
1 x Ø290mm 2800W/B3500W  
Bridge Zone  
Slider Touch Control  
Black Ceramic Glass  
Line Design  
-

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function

## VIFTC.14



### 60cm Built In Induction Hob


#### General Features

HOB ID 3I-28  
1 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
Touch Control  
Black Ceramic Glass  
Slim Design  
Peripheral Bevel (3D)

#### Key Features

Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.30



### 60cm Built In Induction Hob


#### General Features

HOB ID 4I-38  
4 x Ø160mm 1400W/B1800W  
Bridge Zone (X2)  
Slider Touch Control  
Victoria Grey Ceramic Glass  
Line Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.31



### 60cm Built In Induction Hob


#### General Features

HOB ID 4I-38  
4 x Ø160mm 1400W/B1800W  
Bridge Zone (X2)  
Slider Touch Control  
Zara Grey Ceramic Glass  
Line Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.32



### 60cm Built In Induction Hob

#### General Features


HOB ID 3I-34  
2 x Ø160mm 1400W/B1800W  
1 x Ø290mm 2800W/B3500W  
Bridge Zone  
Slider Touch Control  
Beige Ceramic Glass  
Line Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock  
Mode Function



## VIFTC.29



### 60cm Built In Induction Hob

#### General Features

HOB ID 4I-33  
2 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
Touch Control  
White Ceramic Glass  
Slim Design


#### Optional Features

Slider Touch Control  
Mode Function

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.22 Series 2E



**NEW**

### 60cm Built In Induction Hob (Series 2e)


#### General Features

HOB ID 4I-45  
2 x Ø160mm 1300W  
1 x Ø210mm 1500W  
1 x Ø210mm 1500W/B1700W  
Touch Control  
Black Ceramic Glass  
Slim Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VIFTC.23 Series\_2E



**NEW**

### 60cm Built In Induction Hob (Series 2e)


#### General Features

HOB ID 4I-42  
1 x Ø160mm 1300W  
1 x Ø210mm 1500W  
1 x Ø210mm 1500W/B1700W  
Touch Control  
Black Ceramic Glass  
Slim Design

#### Key Features

Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VFTC.01



### 78cm Built In Ceramic Hob

#### General Features

HOB ID 4V-10  
1 x Ø145mm 1200W  
1 x Ø180mm 1800W  
1 x Ø180mm Dual  
700W/1700W  
1 x Ø145mm Oval  
1000W/1800W  
Touch Control  
Black Ceramic Glass  
Slim Design


#### Optional Features

Slider Touch Control

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VFTC.04



### 60cm Built In Ceramic Hob

#### General Features


HOB ID 4V-06  
1 x Ø145mm 1200W  
1 x Ø180mm 1800W  
1 x Ø180mm Dual  
700W/1700W  
1 x Ø145mm Oval  
1000W/1800W  
Slider Touch Control  
Black Ceramic Glass  
Slim Design

Peripheral Bevel (3D)

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VFTC.06



### 60cm Built In Ceramic Hob


#### General Features

HOB ID 4V-27  
2 x Ø145mm 1200W  
2 x Ø180mm 1800W  
Touch Control  
Black Ceramic Glass  
Slim Design  
Single Frame with Logo

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VFTC.12



### 60cm Built In Ceramic Hob


#### General Features

HOB ID 4V-01  
2 x Ø145mm 1200W  
2 x Ø180mm 1800W  
Touch Control  
Black Ceramic Glass  
Arc Design

#### Key Features

Safety Function  
Hot Surface Indicator  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VFTC.08



### 60cm Built In Ceramic Hob


#### General Features

HOB ID 4V-02  
2 x Ø145mm 1200W  
1 x Ø180mm 1700W  
1 x Ø180mm Dual  
700W/1800W  
Touch Control  
White Ceramic Glass  
Slim Design

#### Key Features

Safety Function  
Hot Surface Indicator  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## VFTC.11



### 60cm Built In Ceramic Hob

#### General Features


HOB ID 3V-26  
1 x Ø145mm 1200W  
1 x Ø180mm 1800W  
1 x Ø290mm Dual  
1800W/2700W  
Touch Control  
Black Ceramic Glass  
Slim Design  
Front Side Bevel

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock



## VKC.07



### 60cm Built In Ceramic Hob


#### General Features

HOB ID 4V-01  
2 x Ø145mm 1200W  
2 x Ø180mm 1800W  
Knob Control - Big Macro(Black)  
Black Ceramic Glass  
Slim Design

#### Key Features

Hot Surface Indicator

## VKC.02



### 60cm Built In Ceramic Hob


#### General Features

HOB ID 4V-03  
2 x Ø145mm 1200W  
2 x Ø180mm 1800W  
2 x Ø210mm 2300W  
Knob Control - Antero(WH Inox)  
Black Ceramic Glass  
Arc Design

#### Key Features

Hot Surface Indicator

## VKC.06



### 60cm Built In Ceramic Hob

#### General Features

HOB ID 4V-01  
2 x Ø145mm 1200W  
2 x Ø180mm 1800W  
Knob Control - Gama(Black)  
Black Ceramic Glass  
Arc Design

#### Key Features

Hot Surface Indicator

## VICH.01



### 60cm Polyvalent Induction Hob


#### General Features

HOB ID 4I-21  
2 x Ø160mm 1400W/B1800W  
2 x Ø200mm 2100W/B2500W  
Black Ceramic Glass  
Slim Design  
Single Frame with Logo

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating

## VCH.02



### 60cm Polyvalent Ceramic Hob


#### General Features

HOB ID 4V-09  
2 x Ø145mm 1200W  
1 x Ø180mm Dual  
700W/1700W  
1 x Ø145mm Oval  
1000W/1800W  
Black Ceramic Glass  
Slim Design  
Peripheral Bevel (3D)

#### Key Features

Hot Surface Indicator

## VCH.03



### 60cm Polyvalent Ceramic Hob

#### General Features

HOB ID 4V-01  
2 x Ø145mm 1200W  
2 x Ø180mm 1800W  
Black Ceramic Glass  
Slim Design

#### Key Features

Hot Surface Indicator

## BGOGH.44



### 90cm Built In Gas On Glass Hob

#### General Features

HOB ID 5G-51  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
1 x Wok Burner 4500W  
Standard Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Flat Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

High Efficiency Wok Burner  
Flame Safety Device  
One Touch Ignition

## BGOGH.62



NEW

### 90cm Built In Gas On Glass Hob


#### General Features

HOB ID 5G-51  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
1 x Wok Burner 4500W  
Standard Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Sierra Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

High Efficiency Wok Burner  
Flame Safety Device  
Level Select

## BGOGH.46R1



### 70cm Built In Gas on Glass Hob

#### General Features

HOB ID 5G-51  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
1 x Wok Burner 5000W  
Smart Plus Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Big Macro Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Semi Flat Burners  
Flame Safety Device  
One Touch Ignition



## BGOGH.17R1



### **70cm Built In Gas on Glass Hob**

#### **General Features**

HOB ID 5G-51  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
1 x Wok Burner 3600W  
Plus X Design  
Cast Iron Pan Supports - Plus X  
Cast Iron 3D Burner Cap  
Big Macro Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### **Key Features**

Flame Safety Device  
Level Select

## BGOGH.28



### **70cm Built In Gas on Glass Hob**

#### **General Features**

HOB ID 5G-51  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
1 x Wok Burner 3600W  
Plus X Design  
Cast Iron Pan Supports - Line  
Cast Iron 3D Burner Cap  
Flat Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### **Key Features**

Flame Safety Device  
One Touch Ignition

## BGOGH.47



### **70cm Built In Gas on Glass Hob**

#### **General Features**

HOB ID 5G-51  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
1 x Wok Burner 3600W  
Plus X Design  
Enamel Pan Supports - Standard  
Enamel 3D Burner Cap  
Big Rimo Knobs - WH Inox  
Enamel Burner Pan  
Flat Glass - Black

#### **Key Features**

Flame Safety Device  
One Touch Ignition

## BGOGH.29



### 70cm Built In Gas on Glass Hob

#### General Features

HOB ID 5G-51  
 1 X Auxiliary Burner 1000W  
 1 X Semi Rapid Burner 1750W  
 1 x Rapid Burner 3000W  
 1 x Wok Burner 3600W  
 Plus X Design  
 Cast Iron Pan Supports - Line  
 Cast Iron 3D Burner Cap  
 Big Macro Knobs - White  
 Inox Burner Pan  
 Flat Glass - White

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.31



### 70cm Built In Gas on Glass Hob

#### General Features

HOB ID 5G-51  
 1 X Auxiliary Burner 1000W  
 1 X Semi Rapid Burner 1750W  
 1 x Rapid Burner 3000W  
 1 x Wok Burner 3600W  
 Plus X Design  
 Cast Iron Pan Supports - Deluxe  
 Cast Iron Flat Burner Cap  
 Big Macro Knobs - Black  
 Matte Enamel Burner Pan  
 Flat Glass - Black

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.52



### 75cm Built In Gas on Glass Hob

#### General Features

HOB ID 2G-23  
 2 x Wok Burner 3600W  
 Plus X Design  
 Cast Iron Pan Supports - S TYPE  
 Big Macro Knobs - Black  
 Matte Enamel Burner Pan  
 Flat Glass - Black

#### Key Features

High Efficiency Wok Burner  
 Flame Safety Device  
 One Touch Ignition

## BGOGH.48



### 65cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
Smart Plus Design  
Cast Iron Pan Supports - S TYPE  
Big Macro Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Semi Flat Burners  
Level Select Gas  
Control  
Flame Safety Device  
One Touch Ignition

## BGOGH.61



**NEW**

### 90cm Built In Gas On Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
Smart Plus Design  
Cast Iron Pan Supports - S TYPE  
Nevis Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Semi Flat Burners  
Level Select  
Control  
Flame Safety Device  
Mechanical Timer

## BGOGH.20



### 60cm Built In Gas on Glass Hob

#### General Features


HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
Plus X Design  
Cast Iron Pan Supports - Line  
Cast Iron Flat Burner Cap  
Big Macro Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition



## BGOGH.32R1



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Wok Burner 3600W  
Plus X Design  
Cast Iron Pan Supports - Line  
Cast Iron Flat Burner Cap  
Flat Knobs - WH Inox  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
Level Select

## BGOGH.36



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Wok Burner 3600W  
Plus X Design  
Cast Iron Pan Supports - Line  
Cast Iron 3D Burner Cap  
Big Macro Knobs - White  
Inox Burner Pan  
Flat Glass - White

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.50



### 60cm Built In Gas on Glass Hob


#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Wok Burner 3600W  
Plus X Design  
Enamel Pan Supports - Plus X  
Enamel 3D Burner Cap  
Big Macro Knobs - White  
Enamel Burner Pan  
Flat Glass - White

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.34



### 60cm Built In Gas on Glass Hob


#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Wok Burner 3600W  
Plus X Design  
Cast Iron Pan Supports - Deluxe  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox  
Inox Burner Pan  
Flat Glass - Mirror

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.19



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
Plus X Design  
Cast Iron Pan Supports - Deluxe  
Cast Iron Flat Burner Cap  
Flat Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.21



### 60cm Built In Gas on Glass Hob


#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Rapid Burner 3000W  
Plus X Design  
Cast Iron Pan Supports - Plus X  
Cast Iron Flat Burner Cap  
Flat Knobs - WH Inox  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.49



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 x Rapid Burner 3000W  
 Plus X Design  
 Enamel Pan Supports - Plus X  
 Enamel 3D Burner Cap  
 Big Macro Knobs - Black  
 Enamel Burner Pan  
 Flat Glass - Black

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.18



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 3G1E-31  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 1 X 145mm Hotplate 1000W  
 Plus X Design  
 Enamel Pan Supports - Plus X  
 Enamel 3D Burner Cap  
 Big Macro Knobs - Black  
 Enamel Burner Pan  
 Flat Glass - Black

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.24



### 60cm Built In Gas on Glass Hob


#### General Features

HOB ID 2G2I-69  
 1 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 1 x Ø160mm 1400W/B1800W  
 1 x Ø200mm 2100W/B2500W  
 Pure Design  
 Enamel Pan Supports - Standard  
 Enamel 3D Burner Cap  
 Big Macro Knobs - Black  
 Enamel Burner Pan  
 Ceramic Glass - Black

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.25



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 2G2V-62  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 xØ145mm 1200W  
1 xØ180mm 1800W  
Pure Design  
Cast Iron Pan Supports - Plus X  
Cast Iron Flat Burner Cap  
Alfa Knobs - Black  
Matte Enamel Burner Pan  
Ceramic Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition  
Hot Surface Indicator

## BGOGH.23R1



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 3G1V-67  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 xØ180mm Dual  
700W/1700W  
Pure Design  
Enamel Pan Supports - Standard  
Enamel 3D Burner Cap  
Alfa Knobs - Black  
Enamel Burner Pan  
Ceramic Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition  
Hot Surface Indicator

## BGOGH.01



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Standard Design  
Enamel Pan Supports - Standard  
Enamel 3D Burner Cap  
Big Macro Knobs - Black  
Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition



## BGOGH.05R1



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-41  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 X Wok Burner 3600W  
 Standard Design  
 Cast Iron Pan Supports - Standard  
 Cast Iron Flat Burner Cap  
 Trio Knobs - Black  
 Enamel Burner Pan  
 Flat Glass - Black

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.60



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 Standard Design  
 Cast Iron Pan Supports - Plus X  
 Cast Iron Flat Burner Cap  
 Sierra Knobs - Black  
 Enamel Burner Pan  
 Flat Glass - Black

#### Key Features

Flame Safety Device  
 One Touch Ignition  
 Mechanical Timer

## BGOGH.26R1



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 Standard Design  
 Cast Iron Pan Supports - Standard  
 Cast Iron 3D Burner Cap  
 Alfa Knobs - White  
 Matte Enamel Burner Pan  
 Flat Glass - White

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGOGH.53



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Standard Design  
Cast Iron Pan Supports - Plus X  
Cast Iron Flat Burner Cap  
Big Macro Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Silver

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.11R1



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Standard Design  
Enamel Pan Supports - Plus X  
Enamel 3D Burner Cap  
Alfa Knobs - Black  
Enamel Burner Pan  
Flat Glass - Mink

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.13



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Wok Burner 3600W  
Standard Design  
Cast Iron Pan Supports - Standard  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox  
Inox Burner Pan  
Flat Glass - Mirror

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.43



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Division Design  
Cast Iron Pan Supports - Division  
Enamel 3D Burner Cap  
Big Macro Knobs - Black  
Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.41R1



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 3G-21  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Wok Burner 3600W  
Standard Design  
Cast Iron Pan Supports - Plus X  
Cast Iron 3D Burner Cap  
Feros Knobs - Black  
Matte Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.54



NEW

### 65cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Standard Design  
Enamel Pan Supports - Plus X  
Enamel 3D Burner Cap  
Alfa Knobs - Black  
Enamel Burner Pan  
Flat Glass - Black

#### Key Features

Flame Safety Device  
One Touch Ignition  
Extended Cooking Area

## BGOGH.27



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Rustic Design - C  
Enamel Pan Supports - Plus X  
Enamel 3D Burner Cap  
Rustic Knobs - Black/Gold  
Enamel Burner Pan  
Flat Glass - Black/Gold

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.12



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Rustic Design - C  
Enamel Pan Supports - Standard  
Enamel 3D Burner Cap  
Rustic Knobs - Black/Copper  
Enamel Burner Pan  
Flat Glass - Cream/Copper

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGOGH.15



### 60cm Built In Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Rustic Design - B  
Enamel Pan Supports - Standard  
Enamel 3D Burner Cap  
Rustic Knobs - Black/Chrome  
Enamel Burner Pan  
Flat Glass - White/Silver

#### Key Features

Flame Safety Device  
One Touch Ignition



## BGH.44



### 70cm Built In Gas Hob

#### General Features

HOB ID 5G-51  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 x Rapid Burner 3000W  
 1 x Wok Burner 3600W  
 Plus X Design  
 Cast Iron Pan Supports - S TYPE  
 Cast Iron Flat Burner Cap  
 Big Macro Knobs - WH Inox  
 Inox Cooktop with Glass Control Panel

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGH.45R1



### 70cm Built In Gas Hob

#### General Features

HOB ID 5G-51  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 x Rapid Burner 3000W  
 1 x Wok Burner 3600W  
 Plus X Design  
 Enamel Pan Supports - S TYPE  
 Enamel 3D Burner Cap  
 Alfa Knobs - WH Inox  
 Inox Cooktop

#### Key Features

Flame Safety Device  
 One Touch Ignition

## 75\_BGH.46R1



NEW

### 70cm Built In Gas Hob

#### General Features

HOB ID 5G-51  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 x Rapid Burner 3000W  
 1 x Wok Burner 3600W  
 Plus X Design  
 Cast Iron Pan Supports - S TYPE  
 Cast Iron Flat Burner Cap  
 Nevis Knobs - WH Inox  
 Inox Cooktop

#### Key Features

Flame Safety Device  
 Level Select

## Line-up Hobs

### BGH.47R1



#### 60cm Built In Gas Hob

##### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 x Wok Burner 3600W  
Plus X Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron 3D Burner Cap  
Alfa Knobs - WH Inox  
Inox Cooktop with Glass Control Panel

##### Key Features

Flame Safety Device  
One Touch Ignition

### BGH.48



#### 60cm Built In Gas Hob

##### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Plus X Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox  
Inox Cooktop with Glass Control Panel

##### Key Features

Flame Safety Device  
One Touch Ignition

### BGH.61



NEW

#### 60cm Built In Gas Hob

##### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Plus X Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Muria Knobs - WH Inox

##### Key Features

Flame Safety Device  
Level Select

## BGH.57



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Plus X Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Big Macro Knobs - Black  
Enamel Cooktop - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.50



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Plus X Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Big Macro Knobs - White  
Enamel Cooktop - White

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.51R1



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Plus X Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Trio Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.52



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Division Design  
Cast Iron Pan Supports - Division  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.29



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Surface Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Big Macro Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.05



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Surface Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Gama Knobs - White  
Enamel Cooktop - White

#### Key Features

Flame Safety Device  
One Touch Ignition



## BGH.08



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Flat S Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Nord Knobs - White  
Enamel Cooktop - White

#### Flame Safety Device

One Touch Ignition

## BGH.02



### 60cm Built In Combined Hob

#### General Features

HOB ID 3G1E-31  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 X 180mm Hotplate 1500W  
Surface Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron 3D Burner Cap  
Gama Knobs - Black  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.07



### 60cm Built In Combined Hob

#### General Features

HOB ID 3G1E-31  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 X 180mm Hotplate 1500W  
Surface Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Alfa Knobs - White  
Enamel Cooktop - White

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.03



### 60cm Built In Combined Hob

#### General Features

HOB ID 3G1E-31  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 X 180mm Hotplate 1500W  
Flat R Dsign  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Big Macro Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.09R1



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Wok Burner 3600W  
Surface Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Egon Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.10



### 60cm Built In Combined Hob

#### General Features

HOB ID 3G1E-31  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 X 180mm Hotplate 1500W  
Surface Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Gama Knobs - Black  
Enamel Cooktop - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.01



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Surface Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.43



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Flat T Design  
Cast Iron Pan Supports - Extenda  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## BGH.40R1



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Smoothline Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Iraya Knobs - WH Inox  
Inox Cooktop

#### Key Features

Flame Safety Device  
One Touch Ignition

## Line-up Hobs

### BGH.60



NEW

#### 60cm Built In Gas Hob

##### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Surface Design  
Enamel Pan Supports - S TYPE  
Enamel Flat Burner Cap  
Sierra Knobs - WH Inox  
Inox Cooktop

##### Key Features

Flame Safety Device  
One Touch Ignition  
Mechanical Timer

### BGH.39



#### 60cm Built In Gas Hob

##### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Smoothline Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Gama Knobs - White  
Enamel Cooktop - White

##### Key Features

Flame Safety Device  
One Touch Ignition

### BGH.54



#### 60cm Built In Gas Hob

##### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Smoothline Design  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Gama Knobs - Black  
Enamel Cooktop - Black

##### Key Features

Flame Safety Device  
Button Ignition



## BGH.53R1



### 60cm Built In Combined Hob

#### General Features

HOB ID 3G1E-31  
 1 X Auxiliary Burner 1000W  
 1 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 1 X 180mm Hotplate 1500W  
 Flat T Design  
 Enamel Pan Supports - S TYPE  
 Enamel 3D Burner Cap  
 Iraya Knob -White  
 Enamel Cooktop - White

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGH.28



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 Surface Rustic Design-B  
 Cast Iron Pan Supports - S TYPE  
 Cast Iron Flat Burner Cap  
 Rustic Knobs - Black/Chrome  
 Enamel Cooktop - Black/Silver

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGH.31



### 60cm Built In Gas Hob

#### General Features

HOB ID 4G-40  
 1 X Auxiliary Burner 1000W  
 2 X Semi Rapid Burner 1750W  
 1 X Rapid Burner 3000W  
 Surface Rustic Design-A  
 Enamel Pan Supports - S TYPE  
 Enamel 3D Burner Cap  
 Rustic Knobs - Black/Antique Gold  
 Enamel Cooktop - White/Gold

#### Key Features

Flame Safety Device  
 One Touch Ignition

## BGH.30



### **60cm Built In Gas Hob**

#### **General Features**

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Surface Rustic Design-A  
Enamel Pan Supports - S TYPE  
Enamel 3D Burner Cap  
Rustic Knobs - Black/Gold  
Enamel Cooktop - Black/Gold

#### **Key Features**

Flame Safety Device  
One Touch Ignition

## BEH01



### **60cm Built In Hotplate Hob**

#### **General Features**

HOB ID 4E-01  
2 X 145 Hotplate 1000W  
2 X 180 Hotplate 1500W  
Surface Design  
Big Macro Knobs - WH Inox  
Inox Cooktop

## BEH.02



### **60cm Built In Hotplate Hob**

#### **General Features**

HOB ID 4E-01  
2 X 145 Hotplate 1000W  
2 X 180 Hotplate 1500W  
Surface Design  
Alfa Knobs - WH Inox  
Enamel Cooktop - Black

## BEH.05



### **60cm Built In Hotplate Hob**

#### **General Features**

HOB ID 4E-01

2 X 145 Hotplate 1000W

2 X 180 Hotplate 1500W

Flat O Type Design

Gama Knobs - Black

Inox Cooktop

## BCH.03



### **60cm Polyvalent Hotplate Hob**

#### **General Features**

HOB ID 4E-02

2 X 145 Hotplate 1000W


1 X 180 Hotplate 1500W

1 X 180 Rapid Hotplate 2000W

3D Design

Inox Cooktop

## DVHS2.01



### 30cm Built In Ceramic Hob

#### General Features

HOB ID 2V-16  
1 x Ø145mm 1200W  
1 x Ø180mm 1800W  
Knob Control - Big Macro (Black)  
Black Ceramic Glass  
Slim Design  
Inox Frame (Domino Series 2)

#### Key Features

Hot Surface Indicator

## DEHS2.01



### 30cm Built In Hotplate Hob

#### General Features

HOB ID 2E-08  
1 X 145 Hotplate 1000W  
1 X 180 Rapid Hotplate 2000W  
Domino Seires 2 Design  
Big Macro Knobs - WH Inox

## DGHS2.05



### 30cm Built In Gas Hob

#### General Features

HOB ID 2G-10  
1 X Wok Burner 3600W  
Domino Seires 2 Design  
Cast Iron Pan Supports - S TYPE  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox

#### Key Features

Flame Safety Device  
One Touch Ignition



## DGHS2.04



### 30cm Built In Gas Hob

#### General Features

HOB ID 2G-20  
1 X Auxiliary Burner 1000W  
1 X Rapid Burner 3000W  
Domino Seires 2 Design  
Cast Iron Pan Supports - S  
TYPE  
Cast Iron Flat Burner Cap  
Big Macro Knobs - WH Inox

#### Key Features

Flame Safety Device  
One Touch Ignition

## DGHS2.01



### 30cm Built In Gas on Glass Hob

#### General Features

HOB ID 2G-20  
1 X Auxiliary Burner 1000W  
1 X Rapid Burner 3000W  
Domino Seires 2 Design (Inox Frame)  
Flat Glass-Black  
Cast Iron Pan Supports - Stan-  
dard  
Cast Iron Flat Burner Cap  
Inox Burner Pan  
Big Macro Knobs - WH Inox

#### Key Features

Flame Safety Device  
One Touch Ignition

## DGHS2.02



### 30cm Built In Gas on Glass Hob


#### General Features

HOB ID 1G-10  
1 X Wok Burner 3600W  
Domino Seires 2 Design (Inox Frame)  
Flat Glass-Black  
Cast Iron Pan Supports - Standard  
Cast Iron Flat Burner Cap  
Matte Enamel Burner Pan  
Big Macro Knobs - WH Inox

#### Key Features

Flame Safety Device  
One Touch Ignition

## DIHS1.01



### 30cm Built In Induction Hob


#### General Features

HOB ID 2I-25  
1 x Ø160mm 1400W/B1800W  
1 x Ø200mm 2100W/B2500W  
Touch Control  
Black Ceramic Glass  
Domino Series 1 - Slim Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## DVHS1.03



### 30cm Built In Ceramic Hob


#### General Features

HOB ID 2V-20  
1 x Ø145mm 1200W  
1 x Ø180mm Dual  
700W/1700W  
Touch Control  
Black Ceramic Glass  
Domino Series 1 - Slim Design

#### Key Features

Timer  
Safety Function  
Hot Surface Indicator  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## DVHS1.01



### 30cm Built In Ceramic Hob

#### General Features

HOB ID 2V-16  
1 x Ø145mm 1200W  
1 x Ø180mm 1800W  
Knob Control - Gama  
Black Ceramic Glass  
Domino Series 1 - Slim Design

#### Key Features

Hot Surface Indicator

## DGHS1.03



### 30cm Built In Gas on Glass Hob

#### General Features

HOB ID 2G-20  
1 X Auxiliary Burner 1000W  
1 X Rapid Burner 3000W  
Domino Seires 1 Design  
Flat Glass-Black  
Cast Iron Pan Supports - Standard  
Cast Iron Flat Burner Cap  
Inox Burner Pan  
Alfa Knobs - WH Inox

#### Key Features

Flame Safety Device  
One Touch Ignition

## DGHS1.04



### 30cm Built In Gas on Glass Hob

#### General Features

HOB ID 1G-10  
1 X Wok Burner 3600W  
Domino Seires 1 Design  
Flat Glass-Black  
Enamel Pan Supports - Standard  
Enamel Flat Burner Cap  
Enamel Burner Pan  
Alfa Knobs - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## DGHS1.02



### 30cm Built In Gas on Glass Hob


#### General Features

HOB ID 2G-20  
1 X Auxiliary Burner 1000W  
1 X Rapid Burner 3000W  
Domino Seires 1 Design  
Flat Glass-Black  
Cast Iron Pan Supports - Standard  
Cast Iron Flat Burner Cap  
Enamel Burner Pan  
Alfa Knobs - Black

#### Key Features

Flame Safety Device  
One Touch Ignition

## DIHS2.01



### **30cm Built In Induction Hob**

#### **General Features**

HOB ID 2I-25  
1 x Ø160mm 1400W/B1800W  
1 x Ø200mm 2100W/B2500W  
Touch Control  
Black Ceramic Glass  
Slim Design  
Inox Frame (Domino Series 2)

#### **Key Features**

Timer  
Safety Function  
Hot Surface Indicator  
Pot Detection  
Pause Function  
Speed Heating  
Child Lock  
Auto Off  
Key Lock

## DVHS2.02



### **30cm Built In Ceramic Hob**

#### **General Features**

HOB ID 2V-20  
1 x Ø145mm 1200W  
1 x Ø180mm Dual 700W/1700W  
Touch Control  
Black Ceramic Glass  
Slim Design  
Inox Frame (Domino Series 2)

#### **Key Features**

Timer  
Safety Function  
Hot Surface Indicator  
Speed Heating  
Child lock  
Auto Off  
Key Lock



## TTGGH-S2.03



### 60cm Table Top Gas on Glass Hob

#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Wok Burner 3600W  
Cast Iron Pan Support - Plus X  
Cast Iron Flat Burner Cap  
Matte Enamel Burner Pan  
Big Macro Knobs - Black  
Flat Glass-Black  
Black Painted Frame

#### Key Features

Flame Safety Device  
One Touch Ignition

## TTGH-S2.01



### 60cm Table Top Gas Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
New Generation Design - White Enamel  
Enamel Pan Support - S TYPE  
Enamel 3D Burner Cap  
Gama Knobs - White

#### Key Features

Flame Safety Device  
One Touch Ignition

## TTEH-S2.01



### 60cm Table Top Hotplate Hob

#### General Features

HOB ID 4E-03  
1 X 145 Hotplate 1000W  
1 X 145 Rapid Hotplate 1500W  
1 X 180 Hotplate 1500W  
1 X 180 Rapid Hotplate 2000W  
New Generation Design - White Enamel  
Gama Knobs - White

## TTGH-S2.02



### 60cm Table Top Gas Hob

#### General Features

HOB ID 4G-41  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Wok Burner 3200W  
New Generation Design - Inox  
Cast Iron Pan Support - S TYPE  
Cast Iron 3D Burner Cap  
Gama Knobs - WH Inox

#### Key Features

Flame Safety Device  
One Touch Ignition  
Glass Lid

## TTGGH-S2.01



### 60cm Table Top Gas on Glass Hob

#### General Features

HOB ID 4G-40  
1 X Auxiliary Burner 1000W  
2 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
Enamel Pan Support - Standard  
Enamel Flat Burner Cap  
Enamel Burner Pan  
Big Macro Knobs - White  
Flat Glass-White  
White Painted Frame

#### Key Features

Flame Safety Device  
One Touch Ignition

## TTGGH-S2.02



### 60cm Table Top Gas on Glass Hob

#### General Features

HOB ID 3G1E-31  
1 X Auxiliary Burner 1000W  
1 X Semi Rapid Burner 1750W  
1 X Rapid Burner 3000W  
1 X 145mm Hotplate 1000W  
Cast Iron Pan Support - Plus X  
Cast Iron Flat Burner Cap  
Matte Enamel Burner Pan  
Big Macro Knobs - Black  
Flat Glass-Black  
Silver Painted Frame

#### Key Features

Flame Safety Device  
One Touch Ignition







BUILT IN SINGLE OVEN SPECIFICATIONS (50L)		Standard	Pyrolytic	Steam Assisted
Dimensions				
Product Height	mm	455	455	455
Product Width	mm	595	595	595
Product Depth (with / without Control Panel)	mm	575/550	575/550	575/550
Cabinet Dimensions (Width / Height / Depth) - Control panel located inside the cabinet	mm	-	-	-
Cabinet Dimensions (Width / Height / Depth) - Control panel not located inside the cabinet	mm	min.560-max.580 / 460 / 555	min.560-max.580 / 460 / 555	min.560-max.580 / 460 / 555
Oven Features				
Oven Type		Electric	Electric	Electric
Oven Volume Wire Rack Platform (without/with fan)	lt	54 / 50	54 / 50	54 / 50
Cavity Dimensions Molded Platform (without/with fan) (Width / Height / Depth)	mm	-	-	-
Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Height / Depth)	mm	470 x 252,5 x 452,2 / 470 x 252,5 x 418,4	470 x 252,5 x 452,2 / 470 x 252,5 x 418,4	470 x 252,5 x 452,2 / 470 x 252,5 x 418,4
Cooling Fan		Standard	Standard	Standard
Oven Lamp on Rear Wall (Standard - 25W)		Standard	Standard	Standard
Oven Lamp on Rear Wall (LED - 3.4W)		Optional (depends on oven controller)	-	Optional (depends on oven controller)
Oven Lamp on Rear Wall and Side Wall		Optional	-	-
Easy to Clean Enamel		Standard	Standard	Standard
Pyrolytic Enamel		-	Standard	-
Catalytic Enamel Panels (Left, right and rear)		Optional	-	Optional
Wire Side Racks		Standard	Standard	Standard
Mechanical Thermostat		Standard	-	-
Electronic Thermostat		Optional	Standart	Standart
Oven Functions		Static, Fan, TurboFan, Multifunction	Fan, Multifunction	Multifunction
Top Heating Element	W	800	800	800
Bottom Heating Element	W	1100	1100	1100
Grill (Thermostatic)	W	1500	1500	1500
Double Grill (Thermostatic)	W	2300	2300	2300
Fan	W	23	23	23
Fan with Ring Heating Element	W	1500	1500	1500
Automatic Boost Function		available for some control unit	available for some control unit	Standard
Turnspit		-	-	-
Meat Probe		Optional	Optional	-
Thermostat Operation Indicator Light		available for some control unit	available for some control unit	-
Oven Operation Indicator Light		available for some control unit	available for some control unit	-
Self Cleaning Period	hours	-	1,5/1	-
Energy Consumption during Self Cleaning Function		-	?	-
Technologies				
HeatWrap		-	-	-
Hot Air Shield		Optional	-	Optional
Steam Base		-	-	-
Steam Base +		-	-	-
3D Cooking		Optional	Optional	Optional
Active Cool		-	Standard	-
Energy Efficiency [A]		Default	Default	Default
Energy Efficiency [A+]		Optional	-	-
Energy Efficiency [A++]		-	-	Optional
UV-C Light		-	-	-
Vap Clean		Optional	Optional	-
Vap Clean +		-	-	Standart
Oven Controllers				
Mechanical Minute Minder		Optional	-	-
Mechanical Timer		Optional	-	-
Analog Timer (Programmable)		Optional	-	-
Digital Minute Minder		Optional	-	-
Digital Timer		Optional	Standard	-
Digital Touch Minute Minder		Optional	-	-
Digital Touch Timer		Optional	Optional	-
Visio Touch		Optional	Optional	-
Full Touch LED Display		Optional	Optional	-
Ready Cook		Optional	-	Standard
Monochrome LCD		Optional	-	-
Slim LED Touch		Optional	-	-
OEM Family Design Digital Touch		Optional	-	-
OEM Family Design Visio Touch		Optional	-	-
OEM Family Design Full Touch		Optional	-	Optional
Control Panel				
Metal		Default	Default	-
Glass		Optional	Optional	Standard
Add On Types		Optional	Optional	Optional



BUILT IN SINGLE OVEN SPECIFICATIONS (50L)		Standard	Pyrolytic	Steam Assisted
Available Colours				
Metal Control Panel - White		Default	Default	-
Metal Control Panel - Black		Optional	Optional	-
Metal Control Panel - Silver		Optional	Optional	-
Metal Control Panel - Inox		Optional	Optional	-
Metal Control Panel - Inox AFG		Optional	Optional	-
Metal Control Panel - Dark Inox		Optional	Optional	-
Glass Control Panel - Black		Optional	Optional	Default
Glass Control Panel - White		Optional	Optional	Optional
Glass Control Panel - Mirror		Optional	Optional	Optional
Glass Control Panel - Silver		Optional	Optional	Optional
Glass Control Panel - Mink		Optional	Optional	Optional
Glass Control Panel - Retro Cream		Optional	Optional	Optional
Glass Control Panel - Beige		Optional	Optional	Optional
Glass Control Panel - Steel Blue		Optional	Optional	Optional
Glass Control Panel - Victoria Grey		Optional	Optional	Optional
Glass Control Panel - Pure Black		Optional	Optional	Optional
Glass Control Panel - Matte Black		-	-	-
Glass Control Panel - Metal Print (Aluminium on Black)		Optional	Optional	Optional
Rustik Glass Control Panel (Black / White / Cream / Retro Cream)		-	-	-
Rustik Metal Art (Black / White / Retro Cream)		-	-	-
Oven Door				
TYPE 2 - Large Glass Oven Door		-	-	-
TYPE 3 - Pyrolytic Oven Door		-	-	-
TYPE 4 - Full Glass Oven Door		-	-	-
Type 5 - Active Cool Oven Door		-	Standard	-
TYPE 6 - Full Glass Oven Door/Plastic Profile		Standard	-	Standard
Easy to Remove		Standard	Standard	Standard
Removable Inner Glass		Standard	Standard	Standard
Cool touch Oven door		Optional	Standard	Optional
Door Switch		Optional	Standard	Optional
Child Lock on Oven Door		-	Standard (Electromechanic)	-
Soft Close		Optional	Optional	Optional
Soft Open & Close		-	-	-
Easy Clean		-	-	-
Accessories				
Baking Tray (Shallow Tray)		1 (Default)	1 (Default)	1 (Default)
Roasting Tray (Deep Tray)		Optional	Optional	Optional
Glass Tray		-	-	-
Chromed Grid with Stoper		1 (Default)	1 (Default)	1 (Default)
VestFry		-	-	-
Rotisserie		-	-	-
Wire grid for deep tray		Optional	Optional	Optional
Broil Pan with Handle Set		Optional	Optional	Optional
Half Extension Telescopic Rail (1 or 2 racks)		Optional	Optional	Optional
Full Extension Telescopic Rail (1 or 2 racks)		Optional	Optional	Optional
Mechanical Oil Filter		Optional	Optional	Optional
Others				
Total Power (Depends on Model) Maximum	kW	2500,0	2600,0	3300,0
Axial Cooling Fan	W	Default	-	Default
Axial Cooling Fan Noise Level	dBA	to be determined	-	to be determined
Tangential Cooling Fan	W	Optional (only with hotairshield)	Standard	Optional (only with hotairshield)
Tangential Cooling Fan Noise Level	dBA	to be determined	to be determined	to be determined
Voltage	V	230	230	230
Electric Cooker Energy Rating (Depends on Model)		A	A	A
Cavity Insulation		White / Yellow	White (with Aluminum foil)	White (with Aluminum foil) / Yellow (with Aluminum foil)
Pop-in / Pop-out Knob		Optional	Optional	Optional
Main Cable		Standard	Standard	Standard
Shrink Packed Product Dimensions (Width / Depth / Height)	mm	650X640X510	650X640X510	650X640X510
Carton Box Packaging		Optional	Optional	Optional
RoHS Compliance		Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard
Net Weight (Depends on Model) Maximum	kg	to be determined	to be determined	to be determined
Gross Weight (Depends on Model) Maximum	kg	to be determined	to be determined	to be determined
Container Loading Quantity (20 ft Container)	pcs	108	108	108
Container Loading Quantity (40 ft Container)	pcs	216	216	216
Container Loading Quantity (40 ft HC Container)	pcs	270	270	270

BUILT IN SINGLE OVEN SPECIFICATIONS (65L)		Standard	Pyrolytic	Steam Assisted
Dimensions				
Product Height	mm	595	595	595
Product Width	mm	595	595	595
Product Depth (with / without Control Panel)	mm	575 / 550	575 / 550	575 / 550
Cabinet Dimensions (Width / Height / Depth) -If control panel located inside the cabinet	mm	600 / 600 / 590	600 / 600 / 590	600 / 600 / 590
Cabinet Dimensions (Width / Height / Depth) -If control panel not located inside the cabinet	mm	min.560 max.580 / min.600 / min.555	min.560 max.580 / min.600 / min.555	min.560 max.580 / min.600 / min.555
Oven Features				
Oven Type		Electric	Electric (Pyrolytic)	Electric
Oven Volume (without/with fan)	lt	72 / 65 (mold runners) - 76 / 69 (wire rack)	"64 (mold runners) - 69 (wire rack) Only with fan"	"65 (mold runners) - 69 (wire rack) Only with fan"
Cavity Dimensions Molded Platform (without/with fan) (Width / Height / Depth)	mm	450 x 352 x 452 / 450 x 352 x 413	"450 x 352 x 404 (Type 3 Oven Door) 450 x 352 x 413 (Type 5 Oven Door) Only with fan"	"450 x 352 x 413 Only with fan"
Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Height / Depth)	mm	475 x 352 x 452 / 475 x 352 x 413,4	"475 x 352 x 404 (Type 3 Oven Door) 475 x 352 x 413 (Type 5 Oven Door) Only with fan"	"475 x 352 x 413,4 Only with fan"
Cooling Fan		Standard	Standard	Standard
Oven Light (25W)		Standard	Standard	Standard
Oven Lamp on Rear Wall (LED - 3.4W)		Optional (depends on oven controllers)	-	Optional (depends on oven controllers)
Oven Lamp on Rear Wall and Side Wall		Optional (available with wire side racks)	-	-
Easy to Clean Enamel		Standard	Standard	Standard
Pyrolytic Enamel		-	Standard	-
Catalytic Enamel Panels (Left, right and rear)		Optional	-	Optional
Wire Side Racks		Optional	Optional	Optional
Mechanical Thermostat		Default	-	-
Electronic Thermostat		Optional	Standart	Standart
Oven Functions		Static, Fan, TurboFan, Multifunction	Fan, Multifunction	Multifunction
Top Heating Element	W	1200	1200	1200
Bottom Heating Element	W	1100	1100	1100
Grill (Thermostatic)	W	1400	1400	1400
Double Grill (Thermostatic)	W	2600	2600	2600
Fan	W	23	23	23
Fan with Ring Heating Element	W	2000	2000	2000
Automatic Boost Function		available for some control unit	available for some control unit	available for some control unit
Turnspit		Optional	Optional	-
Meat Probe		Optional	Optional	-
Thermostat Operation Indicator Light		Standard	Standard	-
Oven Operation Indicator Light		Standard	-	-
Self Cleaning Period	hours	-	1,5 / 1	-
Energy Consumption during Self Cleaning Function	kwh	-	2,6	-
Technologies				
HeatWrap		-	-	-
Hot Air Shield		Optional	-	Optional
Steam Base		Optional	Optional	-
Steam Base +		Optional	-	-
3D Cooking		Optional	Optional	Optional
Active Cool		-	Optional	-
Energy Efficiency [A]		Default	Standard	Standard
Energy Efficiency [A+]		Optional	-	-
Energy Efficiency [A++]		Optional	-	Optional
UV-C Light		-	-	-
Vap Clean		Optional	-	-
Vap Clean +		-	-	Standard
Oven Controllers				
Mechanical Minute Minder		Optional	-	-
Mechanical Timer		Optional	-	-
Analog Timer (Programmable)		Optional	-	-
Digital Minute Minder		Optional	-	-
Digital Timer		Optional	Default	-
Digital Touch Timer		Optional	Optional	-
Digital Touch Minute Minder		Optional	-	-
Visio Touch		Optional	Optional	-
Full Touch LED Display		Optional	Optional	-
Ready Cook		Optional	Optional	Optional
Monochrome LCD		Optional	Optional	-
Slim LED Touch		-	-	-
OEM Family Design Digital Touch		Optional	Optional	-
OEM Family Design Visio Touch		Optional	Optional	-
OEM Family Design Full Touch		Optional	Optional	Optional
Control Panel				
Metal		Default	Default	-
Glass		Optional	Optional	Standard
Add On Types		Optional	Optional	Optional

BUILT IN SINGLE OVEN SPECIFICATIONS (65L)		Standard	Pyrolytic	Steam Assisted
Available Colours				
Metal Control Panel - White		Default	Default	-
Metal Control Panel - Black		Optional	Optional	-
Metal Control Panel - Silver		Optional	Optional	-
Metal Control Panel - Inox		Optional	Optional	-
Metal Control Panel - Inox AFG		Optional	Optional	-
Metal Control Panel - Dark Inox		Optional	Optional	-
Glass Control Panel - Black		Optional	Optional	Default
Glass Control Panel - White		Optional	Optional	Optional
Glass Control Panel - Mirror		Optional	Optional	Optional
Glass Control Panel - Silver		Optional	Optional	Optional
Glass Control Panel - Mink		Optional	Optional	Optional
Glass Control Panel - Retro Cream		Optional	Optional	Optional
Glass Control Panel - Beige		Optional	Optional	Optional
Glass Control Panel - Steel Blue		-	-	-
Glass Control Panel - Victoria Grey		Optional	Optional	Optional
Glass Control Panel - Pure Black		Optional	Optional	Optional
Glass Control Panel - Matte Black		-	-	-
Glass Control Panel - Metal Print (Aluminium on Black)		-	-	-
Rustik Glass Control Panel (Black / White / Cream / Retro Cream)		Optional	-	-
Rustik Metal Art (Black / White / Retro Cream)		Optional	-	-
Oven Door				
TYPE 2 - Large Glass Oven Door		Default	-	
TYPE 3 - Pyrolytic Oven Door		-	Default	
TYPE 4 - Full Glass Oven Door		Optional	-	Default
Type 5 - Active Cool Oven Door		Optional	Optional	-
TYPE 6 - Full Glass Oven Door/Plastic Profile		Optional	-	Optional
Easy to Remove		Standard	Standard	Standard
Removable Inner Glass		Optional	Standard (with TYPE 5 Door)	Optional
Cool touch Oven door		Optional	Standard (with TYPE 5 Door)	Optional
Door Switch		Optional	Standard	Optional
Child Lock on Oven Door		-	Standard (Electromechanic)	-
Soft Close		Optional	Optional (with TYPE 5 Door)	Optional
Soft Open & Close		Optional	Optional (with TYPE 5 Door)	Optional
Easy Clean		-	-	-
Accessories				
Baking Tray (Shallow Tray)		1 (Default)	1 (Default)	1 (Default)
Roasting Tray (Deep Tray)		Optional	Optional	Optional
Glass Tray		Optional	Optional	Optional
Chromed Grid with Stoper		1 (Default)	1 (Default)	1 (Default)
VestFry		Optional	Optional	-
Rotisserie		Optional	Optional	-
Wire grid for deep tray		Optional	Optional	Optional
Broil Pan with Handle Set		Optional	Optional	Optional
Half Extension Telescopic Rail (1 or 2 racks)		Optional	Optional	Optional
Full Extension Telescopic Rail (1 or 2 racks)		Optional	Optional	Optional
Mechanical Oil Filter		Optional	Optional	Optional
Others				
Total Power (Depends on Model) Maximum	kW	3,1	2,6	2,6
Axial Cooling Fan	W	Default	-	Default
Axial Cooling Fan Noise Level	dBA	to be determined	to be determined	to be determined
Tangential Cooling Fan	W	Optional (only with hotairshield)	Standard	Optional (only with hotairshield)
Tangential Cooling Fan Noise Level	dBA	to be determined	to be determined	to be determined
Voltage	V	230	230	230
Electric Cooker Energy Rating (Depends on Model)		A++/A+ / A	A	A
Cavity Insulation		White / Yellow	White (with Aluminum foil)	White (with Aluminum foil) / Yellow (with Aluminum foil)
Pop-in / Pop-out Knob		Optional	Optional	Optional
Main Cable		Standard	Standard	Standard
Shrink Packed Product Dimensions (Width / Depth / Height)	mm	650 x 640 x 650	650 x 640 x 650	650 x 640 x 650
Carton Box Packaging		Optional	Optional	Optional
RoHS Compliance		Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard
Net Weight (Depends on Model) Maximum	kg	35	34	36
Gross Weight (Depends on Model) Maximum	kg	37,7	36,2	38,2
Container Loading Quantity (20 ft Container)	pcs	81	81	81
Container Loading Quantity (40 ft Container)	pcs	162	162	162
Container Loading Quantity (40 ft HC Container)	pcs	216	216	216

BUILT IN SINGLE OVEN SPECIFICATIONS (75L)		Standard	Pyrolytic	Steam Assisted
Dimensions				
Product Height	mm	595	595	595
Product Width	mm	595	595	595
Product Depth (with / without Control Panel)	mm	575 / 550	575 / 550	575 / 550
Cabinet Dimensions (Width / Height / Depth) -If control panel located inside the cabinet	mm	600 / 600 / 590	600 / 600 / 580	600 / 600 / 590
Cabinet Dimensions (Width / Height / Depth) -If control panel not located inside the cabinet	mm	min.560 max.580 / min.600 / min.555	min.560 max.580 / min.600 / min.555	min.560 max.580 / min.600 / min.555
Oven Features				
Oven Type		Electric	Electric	Electric
Oven Volume (without/with fan)	lt	80 / 73 (mold runners) - 84 / 78 (wire rack)	73 (mold runners) - 78 (wire rack) Only with fan	73 (mold runners) - 78 (wire rack) Only with fan
Cavity Dimensions Molded Platform (without/with fan) (Width / Height / Depth)	mm	450 x 392 x 452 / 450 x 392 x 413	450 x 392 x 413 Only with fan	450 x 392 x 413 Only with fan
Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Height / Depth)	mm	475 x 392 x 452 / 475 x 392 x 413	475 x 392 x 413 Only with fan	475 x 392 x 413 Only with fan
Cooling Fan		Standard	Standard	Standard
Oven Light (25W)		Standard	Standard	Standard
Oven Lamp on Rear Wall (LED - 3.4W)		Optional (depends on oven controllers)	-	Optional (depends on oven controllers)
Oven Lamp on Rear Wall and Side Wall		Optional (available with wire side racks)	-	-
Easy to Clean Enamel		Standard	Standard	Standard
Pyrolytic Enamel		-	Standard	-
Catalytic Enamel Panels (Left, right and rear)		Optional	-	Optional
Wire Side Racks		Optional	Optional	Optional
Mechanical Thermostat		Standard	-	-
Electronic Thermostat		Optional	Standard	Standard
Oven Functions		Static, Fan, TurboFan, Multifunction	Fan, Multifunction	Multifunction
Top Heating Element	W	1200	1200	1200
Bottom Heating Element	W	1100	1100	1100
Grill (Thermostatic)	W	1400	1400	1400
Double Grill (Thermostatic)	W	2600	2600	2600
Fan	W	23	23	23
Fan with Ring Heating Element	W	2000	2000	2000
Automatic Boost Function		available for some control unit	available for some control unit	available for some control unit
Turnspit		Optional	Optional	-
Meat Probe		Optional	-	-
Thermostat Operation Indicator Light		Standard	Standard	-
Oven Operation Indicator Light		Standard	-	-
Self Cleaning Period	hours	-	1,5 / 1	-
Energy Consumption during Self Cleaning Function	kwh	-	2,6	-
Technologies				
HeatWrap		Optional	-	-
Hot Air Shield		Optional	-	Optional
Steam Base		Optional	Optional	-
Steam Base +		Optional	-	-
3D Cooking		Optional	Optional	Optional
Active Cool		-	Standard	-
Energy Efficiency [A]		Default	Default	Standard
Energy Efficiency [A+]		Optional	Optional	-
Energy Efficiency [A++]		-	-	-
UV-C Light		Optional	-	-
Vap Clean		Optional	Optional	-
Vap Clean +		-	-	Standard
Oven Controllers				
Mechanical Minute Minder		Optional	-	-
Mechanical Timer		Optional	-	-
Analog Timer (Programmable)		-	-	-
Digital Minute Minder		Optional	-	-
Digital Timer		Optional	Default	-
Digital Touch Timer		Optional	Optional	-
Digital Touch Minute Minder		Optional	-	-
Visio Touch		Optional	Optional	-
Full Touch LED Display		Optional	Optional	-
Ready Cook		Optional	Optional	Optional
Monochrome LCD		Optional	Optional	-
Slim LED Touch		Optional	-	-
OEM Family Design Digital Touch		Optional	Optional	-
OEM Family Design Visio Touch		Optional	Optional	-
OEM Family Design Full Touch		Optional	Optional	Optional
Control Panel				
Metal		Default	Default	-
Glass		Optional	Optional	Standard
Add On Types		Optional	Optional	Optional



BUILT IN SINGLE OVEN SPECIFICATIONS (75L)		Standard	Pyrolytic	Steam Assisted
Available Colours				
Metal Control Panel - White		Default	Default	-
Metal Control Panel - Black		Optional	Optional	-
Metal Control Panel - Silver		Optional	Optional	-
Metal Control Panel - Inox		Optional	Optional	-
Metal Control Panel - Inox AFG		Optional	Optional	-
Metal Control Panel - Dark Inox		Optional	Optional	-
Glass Control Panel - Black		Optional	Optional	Default
Glass Control Panel - White		Optional	Optional	Optional
Glass Control Panel - Mirror		Optional	Optional	Optional
Glass Control Panel - Silver		Optional	Optional	Optional
Glass Control Panel - Mink		Optional	Optional	Optional
Glass Control Panel - Retro Cream		Optional	Optional	Optional
Glass Control Panel - Beige		Optional	Optional	Optional
Glass Control Panel - Steel Blue		Optional	Optional	Optional
Glass Control Panel - Victoria Grey		Optional	Optional	Optional
Glass Control Panel - Pure Black		Optional	Optional	Optional
Glass Control Panel - Matte Black		Optional	Optional	Optional
Glass Control Panel - Metal Print (Aluminium on Black)		Optional	Optional	Optional
Rustik Glass Control Panel (Black / White / Cream / Retro Cream)		-	-	-
Rustik Metal Art (Black / White / Retro Cream)		-	-	-
Oven Door				
TYPE 2 - Large Glass Oven Door		-	-	-
TYPE 3 - Pyrolytic Oven Door		-	-	-
TYPE 4 - Full Glass Oven Door		Default	-	Default
Type 5 - Active Cool Oven Door		-	Standard	-
TYPE 6 - Full Glass Oven Door/Plastic Profile		Optional	-	Optional
Easy to Remove		Standard	Standard	Standard
Removable Inner Glass		Standard	Standard	Standard
Cool touch Oven door		Optional	Standard	Optional
Door Switch		Optional	Standard	Optional
Child Lock on Oven Door		-	Standard (Electromechanic)	-
Soft Close		Optional	Optional	Optional
Soft Open & Close		Optional	Optional	Optional
Easy Clean		Optional	-	Optional
Accessories				
Baking Tray (Shallow Tray)		1 (Default)	1 (Default)	1 (Default)
Roasting Tray (Deep Tray)		Optional	Optional	Optional
Glass Tray		Optional	Optional	Optional
Chromed Grid with Stoper		1 (Default)	1 (Default)	1 (Default)
VestFry		Optional	Optional	-
Rotisserie		Optional	Optional	-
Wire grid for deep tray		Optional	Optional	Optional
Broil Pan with Handle Set		Optional	Optional	Optional
Half Extension Telescopic Rail (1 or 2 racks)		Optional	Optional	Optional
Full Extension Telescopic Rail (1 or 2 racks)		Optional	Optional	Optional
Mechanical Oil Filter		Optional	Optional	Optional
Others				
Total Power (Depends on Model) Maximum	kW	3,1	2,6	2,6
Axial Cooling Fan	W	Default	-	Default
Axial Cooling Fan Noise Level	dBA	to be determined	to be determined	to be determined
Tangential Cooling Fan	W	Optional (only with hotairshield)	Standard	Optional (only with hotairshield)
Tangential Cooling Fan Noise Level	dBA	to be determined	to be determined	to be determined
Voltage	V	230	230	230
Electric Cooker Energy Rating (Depends on Model)		A	A	A
Cavity Insulation		White / Yellow	White (with Aluminum foil)	White (with Aluminum foil) / Yellow (with Aluminum foil)
Pop-in / Pop-out Knob		Optional	Optional	Optional
Main Cable		Standard	Standard	Standard
Shrink Packed Product Dimensions (Width / Depth / Height)	mm	650 x 640 x 650	650 x 640 x 650	650 x 640 x 650
Carton Box Packaging		Optional	Optional	Optional
RoHS Compliance		Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard
Net Weight (Depends on Model) Maximum	kg	36	36	36
Gross Weight (Depends on Model) Maximum	kg	38,2	38,2	38,2
Container Loading Quantity (20 ft Container)	pcs	81	81	81
Container Loading Quantity (40 ft Container)	pcs	162	162	162
Container Loading Quantity (40 ft HC Container)	pcs	216	216	216

BUILT IN DOUBLE OVEN SPECIFICATIONS		90 cm BUILT-IN DOUBLE OVEN	70 cm BUILT-UNDER DOUBLE OVEN
Dimensions			
Product Height	mm	890	720
Product Width	mm	595	595
Product Depth (with / without Control Panel)	mm	575 / 550	575 / 550
Cabinet Dimensions (Width / Height / Depth) -If control panel located inside the cabinet	mm	-	-
Cabinet Dimensions (Width / Height / Depth) -If control panel not located inside the cabinet	mm	min.560 max.580 / min.880 / min.555	min.560 max.580 / min.715 / min.555
Main Oven Features			
Oven Type		Electric	Electric
Oven Volume (without/with fan)	lt	80 / 74 (mold runners) - 84 / 78 (wire rack)	51 / 48 (mold runners) - 54 / 50 (wire rack)
Cavity Dimensions Molded Platform (without/with fan) (Width / Height / Depth)	mm	450 x 392 x 452 / 450 x 392 x 418	450 x 252,5 x 452 / 450 x 252,3 x 418
Cavity Dimensions Wire Rack Platform (without/with fan) (Width / Height / Depth)	mm	475 x 392 x 452 / 475 x 392 x 418	470 x 252,5 x 452 / 470 x 252,3 x 418
Oven Back Light (25W)		Standard	Standard
Side Light (15W)		Optional	Optional
Oven Lamp on Rear Wall (LED - 3.4W)		-	-
Easy to Clean Enamel		Standard	Standard
Catalytic Enamel Panels (Left, right and rear)		Optional	Optional
Wire Side Racks		Optional	Optional
Mechanical Thermostat		Standard	Standard
Electronic Thermostat		-	-
Oven Functions		Static, Fan, TurboFan, Multifunction	Static, Fan, TurboFan, Multifunction
Top Heating Element	W	1200	800
Bottom Heating Element	W	1100	1100
Grill (Thermostatic)	W	1400	1500
Double Grill (Thermostatic)	W	2600	2300
Fan	W	23	23
Fan with Ring Heating Element	W	2000	1500
Automatic Boost Function		-	-
Turnspit		-	-
Meat Probe		-	-
Thermostat Operation Indicator Light		Standard	Standard
Oven Operation Indicator Light		-	-
Self Cleaning Period		-	-
Energy Consumption during Self Cleaning Function		-	-
Top Oven Features			
Oven Type		Electric	Electric
Oven Volume (without fan)	lt	37 (mold runners) - 39 (wire rack)	37 (mold runners) - 39 (wire rack)
Cavity Dimensions Molded Platform (without fan) (Width / Height / Depth)	mm	450 x 189,7 x 439	450 x 189,7 x 439
Cavity Dimensions Wire Rack Platform (without fan) (Width / Height / Depth)	mm	470 x 189,7 x 439	470 x 189,7 x 439
Oven Back Light (25W)		Optional	Optional
Side Light (15W)		-	-
Oven Lamp on Rear Wall (LED - ?W)		-	-
Easy to Clean Enamel		Standard	Standard
Catalytic Enamel Panels (Left, right)		Optional	Optional
Wire Side Racks		Optional	Optional
Mechanical Thermostat		Standard	Standard
Electronic Thermostat		-	-
Oven Functions		Up to 6	Up to 6
Top Heating Element	W	1000	1000
Bottom Heating Element	W	1100	1100
Grill (Thermostatic)	W	1200	1200
Double Grill (Thermostatic)	W	2200	2200
Automatic Boost Function		N/A	N/A
Thermostat Operation Indicator Light		Standard	Standard
Oven Operation Indicator Light		N/A	N/A
Technologies			
HeatWrap		-	-
Hot Air Shield		-	-
Steam Base		-	-
Steam Base +		-	-
3D Cooking		Optional	Optional
Active Cool		-	-
Energy Efficiency [A]		Standard	Standard
Energy Efficiency [A+]		-	-
Energy Efficiency [A++]		-	-
UV-C Light		-	-
Vap Clean		-	-
Vap Clean +		-	-
Oven Controllers			
Mechanical Minute Minder		Optional	Optional
Mechanical Timer		Optional	Optional
Analog Timer (Programmable)		-	-
Digital Minute Minder		Optional	Optional
Digital Timer		Optional	Optional
Digital Touch Timer		Optional	Optional
Digital Touch Minute Minder		Optional	Optional
Visio Touch		-	-
Full Touch LED Display		-	-
Ready Cook		-	-
Monochrome LCD		-	-
Slim LED Touch		-	-
OEM Family Design Digital Touch		Optional	Optional
OEM Family Design Visio Touch		-	-
OEM Family Design Full Touch		-	-

BUILT IN DOUBLE OVEN SPECIFICATIONS		90 cm BUILT-IN DOUBLE OVEN		70 cm BUILT-UNDER DOUBLE OVEN	
Control Panel					
Metal		Default		Default	
Glass		Optional		Optional	
Add On Types		Optional		Optional	
Available Colours					
Metal Control Panel - White		Default		Default	
Metal Control Panel - Black		Optional		Optional	
Metal Control Panel - Silver		Optional		Optional	
Metal Control Panel - Inox		Optional		Optional	
Metal Control Panel - Inox AFG		Optional		Optional	
Metal Control Panel - Dark Inox		Optional		Optional	
Glass Control Panel - Black		Optional		Optional	
Glass Control Panel - White		Optional		Optional	
Glass Control Panel - Mirror		-		-	
Glass Control Panel - Silver		Optional		Optional	
Glass Control Panel - Mink		Optional		Optional	
Glass Control Panel - Retro Cream		-		-	
Glass Control Panel - Beige		-		-	
Glass Control Panel - Steel Blue		-		-	
Glass Control Panel - Victoria Grey		Optional		Optional	
Glass Control Panel - Pure Black		Optional		Optional	
Glass Control Panel - Matte Black		-		-	
Glass Control Panel - Metal Print (Aluminium on Black)		Optional		Optional	
Rustik Glass Control Panel (Black / White / Cream / Retro Cream)		-		-	
Rustik Metal Art (Black / White / Retro Cream)		-		-	
Oven Door					
TYPE 2 - Large Glass Oven Door		-		-	
TYPE 3 - Pyrolytic Oven Door		-		-	
TYPE 4 - Full Glass Oven Door		-		-	
Type 5 - Active Cool Oven Door		-		-	
TYPE 6 - Full Glass Oven Door/Plastic Profile		Standard		Standard	
Easy to Remove		Standard		Standard	
Removable Inner Glass		Standard		Standard	
Cool touch Oven door		Optional		Optional	
Door Switch		-		-	
Child Lock on Oven Door		-		-	
Soft Close		Optional		Optional	
Soft Open & Close		Optional		Optional	
Easy Clean		Optional (Available for main oven door)		-	
Accessories					
Baking Tray (Shallow Tray)		1 (Default)		1 (Default)	
Roasting Tray (Deep Tray)		Optional		Optional	
Chromed Grid with Stoper		1 (Default)		1 (Default)	
VestFry		-		-	
Rotisserie		-		-	
Wire grid for deep tray		Optional		Optional	
Broil Pan with Handle Set		Optional		Optional	
Half Extension Telescopic Rail (1 or 2 racks)		Optional		Optional	
Full Extension Telescopic Rail (1 or 2 racks)		Optional		Optional	
Mechanical Oil Filter		Optional		Optional	
Others					
Total Power (Depends on Model) Maximum		kW	5,3	4,8	
Axial Cooling Fan		W	-	-	
Axial Cooling Fan Noise Level		dBA	-	-	
Tangential Cooling Fan		W	Standard	Standard	
Tangential Cooling Fan Noise Level		dBA	to be determined	to be determined	
Voltage		V	230	230	
Electric Cooker Energy Rating (Depends on Model)		A		A	
Cavity Insulation		White / Yellow		White / Yellow	
Pop-in / Pop-out Knob		Optional		Optional	
Main Cable		Optional		Optional	
Shrink Packed Product Dimensions (Width / Depth / Height)		mm	650 x 640 x 945	650 x 640 x 775	
Carton Box Packaging		Optional		Optional	
RoHS Compliance		Standard		Standard	
CE Compliance		Standard		Standard	
Net Weight (Depends on Model) Maximum		kg	to be determined	to be determined	
Gross Weight (Depends on Model) Maximum		kg	to be determined	to be determined	
Container Loading Quantity (20 ft Container)		pcs	54	81	
Container Loading Quantity (40 ft Container)		pcs	108	162	
Container Loading Quantity (40 ft HC Container)		pcs	108	162	

Built In Single Oven Energy Class Declaration						
Oven Function Identity	Oven Type	Oven Function ID	Available Energy Class Declarations			Function Used for Energy Declaration
			50L	65L	75L	
Static	Standard	1 2 4 13 15	A	A	A	Top + Bottom
Turbo Fan / Multifunction	Standard	6 7 9 16 17 19 23 24 50 51 56 57 59 60 62 64 65	A, A+	A, A+	A, A+	Fan + Ring
	Pyrolytic	28 29 66 67 68 69	A	A	A, A+	
	Steam Assisted	56 68	A, A+	A, A+	A, A+	
Turbo Lite	Standard	50 51	-	A++	-	Fan + Ring
Fan Assisted	Standard	10 12 20 22 25 26 52 53 54 55 61	A	A	A	Top + Bottom + Fan
	Pyrolytic	27	A	A	A	
Owner of this document is Vestel Beyaz Esya A.S. (VBE). VBE has right to make changes on these values without notification by referring this document. 10.05.2015						

Built in Double Oven Functions Table							
Oven Function ID	Oven Functions	Function Elements	Number of Functions	Identity in the Market	Function Pictograms	Compatible Oven Controllers (Check Oven Controllers-Page X for notations)	Electrical Power at 230V
Oven Functions for Top Oven							
1	0 / Grill	Grill	1	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	1200
2	0 / Grill / Double Grill	Grill   Double Grill	2	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2200
3	0 / Top+Bottom / Bottom / Top / Grill	Top   Bottom Grill	4	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2100
4	0 / Top+Bottom / Top / Grill / Double Grill	Top   Bottom Grill   Double Grill	4	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2200
5	0 / OvenLight / Top+Bottom / Bottom / Top / Grill / Double Grill	Top   Bottom Grill   Double Grill	6	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2200
Oven Functions for Main Oven							
1	0 / Top+Bottom	Top   Bottom	1	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2300
2	0 / Top+Bottom / Bottom / Top	Top   Bottom	3	Static		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2300
3	0 / Defrost / Fan+Ring	Fan   Ring	2	Turbo Fan		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2000
4	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan	Top   Bottom Fan   Ring	4	Multifunction		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2300
5	0 / Defrost / Top+Bottom / Top+Bottom+Fan	Top   Bottom Fan	3	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2300
6	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	Top   Bottom Fan Grill	5	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2300
7	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	Top   Bottom Fan Grill	6	Multifunction		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2300
8	0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan	Top   Bottom Fan Ring Grill   Double Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	3100
9	0 / OvenLight / Bottom / Top / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan / Fan+Ring / 3D	Top   Bottom Fan Ring Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	2600
10	0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan / Vap Clean	Top   Bottom Fan Ring Grill   Double Grill	10	Multifunction		Without Timer Mechanical Controllers (MT-MMM-DT-DMM-DTT-DTMM-FDDTT)	3100

Built in Single / Polyvalent Oven Functions Table												
Oven Function ID	Oven Functions	Function Elements	Number of Functions	Identity in the Market	Function Pictograms	Compatible Oven Controllers (Check Oven Controllers-Page X for notations)	50L	65L	75L	Poly-valent 65L /75L	Electrical Power for 50L at 230V	Electrical Power for 65/75L at 230V
1	0 / Top + Bottom / Bottom / Top	Top   Bottom	3	Static		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
2	0 / Top + Bottom / Bottom / Top / Grill + Turnspit	Top   Bottom Grill Turnspit	4	Static		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
6	0 / Defrost / Fan + Ring / Grill + Turnspit / Grill + Fan + Turnspit	Fan   Ring Grill TurnSpit	4	Turbo Fan		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2000
9	0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit	Top   Bottom Fan Ring Grill   Double Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC)	-	A	A	A	-	3100
12	0 / OvenLight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit	Top   Bottom Fan Grill   Double Grill Turnspit	8	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2600
15	0 / OvenLight / Top+Bottom / Bottom / Top / Grill / Double Grill	Top   Bottom Grill   Double Grill	6	Static		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	A	A	A	A	2300	2600
16	0 / Defrost / Fan + Ring / Grill / Grill + Fan	Fan   Ring Grill	4	Turbo Fan		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2000
17	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	Top   Bottom Fan Ring Grill	6	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
19	0 / OvenLight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan	Top   Bottom Fan Ring Grill   Double Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC)	A	A	A	A	2600	3100
20	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	Top   Bottom Fan Grill	5	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	A	A	A	A	1900	2300



Built in Single / Polyvalent Oven Functions Table												
Oven Function ID	Oven Functions	Function Elements	Number of Functions	Identity in the Market	Function Pictograms	Compatible Oven Controllers (Check Oven Controllers-Page X for notations)	50L	65L	75L	Poly-valent 65L /75L	Electrical Power for 50L at 230V	Electrical Power for 65/75L at 230V
22	0 / OvenLight / Defrost / Top*Bottom / Top*Bottom*Fan / Bottom*Fan / Grill / Double Grill / Double Grill+Fan	Top   Bottom Fan Grill   Double Grill	8	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	A	A	A	A	2300	2600
24	0 / Defrost / Fan + Ring + Turnspit / Top + Bottom + Turnspit / Top + Bottom + Fan + Turnspit	Top   Bottom Fan Ring Turnspit	4	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
25	0 / Defrost / Top + Bottom / Top + Bottom + Fan	Top   Bottom Fan	3	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
26	0 / Defrost / Top + Bottom + Turnspit / Top + Bottom + Fan + Turnspit	Top   Bottom Fan TurnSpit	3	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
27	0 / Defrost / Top*Bottom / Top*Bottom*Fan / Grill / Double Grill / Pyrolysis	Top   Bottom Fan Grill   Double Grill	6	Fan Assisted		Mechanical Controllers (DT-DTT-FDDTT-VT-FT)	-	A	A	-	-	2600
28	0 / Defrost / Fan+Ring / Top*Bottom / Top*Bottom*Fan / Grill / Double Grill/ Double Grill + Fan / Pyrolysis	Top   Bottom Fan Ring Grill   Double Grill	8	Multifunction		Mechanical Controllers (DT-DTT-FDDTT) Electronic Controllers (VT-FT)	A	A	A	-	2300	2600
29	0 / Defrost / Fan+Ring / Top*Bottom / Top*Bottom*Fan / Grill+Turnspit / Double Grill + Fan + Turnspit / Pyrolysis	Top   Bottom Fan Ring Grill   Double Grill Turnspit	8	Multifunction		Mechanical Controllers (DT-DTT-FDDTT) Electronic Controllers (VT-FT)	-	A	A	-	-	2600
50	0 / OvenLight / Defrost / Fan+Ring / Top*Bottom / Top*Bottom*Fan / Grill / Double Grill / + Turnspit / Double Grill+ Turnspit / Double Grill+Fan + Turnspit / VapClean	Top   Bottom Fan Ring Grill   Double Grill Turnspit	10	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FI-MC-RC)	-	A	A	A	-	3100
51	0 / OvenLight / Defrost / Fan+Ring / Top*Bottom / Top*Bottom*Fan / Pizza / Grill / Double Grill / Double Grill+Fan / VapClean	Top   Bottom Fan Ring Grill   Double Grill	10	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT) Electronic Controllers (VT-FT-MC-RC)	A	A	A	A	2600	3100
52	0 / Defrost / Bottom / Top*Bottom / Top*Bottom*Fan / Grill / Grill+Fan	Top   Bottom Fan Grill	6	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
56	0 / OvenLight / Defrost / Fan+Ring / Top*Bottom / Top*Bottom*Fan / Pizza / Grill / Double Grill / Double Grill+Fan / VapClean+ / Steam	Top   Bottom Fan Ring Grill   Double Grill	11	Multifunction		Electronic Controllers (RC)	A	A	A	-	2600	3100
57	0 / OvenLight / Defrost / Bottom / Top*Bottom / Top*Bottom*Fan / Pizza / Ring / Grill / 3D / Grill / Grill+Fan / Double Grill / Double Grill+Fan	Top   Bottom Fan Ring Grill   Double Grill	12	Multifunction		Electronic Controllers (MC)	*	A	A	-	*	3100
59	0 / OvenLight / Bottom / Top / Top*Bottom / Top*Bottom*Fan / Grill / Grill+Fan / Fan+Ring / 3D	Top   Bottom Fan Ring Grill   Double Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	A	A	A	A	*	2600
60	0 / OvenLight / Defrost / Bottom / Top / Top*Bottom / Top*Bottom*Fan / Fan+Ring / Pizza / Double Grill	Top   Bottom Fan Ring Double Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	3100
61	0 / Bottom / Top / Top*Bottom / Top*Bottom*Fan / Bottom*Fan	Top   Bottom Fan	5	Fan Assisted		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2300
62	0 / OvenLight / Defrost / Bottom / Top / Top*Bottom / Top*Bottom*Fan / Fan+Ring / Grill+Fan / Double Grill	Top   Bottom Fan Ring Grill   Double Grill	9	Multifunction		Without Timer Mechanical Controllers (MT-MMM-AT-DT-DMM-DTT-DTMM-FDDTT)	-	A	A	A	-	2600
64	Defrost / Fan+Ring / Bottom / Top*Bottom / Top*Bottom*Fan / Pizza / Double Grill / DoubleGrill+Fan / VapClean	Top   Bottom Fan Ring Double Grill	9	Multifunction		Electronic Controllers (SLEDT)	-	-	A	-	-	3100
65	Defrost / Fan+Ring / Bottom / Top*Bottom / Top*Bottom*Fan / Pizza / DoubleGrill+Turnspit / DoubleGrill+Fan+Turnspit/VapClean	Top   Bottom Fan Ring Double Grill Turnspit	9	Multifunction		Electronic Controllers (SLEDT)	-	-	A	-	-	3100
66	0 / Defrost / Fan+Ring / Bottom / Top*Bottom / Top*Bottom*Fan/Pizza / Double Grill / Double Grill+Fan /VapClean / Pyrolysis	Top   Bottom Fan Ring Double Grill	9	Multifunction		Electronic Controllers (SLEDT-RC-MC)	*	A	A	-	*	3100
67	0 / Defrost / Fan+Ring / Bottom / Top*Bottom / Top*Bottom*Fan / Pizza / Double Grill+Turnspit / DoubleGrill+Fan+Turnspit /VapClean / Pyrolysis	Top   Bottom Fan Ring Double Grill Turnspit	9	Multifunction		Electronic Controllers (SLEDT-RC-MC)	-	A	A	-	-	3100
68	0 / Defrost / TURBO / Bottom / Top*Bottom / Top*Bottom*Fan / Pizza / Grill / Grill+Fan / 3D / VapClean or Pyrolysis or Steam	Top   Bottom Fan Ring Grill	10	Multifunction		Electronic Controllers (FDVT-FDFT)	*	A	A	-	*	3100
69	0 / Defrost / TURBO / Bottom / Top*Bottom / Top*Bottom*Fan / Pizza / Grill+Turnspit / Grill+Fan+Turnspit /3D / VapClean or Pyrolysis	Top   Bottom Fan Grill Turnspit	10	Multifunction		Electronic Controllers (FDVT-FDFT)	-	A	A	-	-	3100

BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET		BI Gas/Combined Hobs					
		60 CM	60 CM	60 CM	60 CM	60 CM	70 CM
		Flat / Surface	Extenda	Classic	PlusX	Division	PlusX
Available Colours							
White		Standard	Standard	Standard	Standard	-	Standard
Brown		Optional	Optional	Optional	Optional	-	Optional
Terre de France		Optional	Optional	Optional	Optional	-	Optional
Black		Optional	Optional	Optional	Optional	-	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Standard	Optional
Product Dimensions							
Height (max., varies from model to model)	mm	40	40	40	42	42	42
Width	mm	580	580	580	580	580	700
Depth (max., do not include gas connection detail)	mm	510	510	510	515	510	515
Cut-out Dimensions							
Width	mm	560	560	560	560	560	560
Depth	mm	490	490	490	490	490	490
Hob Features							
Hob		Enamel / Stainless Steel	Enamel / Stainless Steel	Enamel / Stainless Steel	Enamel / Stainless Steel	Stainless Steel	Enamel / Stainless Steel
Rapid Gas Burner Ø10cm	W	3000	3000	3000	3000	3000	3000
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	1750	1750	1750	1750
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	1000	1000	1000	1000
Wok (Tripple Flame) Gas Burner Mono Ø14cm	W	3600	3600	3600	-	-	3600
Wok (Tripple Flame) Gas Burner Dual Ø14cm	W	-	-	-	-	-	-
Wok (Tripple Flame) Gas Burner Ø11cm	W	-	-	-	3200	-	-
Ø 145 mm Hotplate	W	-	-	1000	1000	-	1000
Ø 180 mm Hotplate	W	1500	1500	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	-	-	-	-
Ø 180 mm Rapid Hotplate	W	-	-	-	-	-	-
Ø145 mm Highlight Element	W	-	-	-	-	-	-
Ø180 mm Highlight Element	W	-	-	-	-	-	-
Ø210 mm Highlight Element	W	-	-	-	-	-	-
Ø180 mm Dual Highlight Element	W	-	-	-	-	-	-
Ø145 mm Oval Highlight Element	W	-	-	-	-	-	-
Ø210 mm Dual Highlight Element	W	-	-	-	-	-	-
Ø210 mm Tripple Highlight Element	W	-	-	-	-	-	-
Ø290 mm Dual Highlight Element	W	-	-	-	-	-	-
Ø 160 mm Induction Zone(Serie 1 and Serie 2)	W	-	-	-	-	-	-
Ø 200 mm Induction Zone(Serie 1)	W	-	-	-	-	-	-
Ø 210 mm Induction Zone(Serie 2)	W	-	-	-	-	-	-
Ø 250 mm Induction Zone(Serie 1)	W	-	-	-	-	-	-
Ø 290 mm Induction Zone(Serie 2)	W	-	-	-	-	-	-
Boost Funcion	-	-	-	-	-	-	-
Pot Dedection	-	-	-	-	-	-	-
Automatic Heatup	-	-	-	-	-	-	-
Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-
Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-
Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-
Child Lock for vitro ceramic hobs (If touch control selected)	-	-	-	-	-	-	-
Hot Surface Indicator Light	-	-	-	-	-	-	-
Hotplate Operation Indicator Light	Standard	Standard	Standard	Standard	Standard	-	Standard
Side Knob Control	Standard	Standard	Standard	Standard	-	-	-
Front Knob Control	-	-	-	-	Standard	-	Standard
Double Side Front Control	-	-	-	-	-	Standard	-
Front Triangular Touch Control	-	-	-	-	-	-	-
Front Slider Touch Control	-	-	-	-	-	-	-
Front Touch Control	-	-	-	-	-	-	-
Bevelled Edges	-	-	-	-	-	-	-
Logo	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Special Decoration on Glass	-	-	-	-	-	-	-
Vitroceramic Glass Artwork	-	-	-	-	-	-	-
Inox Frame	-	-	-	-	-	-	-
Stainless Steel Burner Pan	-	-	-	-	-	-	-
Table Top Installation (not built-in)	Optional	Optional	Optional	Optional	-	-	-
Glass Lid	-	-	-	-	-	-	-
Burner Safety Valves	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Button Ignition	Optional	Optional	Optional	Optional	-	-	-
One-touch-Ignition through knobs	Optional	Optional	Optional	Optional	Standard	Standard	Optional
Enamel Pan Supports	Standard	Standard	Standard	Standard	Standard	-	Standard
Cast Iron Pan Supports	Optional	Optional	-	Optional	Standard	Standard	Optional
Cast Iron Burner Caps	Optional	Optional	-	Optional	Optional	Optional	Optional
Coffee Adaptor	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wok Adaptor	Optional	Optional	Optional	Optional	Optional	-	Optional
Vitroceramic Glass Cleaning Spatula	-	-	-	-	-	-	-
Gas Conversion Kit	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Others							
Total Gas Power (Depends on Model) Maximum	kW	8,1	8,1	8,1	7,7	7,5	11,1
Total Electric Power (Depends on Model) Maximum	kW	1,5	1,5	1	1	-	1
Voltage	V	230V~	230V~	230V~	230V~	230V~	230V~
RoHS Compliance	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CE Compliance	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Carton Box Packaging	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Packed Product Dimensions (WxDxH)	mm	626 x 580 x 140	x	626 x 560 x 130	x	x	x
Loading Quantity 20 ft (Wrapped Carton)	pcs	576	x	612	x	x	x
Loading Quantity 40 ft (Wrapped Carton)	pcs	1216	x	1292	x	x	x
Loading Quantity 40 HC (Wrapped Carton)	pcs	1368	x	1444	x	x	x
Packed Product Dimensions (WxDxH) Box	mm	647 x 582 x 164	647 x 582 x 164	647 x 582 x 164	647 x 582 x 164	647 x 582 x 164	769 x 582 x 164
Loading Quantity 20 ft (Carton Box)	pcs	448	448	448	448	448	378
Loading Quantity 40 ft (Carton Box)	pcs	1008	1008	1008	1008	1008	840
Loading Quantity 40 HC (Carton Box)	pcs	1152	1152	1152	1152	1152	960
Net Weight (Depends on Model) Maximum	kg	9	9,5	6,6	9,5	11	12,5
Gross Weight (Depends on Model) Maximum	kg	9,75	10,5	7,5	10,5	12	13,5

BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET		BI Gas Securit Hobs					
		60 CM	60 CM	60 CM	60 CM	70 CM	90 CM
		Securit II	Trio	PlusX	Division	PlusX	
Available Colours							
White		Optional	Optional	Optional	-	Optional	Optional
Brown		Optional	Optional	Optional	-	Optional	Optional
Terre de France		Optional	Optional	Optional	-	Optional	Optional
Black		Standard	Standard	Standard	Standard	Standard	STANDARD
Dark Green		Optional	Optional	Optional	-	Optional	Optional
Stainless Steel		-	-	-	-	-	-
Product Dimensions							
Height (max., varies from model to model)	mm	44	44	44	44	44	47
Width	mm	594	594	594	594	700	882
Depth (max., do not include gas connection detail)	mm	523	523	523	523	520	520
Cut-out Dimensions							
Width	mm	560	560	560	560	560	850
Depth	mm	490	490	490	490	490	480
Hob Features							
Hob		Securit	Securit	Securit	Securit	Securit	Securit
Rapid Gas Burner Ø10cm	W	3000	3000	3000	3000	3000	3000
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	1750	1750	1750	1750
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	1000	1000	1000	1000
Wok (Tripple Flame) Gas Burner Mono Ø14cm	W	3600	3600	3600	-	3600	4500
Wok (Tripple Flame) Gas Burner Dual Ø14cm	W	-	-	-	-	-	4500
Wok (Tripple Flame) Gas Burner Ø11cm	W	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	-	1000	-	-	-
Ø 180 mm Hotplate	W	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	-	-	-	-
Ø 180 mm Rapid Hotplate	W	-	-	-	-	-	-
Ø145 mm Highlight Element	W	-	-	-	-	-	-
Ø180 mm Highlight Element	W	-	-	-	-	-	-
Ø210 mm Highlight Element	W	-	-	-	-	-	-
Ø180 mm Dual Highlight Element	W	-	-	-	-	-	-
Ø145 mm Oval Highlight Element	W	-	-	-	-	-	-
Ø210 mm Dual Highlight Element	W	-	-	-	-	-	-
Ø210 mm Tripple Highlight Element	W	-	-	-	-	-	-
Ø290 mm Dual Highlight Element	W	-	-	-	-	-	-
Ø 160 mm Induction Zone(Serie 1 and Serie 2)	W	-	-	-	-	-	-
Ø 200 mm Induction Zone(Serie 1)	W	-	-	-	-	-	-
Ø 210 mm Induction Zone(Serie 2)	W	-	-	-	-	-	Standard
Ø 250 mm Induction Zone(Serie 1)	W	-	-	-	-	-	-
Ø 290 mm Induction Zone(Serie 2)	W	-	-	-	-	-	-
Boost Funcion	-	-	-	-	-	-	-
Pot Dedection	-	-	-	-	-	-	-
Automatic Heatup	-	-	-	-	-	-	-
Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-
Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-
Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-
Child Lock for vitro ceramic hobs (If touch control selected)	-	-	-	-	-	-	-
Hot Surface Indicator Light	-	-	-	-	-	-	-
Hotplate Operation Indicator Light	-	-	-	Standard	-	-	-
Side Knob Control	Standard	Standard	Standard	-	-	-	-
Front Knob Control	-	-	Standard	-	Standard	Standard	Standard
Double Side Front Control	-	-	-	Standard	-	-	-
Front Triangular Touch Control	-	-	-	-	-	-	-
Front Slider Touch Control	-	-	-	-	-	-	-
Front Touch Control	-	-	-	-	-	-	-
Bevelled Edges	-	-	-	-	-	-	Optional
Logo	Optional	Optional	Standard	Standard	Standard	Standard	Standard
Special Decoration on Glass	Optional	Optional	Optional	-	-	-	-
Vitroceramic Glass Artwork	-	-	-	-	-	-	-
Inox Frame	-	-	-	-	-	-	Optional
Stainless Steel Burner Pan	Optional	Optional	Optional	-	Optional	Optional	Optional
Table Top Installation (not built-in)	-	-	-	-	-	-	-
Glass Lid	-	-	-	-	-	-	-
Burner Safety Valves	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Button Ignition	Optional	Optional	-	-	-	-	-
One-touch-Ignition through knobs	Optional	Optional	Optional	Standard	Optional	Standard	Standard
Enamel Pan Supports	Standard	Standard	Standard	-	Standard	-	-
Cast Iron Pan Supports	Optional	Optional	Optional	Standard	Optional	Standard	Standard
Cast Iron Burner Caps	Optional	Optional	Optional	Optional	Optional	Optional	Standard
Coffee Adaptor	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wok Adaptor	Optional	Optional	Optional	-	Optional	Optional	Optional
Vitroceramic Glass Cleaning Spatula	-	-	-	-	-	-	-
Gas Conversion Kit	Standard	Standard	Standard	Standard	Standard	Standard	Optional
Others							
Total Gas Power (Depends on Model) Maximum	kW	8, 1	8, 1	8, 1	7, 5	11, 1	12
Total Electric Power (Depends on Model) Maximum	kW	-	-	1	-	-	-
Voltage	V	230V~	230V~	230V~	230V~	230V~	230V~
RoHS Compliance	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CE Compliance	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Carton Box Packaging	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Packed Product Dimensions (WxDxH)	mm	622 x 580 x 140	622 x 580 x 140	x	x	x	x
Loading Quantity 20 ft (Wrapped Carton)		576 (without wok burner)	432 (with wok burner)	576	x	x	x
Loading Quantity 40 ft (Wrapped Carton)		1216 (without wok burner)	912 (with wok burner)	1216	x	x	x
Loading Quantity 40 HC (Wrapped Carton)		1368 (without wok burner)	912 (with wok burner)	1368	x	x	x
Packed Product Dimensions (WxDxH) Box	mm	x	x	647 x 582 x 164	647 x 582 x 164	769 x 582 x 164	935 x 582 x 164
Loading Quantity 20 ft (Carton Box)	pcs	x	x	448	448	378	336
Loading Quantity 40 ft (Carton Box)	pcs	x	x	1008	1008	840	672
Loading Quantity 40 HC (Carton Box)	pcs	x	x	1152	1152	960	768
Net Weight (Depends on Model) Maximum	kg	9, 5	9, 5	11, 5	-	13, 8	20, 5
Gross Weight (Depends on Model) Maximum	kg	10, 25	10, 25	12, 5	-	14, 8	21, 5

BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET		BI Electric Hobs		BI Vitro Ceramic Hobs		BI Induction Ceramic Hobs		
		60 CM		60 CM	78 CM	60 CM	78 CM	90CM
		Flat / Surface		C Serie	C Serie	Vestel Induction	Vestel Induction	Vestel Induction
Available Colours								
White		Standard		Optional	Optional	Optional	Optional	Optional
Brown		Optional		-	-	-	-	-
Terre de France		Optional		-	-	-	-	-
Black		Optional		Standard	Standard	Standard	Standard	Standard
Stainless Steel		Optional		-	-	-	-	-
Product Dimensions								
Height (max., varies from model to model)	mm	40		41- 47, 5	41	56	56	56
Width	mm	580		590	780	590	590	890
Depth (max., do not include gas connection detail)	mm	510		520	520	520	520	520
Cut-out Dimensions								
Width	mm	560		560	750	560	750	860
Depth	mm	490		490	490	490	490	490
Hob Features								
Hob		Enamel / Stainless Steel		Vitro Ceramic	Vitro Ceramic	Induction Ceramic	Induction Ceramic	Induction Ceramic
Rapid Gas Burner Ø10cm	W	Enamel / Stainless Steel		Vitro Ceramic	Vitro Ceramic	Induction Ceramic	Induction Ceramic	Induction Ceramic
Semi-rapid Gas Burner Ø7.5cm	W	-		-	-	-	-	-
Auxiliary Gas Burner Ø5.5cm	W	-		-	-	-	-	-
Wok (Tripple Flame) Gas Burner Mono Ø14cm	W	-		-	-	-	-	-
Wok (Tripple Flame) Gas Burner Dual Ø14cm	W	-		-	-	-	-	-
Wok (Tripple Flame) Gas Burner Ø11cm	W	-		-	-	-	-	-
Ø 145 mm Hotplate	W	1000		-	-	-	-	-
Ø 180 mm Hotplate	W	1500		-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	1500		-	-	-	-	-
Ø 180 mm Rapid Hotplate	W	2000		-	-	-	-	-
Ø145 mm Highlight Element	W	-		1200	1200	-	-	-
Ø180 mm Highlight Element	W	-		1800	1800	-	-	-
Ø210 mm Highlight Element	W	-		2300	2300	-	-	-
Ø180 mm Dual Highlight Element	W	-		1700	1700	-	-	-
Ø145 mm Oval Highlight Element	W	-		1800	1800	-	-	-
Ø210 mm Dual Highlight Element	W	-		2200	2200	-	-	-
Ø210 mm Tripple Highlight Element	W	-		2300	-	-	-	-
Ø290 mm Dual Highlight Element	W	-		2700	-	-	-	-
Ø 160 mm Induction Zone (Serie 1 and Serie 2)	W	-		-	-	Nominal 2100 W max. Boost 2500 W	Nominal 2100 W max. Boost 2500 W	Nominal 2100 W max. Boost 2500 W
Ø 160 mm Induction Zone (Serie 2e)	W	-		-	-	Nominal 1300 W max	-	-
Ø 200 mm Induction Zone (Serie 1)	W	-		-	-	-	-	Nominal 2100 W max. Boost 2500 W
Ø 210 mm Induction Zone (Serie 2)	W	-		-	-	Nominal 2100 W max. Boost 2500 W	-	-
Ø 210 mm Induction Zone (Serie 2e)	W	-		-	-	Nominal 1500 W max. Boost 1700 W	-	-
Ø 250 mm Induction Zone (Serie 1)	W	-		-	-	-	-	Nominal 2800 W max. Boost 3500 W
Ø 290 mm Induction Zone (Serie 2)	W	-		-	-	Nominal 2800 W max. Boost 3500 W	-	-
Flex Induction Zone (1 zone)	W	-		-	-	Nominal 900 W max. Boost 1200 W	Nominal 900 W max. Boost 1200 W	-
Boost Funcion		-		-	-	Standard	Standard	Standard
Pot Dedection		-		-	-	Standard	Standard	Standard
Automatic Heatup		-		-	-	-	-	-
Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)		-		Optional	Optional	Optional	Optional	Standard
Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)		-		-	-	Optional	Optional	-
Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)		-		-	-	Optional	-	-
Child Lock for vitro ceramic hobs (If touch control selected)		-		Standard	Standard	Standard	Optional	Optional
Hot Surface Indicator Light		-		Standard	Standard	Standard	Standard	Standard
Hotplate Operation Indicator Light		Standard		-	-	-	-	-
Side Knob Control		Standard		Standard	-	-	-	-
Front Knob Control		-		-	-	-	-	-
Double Side Front Control		-		-	-	-	-	-
Front Triangular Touch Control		-		Optional	Standard	-	-	-
Front Slider Touch Control		-		Optional	Optional	Optional	Optional	-
Front Touch Control		-		-	-	Optional	Optional	Optional
Bevelled Edges		-		Optional	Optional	Optional	Optional	Optional
Logo		Standard		Optional	Optional	Optional	Optional	Optional
Special Decoration on Glass		-		Optional	Optional	Optional	Optional	Optional
Vitroc ceramic Glass Artwork		-		Slim / Arc	Slim / Arc	Slim / Plus / Line	Slim	Slim
Inox Frame		-		Optional	-	Optional	Optional	Optional
Stainless Steel Burner Pan		-		-	-	-	-	-
Table Top Installation (not built-in)		-		-	-	-	-	-
Glass Lid		-		-	-	-	-	-
Burner Safety Valves		-		-	-	-	-	-
Button Ignition		-		-	-	-	-	-
One-touch-Ignition through knobs		-		-	-	-	-	-
Enamel Pan Supports		-		-	-	-	-	-
Cast Iron Pan Supports		-		-	-	-	-	-
Cast Iron Burner Caps		-		-	-	-	-	-
Coffee Adaptor		-		-	-	-	-	-
Wok Adaptor		-		-	-	-	-	-
Vitroc ceramic Glass Cleaning Spatula		-		Optional	Optional	Optional	Optional	Optional
Gas Conversion Kit		-		-	-	-	-	-
Others								
Total Gas Power (Depends on Model) Maximum	kW	-		-	-	-	-	-
Total Electric Power (Depends on Model) Maximum	kW	6		6, 5	8, 3	7, 4	7, 4	10, 8
Voltage	V	230V~ / 400V 2N~		230V~/400V3N~	230V~ / 400V 3N~	230V~ / 400V 3N~	230V~ / 400V 3N~	230V~ / 400V 3N~
RoHS Compliance		Standard		Standard	Standard	Standard	Standard	Standard
CE Compliance		Standard		Standard	Standard	Standard	Standard	Standard
Carton Box Packaging		Standard		Standard	Standard	Standard	Standard	Standard
Packed Product Dimensions (WxDxH)	mm	626 x 580 x 140		620 x 578 x 133	810 x 578 x 133	626 x 581 x 142	816 x 581 x 142	x
Loading Quantity 20 ft (Wrapped Carton)	pcs	576		612	384	576	384	x
Loading Quantity 40 ft (Wrapped Carton)	pcs	1216		1292	896	1216	896	x
Loading Quantity 40 HC (Wrapped Carton)	pcs	1368		1444	1008	1368	1008	x
Packed Product Dimensions (WxDxH) Box	mm	643 x 583 x 152		631 x 580 x 143	x	643 x 583 x 152	x	941 x 583 x 152
Loading Quantity 20 ft (Carton Box)	pcs	480		576	x	480	x	315
Loading Quantity 40 ft (Carton Box)	pcs	1008		1152	x	1080	x	600
Loading Quantity 40 HC (Carton Box)	pcs	1224		1296	x	1224	x	748
Net Weight (Depends on Model) Maximum	kg	9, 5		9, 5	10, 15	11	12	16
Gross Weight (Depends on Model) Maximum	kg	10, 25		10, 25	11	12	13	17



BUILT-IN / TABLE-TOP HOB SPECIFICATION SHEET		TT Gas/ Comined/ Gas Securit Hobs				TT Electric Hobs		
		60 CM	60 CM	60 CM	60 CM	60 CM	60 CM	60 CM
		Flat / Surface	Smoothline	New Gen.	PlusX	Flat / Surface	Smoothline	New Gen.
Available Colours								
White		Standard	Standard	Standard	Optional	Standard	Standard	Standard
Brown		Optional	Optional	-	Optional	Optional	Optional	-
Terre de France		Optional	Optional	-	Optional	Optional	Optional	-
Black		Optional	Optional	Optional	Standard	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional
Product Dimensions								
Height (max., varies from model to model)	mm	95, 5 - 104, 5	95, 5 - 104, 5	95, 5 - 104, 5	104	56, 5 - 104, 5	56, 5 - 104, 5	56, 5 - 104, 5
Width	mm	585	585	580	597	585	585	585
Depth (max., do not include gas connection detail)	mm	540	540	540	526	540	540	540
Cut-out Dimensions								
Width	mm	-	-	-	-	-	-	-
Depth	mm	-	-	-	-	-	-	-
Hob Features								
Hob		Enamel / Stainless Steel	Enamel / Stainless Steel	Enamel / Stainless Steel	Securit	Enamel / Stainless Steel	Enamel / Stainless Steel	Enamel / Stainless Steel
Rapid Gas Burner Ø10cm	W	3000	3000	3000	3000	-	-	-
Semi-rapid Gas Burner Ø7.5cm	W	1750	1750	1750	1750	-	-	-
Auxiliary Gas Burner Ø5.5cm	W	1000	1000	1000	1000	-	-	-
Wok (Tripple Flame) Gas Burner Mono Ø14cm	W	3600	3600	3600	3600	-	-	-
Wok (Tripple Flame) Gas Burner Dual Ø14cm	W	-	-	-	-	-	-	-
Wok (Tripple Flame) Gas Burner Ø11cm	W	-	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	1000	-	1000	1000	1000	1000
Ø 180 mm Hotplate	W	1500	-	1500	-	1500	1500	1500
Ø 145 mm Rapid Hotplate	W	-	1500	-	-	1500	1500	1500
Ø 180 mm Rapid Hotplate	W	2000	-	2000	-	2000	2000	2000
Ø145 mm Highlight Element	W	-	-	-	-	-	-	-
Ø180 mm Highlight Element	W	-	-	-	-	-	-	-
Ø210 mm Highlight Element	W	-	-	-	-	-	-	-
Ø180 mm Dual Highlight Element	W	-	-	-	-	-	-	-
Ø145 mm Oval Highlight Element	W	-	-	-	-	-	-	-
Ø210 mm Dual Highlight Element	W	-	-	-	-	-	-	-
Ø210 mm Tripple Highlight Element	W	-	-	-	-	-	-	-
Ø290 mm Dual Highlight Element	W	-	-	-	-	-	-	-
Ø 160 mm Induction Zone(Serie 1 and Serie 2)	W	-	-	-	-	-	-	-
Ø 200 mm Induction Zone(Serie 1)	W	-	-	-	-	-	-	-
Ø 210 mm Induction Zone(Serie 2)	W	-	-	-	-	-	-	-
Ø 250 mm Induction Zone(Serie 1)	W	-	-	-	-	-	-	-
Ø 290 mm Induction Zone(Serie 2)	W	-	-	-	-	-	-	-
Boost Fuction	-	-	-	-	-	-	-	-
Pot Dedection	-	-	-	-	-	-	-	-
Automatic Heatup	-	-	-	-	-	-	-	-
Timer function for vitro ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-	-
Mode function for induction ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-	-
Bridge zone for induction ceramic hobs (If touch control with some hob Configuration selected)	-	-	-	-	-	-	-	-
Child Lock for vitro ceramic hobs (If touch control selected)	-	-	-	-	-	-	-	-
Hot Surface Indicator Light	-	-	-	-	-	-	-	-
Hotplate Operation Indicator Light	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Side Knob Control	Standard	Standard	Standard	Standard	-	Standard	Standard	Standard
Front Knob Control	-	-	-	-	Standard	-	-	-
Double Side Front Control	-	-	-	-	-	-	-	-
Front Triangular Touch Control	-	-	-	-	-	-	-	-
Front Slider Touch Control	-	-	-	-	-	-	-	-
Front Touch Control	-	-	-	-	-	-	-	-
Bevelled Edges	-	-	-	-	-	-	-	-
Logo	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Special Decoration on Glass	-	-	-	-	-	-	-	-
Vitroceramic Glass Artwork	-	-	-	-	-	-	-	-
Inox Frame	-	-	-	-	-	-	-	-
Stainless Steel Burner Pan	-	-	-	-	-	-	-	-
Table Top Installation (not built-in)	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Glass Lid	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Burner Safety Valves	Standard	Standard	Standard	Standard	Standard	-	-	-
Button Ignition	Optional	Optional	Optional	Optional	Optional	-	-	-
One-touch-Ignition through knobs	Optional	Optional	Optional	Optional	Optional	-	-	-
Enamel Pan Supports	Standard	Standard	Standard	Standard	Standard	-	-	-
Cast Iron Pan Supports	Optional	Optional	Optional	Optional	Optional	-	-	-
Cast Iron Burner Caps	Optional	Optional	Optional	Optional	Optional	-	-	-
Coffee Adaptor	Optional	Optional	Optional	Optional	Optional	-	-	-
Wok Adaptor	Optional	Optional	Optional	Optional	Optional	-	-	-
Vitroceramic Glass Cleaning Spatula	-	-	-	-	-	-	-	-
Gas Conversion Kit	Standard	Standard	Standard	Standard	Standard	-	-	-
Others								
Total Gas Power (Depends on Model) Maximum	kW	8,1	8,1	8,1	8,1	-	-	-
Total Electric Power (Depends on Model) Maximum	kW	-	-	-	1	6	6	6
Voltage	V	230V~	230V~	230V~	230V~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~
RoHS Compliance	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
CE Compliance	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Carton Box Packaging	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Packed Product Dimensions (WxDxH)	mm	645 x 684 x 140	x	x	x	x	x	x
Loading Quantity 20 ft (Wrapped Carton)	pcs	348	x	x	x	x	x	x
Loading Quantity 40 ft (Wrapped Carton)	pcs	864	x	x	x	x	x	x
Loading Quantity 40 HC (Wrapped Carton)	pcs	964	x	x	x	x	x	x
Packed Product Dimensions (WxDxH) Box	mm	662 x 648 x 140 (default for glass lid option)	662 x 648 x 140 (default for glass lid option)	662 x 648 x 140	645 x 648 x 140	662 x 648 x 140 (default for glass lid option)	662 x 648 x 140 (default for glass lid option)	662 x 648 x 140
Loading Quantity 20 ft (Carton Box)	pcs	348	348	348	384	384	384	384
Loading Quantity 40 ft (Carton Box)	pcs	864	864	864	864	864	864	864
Loading Quantity 40 HC (Carton Box)	pcs	972	972	972	972	972	972	972
Net Weight (Depends on Model) Maximum	kg	13	13	14	15	13, 5	13, 5	14, 5
Gross Weight (Depends on Model) Maximum	kg	14.25	14.25	15	16	14.75	14.75	15, 5

DOMINO HOB SPECIFICATION SHEET		Domino Gas Hobs 30 CM	Domino Electirc Hobs 30 CM	Domino Gas Securit Hobs 30 CM	Domino Vitro Ceramic Hobs 30 CM	Domino Induction Ceramic Hobs 30 CM
Available Colours						
White		-	-	Optional	Optional	Optional
Brown		-	-	-	-	-
Terre de France		-	-	-	-	-
Black		-	-	Standard	Standard	Standard
Stainless Steel		Standard	Standard	-	-	-
Product Dimensions						
Height (varies from model to model)	mm	42, 5	42, 5	47, 5	47, 5	56
Width	mm	290	290	290	290	290
Depth	mm	510	510	520	520	520
Cut-out Dimensions						
Width	mm	270	270	270	270	270
Depth	mm	490	490	490	490	490
Hob Features						
Hob		Stainless Steel	Stainless Steel	Securit	Vitro Ceramic	Induction Ceramic
Rapid Gas Burner Ø10cm	W	3000	-	3000	-	-
Semi-rapid Gas Burner Ø7.5cm	W	-	-	-	-	-
Auxiliary Gas Burner Ø5.5cm	W	1000	-	1000	-	-
Wok (Tripple Flame) Gas Burner Ø14cm	W	3600	-	3600	-	-
Ø 145 mm Hotplate	W	-	1000	-	-	-
Ø 180 mm Hotplate	W	-	1500	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	-	-	-
Ø 180 mm Rapid Hotplate	W	-	2000	-	-	-
Ø145 mm Highlight Element	W	-	-	-	1200	-
Ø180 mm Highlight Element	W	-	-	-	1800	-
Ø210 mm Highlight Element	W	-	-	-	-	-
Ø180 mm Dual Element	W	-	-	-	1700	-
Ø145 mm Oval Element	W	-	-	-	-	-
Ø210 mm Dual Element	W	-	-	-	-	-
Ø210 mm Tripple Element	W	-	-	-	-	-
Ø270 mm Tripple Element	W	-	-	-	-	-
Rectangular Element	W	-	-	-	-	-
Ø 160 mm Induction Zone	W	-	-	-	-	Nominal 1400W max. Boost 1800W
Ø 200 mm Induction Zone	W	-	-	-	-	Nominal 2100W max. Boost 2500W
Oval Induction Zone				-	-	-
Boost Funcion				-	-	Standard
Pot Dedection	-	-	-	-	-	Standard
Automatic Heatup	-	-	-	-	-	Standard
Timer function for vitro ceramic hobs (If touch control with some hob Configura-tion selected)	-	-	-	-	Optional	Standard
Child Lock for vitro ceramic hobs (If touch control selected)	-	-	-	-	Standard	Standard
Hot Surface Indicator Light	-	-	-	-	Standard	Standard
Hotplate Operation Indicator Light	-	-	Standard	-	-	-
Side Knob Control	-	-	Standard	-	-	-
Front Knob Control		Standard	-	Standard	Standard	-
Front Touch Control	-	-	-	-	Optional	Standard
Front Slim Touch Control	-	-	-	-	-	-
Bevelled Edges	-	-	-	-	Optional	Optional
Logo		Standard	Standard	Optional	Optional	Optional
Special Decoration on Glass	-	-	-	Optional	Optional	Optional
Inox Frame	-	-	-	Optional	Optional	Optional
Stainless Steel Burner Pan	-	-	-	Optional	-	-
Table Top Installation (not built-in)	-	-	-	-	-	-
Glass Lid	-	-	-	-	-	-
Burner Safety Valves	Optional	-	-	Optional	-	-
Button Ignition	Optional	-	-	-	-	-
One-touch-Ignition through knobs	Optional	-	-	Optional	-	-
Enamel Pan Supports	Standard	-	-	Standard	-	-
Cast Iron Pan Supports	Optional	-	-	Optional	-	-
Cast Iron Burner Caps	Optional	-	-	Optional	-	-
Coffee Adaptor	Optional	-	-	Optional	-	-
Wok Adaptor	Optional	-	-	Optional	-	-
Vitroceramic Glass Cleaning Spatula	-	-	-	-	Optional	Optional
Gas Conversion Kit	Standard	-	-	Standard	-	-
Gas Conversion Kit	Standard	-	-	Standard	-	-
Others						
Total Power (Depends on Model) Maximum	kW	4	3, 5	4	3	3, 6
Voltage	V	230 V ~	230 V ~	230V ~	230 V~	230 V~
RoHS Compliance		Standard	Standard	Standard	Standard	Standard
CE Compliance		Standard	Standard	Standard	Standard	Standard
Carton Box Packaging		Standard	Standard	Standard	Standard	Standard
Packed Product Dimensions (WxDxH)	mm	x	x	330 x 578 x 140	326 x 578 x 133	332 x 581 x 142
Packed Product Dimensions (WxDxH) Box	mm	331 x 566 x 143	331 x 566 x 143	x	x	x
Net Weight (Depends on Model) Maximum	kg	5, 5	4, 75	4, 7	4, 7	5, 5
Gross Weight (Depends on Model) Maximum	kg	6	5, 4	5	5	6, 2
Container Loading Quantity (20 ft Container)	pcs	1190	1190	1088	1190	1008
Container Loading Quantity (40 ft Container)	pcs	2499	2499	2304	2660	2520
Container Loading Quantity (40 ft HC Container)	pcs	2793	2793	2592	2660	2520

POLY HOB SPECIFICATION SHEET			Electric Built-in Hob	Vitroceramic Built-in Hob	Induction Built-in Hob
			60cm	60cm	60cm
Available Colours					
White			-	Optional	-
Black			Standard	Standard	Standard
Stainless Steel			Optional	-	-
Product Dimensions					
Height	mm	39	41	53	
Width	mm	580	590	590	
Depth	mm	510	520	520	
Cut-out Dimensions					
Width	mm	560	560	560	
Depth	mm	490	490	490	
Hob Features					
Hob		Enamel	Vitroceramic	Induction	
Ø 145 mm Hotplate	W	1000	-	-	
Ø 180 mm Hotplate	W	1500	-	-	
Ø145 mm Highlight Element	W	-	1200	-	
Ø180 mm Highlight Element	W	-	1800	-	
Ø180 mm Dual Element	W	-	1700	-	
Ø145 mm Oval Element	W	-	1800	-	
Ø210 mm Highlight Element	W	-	2300	-	
Ø145 mm Radiant Heating Element	W	-	1200	-	
Ø180 mm Radiant Heating Element	W	-	1700	-	
Ø 160 mm Induction Zone	W	-	-	Nominal 1400 W max. Boost 1800 W	
Ø 200 mm Induction Zone	W	-	-	Nominal 2100 W max. Boost 2500 W	
Boost Function		-	-	Standard	
Pot Dedection		-	-	Standard	
Timer (If touch control and some hob Configuration selected for vitroceramic hob)		-	-	Standard	
Child Lock (If touch control selected for vitroceramic hob)		-	-	Standard	
Hot Surface Indicator Light		-	Standard	Standard	
Controls on the built-in oven panel		Standard	Standard	Standard	
Controller		7 step switch	Energy Regulator/ 7 step switch (with radiant element)	Encoder	
Hotplate Operation Indicator Light		Standard	-	-	
Bevelled Edges		-	Optional	Optional	
Logo		Standard	Optional	Optional	
Special Artwork on Glass		-	Slim	Slim	
STANDARD Vitroceramic Glass Artwork		-	Slim Design Arc Design Point Design	Slim Design Arc Design Point Design	
Inox Frame		-	Optional	Optional	
Vitroceramic Glass Cleaning Spatula		-	Optional	Optional	
Others					
Total Power (Depends on Model) Maximum	kW	8, 1	9, 6	10, 5	
Voltage	V	230V~	230V~	230V~	
RoHS Compliance		Standard	Standard	Standard	
CE Compliance		Standard	Standard	Standard	
Carton Box Packaging		Standard	Standard	Standard	
Packed Product Dimensions (WxDxH)	mm	628x580x137	618x578x132	624X580x142	
Net Weight (Depends on Model) Maximum	kg	8, 75	7	11	
Gross Weight (Depends on Model) Maximum	kg	9, 5	8	12	

Induction Hob Features	30cm Domino	60cm	60cm Polyvalent	60cm V-Flex	78cm	78cm Down Air	78cm V-Flex	90cm
Pot Detection	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Speed Heating	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Safety Function	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Pause Function	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hot Surface Indicator	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Timer	Standard	Optional**	Standard	Standard	Optional	Standard	Standard	Standard
Touch Control	Default	Default	Default	N/A	Default	Default	N/A	Default
Slider Touch Control	N/A	Optional*	N/A	Default	Optional	N/A	Default	Optional
Key Lock	Standard	Standard	N/A	Standard	Standard	Standard	Standard	Standard
Child Lock	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Auto Off	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Power Management	Optional	Optional*	N/A	Standard	Optional	N/A	Optional	N/A
Cleaning Function	N/A	N/A	N/A	Standard	N/A	N/A	Standard	N/A
Special Cooking Functions	N/A	Optional*	N/A	Standard	Optional	Standard	Standard	Optional
Bridge Zone	N/A	Optional*	N/A	Standard	Optional	Standard	Standard	Optional
Flex Zone	N/A	N/A	N/A	Standard	N/A	N/A	Standard	N/A

\*Not Availble for 60cm Series 2e and Pure Design Hobs

\*\*Standard for Pure Design Hobs

Ceramic Hob Features	30cm	60cm	60cm	78cm
	Domino	Touch Control	Knob Control	Polyvalent
Timer	Optional	Optional	N/A	N/A
Touch Control	Default	Default	N/A	N/A
Slider Touch Control	N/A	Optional	N/A	N/A
Speed Heating	Standard	Standard	N/A	N/A
Pause Function	N/A	Optional	N/A	N/A
Auto Off	Standard	Standard	N/A	N/A
Safety Function	Standard	Standard	N/A	N/A
Hot Surface Indicator	Standard	Standard	Standard	Standard
Child Lock	Standard	Standard	N/A	N/A
Key Lock	Standard	Standard	N/A	N/A
Dual Zone	Optional	Optional	Optional	Optional
Oval Zone	N/A	Optional	Optional	Optional

Built-in Down Air 78 cm Induction Ceramic Hob Specifications	
<b>Product Dimensions</b>	
Width x Depth x Height	780 x 520 mm
<b>Cut-out Dimensions</b>	
Width x Depth x Height	750 x 490 mm
<b>Hob Features</b>	
Hob	Induction
Zone	3x160 1400W/ 1800W 1x200 2100W/ 2500W
Pot Detection	Standard
Smart pause	Standard
Buzzer	Standard
Child Lock	Standard
Key Lock	Standard
Hot Surface Indicator	Standard
Down Air Hood Touch Control	Standard
Timer	Standard
Slider Touch Control	-
Beveled Edges	Optional
Logo	Optional
Special Decoration on Glass	Optional
Inox Frame	Optional
Vitroc ceramic Glass Cleaning Spatula	Optional
Vitroc ceramic Glass Artwork	Optional
<b>Others</b>	
Total Electric Power Maximum (Hob)	7,4 kW
Voltage	220-240 V, 50/60 Hz
RoHS Compliance	Standard
CE Compliance	Standard
Carton Box Packaging	Standard

Down Air Hood Specifications	
Directive EU 65/2014 – EN61591, EN60704-2-13, EN50564	
Total Electric Power Maximum (Down Air)(W)	150
Annual Energy Consumption (AEC)(kWh/a)	46
Energy Efficiency Class (EEI)	A
Fluid Dynamic Efficiency(FDE)	29,6
Fluid Dynamic Efficiency class (FDE) (Indice)	A
Grease Filtering Efficiency (GFE)	75,5
Grease Filtering Efficiency Class (GFE)(indice)	C
Minimum Air Flow in Normal Use MIN (m³/h)	314
Maximum Air Flow in Normal Use (intensive / boost excluded) MAX (m³/h)	648
Sound Power Level at Minimum Speed Available in Normal Use MIN (LWA)(dB)	54
Sound Power Level at Maximum Speed Available in Normal Use MAX (LWA) (dB)	71
Measured air flow rate at best efficiency point (QBEP)(m³/h)	329,8
Power Consumption in Standby Mode (Ps)(W)	0,43
Product Information compliant to commission regulation (EU) No 66/2014	
Time increase factor (f)	0,9
Energy Efficiency (EEIhood)	51,4
Measured air flow rate at best efficiency point (QBEP)(m³/h)	329,8
Measured air pressure at best efficiency point (PBEP)(Pa)	434
Measured electric power input at best efficiency point (WBEP)(W)	134,4

Built-in Free Air 2X30 cm Induction Ceramic Hob Specifications	
<b>Product Dimensions</b>	
Width x Depth x Height	710 x 520 mm
<b>Cut-out Dimensions</b>	
Width x Depth x Height	680 x 490 mm
<b>Hob Features</b>	
Hob	Induction
Zone	2x160 1400W/ 1800W 2x200 2100W/ 2500W
Pot Detection	Standard
Smart pause	Standard
Buzzer	Standard
Child Lock	Standard
Key Lock	Standard
Hot Surface Indicator	Standard
Free Flow Touch Control	Standard
Timer	Optional
Slider Touch Control	N/A
Beveled Edges	Optional
Logo	Optional
Special Decoration on Glass	Optional
Inox Frame	N/A
Vitroc ceramic Glass Cleaning Spatula	Optional
Vitroc ceramic Glass Artwork	Optional
<b>Others</b>	
Total Electric Power Maximum (Hob)	7,4 kW
Voltage	220-240 V, 50/60 Hz
RoHS Compliance	Standard
CE Compliance	Standard
Carton Box Packaging	Standard

Free Air Hood Specifications	
Directive EU 65/2014 – EN61591, EN60704-2-13, EN50564	
Annual Energy Consumption (AEC)(kWh/a)	55
Energy Efficiency Class (EEI)	B
Fluid Dynamic Efficiency(FDE)	24,5
Fluid Dynamic Efficiency class (FDE) (Indice)	B
Grease Filtering Efficiency (GFE)	46,3
Grease Filtering Efficiency Class (GFE)(indice)	F
Minimum Air Flow in Normal Use MIN (m³/h)	321
Maximum Air Flow in Normal Use (intensive / boost excluded) MAX (m³/h)	603
Sound Power Level at Minimum Speed Available in Normal Use MIN (LWA)(dB)	55
Sound Power Level at Maximum Speed Available in Normal Use MAX (LWA) (dB)	68
Measured air flow rate at best efficiency point (QBEP)(m³/h)	318
Power Consumption in Standby Mode (Ps)(W)	0,35
Product Information compliant to commission regulation (EU) No 66/2014	
Time increase factor (f)	1,1
Energy Efficiency (EEIhood)	60,6
Measured air flow rate at best efficiency point (QBEP)(m³/h)	318
Measured air pressure at best efficiency point (PBEP)(Pa)	380
Measured electric power input at best efficiency point (WBEP)(W)	137

















Oven Controller	Built In Oven Family					Cooking Technology						
	65L	75L	50L	BIDO	BUDO	Steam Assisted Oven	Steam Base+ Function	Steam Base Function	HeatWrap	SousVide	3D Cooking	
No Timer	A	A	A	A	A	-	-	A	-	-	A	
Mechanical Minute Minder	A	A	A	A	A	-	-	A	-	-	A	
Mechanical Timer	A	A	A	A	A	-	-	A	-	-	A	
Analog Timer	A	-	-	-	-	-	-	A	-	-	A	
Digital Minute Minder	A	A	A	A	A	-	-	A	-	-	A	
Digital Timer	A	A	A	A	A	-	-	A	-	-	A	
Digital Pyrolytic Timer	A	A	A	A	A	-	-	A	-	-	A	
Digital Touch Minute Minder	A	A	A	A	A	-	-	A	-	-	A	
Digital Touch Timer	A	A	A	A	A	-	-	A	-	-	A	
Digital Touch Pyrolytic Timer	A	A	A	A	A	-	-	A	-	-	A	
Family Design Digital Touch Timer	A	A	A	A	A	-	A	A	-	-	A	
Family Design Digital Touch Pyrolytic Timer	A	A	A	A	A	-	-	A	-	-	A	
Visio Touch	A	A	A	-	-	-	-	A	-	-	-	
Full Touch	A	A	A	-	-	-	-	-	A	-	-	
Slim LED Touch	-	A	A	-	-	-	-	-	A	-	-	
Monochrome	A	A	A	-	-	-	-	-	A	-	A	
Ready Cook	A	A	A	-	-	A	-	-	A	-	-	
Family Design Visio Touch	A	A	A	A	A	-	A	-	-	-	A	
Family Design Visio Touch Pyro	A	A	A	A	A	-	-	-	-	-	A	
Family Design Full Touch	A	A	A	-	-	A	-	-	A	A	A	
	Built In Single Oven (65L)					A	A	A	-	-	A	
	Built In Single Oven (75L)					A	A	A	A	A	A	
	Built In Compact Oven (50L)					A	-	-	-	-	A	
	Built In Double Oven (BIDO)					-	-	-	-	-	A	
	Built Under Double Oven (BUDO)					-	-	-	-	-	A	

Oven Controller	Built In Oven Family					Connectivity		Energy Efficiency			Cleaning Function		
	65L	75L	50L	BIDO	BUDO	WiFi	Vezy	A	A+	A++	Pyrolysis	VapClean	VapClean+
No Timer	A	A	A	A	A	-	-	A	A	-	-	A	-
Mechanical Minute Minder	A	A	A	A	A	-	-	A	A	-	-	A	-
Mechanical Timer	A	A	A	A	A	-	-	A	A	-	-	A	-
Analog Timer	A	-	-	-	-	-	-	A	A	-	-	A	-
Digital Minute Minder	A	A	A	A	A	-	-	A	A	-	-	A	-
Digital Timer	A	A	A	A	A	-	-	A	A	-	-	A	-
Digital Pyrolytic Timer	A	A	A	A	A	-	-	A	A	-	A	-	-
Digital Touch Minute Minder	A	A	A	A	A	-	-	A	A	-	-	A	-
Digital Touch Timer	A	A	A	A	A	-	-	A	A	-	-	A	-
Digital Touch Pyrolytic Timer	A	A	A	A	A	-	-	A	A	-	A	-	-
Family Design Digital Touch Timer	A	A	A	A	A	-	-	A	A	-	-	A	-
Family Design Digital Touch Pyrolytic Timer	A	A	A	A	A	-	-	A	A	-	A	-	-
Visio Touch	A	A	A	-	-	-	-	A	A	-	A	A	-
Full Touch	A	A	A	-	-	-	-	A	A	-	A	A	-
Slim LED Touch	-	A	A	-	-	A	A	A	A	-	A	A	-
Monochrome	A	A	A	-	-	A	A	A	A	-	A	A	-
Ready Cook	A	A	A	-	-	A	A	A	A	A	A	A	A
Family Design Visio Touch	A	A	A	A	A	-	-	A	A	-	-	A	-
Family Design Visio Touch Pyro	A	A	A	A	A	-	-	A	A	-	A	-	-
Family Design Full Touch	A	A	A	-	-	A	A	A	A	-	A	A	A
	Built In Single Oven (65L)					A	-	A	A	A	A	A	A
	Built In Single Oven (75L)					A	A	A	A	-	A	A	A
	Built In Compact Oven (50L)					A	A	A	-	-	A	A	A
	Built In Double Oven (BIDO)					A	-	A	-	-	-	A	-
	Built Under Double Oven (BUDO)					A	-	A	-	-	-	A	-

Oven Controller	Built In Oven Family					Other			
	65L	75L	50L	BIDO	BUDO	Hot Air Shield	Silent Operation	Disinfection with Heat	MeatProbe
No Timer	A	A	A	A	A	A	-	A	-
Mechanical Minute Minder	A	A	A	A	A	A	-	A	-
Mechanical Timer	A	A	A	A	A	A	-	A	-
Analog Timer	A	-	-	-	-	A	-	A	-
Digital Minute Minder	A	A	A	A	A	A	-	A	A
Digital Timer	A	A	A	A	A	A	-	A	A
Digital Pyrolytic Timer	A	A	A	A	A	-	-	A	A
Digital Touch Minute Minder	A	A	A	A	A	A	-	A	-
Digital Touch Timer	A	A	A	A	A	A	-	A	-
Digital Touch Pyrolytic Timer	A	A	A	A	A	-	-	A	-
Family Design Digital Touch Timer	A	A	A	A	A	A	A	A	A
Family Design Digital Touch Pyrolytic Timer	A	A	A	A	A	-	A	A	A
Visio Touch	A	A	A	-	-	A	A	-	A
Full Touch	A	A	A	-	-	A	A	-	A
Slim LED Touch	-	A	A	-	-	A	A	-	A
Monochrome	A	A	A	-	-	A	A	-	A
Ready Cook	A	A	A	-	-	A	A	-	A
Family Design Visio Touch	A	A	A	A	A	A	A	A	A
Family Design Visio Touch Pyro	A	A	A	A	A	-	A	A	A
Family Design Full Touch	A	A	A	-	-	A	A	-	A
	Built In Single Oven (65L)					A	A	A	A
	Built In Single Oven (75L)					A	A	-	A
	Built In Compact Oven (50L)					A	-	-	A
	Built In Double Oven (BIDO)					-	-	-	-
	Built Under Double Oven (BUDO)					-	-	-	-

A: Available Feature

60 cm Induction Hob Configurations						
Hob ID	WEB DI Code	Hob configuration	Limitations	Element placement	Generation	Control System
21	4I-21	2 x 160mm, 1400/1800W Induction element 2 x 210mm, 2100/2500W Induction element Timer (Standard)	Available only for 60cm		VESTEL SERIES 2	Polyvaletn Knob Control
29	3I-29	1 x 160mm, 1400/1800W Induction element 2 x 210mm, 2100/2500W Induction element Timer (Standard) Mode Function (Optional)	Available only for 60cm		VESTEL SERIES 2	Touch Control
31	3I-31	1 x 160mm, 1400/1800W Induction element 1 x 210mm, 2100/2500W Induction element 1 x 290mm, 2800/3500W Induction element Timer (Standard) Mode Function (Optional)	Available only for 60cm		VESTEL SERIES 2	Touch Control Slider Control
33	4I-33	2 x 160mm, 1400/1800W Induction element 2 x 210mm, 2100/2500W Induction element Timer (Standard) Mode Function (Optional)	Available only for 60cm and 78cm		VESTEL SERIES 2	Touch Control Slider Control Multi Controls
34	3I-34	2 x 160mm, 1400/1800W Induction element 1 x 290mm, 2800/3500W Induction element Timer (Standard) Bridge Zone (Standard) Mode Function (Standard)	Available only for 60cm		VESTEL SERIES 2	Slider Control
35	4I-35	3 x 160mm, 1400/1800W Induction element 1 x 210mm, 2100/2500W Induction element Timer (Standard) Bridge Zone (Standard) Mode Function (Standard)	Available only for 60cm		VESTEL SERIES 2	Touch Control Slider Control Multi Controls
37	4I-37	2 x 160mm, 1400/1800W Induction element 2 x 210mm, 2100/2500W Induction element Timer (Standard) 13/15/16/32A Power management	Available only for 60cm and 78cm		VESTEL SERIES 2	Touch Control Slider Control
38	4I-38	4 x 160mm, 1400/1800W Induction element Timer (Standard) Double Bridge Zone (Standard)	Available only for 60cm		VESTEL SERIES 2	Touch Control Slider Control
43	3I-43	1 x 160mm, 1300W Induction element 1 x 210mm, 1500W Induction element 1 x 210mm, 1500/1700W Induction element Timer (Standard)	Available only for 60cm		VESTEL SERIES 2E	Touch Control
45	4I-45	2 x 160mm, 1300W Induction element 1 x 210mm, 1500W Induction element 1 x 210mm, 1500/1700W Induction element Timer (Standard)	Available only for 60cm		VESTEL SERIES 2E	Touch Control
46	8I-46	2xFlex Zone, 900W/1200W Induction element Timer (Standard) Bridge Zone (Standard) Mode Function (Standard)	Available only for 60cm and 78cm		VESTEL SERIES 3	Slider Control
49	3I-49	1 x 160mm, 1400/1800W Induction element 1 x 210mm, 2100/2500W Induction element 1 x 290mm, 2500/3000W Induction element TIMER (Standard)	Available only for 60cm		VESTEL SERIES 2	"Touch Control Slider Control"
50	6I-46	1xFlex Zone, 900W/1200W Induction element Timer (Standard) Bridge Zone (Only flex side) Mode Function (Standard) 1 x 160mm, 1400/1800W Induction element 1 x 210mm, 2100/2500W Induction element	Available only for 60cm and 78cm		VESTEL SERIES 3	Slider Control

Induction Hob Configurations for Ventilation Hobs					
Hob ID		Configuration	Limitations	Element Placement	Control System
47	4I-47	3 x 160mm, 1400/1800W induction element 1 x 210mm, 2100/2500W induction element Timer (Standard) Bridge Zone (Standard) Down Air System	Available only for 78cm		Standard

90 cm Induction Hob Configurations					
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement	Control System
26	5I-26	2 x 160mm, 1400/1800W induction element 2 x 200mm, 2100/2500W induction element 1 x 250mm, 2800/3500W induction element Timer (Standard)	Available only for 90cm		Standard
39	5I-39	3 x 160mm, 1400/1800W induction element 1 x 200mm, 2100/2500W induction element 1 x 250mm, 2800/3500W induction element Timer (Standard) Bridge Zone (Standard)	Available only for 90cm		Slider
40	5I-40	4 x 160mm, 1400/1800W induction element 1 x 250mm, 2800/3500W induction element Timer (Standard) Double Bridge Zone (Standard) Mode Function (Standard)	Available only for 90cm		Slider
41	5I-41	2 x 160mm, 1400/1800W induction element 2 x 200mm, 2100/2500W induction element 1 x 250mm, 2800/3500W induction element Timer (Standard) Mode Function (Standard)	Available only for 90cm		Slider

60cm Vitroceramic Hob with Front Triangular Touch Control (FRTR)				
Hob ID	WEB DI Code	Configuration	Element Placement	Control System
1	4V-01	2 x 145mm 1200W highlight element 2 x 180mm 1800W highlight element		Standart
27	4V-27	2 x 145mm 1200W highlight element 2 x 180mm 1800W highlight element Timer		Standart
2	4V-02	2 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 180mm Dual 700W/1700W highlight element		Standart
3	4V-03	2 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 210mm 1800W highlight element		Standart
28	4V-28	2 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 210mm 1800W highlight element Timer		Standart
6	4V-12	2 x 145mm 1200W highlight element 1 x 180mm Dual 700W/1700W highlight element 1 x OVAL 1000W/1800W highlight element		Standart Or Slider Control
8	4V-08	2 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 180mm Dual 700W/1700W highlight element Timer		Standart Or Slider Control
9	4V-09	2 x 145mm 1200W highlight element 1 x 180mm Dual 700W/1700W highlight 1 x OVAL 1000W/1800W highlight element Timer		Standart Or Slider Control
22	3V-22	1 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 210mm 1800W highlight element		Standart Or Slider Control
36	3V-36	1 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 210mm 1800W highlight element Timer		Standart
25	3V-25	1 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 290mm Dual 1800W/2700W highlight element		Standart
26	3V-26	1 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 290mm Dual 1800W/2700W highlight element Timer		Standart Or Slider Control

\*Available upon request

78cm Vitroceramic Hob Configurations				
Hob ID	WEB DI Code	Highlight Element Configuration	Element Placement	Control System
1	4V-05	2 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x OVAL 1000W/1800W highlight element		Standard
10	4V-10	1 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 180mm DUAL 700W/1700W highlight element 1 x OVAL 1000W/1800W highlight element Timer		Standard or slider control

\*: Available upon request with warranty of a certain amount.

60cm Vitroceramic Hob with Side Knob Control (SDKB)				
Hob ID	WEB DI Code	CONFIGURATION	Element Placement	Limitations
1	4V-01	2 x 145mm 1200W highlight element 2 x 180mm 1800W highlight element		None
3	4V-03	2 x 145mm 1200W highlight element 1 x 180mm 1800W highlight element 1 x 210mm 2300W highlight element		None

\*Available upon request

60cm Vitroceramic Hob for Combi Built-in Oven (POLY)				
Hob ID	WEB DI Code	Configuration	Element Placement	Control System
04	4V-01	2 x 145mm 1200W highlight element 2 x 180mm 1800W highlight element (U shape order_145-180-145-180)		Polyvalent Knob
09	4V-09	2 x 145mm 1200W highlight element 1 x 180mm DUAL 700W/1700W highlight 1 x OVAL 1000W/1800W highlight element (U shape order_145 - 180dual - 145 - oval)		Polyvalent Knob

Induction Hob Configurations for Domino Hobs					
Hob ID		Configuration	Limitations	Element Placement	Control System
25	2I-25	1 x 160mm, 1400/1800W induction element 1 x 200mm, 2100/2500W induction element Timer (Standard)	Available only for 30cm		Standart

60cm Side Controlled Solid Hotplate and Polyvalante Built-in Electric Hob Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
01	4E-01	2 x 145mm 1000W hotplate 2 x 180mm 1500W hotplate	None	
02	4E-02	2 x 145mm 1000W hotplate 1 x 180mm 1500W hotplate 1 x 180mm 2000W rapid hotplate	None	
03	4E-03	1 x 145mm 1000W hotplate 1 x 145mm 1500W rapid hotplate 1 x 180mm 1500W hotplate 1 x 180mm 2000W rapid hotplate	Not available for polyvalent hobs	
*04	4E-04	1 x 145mm 1000W hotplate 1 x 145mm 1500W rapid hotplate 2 x 180mm 1500W hotplate	Not available for polyvalent hobs	

60cm side controlled solid hotplate hobs are available for table top  
\*: Available upon request with warranty of a certain amount.

60cm Pure Design Combined Hobs Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
62	2G2V-62	Gas Burners 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W Ceramic Heaters 1 X 145mm 1200W 1 X 180mm 1800W	Available for only side knob control	
67	3G1V-67	Gas Burners 1 X Auxiliary Burner 1000W 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W Ceramic Heaters 1 X 180mm Dual 700W/1800W	Available for only side knob control	
69	2G2I-69	Gas Burners 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W Induction Heaters with timer 1 X 160mm 1400W/B1800W 1 X 200mm 2100W/B2500W	Available for only side control. Touch control is standard for induction heaters, knob control is standard for gas heaters.	

60cm Side Controlled Gas Hob Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
31	3G1E-31	1 X Auxiliary Burner 1000W 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W 1 X 180mm Hotplate 1500W	Not available for gas on glass hob	
40	4G-40	1 X Auxiliary Burner 1000W 2 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W	None	
41	4G-41	1 X Auxiliary Burner 1000W 2 X Semi Rapid Burner 1750W 1 X Wok Burner 3600W	None	

60cm side controlled gas hobs are available for table top application

90cm Front Controlled Gas Hob Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
51	5G-51	1 X Auxiliary Burner 1000W 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W 1 X Wok Burner 4500W	None	

70cm Front Controlled Gas Hob Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
51	5G-51	1 X Auxiliary Burner 1000W 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W 1 X Wok Burner* * 3600W for Plus X Design 5000W for Smart Plus Design	None	

60cm Front Controlled Gas Hob Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
31	3G1E-31	1 X Auxiliary Burner 1000W 1 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W 1 X 145 Hotplate 1000W	None	
40	4G-40	1 X Auxiliary Burner 1000W 2 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W	None	
41	4G-41	1 X Auxiliary Burner 1000W 2 X Semi Rapid Burner 1750W 1 X Wok Burner* * 3600W for PlusX Metal Cooktop Design 3200W for PlusX Gas on Glass Design	Glass Control Panel is Standard for PlusX Metal Cooktop Design	

65cm Side Controlled Gas Hob Configurations				
Hob ID	WEB DI Code	Configuration	Limitations	Element Placement
40	4G-40	1 X Auxiliary Burner 1000W 2 X Semi Rapid Burner 1750W 1 X Rapid Burner 3000W	Only for Smart Plus Design	
41	4G-41	1 X Auxiliary Burner 1000W 2 X Semi Rapid Burner 1750W 1 X Wok Burner 5000W	Only for Smart Plus Design	

30cm Gas On Glass Hob Configurations			
Hob ID	WEB DI Code	Configuration	Element Placement
10	1G-10	1 x Tripple Flame Burner	
20	2G-20	1 x Auxiliary, 1 x Rapid Burner	







































30cm Solid Hotplate Hob Configurations			
Hob ID	WEB DI Code	Configuration	Element Placement
05	2E-05	1 x 145, 1 x 180 hotplate	
*06	2E-06	1x145 rapid hotplate, 1x180 rapid hotplate	
*07	2E-07	1x145rapid hotplate, 1x180 hotplate	
08	2E-08	1x145 hotplate, 1x180 rapid hotplate	


















30cm Vitroceramic Hob Configurations			
Hob ID	WEB DI Code	Configuration	Element Placement
16	2V-16	1 x 180 Highlight, 1 x 145 Highlight element	
19	2V-19	1 x 180 Highlight, 1 x 145 Highlight element with timer	
20	2V-20	1 x 180 Dual, 1 x 145 Highlight element with timer	









All element Configurations are applicable for both knob control and touch control unit

\*: Available upon request with warranty of a certain amount.

GAS ON GLASS HOBS			ENAMELLED PAN SUPPORTS		CAST IRON PAN SUPPORTS					
			Mono, Standard	Mono, Plusx	Mono Cast Iron	Mono Cast, Plusx	Line Cast Iron	Deluxe Cast Iron	E-type	S-type
			45°	45°	45°	45°	0°	45°		0°
SIDE CONTROLLED GAS SECURIT HOBS	Securit Standard 60cm 65 cm 3G(Trio) 4G 3G1W						N/A	N/A	N/A	N/A
	Smart Plus 65cm 4G 3G1W		N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	Pure Ceramic Design 60cm 2G2V 3G1V 2G2I						N/A	N/A	N/A	N/A
	Pure Induction Design 60cm 2G2V 3G1V 2G2I						N/A	N/A	N/A	N/A
	Division 60cm 4G		N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FRONT CONTROLLED GAS SECURIT HOBS	Domino Series1 Series2 30 cm 2G /1G						N/A	N/A	N/A	N/A
	Securit Plus X 60cm 4G 3G1W 3GIE Available for Table Top									N/A
	Securit Plus X 70cm 4G1W								N/A	N/A
	Securit Smart Plus 70cm 4G1W		N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	Securit Standard 75cm 2W		N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	Securit Standard 90cm 4G1W		N/A	N/A	N/A	N/A	N/A	N/A	N/A	

METAL GAS HOBS		ENAMELLED PAN SUPPORTS			CAST IRON PAN SUPPORTS		
		S-type	V-type	D-type	S type	E Type	Extenda Design
		0°	0°	0°	0°	0°	0°
FLAT (R, S type)						N/A	N/A
FLAT (T type)						N/A	
SURFACE						N/A	N/A
SMOOTHLINE				N/A	N/A	N/A	N/A
NEW BUILT-IN						N/A	N/A
DIVISION		N/A	N/A	N/A		N/A	N/A
DOMINO Series 2			N/A	N/A		N/A	N/A
PLUS X 60cm			N/A	N/A			N/A
PLUS X 70cm			N/A	N/A		N/A	N/A

Knob Limitation Table Built-in Cookers						
KNOBS		BUILT IN	SIDE CONTROLLED HOB	FRONT CONTROLLED HOB	DOMINO S-I / S-II	COLOR OPTIONS
ALFA		✓	✓	✓	✓	WHITE BLACK WH INOX
BIG MACRO (METAL CLADED)		✓	✓	✓	✓	WHITE BLACK WH INOX
TRIO		✓	✓	✓	✓	WHITE BLACK WH INOX
ECLIPSE		✓	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	WHITE BLACK WH INOX
ANTERO		✓	✓	✓	✓	WHITE BLACK WH INOX
RIMO		✓	✓	✓	✓	WHITE BLACK WH INOX
FEROUS (METAL CLADED)		✓	✓	✓	✓	WHITE BLACK WH INOX
GAMA		✓	✓	Height of knob is not suitable for FC range	✓	WHITE BLACK WH INOX
JANNU (METAL CLADED)		✓	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	WHITE BLACK WH INOX
NORD		✓	✓	Height of knob is not suitable for FC range	✓	WHITE BLACK WH INOX
FLAT PIPO (METAL CLADED)		✓	Not suitable for hob range	Not suitable for hob range	Not suitable for hob range	WHITE BLACK WH INOX
RUSTIC RISUS (without ring)		✓	✓	Height of knob is not suitable for FC range	✓	COPPER GOLD CHROME
FLAT (METAL CLADED)		✓	✓	✓	✓	WHITE BLACK WH INOX
LINEA INOX (METAL CLADED)		✓	✓	✓	✓	WHITE BLACK WH INOX
PRIMUS (METAL KNOB)		Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	INOX
MATTE BLACK PRIMUS (METAL KNOB)		Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	MATTE BLACK
LINEA ART		✓	✓	✓	✓	WHITE BLACK WH INOX

Knob Limitation Table Built-in Cookers						
KNOBS		BUILT IN	SIDE CONTROLLED HOB	FRONT CONTROLLED HOB	DOMINO S-I / S-II	COLOR OPTIONS
EGON		✓	✓	✓	✓	WHITE BLACK WH INOX
MURIA		✓	✓	✓	✓	WHITE BLACK WH INOX
HARUNA		✓	✓	✓	✓	WHITE BLACK WH INOX
NEVIS		✓	✓	✓	✓	WHITE BLACK WH INOX
SIERRA		✓	✓	✓	✓	WHITE BLACK WH INOX
MELIUS (METAL CLADED)		✓	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	WHITE BLACK WH INOX
ROTUNDA		✓	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	BODY WH INOX CAP BLACK
BONUM		✓	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	Knob design is not suitable for Hob range	WHITE BLACK





Built-in Household Cooking Appliances Container Loading Quantities					
Product Family	Packaging and Container Couples	Packaging Size WxDxH mm	Loading Quantity	Max. Stacking Quantities In Warehouse	Quantities On a Pallet
BUILT IN OVENS	60 cm built-in oven shrink 20ft	650x640x650	81	6	Not applicable
	60 cm built-in oven shrink 40ft	650x640x650	162	6	Not applicable
	60 cm built-in oven shrink 40 HC	650x640x650	216	6	Not applicable
	60 cm built-in oven Cardboard Box with Lid (without handle cap) 20 ft	660x650x660	81	6	Not applicable
	60 cm built-in oven Cardboard Box with Lid (without handle cap) 40 ft	660x650x660	162	6	Not applicable
	60 cm built-in oven Cardboard Box with Lid (without handle cap) 40 hc	660x650x660	216	6	Not applicable
	60 cm built-in oven Cardboard Box with Lid (with handle cap) 20 ft	665x655x665	81	6	Not applicable
	60 cm built-in oven Cardboard Box with Lid (with handle cap) 40 ft	665x655x665	162	6	Not applicable
	60 cm built-in oven Cardboard Box with Lid (with handle cap) 40 hc	665x655x665	216	6	Not applicable
	60 cm built-in oven Cardboard Box without Lid 20 ft	660x645x650	81	6	Not applicable
	60 cm built-in oven Cardboard Box without Lid 40 ft	660x645x650	162	6	Not applicable
	60 cm built-in oven Cardboard Box without Lid 40 hc	660x645x650	216	6	Not applicable
POLYVALENTE (German Type) BUILT IN OVEN AND HOB SET	60 cm Polyvalente shrink 20ft	650x640x795	81	4	Not applicable
	60 cm Polyvalente shrink 40ft	650x640x795	162	4	Not applicable
	60 cm Polyvalente shrink 40 HC	650x640x795	162	4	Not applicable
	60 cm Polyvalente box 20ft	660x650x795	81	4	Not applicable
	60 cm Polyvalente box 40ft	660x650x795	162	4	Not applicable
	60 cm Polyvalente box 40 HC	660x650x795	162	4	Not applicable
BUILT IN DOUBLE OVEN	90 cm built-in double oven shrink 20ft	650x640x945	54	5	Not applicable
	90 cm built-in double oven shrink 40ft	650x640x945	108	5	Not applicable
	90 cm built-in double oven shrink 40 HC	650x640x945	108	5	Not applicable
BUILT UNDER DOUBLE OVEN	70 cm built-under double oven shrink 20ft	650x640x775	81	5	Not applicable
	70 cm built-under double oven shrink 40ft	650x640x775	162	5	Not applicable
	70 cm built-under double oven shrink 40 HC	650x640x775	162	5	Not applicable
COMPACT OVEN	45 cm built-in oven shrink 20ft	650X640X510	108	6	Not applicable
	45 cm built-in oven shrink 40ft	650X640X510	216	6	Not applicable
	45 cm built-in oven shrink 40 HC	650X640X510	270	6	Not applicable

Built-in/ Table Top Hobs Container Loading Quantities								
Product Family	Size	Product Definitions	Product Code Structure	Packaging Size WxDxH mm	40 HC	40 ft	20 ft	Max. Stacking Quantities In Warehouse
GAS/ COMBINED	60 cm	gas/ combined hobs (Classic)	GG66Y-GK66Y Classic	626 x 560 x 130	1444	1292	612	16
	60 cm	gas/ combined hobs (Flat/Surface)	GG66Y-GK66Y Flat-Surface	626 x 580 x 140	1368	1216	576	16
	60 cm	gas on glass hobs	GS66Y21-GS66Y40	622 x 580 x 140	1368	1216	576	16
	60 cm	gas on glass hobs (One is Tripple flame)	GS66Y41	622 x 580 x 140	1368	1216	576	12
	60 cm	gas/ gas on glass hobs (Plusx-Pure-Division)	GG61O-GS61O-GS61Y-GG61D	647 x 582 x 164	1152	1008	448	16
	70 cm	gas/ gas on glass hobs hobs (Plusx)	GG71O-GS71O	769 x 582 x 164	960	840	392	16
	75 cm	gas on glass hobs	GS75O	822 x 522 x 164	896	784	364	16
	90 cm	gas on glass hobs	GS90O	935 x 582 x 164	768	672	336	16
VITRO CERAMIC	60 cm	vitro ceramic hobs	GC66	620 x 578 x 133	1444	1292	612	16
	60 cm	vitro ceramic hobs, box	GC66 Box	631 x 580 x 143	1296	1152	512	16
	78 cm	vitro ceramic hobs	GC78	810 x 578 x 133	1064	952	408	16
INDUCTION	60 cm	induction hobs	GI66	626 x 581 x 142	1368	1368	576	16
	60 cm	induction hobs, box	GI66 Box	643 x 583 x 152	1224	1152	540	16
	78 cm	induction hobs	GI78	816 x 581 x 142	1008	896	448	16
	90 cm	built-in induction hobs ,box	GI90 Box	941 x 583 x 152	816	768	360	14
DOMINO	30 cm	gas/ electric hobs	GG30-GE30	331 x 566 x 143	2646	2449	1120	16
	30 cm	gas on glass hobs	GS30	330 x 578 x 140	2520	2520	1120	16
	30 cm	induction hobs	GI30	332 x 581 x 142	2520	2520	1008	16
	30cm	vitro ceramic hobs	GC30	326 x 578 x 133	2660	2660	1071	16
TABLE TOP	60 cm	gas/ electric/ combined hobs	SG/SK/SE (60Y-66Y)	662 x 648 x 140	972	972	432	16
	60 cm	gas on glass hobs hobs (Plusx)	SS61O	645 x 648 x 140	972	864	384	16


## Installations

### Installation of 60 cm Built-in Oven



## Installations

### Installation of Polyvalente Built-in Cooker Set



Installation dimensions for hob


	Vitroc ceramic	Induction	Hotplate
A1 (mm)	590	590	580
B1 (mm)	520	520	510
C1 (mm)	41	56	40
D1 (mm)	560	560	560
E1 (mm)	490	490	490
F1 (mm)	min. 50	min. 50	min. 50
G1 (mm)	min. 50	min. 50	min. 50

Installation dimensions for oven

A2 (mm)	557	G2 (mm)	min. 555
B2 (mm)	550	H2 (mm)	590
C2 (mm)	595	I2 (mm)	600
D2 (mm)	575	J2 (mm)	25
E2 (mm)	576	K2 (mm)	2
F2 (mm)	min. 585		

## Installations

### Installation Of Built-in Hob




Product Types	Size	Aesthetic	W (mm)	D (mm)	H (mm)	C1 (mm)	C2 (mm)	Min A (mm)	Min B (mm)
Domino Hobs	30 cm	Gas Serie 2	510	290	42,5	270	490	50	50
	30 cm	Electric Serie 2	510	290	42,5	270	490	50	50
	30 cm	Securit Serie 1	520	290	47,5	270	490	50	50
	30 cm	Securit Serie 2	510	290	47,5	270	490	50	50
	30 cm	Vitro Ceramic Serie 1	520	290	47,5	270	490	50	50
	30 cm	Vitro Ceramic Serie 2	510	290	47,5	270	490	50	50
	30 cm	Vestel Induction Serie 1	520	290	56	270	490	50	50
	30 cm	Vestel Induction Serie 2	510	290	56	270	490	50	50
Gas on Glass Hobs	60 cm	Securit 2 / Securit 2 Trio / Division	594	523	44	560	490	50	50
	60 cm	PlusX	590	520	44	560	490	50	50
	60 cm	Pure, Gas+Vitro Ceramic / Gas+Induction Ceramic	590	520	52	560	490	50	50
	65 cm	Plus X	646	523	44	560	490	50	50
	70 cm	PlusX	700	520	44	560	490	50	50
	75 cm	Standard 75x45 2Wok	750	450	53	690	380	50	50
	90 cm	PlusX	882	520	47	850	490	50	50
Gas/ Combined / Electric Hobs	60 cm	Flat / Surface / Extenda / Classic / Division	580	510	40	560	490	50	50
	60 cm	PlusX	580	515	42	560	490	50	50
	70 cm	PlusX	700	515	42	560	490	50	50
Vitro Ceramic Hobs	60 cm	C Serie with touch controlled	590	520	41	560	490	50	50
	60 cm	C Serie with knob controlled	590	520	47,5	560	490	50	50
	78 cm	C Serie	780	520	41	750	490	50	50
Induction Ceramic Hobs	60 cm	Vestel Induction	590	520	54	560	490	50	50
	78 cm	Vestel Induction	780	520	54	750	490	50	50
	90 cm	Vestel Induction	890	520	54	860	490	50	50
	78 cm	Vestel Induction	780	520	56	750	490	50	50
	90 cm	Vestel Induction	890	520	56	860	490	50	50
Domino Gas Hobs	30 cm	Gas Serie 2	510	290	42, 5	270	490	50	100
Domino Electric Hobs	30 cm	Electric Serie 2	510	290	42, 5	270	490	50	50
Domino Gas on Glass Hobs	30 cm	Securit Serie 1	520	290	47, 5	270	490	50	100
	30 cm	Securit Serie 2	510	290	47, 5	270	490	50	100
Domino Vitro Ceramic Hobs	30 cm	Vitro Ceramic Serie 1	520	290	47, 5	270	490	50	50
	30 cm	Vitro Ceramic Serie 2	510	290	47, 5	270	490	50	50
Domino Induction Ceramic Hobs	30 cm	Vestel Induction Serie 1	520	290	56	270	490	50	50
	30 cm	Vestel Induction Serie 2	510	290	56	270	490	50	50



**Installations**

Installation of Built-in Double Oven




A (mm)	557	E (mm)	878
B (mm)	550	min./max. F (mm)	560/580
H (mm)	890	min. G (mm)	555
C (mm)	595	min. I (mm)	880
D (mm)	575	min. J/K (mm)	5/10

**Installations**

Installation of Built-under Double Oven


Installation under a worktop (A)




**Installations**

Installation of Built-under Double Oven

Installation under a worktop (B)




Installation in a wall unit



A (mm)	557	min./max. F (mm)	560/580
B (mm)	550	min. G (mm)	555
H (mm)	720	min. L/I (mm)	725/715
C (mm)	595	min. J/K (mm)	5/10
D (mm)	575	M (mm)	40
E (mm)	712		


**Installations**

Island Worktop Installation (Side Outlet)



## Installations


### Island Worktop Installation (Frontal Outlet)






## Installations

### Standard 60 cm Worktop Installation (Side Outlet)



## Installations

### Standard 60 cm Worktop Installation (Frontal Outlet)



**Vestel Trade Co.**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

**Phone:** 90 - 236 233 25 82

**Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

**Vestel Germany GmbH**

Parking 6 D-85748 Garching bei München/Germany

**Phone:** 49 - 89 55295 - 0

**Fax:** 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

**Vestel UK Ltd**

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ

**Phone:** 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

**Vestel France SASU**

17 Rue de la Couture - Parc Icade BP 10190 - 94563

RUNGIS Cedex, France

**Phone:** 33 - 146 75 00 29

**Fax:** 33 - 141 80 99 31

www.vestel-france.fr

**Vestel Holland B.V.**

Groothandelsgebouw Stationsplein 45 Unit A2.191,

3013 AK Rotterdam, The Netherlands

**Phone:** 31 - 10 235 1005

info@vestelbenelux.nl

www.vestelbenelux.nl

**Vestel Iberia, S.L.**

Paseo Doce Estrellas, 2, 3o. 28042. Madrid, Spain

**Phone:** 34 - 91 320 63 98

**Fax:** 34 - 91 320 52 58

vestel@vestel.es

www.vestel.es

**Vestel CIS Ltd.**

2 Gorbunova st., Bld. No 3, office A305 Moscow,

121569, Russia

**Phone:** 7 - 495 956 8230

**Fax:** 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

**Vestel Electronics Gulf DMC**

Unit No: ALMAS-06-C, 6th floor, ALMAS Tower, Plot

No: JLT-PH1-A0 Jumeirah Lakes Towers, Dubai, UAE

info@vestel-gulf.ae

www.vestel-gulf.ae

**Vestel Central Asia**

Kazakhstan/Almaty Baizakova 125, NP-1, office: 504.

**Phone:** 7 - 727 263 39 39

info@vestel.kz

**Vestel Poland**

Salsy 2 str., 02-823 Warsaw, Poland

**Phone:** 48 - 22 272 73 00

info@vestel-poland.com

www.vestel-poland.com

**Vestel Electronica**

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest, Romania

**Phone:** 40 - 31 425 42 91

**Fax:** 40 - 31 425 42 95

office@vestel.ro

www.vestel.ro

**Vestel China**

Vestel Electronics (Shanghai) Trading Co., Ltd.

Shenzhen Branch

Room 2606, Time Square Excellence. No 4068 Yi Tian

Rd, Fu Tian District. Shenzhen City, Guangdong, China.

518048

**Phone:** 86 -755-2266 6726

**Vestel Vietnam**

Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben

Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

**Phone:** 84 - 28 6287 5904

**Vestel USA INC.**

390 Fifth Avenue, Suite 805 New York, NY, 10018

**Phone:** 1 - 212 689 4622

**Fax:** 212 689 4380



# VESTEL

Organize Sanayi Bolgesi, 45030  
Manisa/Turkey

**Phone:** 90 - 236 233 25 82

**Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr  
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational