DISHWASHERS

2022-2023

>

WWW.VESTELINTERNATIONAL.COM

VESTEL

COMPANY PROFILE
2-3

GLOBAL OPERATIONS
4-5

FEATURES
6-21

60 CM DISHWASHERS
22-131

45 CM DISHWASHERS
132 - 205

SPECIFICATIONS
206 - 209

ADDRESSES
213

COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>

18.500
Employees

1.163.000 M²
Closed Production Area

Export Leader of Turkey with
$ 2,5 BILLION

$ 3,2 BILLION
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 24 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 14 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg,10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 24 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).

More information: www.vestelinternational.com

GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

MARKETING & SALES COMPANIES

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Holland, Netherlands
Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai
Vestel USA, USA
Vestel Vietnam, Vietnam
Vestel China, China

A

Top class ratings for ”energy consumption”, ”cleaning & drying performance”. The minimum energy class is A++ and the cleaning & drying performance is A for entire model range.

Auto Door

Auto Door provides more efficient drying process by automatically opening the door during drying phase which lets the hot air to out of the dishwasher (necessary energy amount to dry the dishes is reduced significantly).

A+++ -20% energy labeling for 14 place setting is achieved with the help of this technology.

Water Box

The working principle of Water Box Technology is based on getting the last clean cycle rinse water, filtering it to avoid any particles and saving it in an isolated box.

Then it can be used as the prewash cycle cleaning water next for the cycle.

5,4 lt water consumption with A+++ -20% energy rating for 15 P.S. is achieved with the help of this technology.

Natural Ion Tech

Natural Ion Tech spreads negative ions inside the dishwasher. These negative ions neutralize particles of unpleasant smell. Natural Ion Tech removes odors caused by dirty dishes.

PureBeam

UV feature prevents bacterial growth and kill the bacteria remaining after washing cycle.

It disinfects the load using the UV technology built into machine, automatically sterilizing each load before unload.

It will be a real easiness for parents with babies.

Silent Wash

It is possible to have more silent washing with variable speed motor technology! Extra silent option decreases noise level of program without decreasing cleaning quality in day or night time when silence is required.

Eco friendly
lower water consumption
for entry segment

Aqua Zone

Aquazone is a mechanic diverter that directs water to lower or upper spray arms.
With this mechanism, it is possible to achieve 9 lt water consumption for entry or entry-mid segment (X1 & Y1) without using any electrical motor.

Washing performance

Direct Wash

Direct wash spray system is used for washing baby bottles and glasses more effective.

Triple Wash

Triple wash feature offers wide washing option to user.
User can wash hard soiled pans and cookers
more effective with triple wash sprays.

Programs
Delay
40°
A
70
40°

Steam Wash

Steam wash technology softening the most stubborn dirts by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.

Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.

Extra Drying

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.

Extra Fast

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.

Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.

QuickClean

VESTEL dishwashers achieves A class cleaning performance with advanced cleaning program in only 50 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaining performance in only 50 minutes for standart soiled dishes according to EN standards.

Extra Rinse

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.

Antibacterial Filter

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.

Tablet Option

With this option, water reaches optimum temperature to dissolve he combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.

DualPro Wash

Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.

Hydro Power

This technology enables all other options and program to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.

KnifeShelf

With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.

Delay Timer

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start time of between 1 hour and 24 hours can be selected.

Vario Space

VarioSpace is a general feature that gives many options to the end user ragarding lower and upper basket variations.

Child Lock

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.

JetWash

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.

Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.

Heater Safety Protection

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.

Overflow and Leakage Protection

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water get is drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.

3rd Rack

Eco/Easy/Comfort Tray

Eco Tray

New fixed design option for 3rd rack that provides up to 15 place setting.

Comfort Tray

High-end side by side sliding basket structure for 60 cm range providing up to 15 place setting capacity.

Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket

Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.

Super Active Drying System

A portion of the washtub wall is a heat exchanger which, at the end of the rinsing cycle, promotes condensation of the water inside the tub, and hence drying of the dishes.

Turbo Drying System

It activates a fan which draws steam out of the dishwasher cabinet. Air circulation is much more forced, hence results in most efficient drying performance.

CONNECTIVITY
>

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart AIs

Different Business Models

Smart Home (Appliances) Merge

Remote Access and Control
by WiFi

Smart Service Network

Compatibility
with Android and iOS

Big Data Collection

Accessories

TOP NOOZLE

IMPELLER

AQUA STOP

PLASTIC FILTER
Optional

STAINLESS STEEL FILTER
Default

ANTI BACTERIAL FILTER (V2)
Optional

ANTI BACTERIAL FILTER (V1)
Optional

Interior Lighting

1 spot

4 spots

Color Options

WHITE

DARK SILVER

DARK GRAY

INOX

DARK INOX

BLACK

ACCRYLIC GLASS DOOR

RETRO RANGE

Red

Claret Red

Creme

Black

60cm Dishwashers

Eco 50°C
02:39
16P

3rd Rack Options

Comfort tray

Easy tray

Eco tray

Basket Options

Max. plate dimensions

Basket types

Upper basket

Lower basket

Line-up

A Series

TFT Series

T Series

Y Series

X Series

Full Door Series

Professional Series

Tall-tub Series

3rd Rack
Comfort Tray

New side by side sliding design option for 3rd rack that provides up to 15 place setting.

*Cutlerly basket is optional

3rd Rack
Easy Tray

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

*Cutlerly basket is optional

*Up to 15 place settings

3rd Rack
Eco Tray

New fixed design option for 3rd rack that provides up to 15 place setting.

*Cutlerly basket is optional

Maximum Plate Dimensions

2 Baskets

	Upper Basket Position ↓	*Upper Basket Position ↑*	*w/o height adjustment*
Max. Plate Dimension for Upper Basket	*26,5 cm*	*21,5 cm*	*21,5 cm*
Max. Plate Dimension for Lower Basket	*26,5 cm*	*31,5 cm*	*31,5 cm*

2 Baskets + 3rd Rack

	Upper Basket Position ↓	***Upper Basket Position ↑***	***w/o height adjustment***
Max. Plate Dimension for Upper Basket	*19,5 cm*	*14,5 cm*	*14,5 cm*
Max. Plate Dimension for Lower Basket	*26,5 cm*	*31,5 cm*	*31,5 cm*

Basket Types

V-type baskets

with ion tech

with purebeam

Flat-type baskets

with ion tech

with purebeam

Vario Space

Upper basket

Adjustable Mug Shelves

Adjustable Upper Basket with Load
2 and 3 level hight adjustment options

Adjustable Upper Basket without Load

Handle with Customized Logo
* For 15 place settings and only for upper basket

Foldable Wire

Wire Handle

Plastic Handle

Lower basket

Foldable Wire
(2 Or 4)

Multi-Functional Kit For Lower Basket

Bottle Holder

Plastic Handle

Wine Glass Holder

Mug Shelf Support
**W/Or W/O Soft Touch*

Tray Holder

KnifeShelf

Universal Cutlery Basket

Hygiene Box*

Standard Cutlery Basket
(fixed)

Sliding Cutlery Basket

Modular Cutlery Basket
(for 12 Settings)

VESTEL

60 cm dishwashers
A Series

A Series

A4 Series

A3 Series

A2 Series

A1 Series

Aesthetics

Angel

Carya

Daisy

Erica

Holy

Io

Luna

A4 SERIES

NATURAL ion tech

PureBeam

Energy Labeling

A B C D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 4 1 - Y

6/7/10 programs
icon-LED display (full touch control)
A/B/C/D/E energy labeling
BLDC circulation pump
Mini active / super active / turbo drying
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf),
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A4

A41	*6 programs, BLDC.*	***A46***	*6 programs.*
A42	*7 programs, BLDC.*	***A47***	*7 programs, BLDC.*
A43	*10 programs, BLDC.*	***A48***	*10 programs, BLDC.*
A44	*10 programs, BLDC, Auto Door*	***A49***	*10 programs, BLDC.*
A45	*10 programs, BLDC, Auto Door, Water Box.*	***A4X***	*10 programs, BLDC, Water Box.*
A4Y	*10 programs, BLDC, Auto Door, Water Box.*		

A3 SERIES

NATURAL ion tech

PureBeam

Energy Labeling

B C D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - X

6/8 programs
icon-LED display (optional touch control)
B/C/D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A3

A3 Touch control

A31	*6 programs, AC.*
A32	*8 programs, AC.*
A33	*6 programs, BLDC, Auto Door*
A34	*8 programs, BLDC, Auto Door*
A35	*8 programs, BLDC, Auto Door, Water Box.*
A36	*6 programs, BLDC.*
A37	*7 programs, AC.*
A38	*8 programs, AC.*
A39	*9 programs, BLDC, Auto Door*
A3X	*9 programs, BLDC, Water Box.*

A2 SERIES

NATURAL ion tech

PureBeam

Energy Labeling

B C D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 2 1 - X

6/7/8 programs
LED display
B/C/D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A2

A2 Large Display

A21	*6 programs, AC.*
A22	*7 programs, AC.*
A23	*8 programs, AC.*
A24	*8 programs, BLDC, Auto Door*
A25	*8 programs, BLDC, Auto Door, Water Box.*
A26	*6 programs, BLDC.*
A27	*7 programs, AC.*
A28	*8 programs, AC.*
A29	*9 programs, AC.*
A2X	*9 programs, BLDC, Water Box.*

A1 SERIES

Energy Labeling

D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer

Half Load

Aqua Zone

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 1 2 - 7

3 to 8 programs
LED indicator
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - G

3 to 8 programs
LED display
D/E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets),
13 PS (2 baskets),
13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf)
15 PS (2 baskets + 3rd rack)

Design Options

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna
SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

Model Versions

A1
w/o display

A1
w display

A12	*3 programs, AC.*	***A1B***	*3 programs, AC.*
A13	*4 programs, AC.*	***A1C***	*4 programs, AC.*
A14	*5 programs, AC.*	***A1D***	*5 programs, AC.*
A15	*6 programs, AC.*	***A1E***	*6 programs, AC.*
A16	*7 programs, AC.*	***A1F***	*7 programs, AC.*
A17	*8 programs, AC.*	***A1G***	*8 programs, AC.*

A Series
Angel

A Series
Carya

A Series
Daisy

A Series
Erica

A Series
Holy

A Series
Io

A Series
Luna

VESTEL
09:55
dual prowash
01:00

60 cm dishwashers
TFT Series

D6 Series
A65 Series
A66 Series

Aesthetics
Nysa
Eris

D 6 SERIES

NATURAL ion tech

Energy Labeling

B D

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

D 6 5 - 6

10 programs
TFT display
D/B energy labeling
BLDC circulation pump
Turbo drying
49/47/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

** Available for D65 only*

Design Options

FS Eris, Nysa

Model Versions

D6X

A65 *10 programs, BLDC, Auto Door, Water Box.*

A66 *10 programs, BLDC, Auto Door*

D6 Series
Nysa

D6 Series
Eris

VESTEL
program
yarım yük
tablet
02:42
zaman erteleme
ekstra hijyen
ekstra kurutma

60 cm dishwashers
T Series

Series

T4 Series

T3 Series

T2/1 Series

Aesthetics

Aron

Lita

Daphne

Gizem

Ares

Hemera

Patara

Amaranth

Themis

T4 SERIES

NATURAL ion tech

Energy Labeling

B C D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

T 4 1 - X

6/7/10 programs
LCD display
E/D/C/B energy labeling
BLDC circulation pump
Mini active / super active / turbo drying

49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

** Available for T45 only*

Design Options

FS Aron, Daphne, Lita

Model Versions

T4 Negative display

T4 Standard display

T41	*6 programs, BLDC.*
T42	*7 programs, BLDC.*
T43	*10 programs, BLDC.*
T45	*10 programs, BLDC, Auto Door, Water Box.*
T4X	*10 programs, BLDC, Water Box.*

T4 Series
Aron

T4 Series
Lita

T4 Series
Daphne

T3 SERIES

NATURAL ion tech

Energy Labeling

B D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

T 3 1 - 6

6/8 programs
icon-LED display
E/D/B energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

** Available for T35 only*

Design Options

FS Ares, Gizem, Hemera, Patara
SI Ares, Patara

Model Versions

T3X Amber display

T3X White display

T31	*6 programs, AC.*
T32	*8 programs, AC.*
T34	*8 programs, BLDC, Auto Door.*
T35	*8 programs, BLDC, Auto Door Water Box.*
T36	*8 programs, BLDC.*

T3 Series
Gizem

T3 Series
Ares

T3 Series
Hemera

T3 Series
Patara

T2/1 SERIES

NATURAL ion tech

Energy Labeling

B D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Auto Door** **Water Box** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

T 1 1 - 3

3/4/6 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
46/44/42/41/39 dBA (w/ BLDC)
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer (T11 w/o delay timer)

T 2 1 - 6

8 programs
LED display
B/D energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 baskets + 3rd rack)*, 15 PS (2 baskets + 3rd rack)

** Available for T25 only*

Design Options

FS Amaranth, Themis
SI Amaranth

Model Versions

T1 Series

T11	*3 programs, AC.*
T12	*4 programs, AC.*
T13	*6 programs, AC.*

T2 Series

T21	*8 programs, AC.*
T24	*8 programs, BLDC, Auto Door.*
T25	*8 programs, BLDC, Auto Door, Water Box*
T26	*8 programs, BLDC.*

T1/T2 Series
Amaranth

T1/T2 Series
Themis

Wash
Rinse
Dry
End
Program
30
Start / Pause
Reset (3 sec.)
VESTEL
Hygiene
Rinse
Dry
Rinse Aid
Salt
Upper Basket
Lower Basket
Option
Delay Timer
Half load
Tablet (3 sec.)
On-Off
3 sec.
P1 - Prewash
P2 - Mini 18'
P3 - Quick 30' 40°C
P4 - Eco
P5 - Super 50' 65°C
P6 - Dual Pro Wash 60°C
P7 - Hygiene 70°C
P8 - Auto Intensive 60°C - 70°C
P9 - Steamwash

60 cm dishwashers
Y Series

Series

Y2 Series

Y1 Series

Aesthetics

Camelia -Y

Flora - Y

Bellis - Y

Tigris - Y

Viola - Y

Y2 SERIES

NATURAL ion tech

Energy Labeling

D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer | Half Load | Auto Door | Water Box | Hydro Power | Direct Wash | Triple Wash

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 6

6 to 9 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49/47/46/45/44/42/41/39 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y
SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y2X

Y21	*6 programs, AC.*
Y22	*7 programs, AC.*
Y23	*8 programs, AC*
Y24	*9 programs, AC*
Y25	*9 programs, BLDC, Auto Door*
Y26	*9 programs, BLDC.*

Y1 SERIES

NATURAL ion tech

Energy Labeling

E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Aqua Zone**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 1 1 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y
SI Camelia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y1X
w/o display

Y11	*2 programs, AC.*
Y12	*3 programs, AC.*
Y13	*4 programs, AC.*
Y14	*5 programs, AC.*
Y15	*6 programs, AC.*

Y1X
w display

Y1A	*2 programs, AC.*
Y1B	*3 programs, AC.*
Y1C	*4 programs, AC.*
Y1D	*5 programs, AC.*
Y1E	*6 programs, AC.*
Y1F	*7 programs, AC.*

Y Series
Camelia -Y

Y Series
Flora - Y

Y Series
Bellis - Y

Y Series
Tigris - Y

Y Series
Viola - Y

VESTEL
30

60 cm dishwashers
X Series

Aesthetics

Flora

Camelia

Bellis

Tigris

Viola

X SERIES

Energy Labeling

E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Aqua Zone**

3rd Rack
Eco/Easy/Comfort Tray

See product specifications for default and optional features

X 1 1 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

Design Options

FS Belis, Camelia, Flora, Giada, Tigris, Viola
SI Camelia, Silva, Silva (Inox add-on)

Model Versions

X1X
w/o display

X11	*2 programs, AC.*
X12	*3 programs, AC.*
X13	*4 programs, AC.*
X14	*5 programs, AC.*
X15	*6 programs, AC.*
X16	*7 programs, AC.*

X1X
w display

X1A	*2 programs, AC.*
X1B	*3 programs, AC.*
X1C	*4 programs, AC.*
X1D	*5 programs, AC.*
X1E	*6 programs, AC.*
X1F	*7 programs, AC.*

X Series
Flora

X Series
Viola

X Series
Camelia

X Series
Bellis

X Series
Tigris

76

60 cm dishwashers
Full Door Series

Series

Glass Door Series

Glass Full Door Series

Standard Full Door Series

Aesthetics

IntelliTouch

Anjer

Troy

Retro Troy

Visioart

Mirana

GLASS DOOR SERIES

Intellitouch

NATURAL ion tech

PureBeam

Energy Labeling

D

Color Options

Acrylic glass door

Major Features

Delay Timer **Half Load** **Auto Door** **Hydro Power** **Direct Wash** **Triple Wash**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

1 5 4

8 programs

LED display and front display with touch sensitive front door opening

D energy labeling

BLDC circulation pump

Mini active / super active / turbo drying

46/44/42 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

IntelliTouch (Acrylic Front Door)

Model Versions

154

8 programs, BLDC, Auto Door.

GLASS FULL DOOR SERIES

Visioart

NATURAL ion tech

PureBeam

Energy Labeling

B D E

Color Options

Acrylic glass door

Major Features

Delay Timer **Half Load** **Aqua Zone**

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G

2 to 8 programs
LED Indicator / Hidden LED Display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-9

7/8/9 programs
LED Indicator / Hidden LED Display
E/D/B energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

Visioart (Acrylic Front Door)

Model Versions

I11-6
w/display

I1A-G
w/o display

I21-9

I11-A	*2 programs, AC.*
I12-B	*3 programs, AC.*
I13-C	*4 programs, AC.*
I14-D	*5 programs, AC.*
I15-E	*6 programs, AC.*
I16-F	*7 programs, AC.*
I1G	*8 programs, AC.*

I21	*7 programs, AC.*
I22	*8 programs, AC.*
I23	*9 programs, AC.*
I24	*9 programs, BLDC, Auto Door.*
I25	*9 programs, BLDC, Water Box.*
I26	*6 programs, BLDC.*
I27	*7 programs, BLDC.*
I28	*8 programs, BLDC.*
I29	*9 programs, BLDC.*

STANDARD FULL DOOR I SERIES

NATURAL ion tech

PureBeam

Energy Labeling

B C D E

Color Options

Painted

Stainless steel

Painted (retro options)

Major Features

Delay Timer

Half Load

Aqua Zone

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G / I1K-R

2 to 8 programs
LED Indicator / Hidden LED Display
E/D energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
1-19hours delay timer with Hidden LED display

I21-X / I2K-U

7/8/9 programs
LED Indicator / Hidden LED Display
E/D/C/B energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

Design Options

Anjer, Troy, Retro Troy
*Front display option only available with Anjer (I1K-R & I2K-O)

Model Versions

I11-6
w/display

I1A-G
w/o display

I11-A	*2 programs, AC.*
I12-B	*3 programs, AC.*
I13-C	*4 programs, AC.*
I14-D	*5 programs, AC.*
I15-E	*6 programs, AC.*
I16-F	*7 programs, AC.*
I1G	*8 programs, AC.*

I1K -I1R

I21	*7 programs, AC.*
I22	*8 programs, AC.*
I23	*9 programs, AC.*
I24	*9 programs, BLDC, Auto Door.*
I25	*9 programs, BLDC, Water Box.*
I26	*6 programs, BLDC.*
I27	*7 programs, BLDC.*
I28	*8 programs, BLDC.*
I29	*9 programs, BLDC.*
I2X	*9 programs, BLDC, Water Box.*

I2K -I2U

STANDARD FULL DOOR S SERIES

NATURAL ion tech

PureBeam

Energy Labeling

B C D E

Color Options

Painted

Stainless steel

Painted (retro options)

Major Features

Delay Timer

Half Load

Aqua Zone

3rd Rack
Eco/Easy/Comfort Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

S12-6

2 to 6 programs
Button Control / Touch Control
LED Indicator
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer with LED indicator
Wifi option

S23-9

3 to 9 programs
Button Control / Touch Control
Hidden LED Display
E/D energy labeling
AC circulation pump
Mini Active / Super Active / Turbo Drying
57/54/52/49/47/45/44 dBA
12 lt water consumption (9 lt with aquazone)
1 mode half load
1-24hr hours delay timer with LED indicator
Wifi option

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack)

Design Options

Mirana

Model Versions

S12-6

S12	*2 programs, AC.*
S13	*3 programs, AC.*
S14	*4 programs, AC.*
S15	*5 programs, AC.*
S16	*6 programs, AC.*

S23-9

S23	*3 programs, AC.*
S24	*4 programs, AC.*
S25	*5 programs, AC.*
S26	*6 programs, AC.*
S27	*7 programs, AC.*
S28	*8 programs, AC.*
S29	*9 programs, AC.*

Full Door Series
Mirana

Full Door Series
IntelliTouch

Full Door Series
Anjer

Full Door Series
Troy

Full Door Series
Visioart

Full Door Series
Retro Troy

Full Door Series
Retro Troy

Full Door Series
Retro Troy

Full Door Series
Retro Troy

Wash
Rinse
Dry
End
117
Program
Start / Pause
Reset (3 sec.)
VESTEL
Rinse Aid
Salt
Sanitize
Rinse
Dry
Extra
Delay
Half Load
Hi-Temp
On/Off
P1 - Regular
P2 - Intensive
P3 - Super
P4 - Auto
P5 - Rinse
P6 - Delicate
P7 - Daily
P8 - Intensive +

60 cm dishwashers
Tall-Tub Series

Series

Front Control Range

Top Control Range

Aesthetics

Bellis -Y

Flora - Y

Tigris - Y

Viola - Y

Anjer

Camelia - Y

FRONT CONTROL RANGE

Energy Labeling

ENERGY STAR

Color Options

Painted

Stainless steel

Major Features

Delay Timer

Half Load

Hydro Power

3rd Rack
Eco/Easy/Comfort Tray

Dimensions

Height (inch, mm)	33 7/8" ; 861 mm
Width (inch, mm)	23 9/16" ; 598 mm
Depth (inch, mm)	22 1/2" ; 570 mm

See product specifications for default and optional features

Y A 1 - 7

Tall-tub structure
2 to 8 programs
LED display
Energy Star
AC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA
≤ 3,5 gal water consumption
1 mode half load
1-19 hours delay timer

Y B 1 - 7

Tall-tub structure
2 to 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC: 6-7-8 programs)
≤ 3,5 gal water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 15 PS (2 baskets + 3rd rack)

Design Options

Belis Y, Flora Y, Tigris Y, Viola Y, Camelia Y

Model Versions

YA1-7

YB1	*2 programs, AC.*
YB2	*3 programs, AC.*
YB3	*4 programs, AC.*
YB4	*5 programs, AC.*
TB5	*6 programs, AC OR BLDC.*
YB6	*7 programs, AC or BLDC.*
YB7	*8 programs, AC or BLDC.*

YB1-7

YA1	*2 programs, AC.*
YA2	*3 programs, AC.*
YA3	*4 programs, AC.*
YA4	*5 programs, AC.*
YA5	*6 programs, AC.*
YA6	*7 programs, AC.*
YA7	*8 programs, AC.*

Front Control Range
Bellis Y

Front Control Range
Flora Y

Front Control Range
Tigris Y

Front Control Range
Viola Y

TOP CONTROL RANGE

Energy Labeling

ENERGY STAR

Color Options

Painted

Stainless steel

Major Features

Delay Timer

Half Load

Hydro Power

3rd Rack
Eco/Easy/Comfort Tray

Dimensions

Height (inch, mm)	33 7/8" ; 861 mm
Width (inch, mm)	23 9/16" ; 598 mm
Depth (inch, mm)	22 1/2" ; 570 mm

See product specifications for default and optional features

Z A 5 - Z B 7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-19 hours delay timer

Place Setting Options

12 PS (2 baskets), 13 PS (2 baskets), 15 PS (2 baskets + 3rd rack)

Design Options

FS Anjer
BI Freya, Rhea, Astrum

Model Versions

ZA5

6 programs, AC or BLDC.

ZB7

8 programs, AC or BLDC.

TOP CONTROL RANGE

Energy Labeling

ENERGY STAR

Color Options

Painted

Stainless steel

Major Features

Delay Timer

Half Load

Hydro Power

3rd Rack
Eco/Easy/Comfort Tray

Dimensions

Height (inch, mm)	33 7/8" ; 861 mm
Width (inch, mm)	23 9/16" ; 598 mm
Depth (inch, mm)	22 1/2" ; 570 mm

See product specifications for default and optional features

S A 5 - S C 5 - S B 7 - S D 7

Tall-tub structure
6 or 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44/42 dBA (w/ BLDC)
≤ 3,5 gal water consumption
1 or 3 mode half load
1-24 hours delay timer

Place Setting Options

14 PS (2 baskets), 15 PS (2 baskets+3rd rack)

Design Options

Mirana

Model Versions

SA5

SC5

SB7

SD7

Top Control Range
Anjer

VESTEL

60 cm dishwashers
Professional Series

Series

X Series

I Series

Aesthetics

Anjer

Bellis

X SERIES

I SERIES

Energy Labeling

B D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer

Half Load

See product specifications for default and optional features

X 1 4

5 programs
LED indicator
A+ energy labeling
AC circulation pump
Natural drying
54/52/49/47/45 dBA
12 lt water consumption
3-6-9 hours delay timer

I 1 4 - 1 A

5 programs
LED indicator / Optional front LED display *with D1A*
A+ energy labeling
AC circulation pump
Natural drying
54/52/49/47/45 dBA
12 lt water consumption

I 4 1 - 4 A

5 programs
LED display / Front LED display *with D4A*
A++ energy labeling
AC circulation pump
Natural drying
54/52/49/47/45 dBA
9 lt water consumption
3 mode half load

Place Setting Options

12 PS (3 layer baskets)

Design Options

X Series Belis, Camelia, Flora, Giada, Tigris, Viola
I Series Anjer

Professional Series
Anjer

Professional Series
Bellis

45cm Dishwashers

Wash
Rinse
Dry
End
Program
30
Start / Pause
Reset (3 sec.)
VESTEL
Hygiene
Rinse
Dry
Half Load
Tablet
Rinse Aid
Salt
P1 - Prewash
P2 - Quick 30' 40°C
P3 - Delicate 40°C
P4 - Eco
P5 - Super 50' 65°C
P6 - Intensive 65°C
Extra
Delay Timer
3 sec.
Option
On-Off

3rd Rack Options

Easy tray

Basket Options

Max. plate dimensions
Basket types
Upper basket
Lower basket

Series Line-up

A Series
T Series
Y Series
X Series
Full Door Series
Tall-Tub Series

3rd Rack
Easy Tray

Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

Flat-type baskets

with ion tech

Lower Basket
10 Place Settings

Upper Basket
10 Place Settings

Tray Holder

Universal Cutlery Basket

2 Baskets

	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

2 Baskets + 3rd Rack

	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm

VESTEL
2:50

45 cm dishwashers
A Series

A Series
A4 Series

A3 Series

A2 Series

A1 Series

Aesthetics
Angel
Carya
Daisy
Erica
Holy
Io
Luna

A4 SERIES

NATURAL ion tech

Energy Labeling

D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Hydro Power**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 4 1 - 4

6/7/10 programs
icon-LED display (full touch control)
D/E energy labeling
BLDC circulation pump
Turbo drying
44 dBA
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A4X

A41 *6 programs, BLDC.*

A42 *7 programs, BLDC.*

A44 *10 programs, BLDC, Auto Door.*

A3 SERIES

NATURAL ion tech

Energy Labeling

D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Hydro Power**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 3 1 - 4

6/8 programs
icon-LED display (optional touch control)
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A3X

w buttons

w touch

A31 *6 programs, AC.*

A32 *8 programs, AC.*

A33 *6 programs, BLDC, Auto Door.*

A34 *8 programs, BLDC, Auto Door.*

A 2 SERIES

NATURAL ion tech

Energy Labeling

D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Hydro Power**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

A 2 1 - 4

6 to 8 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

standard display | **large display**

A2X

A21 *6 programs, AC.*

A22 *7 programs, AC.*

A23 *8 programs, AC.*

A24 *8 programs, BLDC, Auto Door.*

A1 SERIES

Energy Labeling

E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Aqua Zone**

See product specifications for default and optional features

A 1 2 - 5

3 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

A 1 B - E

3 to 6 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Daisy, Holy, Carya, Io, Angel
SI Daisy, Gardenya, Gardenya (Inox add-on)

Model Versions

A12-5

A12	*3 programs, AC.*
A13	*4 programs, AC.*
A14	*5 programs, AC.*
A15	*6 programs, AC.*

A1B-E

A1B	*3 programs, AC.*
A1C	*4 programs, AC.*
A1D	*5 programs, AC.*
A1E	*6 programs, AC.*

A Series
Angel

A Series
Holy

A Series
Daisy

A Series
Luna

A Series
Erica

A Series
Carya

A Series
Io

30
VESTEL
Prewash
Quick 30' 40°C
Eco 50°C
Dual Pro Wash 60°C
Super 50' 65°C
Hygiene 70°C
Auto Delicate 30-50°C
Auto Intensive 50-70°C
Wash
Rinse
Dry
End
On / Off
Fast
Silent
Half Load
Program
Energy Save
Start / Pause
RESET 3 sec

45 cm dishwashers
T Series

Series

T2/1 Series

Aesthetics

Claros

Iris T

Nebula

Vento

T2/1 SERIES

NATURAL ion tech

Energy Labeling

D E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Auto Door** **Aqua Zone** **Hydro Power**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

T 1 4 - 5

7 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (T15 w/o half load)
1-24 hours delay timer (3-6-9 hours for T15)

T 2 1 - 4

8 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-24 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Claros, Iris T, Nebula, Vento
SI Vento

Model Versions

T14

7 programs, AC.

T15

7 programs, AC.

T21

8 programs, AC.

T22

8 programs, AC.

T24

8 programs, BLDC, Auto Door.

T Series
Nebula

T Series
Vento

T Series
Claros

T Series
Iris T

Wash
Rinse
Dry
End
30
Program
Start / Pause
Reset (3 sec.)
VESTEL
Hygiene
Rinse
Dry
Rinse Aid
Salt
Half Load
Tablet
Extra
Delay Timer
Option
On-Off
3 sec.
P1 - Prewash
P2 - Quick 30'40°C
P3 - Delicate 40°C
P4 - Eco
P5 - Super 50' 65°C
P6 - Intensive 65°C

45 cm dishwashers
Y Series

Series

Y2 Series

Y1 Series

Aesthetics

Camelia -Y

Flora - Y

Tigris - Y

Lydia - Y

Klikya - Y

Iris - Y

Y2 SERIES

NATURAL ion tech

Energy Labeling

D E

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Hydro Power**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 2 1 - 5

6 to 9 programs
LED display
D/E energy labeling
AC / BLDC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA (w/o BLDC)
44 dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y
SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

Y21-5

Y21	*6 programs, AC.*
Y22	*7 programs, AC.*
Y23	*8 programs, AC.*
Y24	*9 programs, AC.*
Y25	*9 programs, BLDC, Auto Door.*

Y1 SERIES

NATURAL ion tech

Energy Labeling

E

Color Options

Painted

Stainless steel

Major Features

Delay Timer **Half Load** **Auto Door** **Hydro Power**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

Y 1 1 - 5

2 to 6 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

Y 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y
SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

Model Versions

w/o display

Y11	*2 programs, AC.*
Y12	*3 programs, AC.*
Y13	*4 programs, AC.*
Y14	*5 programs, AC.*
Y15	*6 programs, AC.*

w/ display

Y1A	*2 programs, AC.*
Y1B	*3 programs, AC.*
Y1C	*4 programs, AC.*
Y1D	*5 programs, AC.*
Y1E	*6 programs, AC.*
Y1F	*7 programs, AC.*

Y Series
Lydia-Y

Y Series
Iris - Y

T Series
Klikya - T

Y Series
Camelia - Y

Y Series
Flora - Y

Y Series
Tigris - Y

Wash
Rinse
Dry
End
30
Program
Start / Pause
Reset (3 sec.)
VESTEL
Hygiene
Rinse
Dry
Rinse Aid
Salt
Half Load
Tablet
Extra
Delay Timer
Option
On-Off
3 sec.
P1 - Prewash
P2 - Quick 30'40°C
P3 - Delicate 40°C
P4 - Eco
P5 - Super 50' 65°C
P6 - Intensive 65°C

45 cm dishwashers
X Series

Series

X Series

Aesthetics

Iris - C

Tigris

X SERIES

Energy Labeling

E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Aqua Zone**

See product specifications for default and optional features

X 1 1 - 6

2 to 7 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
3-6-9 hours delay timer

X 1 A - F

2 to 7 programs
LED display
E energy labeling
AC circulation pump
Mini active / super active drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets)

Design Options

FS Iris C, Tigris
SI Orchis

Model Versions

w/o display

X11	*2 programs, AC.*
X12	*3 programs, AC.*
X13	*4 programs, AC.*
X14	*5 programs, AC.*
X15	*6 programs, AC.*
X16	*7 programs, AC.*

w/ display

X1A	*2 programs, AC.*
X1B	*3 programs, AC.*
X1C	*4 programs, AC.*
X1D	*5 programs, AC.*
X1E	*6 programs, AC.*
X1F	*7 programs, AC.*

X Series
Iris C

X Series
Tigris

45 cm dishwashers
Full Door Series

Series

Full Door Series

Aesthetics

Anjer

Mirana

FULL DOOR SERIES

NATURAL ion tech

Energy Labeling

E

Color Options

Painted *Stainless steel*

Major Features

Delay Timer **Half Load** **Aqua Zone**

3rd Rack
Easy Tray

Interior Lighting
1 or 4 Spot

See product specifications for default and optional features

I11-6 / I1A-G

3/5/6/7/8 programs
LED indicator / LED display
E energy labeling
AC circulation pump
Mini active / super active / turbo drying
57/54/52/49/47/45 dBA
11 lt water consumption (9 lt with aquazone)
1 mode half load (D12 w/o half load)
3-6-9 hours / 1-19 hours delay timer
(D12 w/o delay timer)

I 2 1 - 4

7/8/9 programs
LED display
E energy labeling
AC/BLDC circulation pump
Mini active / super active / turbo drying
54/52/49/47/45 dBA (w/o BLDC)
44dBA (w/ BLDC)
9 lt water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Anjer

Model Versions

I11-6
w/display

I1A-G
w/o display

I21-4

I11-A	*2 programs, AC.*
I12-B	*3 programs, AC.*
I13-C	*4 programs, AC.*
I14-D	*5 programs, AC.*
I15-E	*6 programs, AC.*
I16-F	*7 programs, AC.*
I1G	*8 programs, AC.*

I21	*7 programs, AC.*
I22	*8 programs, AC.*
I23	*9 programs, AC.*
I24	*9 programs, BLDC, Auto Door.*

Full Door Series
Anjer

Wash
Rinse
Dry
End
30
Program
Start / Pause
Reset (3 sec.)
VESTEL
Sanitize
Rinse
Dry
Power On
Rinse Aid
P1 - Regular
P2 - Auto
Extra
Delay
Half Load
Hi-Temp
On/Off

45 cm dishwashers
Tall-Tub Series

Series

Front Control Range

Aesthetics

Tigris - Y

Flora - Y

Iris - Y

Camelia - Y

Lydia - Y

Klikya - Y

FRONT CONTROL RANGE

Energy Labeling

ENERGY STAR

Color Options

Painted

Stainless steel

Major Features

Delay Timer

Half Load

Hydro Power

3rd Rack
Easy Tray

Dimensions

Height (inch, mm)	32 1/14" ; 820 mm
Width (inch, mm)	17 27/32" ; 450 mm
Depth (inch, mm)	22 1/2" ; 570 mm

See product specifications for default and optional features

Y A 1 - 7

Standard-tub structure
2 to 8 programs
LED display
Energy Star
AC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA
≤ 3,5 gal water consumption
1 mode half load
1-19 hours delay timer

Y B 1 - 7

Standard-tub structure
2 to 8 programs
LED display
Energy Star
AC/BLDC circulation pump
Mini active / super active / turbo drying
57/55/53/51 dBA (w/o BLDC)
49/47/45/44 dBA (w/ BLDC: 6-7-8 programs)
≤ 3,5 gal water consumption
3 mode half load
1-19 hours delay timer

Place Setting Options

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

Design Options

Flora Y, Tigris Y, Iris Y

Model Versions

w/o display

YB1	*2 programs, AC.*
YB2	*3 programs, AC.*
YB3	*4 programs, AC.*
YB4	*5 programs, AC.*
YB5	*6 programs, AC or BLDC.*
YB6	*7 programs, AC or BLDC.*
YB7	*8 programs, AC or BLDC.*

w/ display

YA1	*2 programs, AC.*
YA2	*3 programs, AC.*
YA3	*4 programs, AC.*
YA4	*5 programs, AC.*
YA5	*6 programs, AC.*
YA6	*7 programs, AC.*
YA7	*8 programs, AC.*

Front Control Range
Tigris Y

Front Control Range
Flora Y

Front Control Range
Iris Y

Front Control Range
Camelia Y

Front Control Range
Lydia Y

Front Control Range
Klikya Y

Specifications

60 cm

60cm - A Series Key Points																	
w/o display models		A12	A13	A14	A15	A16	A17	-	-	-	-	-	-	-	-	-	-
w/ display models		A1B	A1C	A1D	A1E	A1F	A1G	A21	A22	A23	A26	A27	A28	A29	A24	A2X	A25
Program Number		3	4	5	6	7	8	6	7	8	6	7	8	9	8	9	8
Energy Labeling		E (w/Autodoor D)						E (w/Autodoor D)			D					C	B
Water Consumption		12 lt (9 lt with AquaZone)						9 lt									
Sound Level	12-13 -14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47									49/47/45/44/42/41					-	
	14 PS with 3rd rack	-									-					44	
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47									49/47/45/44/42/41/39					-	
Circulation pump		Asynchronous									BLDC						
Auto Door		- (Optional)									-				+	-	+
Water Box		-														+	
Place Setting		12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)						12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)									

60cm - A Series Key Points																							
w/o display models		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
w/ display models		A31	A32	A33	A36	A37	A38	A39	A34	A3X	A35	A41	A42	A43	A46	A47	A48	A49	A44	A4X	A45	A4Y	
Program Number		6	8	6	6	7	8	9	8	8	8	6	7	10	6	7	8	9	10	10	10	10	
Energy Labeling		E (w/Autodoor D)		D						C	B	E		D						C	B	A	
Water Consumption		9 lt																					
Sound Level	12-13 -14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47		49/47/45/44/42/41						-		46/44		49/47/45/44/42/41						-			
	14 PS with 3rd rack	-								44		-								44			
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47		49/47/45/44/42/41/39						-		44/42		49/47/45/44/42/41/39						-			
Circulation pump		Asynchronous		BLDC																			
Auto Door		- (Optional)		+	-				+	-	+	-							+	-	+		
Water Box		-								+		-								+			
Place Setting		12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets with knifeshelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																					

60cm - D6 Series Key Points			
w/o display models		-	-
w/ display models		D65	D66
Program Number		10	10
Energy Labeling		B	D
Water Cons.		9 lt	
Sound Level	12-13 -14 PS	-	49 / 47 / 45 / 44 / 42 / 41
		44	-
	14 PS with 3rd rack	-	49 / 47 / 45 / 44 / 42 / 41 / 39
	15 PS with 3rd rack	BLDC	
		+	-
Water Box		+	-
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)	

60 cm - T3-T4 Series Key Points											
w/o display models		-	-	-	-	-	-	-	-	-	-
w/ display models		T31	T32	T34	T35	T36	T41	T42	T43	T45	T4X
Program Number		6	8	8	8	8	6	7	10	10	10
Energy Labeling		E		D	B	D	E		D	B	C
Water Consumption		9 lt									
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47		46 / 44	-	49 / 47 / 45 / 44 / 42 / 41	46/44		49 / 47 / 45 / 44 / 42 / 41	-	-
	14 PS with 3rd rack	-			44	-	-			44	44
	15 PS with 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47		44 / 42	-	49 / 47 / 45 / 44 / 42 / 41 / 39	44/42		49 / 47 / 45 / 44 / 42 / 41 / 39	-	-
Circulation pump		Asynchronous		BLDC							
Auto Door		-		+		-	-			+	-
Water Box		-			+	-	-			+	+
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2basket w/ Knifeshelf) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)									

60 cm - T1-T2 Series Key Points								
w/o display models		T11	-	-	-	-	-	-
w/ display models		-	T12	T13	T21	T24	T25	T26
Program Number		3	4	6	8	8	8	8
Energy Labeling		E				D	B	D
Water Cons.		12lt (9lt w/ AquaZone)			9 lt			
Sound Level	12-13 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				46/44	-	49 / 47 / 45 / 44 / 42 / 41
	14 PS	-					44	-
	15 PS	50 Hz: 49/47/45 60 Hz: 49/47				44/42	-	49 / 47 / 45 / 44 / 42 / 41 / 39
Circulation pump		Asynchronous				BLDC		
Auto Door		-				+	+	-
Water Box		-					+	-
Place Setting		12-13 PS (2 baskets) / 14 PS (2 basket w/Knifeshelf) 13 PS (2 baskets + 3rd rack) 15-14 PS (2 baskets + 3rd rack)						

Specifications are subject to change without prior notice.

60 cm

60 cm - Y Series Key Points													
w/o display models		Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-	-
w/ display models		Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25	Y26
Program Number		2	3	4	5	6	7	6	7	8	9	9	9
Energy Labeling		E										D	
Water Consumption		12 lt (9 lt with AquaZone)						9 lt					
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										46 / 44	49 / 47 / 45 / 44 / 42 / 41
	15 PS (2 basket + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47										44 / 42	49 / 47 / 45 / 44 / 42 / 41 / 39
Circulation pump		Asynchronous										BLDC	
Auto Door		-										+	-
Water Box		-											
Place Setting		12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack)						12 PS (2 baskets) / 13 PS (2 Baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)					

60 cm - X Series Key Points							
w/o display models		X11	X12	X13	X14	X15	X16
w/ display models		X1A	X1B	X1C	X1D	X1E	X1F
Program Number		2	3	4	5	6	7
Energy Labeling		E					
Water Consumption		12 lt (9 lt with AquaZone)					
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47					
Circulation pump		Asynchronous					
Auto Door		-					
Water Box		-					
Place Setting		12 PS (2 baskets) 13 PS (2 baskets) 14 PS (2 baskets w/Knifeshelf) 13 PS (2 baskets + 3rd rack)					

60 cm - Full Door I Series Key Points																			
w/o display models		I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-	-
w/ hidden display models		I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I25	I2X	I54
w/ front display models		I1K	I1L	I1M	I1N	I1O	I1P	I1R	I2K	I2L	I2M	I2P	I2R	I2S	I2T	I2N	I2O	I2U	-
Program Number		2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9	9
Energy Labeling		E							E			D					B	C	D
Water Consumption		12 lt (9 lt with AquaZone)							9 lt										
Sound Level	12-13 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										49 / 47 / 45 / 44 / 42 / 41					-		49 / 47 / 45 / 44 / 42 / 41
	14 PS	-															44		-
	15 PS	50 Hz: 49/47/45 60 Hz: 49/47										49 / 47 / 45 / 44 / 42 / 41 / 39					-		49 / 47 / 45 / 44 / 42 / 41 / 39
Circulation pump		Asynchronous							Asynchronous			BLDC							
Auto Door		-							-							+	+	-	+
Water Box		-							-								+	+	-
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																	

60 cm - I Series Key Points																											
w/o display models		I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
w/ hidden display models		I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I26	I27	I28	I29	I24	I2X	I25	I51	I52	I53	I56	I57	I58	I59	I54	I5X	I55
Program Number		2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9	7	8	9	6	7	8	9	9	9	9
Energy Labeling		E										D					C	B	E		D					C	B
Water Consumption		12 lt (9 lt with AquaZone)							9 lt																		
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										49 / 47 / 45 / 44 / 42 / 41					-		50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47			49 / 47 / 45 / 44 / 42 / 41					-	
	14 PS (2 baskets + 3rd rack)	-															44		-							44	
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47										49 / 47 / 45 / 44 / 42 / 41 / 39					-		50 Hz: 49/47/45 60 Hz: 49/47			49 / 47 / 45 / 44 / 42 / 41 / 39					-	
Circulation pump		Asynchronous							Asynchronous			BLDC							Asynchronous			BLDC						
Auto Door		-							-							+	-	+	-						+	-	+
Water Box		-							-								+		-							+	+
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 baskets w/KnifeShelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																									

60cm-S Series Key Points																					
		S12	S13	S14	S15	S16	S23	S24	S25	S26	S27	S28	S29	S31	S32	S33	S34	S35	S36	S37	S38
Program Number		2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	9	7	8	9	9
Energy Labeling		E (without Autodoor) D (with Autodoor)																			C (without Autodoor) B (with Autodoor)
Water Consumption		12 lt (9 lt with AquaZone)												9 lt							
Sound Level	12-13-14 PS	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47															49/47/45/44/42/41 Tall Tub: 49/47/45/44				
	14 PS (2 baskets + 3rd rack)	-																			44
	15 PS (2 baskets + 3rd rack)	50 Hz: 49/47/45 60 Hz: 49/47															49/47/45/44/42/41/39 Tall Tub: 49/47/45/44/42/41				-
Circulation pump		Asynchronous															BLDC				
Auto Door		Optional																			
Water Box		-																			+
Place Setting		12 PS (2 baskets) / 13 PS (2 baskets) / 14 PS (2 baskets w/KnifeShelf) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)																			

Specifications are subject to change without prior notice.

45 cm

45 cm - A Series Key Points																
w/o display models		A12	A13	A14	A15	-	-	-	-	-	-	-	-	-	-	-
w/ display models		A1B	A1C	A1D	A1E	A21	A22	A23	A24	A31	A32	A33	A34	A41	A42	A43	A44
Program Number		3	4	5	6	6	7	8	8	6	8	6	8	6	7	10	10
Energy Labeling		E				E			D	E		D		E		D	
Water Consumption		11 lt (9 lt with AquaZone)				9 lt											
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47							44	50 Hz: 57/54/52 /49/47/45 60 Hz: 57/54/52/49/47		44					
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47								50 Hz: 49/47/45 60 Hz: 49/47							
Circulation pump		Asynchronous							BLDC	Asynchronous		BLDC		BLDC			
Auto Door		-							+	-		+		-		+	
Water Box		-															
Place Setting		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)															

45 cm - T1-T2 Series Key Points						
w/o display models		-	T15	-	-	-
w/ display models		T14	-	T21	T22	T24
Program Number		7	7	8	8	8
Energy Labeling		E				D
Water Consumption		11 lt (9 lt with AquaZone)		9 lt		
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47				44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47				
Circulation pump		Asynchronous				BLDC
Auto Door		-				+
Water Box		-				
Place Setting		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)				

45 cm - Y Series Key Points												
w/o display models		Y11	Y12	Y13	Y14	Y15	-	-	-	-	-	-
w/ display models		Y1A	Y1B	Y1C	Y1D	Y1E	Y1F	Y21	Y22	Y23	Y24	Y25
Program Number		2	3	4	5	6	7	6	7	8	9	9
Energy Labeling		E						E				D
Water Consumption		11 lt (9 lt with AquaZone)						9 lt				
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47										
Circulation pump		Asynchronous										BLDC
Auto Door		-						-				+
Water Box		-						-				
Place Setting		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)										

45 cm - X Series Key Points							
w/o display models		X11	X12	X13	X14	X15	X16
w/ display models		X1A	X1B	X1C	X1D	X1E	X1F
Program Number		2	3	4	5	6	7
Energy Labeling		E					
Water Consumption		11 lt (9 lt with AquaZone)					
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47					
Circulation pump		Asynchronous					
Auto Door		-					
Water Box		-					
Place Setting		10 PS (2 baskets)					

45 cm - Full Door I Series Key Points												
w/o display models		I11	I12	I13	I14	I15	I16	-	-	-	-	-
w/ display models		I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24
Program Number		2	3	4	5	6	7	8	7	8	9	9
Energy Labeling		E										D
Water Consumption		11 lt (9 lt with AquaZone)							9 lt			
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47										
Circulation pump		Asynchronous										BLDC
Auto Door		-										+
Water Box		-										
Place Setting		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)										

45 cm - I Series Key Points																
w/o display models		I11	I12	I13	I14	I15	I16	-	-	-	-	-	-	-	-	-
w/ display models		I1A	I1B	I1C	I1D	I1E	I1F	I1G	I21	I22	I23	I24	I51	I52	I53	I54
Program Number		2	3	4	5	6	7	8	7	8	9	9	7	8	9	9
Energy Labeling		E										D	E			D
Water Consumption		11 lt (9 lt with AquaZone)							9 lt				9 lt			
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47										44	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47			44
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47											50 Hz: 49/47/45 60 Hz: 49/47			
Circulation pump		Asynchronous										BLDC	Asynchronous			BLDC
Auto Door		-										+	-			+
Water Box		-											-			
Place Setting		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)														

45cm- S Series Key Points																
w/ display models		S12 45cm	S13 45cm	S14 45cm	S15 45cm	S16 45cm	S22 45cm	S23 45cm	S24 45cm	S25 45cm	S26 45cm	S31 45cm	S32 45cm	S33 45cm	S34 45cm	S35 45cm
Program Number		2	3	4	5	6	3	4	5	6	7	5	6	7	7	7
Energy Labeling		E (without Autodoor) D (with Autodoor)														
Water Consumption		11 lt (9 lt with AquaZone)										9 lt				
Sound Level	2 Basket	50 Hz: 57/54/52/49/47/45 60 Hz: 57/54/52/49/47													44	
	2 Basket + 3rd rack	50 Hz: 49/47/45 60 Hz: 49/47														
Circulation pump		Asynchronous													BLDC	
Auto Door		Optional														
Water Box		-														
Place Setting		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)														

Notes

Notes

Notes

Vestel Trade Co.
Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com

Vestel Germany GmbH
Parkring 6 D-85748 Garching bei München/Germany
Phone: 49 - 89 55295 - 0
Fax: 49 - 89 55295 - 2000
info@vestel-germany.de
www.vestel-germany.de

Vestel UK Ltd
Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ
Phone: 44 - 3330 146 400
info@vestel-uk.com
www.vestel.co.uk

Vestel France SASU
17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex, France
Phone: 33 – 146 75 00 29
Fax: 33 – 141 80 99 31
www.vestel-france.fr

Vestel Holland B.V.
Groothandelsgebouw Stationsplein 45 Unit A2.191, 3013 AK Rotterdam, The Netherlands
Phone: 31 - 10 235 1005
info@vestelbenelux.nl
www.vestelbenelux.nl

Vestel Iberia, S.L.
Paseo Doce Estrellas, 2, 3o. 28042. Madrid, Spain
Phone: 34 - 91 320 63 98
Fax: 34 - 91 320 52 58
vestel@vestel.es
www.vestel.es

Vestel CIS Ltd.
2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia
Phone: 7 - 495 956 8230
Fax: 7 - 095 956 8233
info@vestel.ru
www.vestel.ru

Vestel Electronics Gulf DMC
Unit No: ALMAS-06-C, 6th floor, ALMAS Tower, Plot No: JLT-PH1-A0 Jumeirah Lakes Towers, Dubai, UAE
info@vestel-gulf.ae
www.vestel-gulf.ae

Vestel Central Asia
Kazakhstan/Almaty Baizakova 125, NP-1, office: 504.
Phone: 7 - 727 263 39 39
info@vestel.kz

Vestel Poland
Salsy 2 str., 02-823 Warsaw, Poland
Phone: 48 - 22 272 73 00
info@vestel-poland.com
www.vestel-poland.com

Vestel Electronica
Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest, Romania
Phone: 40 - 31 425 42 91
Fax: 40 - 31 425 42 95
office@vestel.ro
www.vestel.ro

Vestel China
Vestel Electronics (Shanghai) Trading Co., Ltd.
Shenzhen Branch
Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048
Phone: 86 -755-2266 6726

Vestel Vietnam
Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam
Phone: 84 - 28 6287 5904

Vestel USA INC.
390 Fifth Avenue, Suite 805 New York, NY, 10018
Phone: 1 - 212 689 4622
Fax: 212 689 4380

VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA

/vestelinternational