FREE STANDING COOKERS

2022-2023

>

WWW.VESTELINTERNATIONAL.COM

VESTEL

COMPANY PROFILE
2-3

GLOBAL OPERATIONS
4-5

SINGLE OVENS
8-71

DOUBLE OVENS
72-110

WIDE RANGE
111-161

RANGE COOKER
146-161

SPECIFICATIONS
162-180

ADDRESSES
185

COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>

18.500
Employees

1.163.000 M²
Closed Production Area

Export Leader of Turkey with
$ 2,5 BILLION

$ 3,2 BILLION
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 24 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 14 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to 158 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.4 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg,10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% percent of its production under leading Japanese and European brands to 158 countries.

Vestel appeals to different consumer tastes in 158 countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 24 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).

More information: www.vestelinternational.com

GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER, COOKING APPLIANCES, AIR CONDITIONER, WATER HEATER

Manisa, Turkey

R&D CENTERS

Manisa, Turkey
Istanbul, Turkey
Bristol, United Kingdom
Shanghai, China

MARKETING & SALES COMPANIES

Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland
Vestel Holland, Netherlands
Vestel CIS Ltd, Russia
Vestel Electronica, Romania
Vestel Central Asia, Kazakhstan
Vestel Electronics Gulf, Dubai
Vestel USA, USA
Vestel Vietnam, Vietnam
Vestel China, China

Single Ovens

50x50

Oven	Gas
Hob	Gas Mixed

50x60

Oven	Electric
Hob	Gas Mixed Hotplate Radiant

60x60

Oven	Gas (60/65LT)	Electric (60/65LT)
Hob	Combi (DualFuel)	Gas Mixed Gas on Glass Hotplate Radiant Induction
Self Clean (Pyro)	No	No/Yes

FREE STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hotplates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker
Colours	White	Default	Default	Default	Default	Default
	Brown / Black / Silver / Claret Red**** / TDF	Optional	Optional	Optional	Optional	Optional
	Stainless Steel / Inox painted	Optional	Optional	Optional	Optional	Optional
	Cream*	Optional	Optional	Optional	Optional	Optional
Control Panel	Flat Metal Control Panel	Default	Default	Default	Default	Default
	3D Metal Control Panel	Optional	Optional	Optional	Optional	Optional
	Level Aesthetic Control Panel**	Optional	Optional	Optional	Optional	Optional
Oven Doors	Flat - Full Outer Glass and Inner Metal Door	Default	Default	Default	Default	Default
	Flat - Full Outer Glass and Inner Metal Door (mirror glass)	Optional	Optional	Optional	Optional	Optional
	Flat - Full Outer and Inner Glass Door	Optional	Optional	Optional	Optional	Optional
	Flat - Full Outer and Inner Glass Door (mirror glass)	Optional	Optional	Optional	Optional	Optional
	Flat - Triple Glass Door	Optional	Optional	Optional	Optional	Optional
	Flat - Flat Metal Oven Door with Small Glass	Optional	Optional	Optional	-	Optional
	3D - 3D Metal Oven Door with Small Glass**	Optional	Optional	Optional	Optional	Optional
	Flat - Full Inner Glass Door***	-	-	Optional	Optional	Optional
Handles	Inox / Inox Painted	Optional	Optional	Optional	Optional	Optional
Knobs	Inox Painted Knobs	Optional	Optional	Optional	Optional	Optional
	Stainless Steel Covered Plastic Knobs	Optional	Optional	Optional	Optional	Optional
	Push-Pull Knobs**	-	Optional	Optional	Optional	-
	Serigraphy on Knob Ring	Optional	Optional	Optional	Optional	Optional
Oven Functions	Top Heating Element	-	Default	Default	Default	Default
	Bottom Heating Element	-	Default	Default	Default	Default
	Electric Grill	Optional	Optional	Optional	Optional	Optional
	Gas Oven Burner	Default	-	-	-	-
	Gas Grill	Optional	-	-	-	-
	Gas Safety in Oven	Default	-	-	-	-
	Thermostat	Optional	Default	Default	Default	Default
	Turnspit	Optional	Optional	Optional	Optional	Optional
	Multifunction	-	Optional	Optional	Optional	Optional
	Electric Double Grill	-	Optional	Optional	Optional	Optional
	Fan	Optional	Optional	Optional	Optional	Optional
	Double Fan****	-	-	Optional	Optional	Optional
	Fan with Ring Heating Element	-	Optional	Optional	Optional	Optional
	Pyrolysis Function**	-	-	Optional	-	-
	Cooling Fan	Optional	Optional	Optional	Default	Optional
	Automatic Boost Function**	-	-	-	-	-
	Shabat**	-	Optional	Optional	Optional	Optional
	3D Function	-	Optional	Optional	Optional	Optional
Hob Features	Enamel Pan Supports	Default	-	-	-	Default
	Cast Iron Pan Supports	Optional	-	-	-	Optional
	Enamel Burner Caps	Default	-	-	-	Default
	Cast Iron Burner Caps	Optional	-	-	-	Optional
	Coffee Adaptor	Optional	-	-	-	Optional
	Wok Adaptor	Optional	-	-	-	Optional
	Vitroceramic Glass Cleaning Spatula	-	-	Optional	Optional	-
	Button Ignition	Optional	-	-	-	Optional

** Only on painted parts*
*** Not available on 90x60 FS*
****Only available for 60x60 65lt FS and Gas Double Ovens*
*****Only available for 90x60 FS*

Double Ovens

50x60

Oven	Gas
Hob	Gas Mixed

60x60

Oven	Electric
Hob	Gas Mixed Hotplate Radiant Induction

Wide Range

90x60

Oven	Gas	Electric
Hob	Gas Mixed	Gas Mixed Radiant Induction
Bottle Compartment	Yes / No	

Range Cooker

100x60

Oven		Electric
Hob	Gas Mixed	Gas Mixed Radiant Induction
Bottle Compartment	Yes / No	

FREE STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hotplates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker
Hob Features	One-touch-Ignition through knobs	Optional	-	-	-	Optional
	Gas-Hotplate Hob Configuration	Optional	-	-	-	Optional
	Ø 80 mm Hotplate**	-	Optional	-	-	-
	Ø 145 mm Hotplate	Optional	Default	-	-	Optional
	Ø 180 mm Hotplate	Optional	Default	-	-	Optional
	Ø 220 mm Hotplate**	-	Optional	-	-	-
	Ø 145 mm Rapid Hotplate	Optional	Optional	-	-	Optional
	Ø 180 mm Rapid Hotplate	Optional	Optional	-	-	Optional
	Ø145 mm Highlite Element	-	-	Default	-	-
	Ø180 mm Highlite Element	-	-	Default	-	-
	Ø210 mm Highlite Element	-	-	Optional	-	-
	Ø180 mm Dual Highlite Element	-	-	Optional	-	-
	Oval Highlite Element	-	-	Optional	-	-
	Ø210 mm Dual Highlite Element	-	-	Optional	-	-
	Ø160 mm Induction Element (Boost)	-	-	-	Default	-
	Ø200 mm Induction Element (Boost)	-	-	-	Default	-
	Ø250 mm Induction Element (Boost)	-	-	-	Optional	-
	Hot Surface Indicator Light	-	-	Default	Default	-
	Hotplate Operation Indicator Light	-	Default	-	-	Default
	Thermostat Operation Indicator Light	-	Default	Default	Default	Default
	Stainless Steel Burner Pan (in case of gas on glass hob)	Optional	-	-	-	Optional
	Burner Safety Valves	Default	-	-	-	Default
Timers	Mechanical Minute Minder	Optional	Optional	Optional	Optional	Optional
	Mechanical Timer	-	Optional	Optional	Optional	Optional
	Digital Clock	Optional	Optional	Optional	Optional	Optional
	Digital Programmer	-	Optional	Optional	Optional	Optional
	Digital Touch Programmer	-	Optional	Optional	-	Optional
Accessories	Baking Tray (Shallow Tray)	Optional	Optional	Optional	Optional	Optional
	Glass Tray**	Optional	Optional	Optional	Optional	Optional
	Roasting Tray (Deep Tray)	1	1	1	1	1
	Round Tray**	-	-	-	-	-
	8 cm Deep Tray**	-	Optional	Optional	Optional	Optional
	Chromed Grid with Stoper	1	1	1	1	1
	Wire grid for deep tray	Optional	Optional	Optional	Optional	Optional
	Grill Pan with/without Handle Set**	Optional	Optional	Optional	Optional	Optional
	Oven Light (25W)	Optional	Optional	Optional	Optional	Optional
	Easy to Clean Enamel	Default	Default	Default	Default	Default
	Catalytic Enamel Panels (Left, right and rear)	Optional	Optional	Optional	Optional	Optional
	Wire Racks	Optional	Optional	Optional	Optional	Optional
	Wire Racks with Half Telescopic Rails (1 or 2)	Optional	Optional	Optional	Optional	Optional
	Wire Racks with Full Telescopic Rails (1 or 2)	Optional	Optional	Optional	Optional	Optional
	Adjustable Feet	Default	Default	Default	Default	Default
	Wheel**	Optional	Optional	Optional	Optional	Optional
	Metal Lid**	Default	Optional	-	-	Default
Lid	Splashback	Optional	Optional	Optional	Optional	Optional
	Glass Lid (Transparent)	Optional	Optional	-	-	Optional
	A Class	Default	Default	Default	Default	Default
	A+ Class***	Optional	Optional	Optional	Optional	Optional
Drawers	Flap Drawer	Optional	Optional	Optional	Optional	Optional
	4WG Warmer Drawer at the bottom**	Optional	Optional	Optional	Optional	Optional
	Shrink Packaging**	Default	Default	Default	Default	Default
Packaging	Carton Box Packaging	Optional	Optional	Optional	Optional	Optional
	SKD/CKD**	Optional	Optional	Optional	Optional	Optional

Single Ovens

50x50

50x60

60x60

1. Lid

2. Warmer Drawer Button

3. Timer

4. Side Panel

5. Oven Door

6. Plinth

7. Pan Supports

8. Cooktop

9. Knobs

10. Control Panel

11. Handle

12. Add-On

13. Drawer

14. Kickplate

15. Feet

Product Design
Knobs

Antero

Macro

Eclipse

Epsilon

Gama

Jannu

Nord

Pipo

Egon

Haruna

Muria

Nevis

Linea Art

Linea Inox

Trio

Spectrum

Flat

Rustic

Product Design
Handle Types

Arc Tube

Bow

Curved Quadrangle

Cylinder

D Profile Arc

Ellipse Arc

V-Line

Verge

Flat Quadrangle

Flat Slice

Trio

Rustic

Vero

Troy

Slim Bar

Square Bar

Trim

Product Design
Aesthetics

Flat

Combined

3D

Level

Product Design
Door Types

Type 9
Full Outer And Inner Glass Door

Type 10
3D Metal Oven Door With Small Glass

Type 7
Full Glass Oven Door

Type 12
Pyro Oven Door

Product Design
Add-on Types

Mono Stripe 15 Mm (Cladding)

Mono Stripe 50 Mm (Cladding)

I Type 50 Mm (Cladding)

U Type 50 Mm (Cladding)

Product Design
Lid Types

Metal Lid

Glass Lid With Bumpers

Glass Lid With
Metal Profile

Product Design
Timer Types

Digital Touch
Full Programmer

Digital Full
Programmer

Digital Touch Clock
and Minute Minder

Extended Touch
Full Programmer

Digital Clock and
Minute Minder

Pyrolytic
Touch Tmer

Pyrolytic Timer

Extended
Touch Clock and
Minute Minder

Mechanical Timer

Minute Minder

Details

Each detail of Vestel Freestanding Cookers has been carefully designed to provide high performance, minimum energy consumption, easier and safe use.

Cavity Rack Types

Telescopic Shelf Types

Hob Details

Pan Support Types

Accessories

Cleaning Functions

Product Design
Main Components

Electric Grill

Fan with The Ring for Multifunction Ovens

Oven Lamp

Side Lighting

Gas Grill (Free Standing Gas Cooker)

Oven Gas Burner

Function Fan for Gas Cookers

Oven Gas Burner Cover

Product Design
Cavity Rack Types

Designed for ease of use

Vestel offers to various cavity racks according to consumer needs.
The usage of the cavity racks is smooth and easy.

Options

Enamel
Mold Runners

Wire Rack In
Enamel Cavity

Wire Rack In Catalytic
Enamel Cavity

Telescopic Shelf

Vestel telescopic rails go in and out smoothly. The shelves allow to remove hot trays or pans from the oven easily and practically.

Full Extension Telescopic Shelf

Thanks to full extension telescopic shelves, consumers can reach whole of tray or pan so they can check, turn and spice their food without having to put their hands in the oven.

Options

Single Telescopic Shelf

Double Telescopic Shelves

Full Extension Telescopic Shelf

Double Full Extension Telescopic Shelves

Product Design
Vitroceramic Hob Details

Slim Design for Vitroceramic Hobs

Arc Design for Vitroceramic Hobs

Slim Design for Induction Hobs

Dual Zone
for Vitroceramic Hobs

Oval Zone
for Vitroceramic Hobs

Hot Surface Indicator Light
for Vitroceramic Hobs

Hot Surface Indicators
for Vitroceramic Hobs

CONTROL PANELS

Touch Control Panel for Induction Cookers

Touch Control Panel for Knob Controlled Induction Cookers

Product Design
Details

4 Whell Guided Drawer (4WG)

Flap Drawer

Child Lock

Cooling Fan

Rear Bottom Cover

Heat Shield for Gas Grill

Plinth

Adjustable Feet

Wheels at Rear

Ground Type Anti-Tip Bracket

Wall Type Anti-Tip Bracket

Chain Type Anti-Tip Bracket

Product Design
Button Controlled Features

Oven Light

Ignition

Oven Light and Turnspit

Turnspit

Function Fan for only Gas Cookers

Warmer Drawer

Product Design
Hob Details

Vitroceramic Glass Cleaning Spatula

Tripple Flame Wok Burner 3600 W

Flame Failure Device for Gas Burners

Ignition for Gas Burners

Coffee Support

Cast Iron Coffee Support

Rapid Solid Hotplate

Product Design
Pan Support Types

Enamel Pan Supports

Mat Enamel Pan Supports

Cast Iron Pan Supports

Enamel Burner Pan

Mat Enamel Burner Pan

Inox Burner Pan

Enamel Burner Cap

Enamel Flat Burner Cap

Mat Enamel Burner Cap

Cast Iron Burner Cap

S-Type Enamelled Pan Support

V-Type Enamelled Pan Support

D-Type Enamelled Pan Support

S-Type Cast Iron Pan Support

Enamel Pan Support

Cast Iron Pan Support

Cast Iron Wok Adapter

Enamel Wok Adapter

Accessories

Trays

Grill Pan Handle Set

Chromed Wire Grid

Shallow Tray

Deep Tray

80 mm Deep Tray

Chromed Wire Grid For Deep Tray and Shallow Tray

Pizza Set

Grill Pan Handle

Heavy Duty Grill Pan

VestFRY

Time saving cooking with Vestel Pizza Set

Cook pizza just in 15 min.

Fry in a healthier way with VestFry

Fry vegetables or meat with just one spoon of oil.

Oil Filter

Meat Probe

Turnspit Set with Grid

Turnspit Set with Metal Bracket

PyroClean

During the pyrolytic cleaning process the oven heats up to approximately 480°C at which the temperature is kept for 1 hour while the door is locked for safety purposes.

At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.

Vap Clean

With VapClean® function, dried food stains inside the oven cavity is softened with vapor.

To perform VapClean® a glass of water is poured into the small tray which will be placed at the bottom of the oven. After that VapClean® function is activated to create vapor inside oven cavity which will soften dried food stains.

ENERGY CONSUMPTION

A+

A+ Energy Class Freestanding Oven

The first of the world A+ energy rating freestanding oven with mechanical control.

Available cavity volume 65lt
Available functions Multifunction Electrical Oven
Available control unit All control units

Technologies
Steam Assisted Cooking

Steam assisted cooking is a natural, healthy way to preserve vitamins and nutrients in food. By steam assisted cooking the food is kept moist inside with flavors and it is crispy outside.

It allows a huge variety of different foods to be expertly cooked much more quickly than traditional cooking alone, such as fish, pizza, cakes providing restaurant quality results every time. It is particularly great for cooking meat. It also maintains the shine and makes it more succulent. Bread can also be baked to a professional standard using steam assist. The moisture of the steam enables the dough to grow and develop during cooking, before the outer crust forms. This results in a lighter, more easily digestible dough with an excellent crust.

CONVENTIONAL COOKING

STEAM ASSISTED COOKING

Vestel offers Steam Base Function for steam assisted cooking in 60X60 Freestanding Cookers.

Steam Base Function

Steam base function combines steam with traditional cooking functions utilizing the evaporation of the water inside the oven cavity.

- Pour water into the form on the oven cavity base.

- Select Steam Base function

Available for 60x60 Freestanding Multifucntional Cookers.

Compatible Oven Controllers
No Timer
Mechanical Minute Minders / Timers
Digital Minute Minders / Timers

FIPC66.02

Product Family	***60x60 Freestanding Pyrolytic Oven with Induction Cooktop***
General Design	
HOB ID	4I-63 2 X 160mm 2 X 210mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Pyrolytic touch timer
Door Type	Pyrolytic oven door
Handle	Bow - Inox
Knob	PIPO - Wh inox
Add-on	Mono stripe - Inox

Key Features
Knob control for induction cooktop
Electronic thermostat in oven
Boost for induction zones
4 wheel guided drawer
Cooling fan
90cm height

FIPC66.01

Product Family	***60x60 Freestanding Pyrolytic Oven with Induction Cooktop***
General Design	
HOB ID	4I-63 2 X 160mm 2 X 210mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Pyrolytic timer
Door Type	Pyrolytic oven door
Handle	Vero - Inox
Knob	Trio - Wh inox

Key Features
Knob control for induction cooktop
Electronic thermostat in oven
Boost for induction zones
4 wheel guided drawer
Cooling fan

FIC66.07R1

Product Family	***60x60 Freestanding Electric Oven with Induction Cooktop***
General Design	
HOB ID	4I-63 2 X 160mm 2 X 210mm
Control Panel	3D Aesthetic
*Product Color**	Inox Type-3
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	D profile arc - Inox
Knob	Spectrum - Black

Key Features

Touch control for induction cooktop
Mechanical Thermostat in oven
Boost for induction zones
Warmer drawer
Cooling fan

FIC66.06

Product Family	***60x60 Freestanding Electric Oven with Induction Cooktop***
General Design	
HOB ID	4I-63 2 X 160mm 2 X 210mm
Control Panel	3D Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical
Door Type	Full outer and inner glass door
Handle	Curved quadrangle - Silver/Wh inox
Knob	Epsilon - Wh inox

Key Features

Touch control for induction cooktop
Mechanical Thermostat in oven
Boost for induction zones
Flap drawer
Cooling fan

FIC66.02

Product Family	***60x60 Freestanding Electric Oven with Induction Cooktop***
General Design	
HOB ID	4I-63 2 X 160mm 2 X 210mm
Control Panel	3D Aesthetic
*Product Color**	Inox Type-3
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Bow - inox
Knob	PIPO - Black

Key Features

Knob control for induction cooktop
Mechanical Thermostat in oven
Boost for induction zones
4 wheel guided drawer
Cooling fan

FIC56.01

Product Family	***50x60 Freestanding Electric Oven with Induction Cooktop***
General Design	
HOB ID	4I-64 4 X 160mm
Control Panel	Level Aesthetic
*Product Color**	Inox Type-4
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Flat Slice - Inox/Black
Knob	Spectrum - Black

Key Features

Touch control for induction cooktop
Boost for induction zones
Mechanical Thermostat in oven
Cooling fan
4 wheel guided drawer

FPC66.01R1

Product Family	***60x60 Freestanding Pyrolytic Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Pyrolytic touch timer
Door Type	Pyrolytic oven door
Handle	Arc tube - Inox/Wh inox
Knob	PIPO - Wh inox

Key Features

Hot surface indicator for cooktop
Electronic Thermostat
4 wheel guided drawer
Cooling fan

FPC66.02R1

Product Family	***60x60 Freestanding Pyrolytic Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Pyrolytic timer
Door Type	Pyrolytic oven door
Handle	D profile arc - White
Knob	Trio - White

Key Features

Hot surface indicator for cooktop
Electronic Thermostat
4 wheel guided drawer
Cooling fan
90cm height

FVC66.12

Product Family	***60x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-02 2 X 145mm 1 X 180mm 1 X 180mm Dual
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	D profile arc - Black
Knob	PIPO - Black

Key Features
Hot surface indicator for cooktop
Mechanical Thermostat in oven
Flap drawer

FVC66.01

Product Family	***60x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-02 2 X 145mm 1 X 180mm 1 X 180mm Dual
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Bow - Inox
Knob	Spectrum - Inox
Add-on	Mono stripe - Inox

Key Features
Hot surface indicator for cooktop
Mechanical Thermostat in oven
Flap drawer

FVC66.11

Product Family	***60x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Level Aesthetic
*Product Color**	Inox Type-4
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Vero-Inox
Knob	Spectrum-Black
Add-on	I Type-Inox

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
Flap drawer

FVC66.03

Product Family	***60x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-1
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Arc tube - Inox/Wh inox
Knob	Rimo - Wh inox

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
Mirror glass oven door
Flap drawer

FVC66.05R1

Product Family	***60x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	3D Aesthetic
*Product Color**	White
Timer	Mechanical timer
Door Type	3D metal
Handle	Trio - White
Knob	Trio - White

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
4 wheel guided drawer

FVC66.08

Product Family	***60x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	3D Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Ellipse arc - White
Knob	Epsilon - White

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
4 wheel guided drawer

*Check color table for product color details

FVC56.01R1

Product Family	***50x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	D profile arc - Inox
Knob	Spectrum - Black

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
Flap drawer

FVC56.02

Product Family	***50x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	3D Aesthetic
*Product Color**	Inox Type-3
Door Type	Full outer and inner glass door
Handle	Arc tube - Inox/Wh inox
Knob	Epsilon ring - Wh inox
AddOn Type	I Type-Inox

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
Serigraphy on knob ring

*Check color table for product color details

FVC56.04

Product Family	***50x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Bow - Inox
Knob	Spectrum - Black

Key Features
Hot surface indicator for cooktop
Mechanical Thermostat in oven
Serigraphy on knob ring
90cm height

FVC56.03

Product Family	***50x60 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Ellipse arc - White
Knob	Trio - White

Key Features
Hot surface indicator for cooktop
Mechanical Thermostat in oven
Serigraphy on knob ring
Flap drawer
90cm height

*Check color table for product color details

FVC55.01

Product Family	***50x50 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	3V-23 2 X 145mm 1 X 180mm
Control Panel	Level Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Flat Slice - Inox/Wh inox
Knob	Spectrum - Black
Add-on	Mono Stripe - Inox

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven
Serigraphy on knob ring
Flap drawer

FVC55.03R1

Product Family	***50x50 Freestanding Electric Oven with Hilight Cooktop***
General Design	
HOB ID	4 X 145mm
Control Panel	Level Aesthetic
*Product Color**	White
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Arc Quadrangle - White/White
Knob	Nord - White

Key Features

Hot surface indicator for cooktop
Mechanical Thermostat in oven

*Check color table for product color details

FEC66.01

Product Family	***60x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-18 1 X 80mm, 1 X 145mm 1 X 180mm Rapid, 1 X 220mm
Control Panel	3D Aesthetic
*Product Color**	White
Timer	
Door Type	3D metal
Handle	Trio - White/White
Knob	Spectrum - White
Add-on	

Key Features
Mechanical Thermostat in oven
4 wheel guided drawer
Metal lid

FEC66.02R1

Product Family	***60x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-09 1 X 80mm, 1 X 145mm 1 X 180mm, 1 X 180mm Rapid
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	
Door Type	Full outer and inner glass door
Handle	Square - White/Black
Knob	Trio - White

Key Features
Mechanical Thermostat in oven
4 wheel guided drawer
Metal lid

*Check color table for product color details

FEC66.03

Product Family	***60x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-02 2 X 145mm, 1 X 180mm 1 X 180mm Rapid
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-1
Timer	
Door Type	Full outer and inner glass door
Handle	Ellipse Arc - Silver
Knob	Epsilon - Wh inox

Key Features

Mechanical Thermostat in oven
Flap drawer
Metal lid

FEC66.06

Product Family	***60x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-02 2 X 145mm, 1 X 180mm 1 X 180mm Rapid
Control Panel	Level Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Ellipse Arc - Inox
Knob	Spectrum - Black
Add-on	U Type - Inox

Key Features

Mechanical Thermostat in oven
Flap drawer

*Check color table for product color details

FEC66.07

Product Family	***60x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-02 2 X 145mm, 1 X 180mm 1 X 180mm Rapid
Control Panel	3D Aesthetic
*Product Color**	Black
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Arc Quadrangle - Black/Black
Knob	Eclipse - Black
Add-on	

Key Features
Mechanical Thermostat in oven
Metal lid
Flap drawer

FEC56.01R1

Product Family	***50x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-09 1 X 80mm, 1 X 145mm 1 X 180mm, 1 X 180mm Rapid
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	
Door Type	Full outer and inner glass door
Handle	Vero - White
Knob	Nord - White
Add-on	

Key Features
Mechanical Thermostat in oven
Metal lid

*Check color table for product color details

FEC56.02

Product Family	***50x60 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-01 2 X 145mm, 2 X 180mm
Control Panel	3D Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Ellipse Arc - Inox
Knob	Epsilon - Wh inox

Key Features

Mechanical Thermostat in oven
Serigraphy on knob ring

FEC55.03R1

Product Family	***50x50 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-01 2 X 145mm, 2 X 180mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	
Door Type	Full outer and inner glass door
Handle	D profile arc - Inox
Knob	Gama - Wh inox
Add-on	

Key Features

Mechanical Thermostat in oven
Glass lid with bumpers
Flap drawer

*Check color table for product color details

FEC55.02

Product Family	***50x50 Freestanding Electric Oven with Solid Hotplate Cooktop***
General Design	
HOB ID	4E-27 4 X 145mm
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	-
Door Type	Full outer and inner glass door
Handle	Ellpise Arc - White
Knob	Gama - White
Add-on	

Key Features
Mechanical Thermostat in oven
Flap drawer

FMC66.29

Product Family	***Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	White
Timer	Extended Touch Full Programmer
Door Type	Full outer and inner glass door
Handle	Arc Tube - White
Knob	Nord - White
Ignition	One Touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Mechanical Thermostat in oven
Serigraphy on knob ring
Glass lid with bumpers
Flap drawer

*Check color table for product color details

FMC66.19

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical timer
Door Type	Full outer and inner glass door
Handle	Flat Quadrangle - Inox/Wh inox
Knob	Spectrum - Black
Ignition	One touch
Pan Support	S Type - Mat Enamel
Burner Caps	Mat enamel

Key Features

Mechanical Thermostat in oven
Serigraphy on knob ring
Glass lid with bumpers
Flap drawer

FMC66.20R1

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	3G1E-31 3 gas burners + 180mm hotplate
Control Panel	Level Aesthetic
*Product Color**	Inox Type-14
Door Type	Full outer and inner glass door
Handle	Square-Inox/Black
Knob	Macro - Wh inox
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Serigraphy on knob ring
Glass lid with bumpers
Flap drawer

*Check color table for product color details

FMC66.25

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-41 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Cream Type-20
Timer	Mechanical
Door Type	Full outer and inner glass door
Handle	Rustic - Chrome
Knob	Rustic - Chrome/Black
Ignition	One touch
Pan Support	S Type - Mat Enamel
Burner Caps	Mat Enamel
Add On	Rustic Metal Art

Key Features
Mechanical Thermostat in oven
Glass lid with bumpers
Wok burner

FMC66.26R1

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-41 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Black
Timer	Mechanical
Door Type	Full outer and inner glass door
Handle	Rustic - Gold
Knob	Rustic - Gold/Black Body
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel
Add On	Rustic Metal Art

*Check color table for product color details

Key Features
Mechanical Thermostat in oven
Glass lid with bumpers
Wok burner

FMC66.23

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Door Type	Full outer and inner glass door
Handle	Vero - Black
Knob	Nord - Black
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
4 wheel guided drawer

FMC66.08

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-41 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Epsilon - Wh inox
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Add on	I Type - Inox

Key Features

Mechanical Thermostat in oven
4 wheel guided drawer
Glass lid with metal profile
Wok burner

*Check color table for product color details

FMC66.09

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	3G1E-31 3 gas burners + 180mm hotplate
Control Panel	3D Aesthetic
*Product Color**	Silver
Timer	Mechanical
Door Type	3D Metal
Handle	D profile arc - Inox
Knob	Epsilon - Wh inox
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Metal lid

FMC66.24

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-41 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical
Door Type	Full outer and inner glass door
Handle	Arc quadrangle - Inox/ Wh inox
Knob	Epsilon - Wh inox
Ignition	One touch
Pan Support	V Type - Enamel
Burner Caps	Enamel
Add on	Mono Stripe - Inox

Key Features

Mechanical Thermostat in oven
Glass lid with metal profile
Wok burner

*Check color table for product color details

FMC66.28

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Silver
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Flat Slice - Inox/Wh inox
Knob	Nord - Wh inox
Ignition	One touch
Pan Support	S Type - Mat Enamel
Burner Caps	Mat Enamel

Key Features

Mechanical Thermostat in oven
Flap drawer
Metal lid

FMC66.05

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	3G1E-31 3 gas burners + 180mm hotplate
Control Panel	3D Aesthetic
*Product Color**	White
Timer	Mechanical
Door Type	3D Metal
Handle	Flat Slice - White/ White
Knob	Gama - White
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Metal lid

*Check color table for product color details

FMC66.22R1

Product Family	***60x60 Dual Fuel Cooker***
General Design	
HOB ID	2G2E-33 2 gas burners 1 X 145mm, 1 X180mm hotplate
Control Panel	Flat Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Ellipse Arc - White
Knob	Epsilon - White
Ignition	Button
Pan Support	Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Flap drawer
Metal lid

FMC66.15

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	2G2E-33 2 gas burners 1 X 145mm, 1 X180mm hotplate
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-1
Door Type	Full outer and inner glass door
Handle	Ellipse Arc - Silver
Knob	Epsilon - WH Inox
Ignition	Button
Pan Support	Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Metal lid

*Check color table for product color details

FMC66.06R1

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	3D Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Square - White/Black
Knob	Epsilon - White
Ignition	One touch
Pan Support	Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Glass lid with bumpers
Flap drawer

FMC66.17

Product Family	***60x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	3D Aesthetic
*Product Color**	Black
Timer	Mechanical
Door Type	Full outer and inner glass door
Handle	Rustic - Gold
Knob	Rustic - Gold
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Glass lid with bumpers
Flap drawer

*Check color table for product color details

FMC56.01R1

Product Family	***50x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	2G2E-33 2 gas burners 1 X 145mm, 1 X180mm hotplate
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Door Type	Full outer and inner glass door
Handle	Trio - Inox/WH inox
Knob	Eclipse - WH inox
Ignition	One touch
Pan Support	V Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Serigraphy on knob ring
Metal lid

FMC56.02R1

Product Family	***50x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Mechanical
Door Type	3D Metal
Handle	3D Quadrangle - Black
Knob	Epsilon - Black
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
4 wheel guided drawer

*Check color table for product color details

**Gas consumption values depend on the gas type of the product.

FMC56.03R1

Product Family	***50x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	3G1E-31 3 gas burners - 1X180mm hotplate
Control Panel	Flat Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Flat Quadrangle - White
Knob	Trio - White
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Metal lid

FMC56.04

Product Family	***50x60 Freestanding Electric Oven with Gas Cooktop***
General Design	
HOB ID	3G1E-31 3 gas burners - 1 X180mm hotplate
Control Panel	Level Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	D profile arc - White
Knob	Trio - White
Ignition	One Touch
Pan Support	V Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Metal lid
U type serigraphy on oven door

*Check color table for product color details

FGC66.07

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-41 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Inox Type-3
Timer	Digital clock and minute minder
Door Type	Full outer and inner glass door
Handle	Bow - Inox
Knob	Rimo - Wh inox
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Gas safety in oven
Glass lid with metal profile
Wok burner
Electric grill
Turnspit

FGC66.06

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Brown
Timer	Digital clock and minute minder
Door Type	Full outer and inner glass door
Handle	Vero - Black
Knob	Trio - Black
Ignition	Button
Pan Support	V Type - Enamel
Burner Caps	Enamel

Key Features
Gas safety in oven
Glass lid with metal profile
Turnspit

*Check color table for product color details

FGC66.09

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Mechanical minute minder
Door Type	Full outer and inner glass door
Handle	Flat slice - White
Knob	Rimo - White
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Glass lid with bumper
Electric grill
Flap drawer

FGC66.08

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Cylinder - White
Knob	Trio - White
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Metal lid
Flap drawer

*Check color table for product color details

FGC66.15

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Inox Type 14
Timer	-
Door Type	Full outer and inner glass door
Handle	Flat Slice - Silver/Black
Knob	Trio - WH Inox
Ignition	One Touch
Pan Support	D Type - Enamelled
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Electric Grill
Turnspit
Oven Lamp
Glass lid with bumpers
Closed Door Grilling
NONCE Only

FGC66.16

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Black
Timer	-
Door Type	Full outer and inner glass door
Handle	Arc Tube - Black
Knob	Rimo - Black
Ignition	One Touch
Pan Support	S Type - Enamelled
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Electric Grill
Oven Lamp
Glass lid with bumpers
Closed Door Grilling
NONCE Only

*Check color table for product color details

FGC66.17

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	White
Timer	-
Door Type	Full outer and inner glass door
Handle	Arc Tube - White
Knob	Rimo - White
Ignition	One Touch
Pan Support	S Type - Enamelled
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Electric Grill
Oven Lamp
Glass lid with bumpers
Closed Door Grilling
NONCE Only

FGC66.18

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Inox Type - 1
Timer	-
Door Type	Full outer and inner glass door
Handle	Arc Tube - Inox/WH Inox
Knob	Rimo - WH Inox
Ignition	One Touch
Pan Support	S Type - Enamelled
Burner Caps	Enamel

Key Features

Mechanical Thermostat in oven
Electric Grill
Oven Lamp
Glass lid with bumpers
Closed Door Grilling
NONCE Only

FGC66.19

Product Family	***60x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Level Aesthetic
*Product Color**	Inox Type - 3
Timer	Digital clock and minute minder
Door Type	Full outer and inner glass door
Handle	Bow - Inox
Knob	Spectrum - Black
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features
Mechanical Thermostat in oven
Electric Grill
Turnspit
Oven Lamp
Glass lid with profile
Closed Door Grilling
Flap Drawer
NONCE Only

FGC56.01R1

Product Family	***50x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Mechanical minute minder
Door Type	Full outer and inner glass door
Handle	Flat Quadrangle - White
Knob	Antero - White
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Gas safety in oven
Glass lid with bumper
Gas Grill
Turnspit

*Check color table for product color details

FGC56.02

Product Family	***50x60 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Nord - Wh Inox
Ignition	Button
Pan Support	S Type - Matte Enamel
Burner Caps	Matte Enamel

Key Features

Gas safety in oven
Glass lid with bumper
Gas Grill
90cm height

FGC55.02

Product Family	***50x50 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	3D Aesthetic
*Product Color**	White
Door Type	3D Metal
Handle	Ellpise Arc - White
Knob	Epsilon - White
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Metal lid
Flap drawer

*Check color table for product color details

FGC55.03

Product Family	***50x50 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Silver
Door Type	Full outer and inner glass door
Handle	D proflie arc - Silver
Knob	Epsilon - WH Inox
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Gas safety in oven
Glass lid with bumper
Flap drawer

FGC55.04

Product Family	***50x50 Gas Cooker***
General Design	
HOB ID	3G1E-31 3 gas burners - 1X180mm hotplate
Control Panel	Flat Aesthetic
*Product Color**	Black
Door Type	Full outer and inner glass door
Handle	Bow - Black
Knob	Rimo - Black
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Gas safety in oven
Oven door thermostat
Metal lid

*Check color table for product color details

FGC55.05

Product Family	***50x50 Gas Cooker***
General Design	
HOB ID	4G-40 4 gas burners
Control Panel	Flat Aesthetic
*Product Color**	Brown
Door Type	Full outer and inner glass door
Handle	Ellipse arc - Black
Knob	Gama - Black
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Metal lid

*Check color table for product color details

Double Ovens

50x60

60x60

1. Lid

2. Control Panel

3. Timer

4. Side Panel

5. Handle

6. Plinth

7. Shut-Off Valve

8. Pan Supports

9. Cooktop

10. Knobs

11. Ignition Button

12. Top Oven Door

13. Main Oven Door

14. Feet

Product Design
Knob Types

Antero

Eclipse

Trio

Epsilon

Gama

Nord

Haruna

Muria

Nevis

Jannu

Linea Art

Linea Inox

Egon

Spectrum

Flat

Rustic

Product Design
Handle Types

Arc Tube

Bow

Curved Quadrangle

Cylinder

D Profile Arc

Ellipse Arc

V-Line

Verge

Flat Quadrangle

Flat Slice

Trio

Rustic

Vero

Troy

Slim Bar

Square Bar

Trim

Frame

Ledge

Full Flat

4D

Check Timer Types for alternative controller locations.

Type_2 Large glass oven door (only for 50x60)
» Easy to Remove (only for top oven door)
» Removable Inner Glass

Type_6 Full glass oven door (only for 60x60)
» Easy to Remove (not available for side opening main oven door)
» Wide visible area

Product Design
Oven Door Opening Directions

Main Oven Door Opening Directions	50x60cm	60x60cm	60x60cm
	90cm	85cm	90cm
drop down	X	X	✓
side opening	✓	✓	✓

Product Design
Add-on Types

I type Add-on Laser Cut

Mono Stripe Add-on Laser Cut

U type add-on Laser Cut

Double U type add-on Laser Cut

Product Design
Details

Metal Lid

Glass Lid with Bumpers

Glass Lid with Metal Profile

Glass Lid Shut-Off Valve

Oven Lamp

Flame Failure Device for Gas Burners

Ignition for Gas Burners

Wok Burner

Rapid Solid Hotplate

Electric Grill

Fan with The Ring for Multifunction Ovens

Product Design
Cavity Rack Types

Designed for ease of use

Vestel offers to various cavity racks according to consumer needs.
The usage of the cavity racks is smooth and easy.

Options

Enamel
Mold Runners

Wire Rack In
Enamel Cavity

Wire Rack In Catalytic
Enamel Cavity

Telescopic Shelf

Vestel telescopic rails go in and out smoothly. The shelves allow to remove hot trays or pans from the oven easily and practically.

Full Extension Telescopic Shelf

Thanks to full extension telescopic shelves, consumers can reach whole of tray or pan so they can check, turn and spice their food without having to put their hands in the oven.

Options

Single Telescopic Shelf

Double Telescopic Shelves

Full Extension Telescopic Shelf

Double Full Extension Telescopic Shelves

Slim Design for Vitroceramic Hobs

Arc Design for Vitroceramic Hobs

Slim Design for Induction Hobs

Dual Zone
for Vitroceramic Hobs

Oval Zone
for Vitroceramic Hobs

Hot Surface Indicator Light
for Vitroceramic Hobs

Hot Surface Indicators
for Vitroceramic Hobs

CONTROL PANELS

Touch Control Panel for Induction Cookers

Touch Control Panel for Knob Controlled Induction Cookers

Technologies
Steam Assisted Cooking

Steam assisted cooking is a natural, healthy way to preserve vitamins and nutrients in food. By steam assisted cooking the food is kept moist inside with flavors and it is crispy outside.

It allows a huge variety of different foods to be expertly cooked much more quickly than traditional cooking alone, such as fish, pizza, cakes providing restaurant quality results every time. It is particularly great for cooking meat. It also maintains the shine and makes it more succulent. Bread can also be baked to a professional standard using steam assist. The moisture of the steam enables the dough to grow and develop during cooking, before the outer crust forms. This results in a lighter, more easily digestible dough with an excellent crust.

CONVENTIONAL COOKING

STEAM ASSISTED COOKING

Vestel offers Steam Base Function for steam assisted cooking in 60X60 Double Ovens.

Steam Base Function

Steam base function combines steam with traditional cooking functions utilizing the evaporation of the water inside the oven cavity.

- Pour water into the form on the oven cavity base.

- Select Steam Base function

Available for 60x60 Double Multifunctional Cookers.

Compatible Oven Controllers

No Timer
Mechanical Minute Minder/Timer
Digital Minute Minder/Timer

Product Design
Details

Gas Grill

Open Flame Burner
for Double Oven Cookers

Gas Burner Cover
for Double Oven Cookers

Light Button

Ignition Button

Cooling Fan

Adjustable Feet

Wall Type Anti-Tip Bracket

Ground Type Anti-Tip Bracket

Chain Type Anti-Tip Bracket

Full Flat Plus (50X60 60X60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

Full Flat S (50X60 60X60)

Digital Full Programmer

Digital Clock and minute minder

Mechanical Timer

4D-G (60X60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

4D-S (60X60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

4D-S (50x60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

4D-D (50x60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

FRAME (60x60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

LEDGE (60x60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

FRAME (50x60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

FRAME (50x60)

Digital Touch Full Programmer

Digital Full Programmer

Digital Touch Clock and minute minder

Digital Clock and minute minder

Mechanical Timer

Product Design
Pan Support Types

Enamel Pan Supports

Mat Enamel Pan Supports

Cast Iron Pan Supports

Enamel Burner Cap

Enamel Flat Burner Cap

Mat Enamel Burner Cap

Cast Iron Burner Cap

Coffee Support

Cast Iron Coffee Support

Enamel Wok Adapter

Cast Iron Wok Adapter

S Type Enamelled

V Type Enamelled

S Type Cast Iron

Accessories

Shallow Tray

Deep Tray

80 mm Deep Tray

Chromed Wire Grid for Deep and Shallow Tray

Chromed Wire Grid

Grill Pan Handle Set

Grill Pan Handle

Heavy Duty Grill Pan Handle

DIC66.01

Product Family	***60 Double Electric Oven with Induction Cooktop - S3***
General Design	
HOB ID	41-63 2 X 160mm 2 X 210mm
Control Panel	Full Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Digital full programmer (for main oven)
Door Type	Full glass oven door
Handle	Ellipse Arc - Inox
Knob	Nord - Wh inox
Add-on	I Type - Inox

Key Features

Knob control for induction cooktop
Mechanical thermostat in oven
Boost for induction zones
Cooling fan
90cm height

DIC66.02

Product Family	***60x60 Double Electric Oven with Induction Cooktop - S3***
General Design	
HOB ID	41-63 2 X 160mm 2 X 210mm
Control Panel	Full Flat Plus Aesthetic
*Product Color**	Inox Type-4
Timer	Digital touch full programmer (for main oven)
Door Type	Full glass oven door
Handle	Troy - Inox
Knob	Epsilon - Wh inox

Key Features

Touch control for induction cook-top
Mechanical thermostat in oven
Boost for induction zones
Cooling fan
90cm height

*Check color table for product color details

DIC66.03 RUSTIC

Product Family	***60x60 Double Electric Oven with Induction Cooktop - S3***
General Design	
HOB ID	4I-63 2 X 160mm 2 X 210mm
Control Panel	Full Flat Aesthetic
*Product Color**	Black
Timer	-
Door Type	Full glass oven door
Handle	Rustic - Chrome
Knob	Rustic - Chrome/Black

Key Features

Touch control for induction cooktop
Mechanical thermostat in oven
Boost for induction zones
Cooling fan
90cm height

DIC56.01

Product Family	***50x60 Double Electric Oven with Induction Cooktop***
General Design	
HOB ID	4I-64 4 X 160mm
Control Panel	Full Flat Aesthetic
*Product Color**	Inox Type-24
Timer	Digital full programmer (for main oven)
Door Type	Large Glass Oven Door
Handle	Cylinder - Inox
Knob	Nord - Black
Add-on	U Type - Inox

Key Features

Touch control for induction cooktop
Mechanical thermostat in oven
Boost for induction zones
Cooling fan
90cm height

*Check color table for product color details

DVC66.05

Product Family	***60x60 Double Electric Oven with Ceramic Cooktop - S3***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Full Flat Aesthetic
*Product Color**	Inox Type-4
Timer	Digital clock and minute minder (for main oven)
Door Type	Full glass oven door
Handle	Flat surface - Inox/Wh inox
Knob	Trio - Black
Add-on	U Type - Inox

Key Features
Hot surface indicator
Mechanical thermostat in oven
90cm height

DVC66.06R1

Product Family	***60x60 Double Electric Oven with Ceramic Cooktop - S3***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	4D Aesthetic
*Product Color**	Inox Type-3
Timer	Digital Touch Full Programmer (for main oven)
Door Type	Full glass oven door
Handle	Flat Quadrangle - Inox/Black
Knob	Flat - Black
Add-on	Mono Stripe - Inox

Key Features
Hot surface indicator
Mechanical thermostat in oven
Cooling fan
90cm height

*Check color table for product color details

DVC56.02

Product Family	***50x60 Double Electric Oven with Ceramic Cooktop***
General Design	
HOB ID	4V-01 2 X 145mm 2 X 180mm
Control Panel	Full Flat Plus Aesthetic
*Product Color**	White
Timer	Digital Touch Full Programmer (for main oven)
Door Type	Large Glass Oven Door
Handle	D profile arc - White
Knob	Epsilon - White
Add-on	I-Type - White Serigraphy

Key Features

Hot surface indicator
Mechanical thermostat in oven
90cm height

DEC66.02

Product Family	***60x60 Double Electric Oven with Hotplate Cooktop - S3***
General Design	
HOB ID	4E-01 2 X 145mm solid hotplae 2 X 180mm solid hotplate
Control Panel	Full Flat Plus Aesthetic
*Product Color**	White
Door Type	Full glass oven door
Handle	D profile arc - White
Knob	Epsilon - White
Add-on	Mono Stripe - White Serigraphy

Key Features

Hot surface indicator
Mechanical thermostat in oven
Cooling fan
90cm height

*Check color table for product color details

DEC56.03

Product Family	***50x60 Double Electric Oven with Hotplate Cooktop***
General Design	
HOB ID	4E-01 2 X 145mm solid hotplae 2 X 180mm solid hotplate
Control Panel	Full Flat Aesthetic
*Product Color**	Inox Type-14
Door Type	Large glass oven door
Handle	Square Bar - Inox/Black
Knob	Epsilon - Wh inox
Add-on	U-Type - Silver serigraphy

Key Features
Mechanical thermostat in oven
90cm height

DMC66.05

Product Family	***60x60 Double Electric Oven with Gas Cooktop - S3***
General Design	
HOB ID	4G-40 4 Gas Burners
Control Panel	Full Flat Aesthetic
*Product Color**	Black
Timer	Digital Full Programmer (for main oven)
Door Type	Full glass oven door
Handle	D profile arc - Black
Knob	Epsilon Ring - Black
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Mechanical thermostat in oven
Glass lid with bumpers
Shut-off valve
90cm height

*Check color table for product color details

DMC66.06

Product Family	***60x60 Double Electric Oven with Gas Cooktop - S3***
General Design	
HOB ID	4G-41 4 Gas Burners
Control Panel	Full Flat Plus Aesthetic
*Product Color**	Inox Type-3
Timer	Digital Full Programmer (for main oven)
Door Type	Full glass oven door
Handle	Ellipse Arc - Black
Knob	Trio - Black
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical thermostat in oven
Glass lid with metal profile
Wok burner
90cm height

DGC66.05

Product Family	***60x60 Double Gas Oven - S3***
General Design	
HOB ID	4G-40 4 Gas Burners
Control Panel	Full Flat Aesthetic
*Product Color**	White
Timer	-
Door Type	Full glass oven door
Handle	D Profile - White
Knob	Trio - White
Add-on	I Type - White serigraphy

Key Features

Mechanical thermostat in oven
90cm height

*Check color table for product color details

DGC66.06R1

Product Family	***60x60 Double Gas Oven - S3***
General Design	
HOB ID	4G-41 4 Gas Burners
Control Panel	Full Flat Plus Aesthetic
*Product Color**	Black
Timer	-
Door Type	Full glass oven door
Handle	Vero
Knob	Nord - Black
Ignition	-
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Mechanical thermostat in oven
Wok burner
90cm height

DGC56.04R1

Product Family	***50x60 Double Gas Oven***
General Design	
HOB ID	4G-40 4 Gas Burners
Control Panel	Full Flat Aesthetic
*Product Color**	White
Door Type	Large glass oven door
Handle	Bow - White
Knob	Spectrum - White
Ignition	-
Pan Support	S Type - Enamel
Burner Caps	Enamel
Add-on	Mono Stripe - White serigraphy

Key Features
Mechanical thermostat in oven
90cm height
Oven Light

*Check color table for product color details

Wide Range

90x60

1. Lid

2. Timer

3. Ignition Button

4. Side Panel

5. Oven Door

6. Drawer

7. Pan Supports

8. Cooktop

9. Control Panel

10. Knobs

11. Handles

12. Bottle Compartment Door

13. Adjustable Feet

Product Design
Knob an Handle Types

Spectrum

Gama Ring

Nord Ring

Vesta

Rustic

Bow

Trio

Cylinder

Vero

Flat Quadrangle

Troy

Trim

Square Bar

Rustic

Product Design
Aesthetics

STANDARD FLAT LOOK

STANDARD 3D LOOK

PROFESSIONAL LOOK

Product Design
Door Types & Add-on Types

Type 8

Type 8 Bottle Compartment

Type 9

Type 9 Bottle Compartment

U Type

I Type

Mono Stripe

Product Design
Timer Types

Digital Full Programmer

Digital Touch Full Programmer

Digital Clock And Minute Minder

Digital Touch Clock And Minute Minder

Mechanical Timer

Mehcanical Minute Minder

Product Design
Cavity Rack Types

Designed for ease of use

Vestel offers to various cavity racks according to consumer needs.
The usage of the cavity racks is smooth and easy.

Options

Enamel
Mold Runners

Wire Rack In
Enamel Cavity

Wire Rack In Catalytic
Enamel Cavity

LIGHTING

Electric Cooker Lamps

Gas Cooker Lamps

FAN OPTIONS

Electric Multi-Function Oven Cavity Double Fan Assisted

Electric Oven Cavity Single Fan Assisted

Electric Standard Oven Cavity Static

Fan-Assisted Gas Oven Cavity

Product Design
Bottle Compartment

Standard Compartment Door

Full Compartment Door

Inox Bottle Compartment Door

Standard Bottom Cover

Tube Opening Cover

Tube Holder Wire

Product Design
Details

Glass Lid with Metal Profile

Glass Lid with Bumpers

Splashback

Splashback for Professional Aesthetics

Flap Drawer

Cooling Fan

Kickplate

Adjustable Feet

Product Design
Vitroceramic and Induction
Hob Details

Dual Zone
for Vitroceramic Hobs

Oval Zone
for Vitroceramic Hobs

Hot Surface Indicator Light
for Vitroceramic Hobs

Slim Design for Vitroceramic Hobs

Arc Design for Vitroceramic Hobs

Slim Design for Induction Hobs

CONTROL TYPES

Knob Control
for vitroceramic and induction hobs

Touch Control Panel – Single On/Off
for induction hobs

INDUCTION ZONES

160mm Single Zone
1400W/Boost 1800W
1300W for Series 2e

210mm Single Zone
2100W/Boost 2500W
1500W/Boost 1700W for Series 2e

290mm Single Zone
2800W/Boost 3500W

INDUCTION HOB FEATURES

Pot Detection

If unsuitable pan or no pan is placed on the cooking zone, pot symbol flashes and the cooking zone will switch off automatically after 2 minutes.

Safety Function

Thermal cut off system
Safe usage with pan detector
The glass surface is nor directly heated, thanks to the induction technology.

Hot Surface Indicator

H symbol is displayed on the display of each zone after cooking

Key Lock

Key lock function is for to block and to set the appliance in a safe mode during operation and cleaning.

Auto Off

The hob will shut off automatically if left idle for a long time. (1.5 to 6 hours depending on the power level)

Speed Heating

Speed heating with PowerBoost.

Pause Function

Will pause all the cooking in all zones and restart it from the same power levels when pressing again. Keeps the paused zones warm.

Timer

Cooking duration control with timer

Child Lock

Safe usage with Child Lock

Power Management

Thanks to the power management function, the user can set the maximum power of the hob if needed. (13A, 15A, 16A, 32A)

Product Design
Gas Hob Details

Enamel Pan Supports

Mat Enamel Pan Supports

Cast Iron Pan Supports

Rapid Solid Hotplate

Wok Burner

Fish Burner

Flame Failure Device for Gas Burners

Ignition for Gas Burners

Enamel Burner Cap

Enamel Flat Burner Cap

Mat Enamel Burner Cap

Cast Iron Burner Cap

Coffee Support

Cast Iron Coffee Support

Enamel Wok Adapter

Cast Iron Wok Adapter

Product Design
Pan Support Types

Enameled S Type

Enameled E Type

Cast Iron S Type

Accessories

Baking (Shallow Tray)

Roasting (Deep) Tray

Deep Tray Grid

Chromed Wire Grid

Turnspit Set

Small Tray

Grill Pan Handle Set

VestFRY

FIC90.04R1

Product Family	***90x60 Electric Cooker with Induction Hob - Professional***
General Design	
HOB ID	5I-59 2 X 160mm 2 X 200mm 1x250mm
Control Panel	Professional Aesthetic
*Product Color**	Inox Type-3
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Spectrum - Black
Add-on	Mono stripe - Inox

Key Features
Knob control for induction cooktop
Boost for induction zones
Power management
Mechanical
Thermostat in oven
Splashback
Flap drawer

FIC90.03

Product Family	***90x60 Electric Cooker with Induction Hob - Standard***
General Design	
HOB ID	5I-59 2 X 160mm 2 X 200mm 1x250mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Door Type	Full outer and inner glass door
Handle	Troy - Inox
Knob	Gama - Wh inox

Key Features
Knob control for induction cooktop
Boost for induction zones
Power management
Mechanical
Thermostat in oven
Splashback
Flap drawer

*Check color table for product color details

FIC90.02R1

Product Family	***90x60 Electric Cooker with Induction Hob - Standard***
General Design	
HOB ID	5I-60 2 X 160mm 2 X 200mm 1x250mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Wh inox
Knob	Vesta- Wh inox
Add-on	U Type - Inox

Key Features

Touch control for induction cooktop
Boost for induction zones
Mechanical Thermostat in oven
Splashback

FVC90.03R1

Product Family	***90x60 Electric Cooker with Ceramic Hob - Professional***
General Design	
HOB ID	5V-36 2x145mm, 1x180mm 1X210mm Dual, 1x145mm Oval
Control Panel	Professional Aesthetic
*Product Color**	Inox Type-26
Timer	Digital touch full programmer
Door Type	Full outer and inner glass door
Handle	Flat Quadrangle - Inox/ Black
Knob	Spectrum - Wh inox

Key Features

Mechanical Thermostat in oven
Splashback
Flap Drawer

*Check color table for product color details

FVC90.02

Product Family	***90x60 Electric Cooker with Ceramic Hob - Standard***
General Design	
HOB ID	5V-34 2X145mm, 2X180mm, 1X210mm
Control Panel	FlatAesthetic
*Product Color**	Inox Type-3
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Black
Knob	Gama - Wh inox

Key Features
Mechanical
Thermostat in Ovens
Splashback
Flap Drawer

FVC90.01

Product Family	***90x60 Electric Cooker with Ceramic Hob - Standard***
General Design	
HOB ID	5V-34 2x145mm, 2x180mm, 1X210mm
Control Panel	3D Aesthetic
*Product Color**	White
Timer	Mechanical Timer
Door Type	Full outer and inner glass door
Handle	Cylinder - White
Knob	Nord - White

Key Features
Mechanical
Thermostat in oven
Flap Drawer
NONCE Only

*Check color table for product color details

FMC90.09R1

Product Family	***90x60 Electric Oven with Gas Cooktop - Standard***
General Design	
HOB ID	4G2E-53 4 Gas Burners, 2 Hotplate 1x145mm 1x180mm
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Mechanical Timer
Door Type	Full outer and inner glass door
Handle	Vero - Silver
Knob	Gama Ring - Black
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical
Thermostat in oven
Glass lid with bumpers
Serigraphy on knob ring
Flap Drawer

FMC90.04

Product Family	***90x60 Electric Oven with Gas Cooktop - Standard***
General Design	
HOB ID	4G2E-53 4 Gas Burners, 2 Hotplate 1x145mm 1x180mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical Timer
Door Type	Full outer and inner glass door
Handle	Bow - Inox
Knob	Vesta - Wh inox
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Add-on	U Type - Inox

*Check color table for product color details

Key Features

Mechanical
Thermostat in oven
Glass lid with profile
Flap Drawer

FMC90.06

Product Family	***90x60 Electric Oven with Gas Cooktop - Proffessional***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Professional Aesthetic
*Product Color**	Retro Cream Type-22
Timer	Mechanical Timer
Door Type	Full outer and inner glass door
Handle	Rustic - Chrome
Knob	Rustic - Chrome/black
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Add-on	Rustic Metal Art

Key Features
Mechanical
Thermostat in oven
Spalshback
Wok burner
Flap Drawer

FMC90.13

Product Family	***90x60 Electric Oven with Gas Cooktop - Standard***
General Design	
HOB ID	5G-50 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Claret Red
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Gama - WH Inox
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel
Add-on	I Type - Claret red

Key Features
Mechanical
Thermostat in oven
Spalshback

*Check color table for product color details

FMC90.05

Product Family	***90x60 Electric Oven with Gas Cooktop - Professional***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Professional Aesthetic
*Product Color**	Full Inox
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Gama - Wh inox
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Add-on	Mono Stripe - Inox

Key Features

Mechanical
Thermostat in oven
Wok Burber
Splashback
NONCE Only

FMC90.08

Product Family	***90x60 Electric Oven with Gas Cooktop - Standard***
General Design	
HOB ID	4G2E-53 4 Gas Burners, 2 Hotplate 1x145mm 1x180mm
Control Panel	Flat Aesthetic
*Product Color**	Type-22 Retro Cream
Timer	Mechanical Timer
Door Type	Full outer and inner glass door
Handle	Rustic - Chrome
Knob	Rustic - Chrome/Black
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features

Mechanical
Thermostat in oven
Spalshback

*Check color table for product color details

FMC90.01R1

Product Family	***90x60 Dual Fuel Cooker***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	3D Aesthetic
*Product Color**	Inox Type-3
Timer	Mechanical Timer
Door Type	Full outer and inner glass door
Handle	Cylinder - Inox
Knob	Nord - Wh inox
Ignition	-
Pan Support	S Type - Matte enamel
Burner Caps	Matte enamel
Add-on	-

Key Features
Mechanical
Thermostat in oven
Glass lid with metal profile
Flap Drawer

FMC90.12

Product Family	***90x60 Electric Oven with Gas Cooktop - Standard***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Digital full programmer
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Wh inox
Knob	Nord - Wh inox
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features
Mechanical
Thermostat in oven
Wok Burner
Splashback
Flap Drawer
NONCE Only

*Check color table for product color details

FMC90.20

Product Family	***90x60 Electric Oven with Gas Cooktop - Professional***
General Design	
HOB ID	4G2E-53 4 Gas Burners, 2 Hotplate 1x145mm 1x180mm
Control Panel	Flat Aesthetic
*Product Color**	Inox Type 3
Timer	Mechanical Minute Minder
Door Type	Full outer and inner glass door
Handle	Trio - White/Black
Knob	Spectrum - Black
Ignition	One Touch
Pan Support	S Type - cast Iron
Burner Caps	Cast Iron

Key Features

Mechanical
Thermostat in oven
Glass lid with profile
NONCE Only

FMC90.10

Product Family	***90x60 Electric Oven with Gas Cooktop- Bottle Compartment***
General Design	
HOB ID	4G2E-53 4 Gas Burners, 2 Hotplate 1x145mm 1x180mm
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Mechanical timer
Door Type	Full outer glass and inner metal door
Handle	Bow - White
Knob	Nord - White
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical
Thermostat in oven
Glass lid with bumpers
Full door bottle compartment
Flap drawer

*Check color table for product color details

FMC90.02

Product Family	***90x60 Electric Oven with Gas Cooktop - Standard***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Digital clock and minete minder
Door Type	Full outer and inner glass door
Handle	Cylinder - White
Knob	Nord - White
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Mechanical
Thermostat in oven
Glass lid with bumpers
Wok Burner
NONCE Only

FMC90.15

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-24
Timer	Mechanical minute minder
Door Type	Full outer and inner glass door
Handle	Flat Quadrangle - Inox/ Wh inox
Knob	Vesta - Wh inox
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Gas Grill (separate control)
Wok Burner
Splashback

*Check color table for product color details

FGC90.06

Product Family	***90x60 Gas Cooker - Professional Design***
General Design	
HOB ID	5G-50 5 Gas Burners
Control Panel	Professional Aesthetic
*Product Color**	Full Inox
Timer	Mechanical minute minder
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Black
Knob	Gama - Wh inox
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features

Gas safety in oven
Gas Grill (separate control)
Oven Lamp
Splashback
Flap drawer
NONCE Only

FGC90.26

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Professional Aesthetic
*Product Color**	Full Inox
Timer	Digital Minute Minder
Door Type	Full outer and inner glass door
Handle	Troy - Inox/Black
Knob	Gama - WH Inox
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Add-on	Mono Stripe- Inox

Key Features

Gas safety in oven
Thermostat in Oven
Gas Grill (separate control)
Oven Lamp
Turnspit
Splashback
Full door bottle compartment
Closed Door Grilling
Flap Drawer
NONCE Only

*Check color table for product color details

FGC90.01

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Wh inox
Knob	Vesta - Wh inox
Ignition	One touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Add-on	U Type - Inox

Key Features
Gas safety in oven
Electric Grill
Oven Lamp
Turnspit
Splashback
Flap drawer

FGC90.13

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-50 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Vero - White
Knob	Gama - White
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Gas safety in oven
Glass lid with bumpers
NONCE Only

*Check color table for product color details

FGC90.14

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Digital clock and minete minder
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Wh inox
Knob	Gama - Wh inox
Ignition	Button
Pan Support	S Type - Cast Iron
Burner Caps	Matte Enamel

Key Features

Gas safety in oven
Gas Grill (single knob control)
Oven Lamp
Splashback
Flap drawer

FGC90.10

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Mechanical minute minder
Door Type	Full outer and inner glass door
Handle	Trio - White/Black
Knob	Nord - White
Ignition	Button
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Gas Grill (single knob control)
Glass lid with profile
Oven lamp
Turnspit
Wok Burner
NONCE Only

*Check color table for product color details

FGC90.21

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type 14
Timer	Mechanical Minute Minder
Door Type	Full outer and inner metal door
Handle	Trio - Silver/Black
Knob	Nord - Black
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features

Gas safety in oven
Thermostat in Oven
Electric Grill
Oven Lamp
Turnspit
Glass lid with bumpers
Full door bottle compartment
Closed Door Grilling
NONCE Only

FGC90.23

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type 3
Timer	Mechanical Minute Minder
Door Type	Full outer and inner metal door
Handle	Trio - Silver/Black
Knob	Nord - WH Inox
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features

Gas safety in oven
Gas Grill (separate control)
Oven Lamp
Glass lid with bumpers
Full door bottle compartment
Closed Door Grilling
NONCE Only

FGC90.25

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type 1
Timer	Mechanical Minute Minder
Door Type	Full outer and inner metal door
Handle	Bow - Inox/Black
Knob	Vesta - WH Inox
Ignition	One Touch
Pan Support	S Type - Matte Enamel
Burner Caps	Cast Iron

Key Features

Gas safety in oven
Gas Grill (separate control)
Oven Lamp
Glass lid with bumpers
Full door bottle compartment
Closed Door Grilling
NONCE Only

FGC90.22

Product Family	***90x60 Electric Oven with Gas Cooktop-Bottle Compartment***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Mechanical Minute Minder
Door Type	Full outer and inner metal door
Handle	Trio - Silver/Black
Knob	Nord - Black
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features

Gas safety in oven
Thermostat in Oven
Electric Grill
Oven Lamp
Glass lid with bumpers
Full door bottle compartment
Closed Door Grilling
NONCE Only

FGC90.24

Product Family	***90x60 Gas Cooker - Standard Design***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type - 24
Timer	Mechanical Minute Minder
Door Type	Full outer and inner metal door
Handle	Trio - Silver/Black
Knob	Nord - Black
Ignition	One Touch
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron

Key Features

Gas safety in oven
Thermostat in Oven
Electric Grill
Oven Lamp
Glass lid with bumpers
Full door bottle compartment
Closed Door Grilling
NONCE Only

FGC90.16R1

Product Family	***90x60 Gas Cooker with Bottle Compartment***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Door Type	Full outer glass and inner metal door
Handle	Trio - Black/Black
Knob	Gama Ring - Black
Pan Support	S Type - Matte Enamel
Burner Caps	Matte Enamel

Key Features

Gas safety in oven
Gas Grill (single knob control)
Glass lid with profile
Oven lamp
Half door bottle compartment
Wok Burner
Flap drawer

*Check color table for product color details

FGC90.02

Product Family	***90x60 Gas Cooker with Bottle Compartment***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox type-3
Door Type	Full outer glass and inner metal door
Handle	Cylinder - Inox
Knob	Vesta - Wh inox
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Gas Grill (single knob control)
Glass lid with bumpers
Full door bottle compartment
Wok Burner

FGC90.09R1

Product Family	***90x60 Gas Cooker with Bottle Compartment***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox type-3
Door Type	Full outer and inner glass door
Handle	Trio - Inox/Black
Knob	Gama - Wh inox
Pan Support	S Type - Cast Iron
Burner Caps	Cast Iron
Burner Caps Add-on	

Key Features

Gas safety in oven
Gas Grill (single knob control)
Glass lid with profile
Oven lamp
Half door bottle compartment
Wok Burner
Flap drawer

*Check color table for product color details

FGC90.03

Product Family	***90x60 Gas Cooker with Bottle Compartment***
General Design	
HOB ID	5G-51 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	White
Timer	Mechanical Minute Minder
Door Type	Full outer and inner glass door
Handle	Bow - White
Knob	Nord - White
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Gas Grill (single knob control)
Glass lid with profile
Full door bottle compartment
Wok Burner
Flap drawer

FGC90.05

Product Family	***90x60 Gas Cooker with Bottle Compartment***
General Design	
HOB ID	5G-50 5 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Brown
Door Type	Full outer and inner glass door
Handle	Bow - Black
Knob	Nord - Black
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features

Gas safety in oven
Glass lid with profile
Full door bottle compartment

*Check color table for product color details

Range Cooker

100x60

1. Control Panel

2. First Cavity

3. Second Cavity

4. Third Cavity

5. Storage Chamber

6. Cooktop

7. Timer

8. Splashback

9. Plinth

10. Pan Support

Product Design
Details

1. First cavity for only grilling (bottom heater is not available)

a. Dual or Single variable grill
b. Opened door grilling function
c. Oven Lamp (Optional)
d. Cavity Volume ranges between 31l and 32l

2. Second cavity can be defined multifunction, conventional or fanned.

a. Oven Lamp
b. Cavity Volume ranges between 50l and 58l

3. Third cavity can be defined conventional, fanned or one multifunction.

(Defrost / Turbo / Grill / Grill+Fan

a. Single knob control
b. Oven Lamp
c. Cavity Volume ranges between 50l and 58l

4. Storage Chamber

a. Warming drawer (Optional)

Oven Cavity Details

Oven Lamp

Enamel Mold Runners

Electric Grill

Wire Rack in Enamel Cavity

Fan with The Ring for Multifunction Ovens

Wire Rack in Catalytic Enamel Cavity

Product Design
Details

Gas Burners

Auxiliary Burner 1000W
SemiRapidBurner 1750W
Rapid Burner 3000W

Double Crown Compact Wok Burner (4000W)

Burner Caps

Enamel 3D Burner Cap Default

Cast Iron 3D Burner Cap Optional

Enamel Flat Burner Cap Optional

Cast Iron Flat Burner Cap Optional

Product Design
Details

Pan Support Adapters

Enamel Wok Adapter

Cast Iron Wok Adapter

Cast Iron Wok Adapter
for High Efficiency Wok Burner
only 90cm gas on glass hob

Enamel Coffee Support
for Enamel Pan Supports

Matte Enamel Coffee Support
for Cast Iron Pan Supports

Product Design
Timer Types

Digital Touch Programmer (Only second cavity)

Digital Touch Clock and Minute Minder

Product Design
Oven Door

Easy removable glass

Easy to remove

I-Type 1

I-Type 2

Mono Stripe

Product Design
Knob Types

Antero Ring

Eclipse Ring

Trio Ring

Epsilon

Gama Ring

Nord Ring

Haruna

Muria

Nevis

Jannu Ring

Linea Art Ring

Linea Inox Ring

Egon

Spectrum

Flat Ring

Rustic

Iraya

Product Design
Handle Types

Arc Tube

Bow

Curved Quadrangle

Cylinder

D Profile Arc

Ellipse Arc

V-Line

Verge

Flat Quadrangle

Flat Slice

Trio

Square Bar

Vero

Troy

Trim

Accessories

Adjustable Feet

Storage Chamber

Splash Back

Chain Type Anti-Tip Bracket

Deep Tray

Shallow Tray

Chromed Wire Grid

Chromed Wire Grid for Deep Tray

Grill Pan Handle Set

VestFRY

RCM100.01R1

Product Family	***100x60 Range Cooker***
General Design	
HOB ID	7G-71 7 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Inox Type-3
Timer	Digital Clock and minute minder
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Nord - Wh inox
Ignition	One touch
Pan Support	S Type - Cast iron
Burner Caps	Cast iron
Add-on	I type - Inox

Key Features
Mechanical Thermostat in oven
Storage chamber

RCM100.02

Product Family	***100x60 Range Cooker***
General Design	
HOB ID	7G-71 7 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Door Type	Full outer and inner glass door
Handle	D Profile - Black
Knob	Antero - Black
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel

Key Features
Mechanical Thermostat in oven
Storage chamber

RCM100.03

Product Family	***100x60 Range Cooker***
General Design	
HOB ID	7G-71 7 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	Black
Timer	Digital touch full programmer
Door Type	Full outer and inner glass door
Handle	Vero - Inox
Knob	Linea Inox - Wh inox
Ignition	One touch
Pan Support	S Type - Cast iron
Burner Caps	Cast iron
Add-on	O type cream sergraphy

Key Features

Mechanical Thermostat in oven

Storage chamber

RCM100.04

Product Family	***100x60 Range Cooker***
General Design	
HOB ID	7G-71 7 Gas Burners
Control Panel	Flat Aesthetic
*Product Color**	White
Door Type	Full outer and inner glass door
Handle	Arc Tube - White
Knob	Trio Ring - White
Ignition	One touch
Pan Support	S Type - Enamel
Burner Caps	Enamel
Add-on	O type white sergraphy

Key Features

Mechanical Thermostat in oven

Storage chamber

FREESTANDING COOKERS SPECIFICATION SHEET		Gas Cooker					Electric Cooker with Solid Hotplates		
		90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50
Available Colours									
White		Default	Default	Default	Default	Default	Default	Default	Default
Brown		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Claret Red		Optional	Optional	-	-	-	-	-	-
Silver		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Retro cream		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions									
Height (Adjustable Feet max. +3 cm)	cm	85/90	85/90	85/90	85/90	85/90	85/90	85/90	85/90
Width	cm	90	90	60	50	50	60	50	50
Depth	cm	60	60	60	60	50	60	60	50
Hob Features									
Hob		Enamel	Enamel	Enamel	Enamel	Enamel	Enamel	Enamel	Enamel
Gas-Hotplate Hob Configuration		Optional	Optional	Optional	-	-	-	-	-
Rapid Gas Burner Ø10cm[4]	W	2900	2900	3000	3000	3000	-	-	-
Semi-rapid Gas Burner Ø7.5cm[4]	W	1650	1650	1750	1750	1750	-	-	-
Auxiliary Gas Burner Ø5.5cm[4]	W	900	900	1000	1000	1000	-	-	-
Wok (Triple Flame) Gas Burner Ø14cm[4]	W	3600	3600	3800	-	-	-	-	-
Fish Burner[4]	W	2800	2800	-	-	-	-	-	-
Ø 80 mm Hotplate	W	-	-	-	-	-	450	450	-
Ø 145 mm Hotplate	W	1000	1000	1000	1000	1000	1000	1000	1000
Ø 180 mm Hotplate	W	1500	1500	1500	1500	-	1500	1500	1500
Ø 220 mm Hotplate	W	-	-	-	-	-	2000	2000	-
Ø 145 mm Rapid Hotplate	W	1500	1500	1500	1500	1500	1500	1500	1500
Ø 180 mm Rapid Hotplate	W	2000	2000	2000	2000	-	2000	2000	2000
Ø145 mm Radiant Element	W	-	-	-	-	-	-	-	-
Ø180 mm Radiant Element	W	-	-	-	-	-	-	-	-
Ø210 mm Radiant Element	W	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	W	-	-	-	-	-	-	-	-
Ø180 mm Highlite Element	W	-	-	-	-	-	-	-	-
Ø210 mm Highlite Element	W	-	-	-	-	-	-	-	-
Ø180 mm Dual Highlite Element	W	-	-	-	-	-	-	-	-
Oval Highlite Element	W	-	-	-	-	-	-	-	-
Ø210 mm Dual Highlite Element	W	-	-	-	-	-	-	-	-
Ø160 mm Induction Hob (Boost)	W	-	-	-	-	-	-	-	-
Ø200 mm Induction Hob (Boost)	W	-	-	-	-	-	-	-	-
Ø250 mm Induction Hob (Boost)	W	-	-	-	-	-	-	-	-
Touch Control		-	-	-	-	-	-	-	-
Knob Control		-	-	-	-	-	-	-	-
Slider Touch Control		-	-	-	-	-	-	-	-
Hob Timer (Touch Control/Knob Control)		-	-	-	-	-	-	-	-
Hot Surface Indicator Light		-	-	-	-	-	-	-	-
Hotplate Operation Indicator Light		-	-	-	-	-	Default	Default	Default
Thermostat Operation Indicator Light		-	-	-	-	-	Default	Default	Default
Metal Lid		-	-	Default	Default	Default	Optional	Optional	Optional
Glass Lid		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Splashback		Optional	Optional	-	-	-	-	-	-
Burner Safety Valves		Optional	Optional	Optional	Optional	Optional	-	-	-
Button Ignition		Optional	Optional	Optional	Optional	Optional	-	-	-
One-touch-Ignition through knobs		Optional	Optional	Optional	Optional	Optional	-	-	-
Enamel Pan Supports		Default	Default	Default	Default	Default	-	-	-
Cast Iron Pan Supports		Optional	Optional	Optional	Optional	-	-	-	-
Cast Iron Burner Caps		Optional	Optional	Optional	Optional	Optional	-	-	-
Coffee Adaptor		Optional	Optional	Optional	Optional	Optional	-	-	-
Wok Adaptor		Optional	Optional	Optional	-	-	-	-	-
Vitroceramic Glass Cleaning Spatula		-	-	-	-	-	-	-	-
Gas Conversion Kit		Optional	Optional	Optional	Optional	Optional	-	-	-
Oven Features									
Oven Type		Gas	Gas	Gas	Gas	Gas	Electric	Electric	Electric
Oven Volume, Depends on Model (min/max)	lt	90/120	52/73	52/73	45/63	48/56	56/76	48/58	51/56
Cavity Dimensions, Depends on Model (min/max) (WxHxD)	mm	700x318x404 725x367x452	430x310x388 455x366x437	430x310x388 455x366x437	370x310x391 395x360x441	370x310x414 395x330x426	430x335x391 475x452x352	370x335x391 395x441x335	370x335x408 395x335x422
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default
Catalitic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional (2P)	Optional	Optional	Optional (2P)
Wire Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks with Half Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks with Full Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	-	-	-	Up to 9	Up to 9	Up to 9
Top Heating Element	W	-	-	-	-	-	1200	1000	1000
Bottom Heating Element	W	-	-	-	-	-	1100	1000	1000
Thermostat		Optional	Optional	Optional	Optional	Optional	Default	Default	Default
Oven Safety		Default	Default	Default	Default	Default	-	-	-
Oven Burner (Thermostat Controlled)[4]	W	4200	2800	2800	2800	2100	-	-	-
Electric Single Grill	W	1800	1400	1400	1600	1600	1400	1600	1600
Gas Grill[4]	W	3100	2100	2200	2200	2000	-	-	-
Electric Double Grill	W	-	-	-	-	-	1400 - 2600	1600 - 2600	1600-2600
Fan	W	23-35	-	23-35	23-35	-	23-35	23-35	-
Double Fan	W	-	-	-	-	-	-	-	-
Fan with Ring Heating Element	W	-	-	-	-	-	2000	2000	-

FREESTANDING COOKERS SPECIFICATION SHEET		Gas Cooker					Electric Cooker with Solid Hotplates		
		90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50
Double Fan with Double Ring Heating Element	W	-	-	-	-	-	-	-	-
Turnspit		Optional	Optional	Optional	Optional	-	Optional	Optional	-
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer		-	-	-	-	-	Optional	Optional	Optional
Baking Tray (Shallow Tray)		1	1	Optional	Optional	Optional	Optional	Optional	Optional
Roasting Tray (Deep Tray)		Optional	Optional	1	1	1	1	1	1
Chromed Grid with Stoper		1	1	1	1	1	1	1	1
Inner Grid for Deep Tray		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Flap Drawer at the Bottom		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
4WG Warmer Drawer at the Bottom		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Full Outer Glass and Small Inner Glass Metal Door		Default	Default	Default	Default	Default	Default	Default	Default
Inclined Solid Oven Door		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Full Outer Glass and Big Inner Glass Door		Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Removable Inner Glass (only for flat glass door)		Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Full Inner Glass Door[2]		-	-	-	-	-	optional	-	-
Cool Touch Oven Door		-	-	Optional	Optional	-	Optional	Optional	-
Floatal Oven Door Glass		Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
Removable Oven Door		Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Child Lock on Oven Door		-	-	Optional	Optional	Optional	Optional	Optional	Optional
Tip over Bracket		Optional	Optional	Default	Default	Default	Default	Default	Default
Shabat Function		-	-	-	-	-	Optional	Optional	-
Cooling Fan		Optional	Optional	Optional	-	-	Optional	Optional	-
Other Features									
Total Power (Depends on Model) Maximum Gas/Electric	kW	14,9/5,4	14,9/5	11,1/4,9	10,3/4,5	9,6/2,5	_/10,1	_/10,0	_/9,6
Voltage	V	230V	230V	230V	230V	230V	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~
Energy rating		A	A	A	A	A	A	A	A
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
Pop-in Pop-out Knob		-	-	-	-	-	Optional	Optional	Optional
Bottle Compartment		Optional	Optional	-	-	-	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	cm	145 / 150	145 / 150	145 / 150	145 / 150	135 / 140	145 / 150	145 / 150	145 / 150
Depth with Door Open	cm	105 / 106	105 / 106	105 / 106	105 / 106	95	105 / 106	105 / 106	100
Carton Box Packaging		Default	Default	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	950x680x860	950x680x860	645x684x922 645x684 x977	545x684x919 545x684x 974	545x586x912 545x586x967	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967
Net Weight (Depends on Model) Maximum	kg	74	74	43	40	36	46	43	42
Gross Weight (Depends on Model) Maximum	kg	77	77	46,5	43,2	39	49,5	46,2	45
Container Loading Quantity[1] (20 ft Container)	pcs	40	40	48	68	80	48	68	80
Container Loading Quantity[1] (40 ft Container)	pcs	82	82	108	144	168	108	144	168
Container Loading Quantity[1] (40 ft HC Container)	pcs	123	123	108	144	168	108	144	168

1 Shrink packaging for model with 85cm high and vertical positioning in container
2 Big cavity (65 LT) ovens
3 Only on painted parts
4 Gas consumption values depend on the gas type of the product.

Specifications are subject to change without prior notice.

FREESTANDING COOKERS SPECIFICATION SHEET		Electric Cooker with Ceramic Glass				Electric Cooker with Induction		Mixed (Duel Fuel) Cooker				
		90x60	60x60	50x60	50x50	90x60	60x60	90x60	90x60 BC	60x60	50x60	50x50
Available Colours												
White		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Brown		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Claret Red		Optional	Optional	-	-	Optional	-	Optional	Optional	-	-	-
Silver		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Retro cream		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions												
Height (Adjustable Feet max. +3 cm)	cm	85/90	85/90	85/90	85/90	85/90	85/90	85/90	85/90	85/90	85/90	85/90
Width	cm	90	60	50	50	90	60	90	90	60	50	50
Depth	cm	60	60	60	60	60	60	60	60	60	60	50
Hob Features												
Hob		Vitroceramic	Vitroceramic	Vitroceramic	Vitroceramic	Induction	Induction	Enamel	Enamel	Enamel	Enamel	Enamel
Gas-Hotplate Hob Configuration		-	-	-	-	-	-	Optional	Optional	Optional	-	-
Rapid Gas Burner Ø10cm[4]	W	-	-	-	-	-	-	2900	2900	3000	3000	3000
Semi-rapid Gas Burner Ø7.5cm[4]	W	-	-	-	-	-	-	1650	1650	1750	1750	1750
Auxiliary Gas Burner Ø5.5cm[4]	W	-	-	-	-	-	-	900	900	1000	1000	1000
Wok (Triple Flame) Gas Burner Ø14cm[4]	W	-	-	-	-	-	-	3600	3600	3800	-	-
Fish Burner[4]	W	-	-	-	-	-	-	2800	2800	-	-	-
Ø 80 mm Hotplate	W	-	-	-	-	-	-	-	-	-	-	-
Ø 145 mm Hotplate	W	-	-	-	-	-	-	1000	1000	1000	1000	1000
Ø 180 mm Hotplate	W	-	-	-	-	-	-	1500	1500	1500	1500	-
Ø 220 mm Hotplate	W	-	-	-	-	-	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	W	-	-	-	-	-	-	1500	1500	1500	1500	1500
Ø 180 mm Rapid Hotplate	W	-	-	-	-	-	-	2000	2000	2000	2000	-
Ø145 mm Radiant Element	W	1200	1200	1200	1200	-	-	-	-	-	-	-
Ø180 mm Radiant Element	W	1700	1700	1700	1700	-	-	-	-	-	-	-
Ø210 mm Radiant Element	W	2100	2100	-	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	W	1200	1200	1200	1200	-	-	-	-	-	-	-
Ø180 mm Highlite Element	W	1800	1800	1800	1800	-	-	-	-	-	-	-
Ø210 mm Highlite Element	W	2300	2300	-	-	-	-	-	-	-	-	-
Ø180 mm Dual Highlite Element	W	1700	1700	1700	1700	-	-	-	-	-	-	-
Oval Highlite Element	W	1800	1800	1800	-	-	-	-	-	-	-	-
Ø210 mm Dual Highlite Element	W	2200	2200	-	-	-	-	-	-	-	-	-
Ø160 mm Induction Hob (Boost)	W	-	-	-	-	1400 - 1800W	1400 - 1800W	-	-	-	-	-
Ø200 mm Induction Hob (Boost)	W	-	-	-	-	2100 - 2500W	2100 - 2500W	-	-	-	-	-
Ø250 mm Induction Hob (Boost)	W	-	-	-	-	2800 - 3500W	2800 - 3500W	-	-	-	-	-
Touch Control		-	-	-	-	Default	Default	-	-	-	-	-
Knob Control		-	-	-	-	Optional	Optional	-	-	-	-	-
Slider Touch Control		-	-	-	-	Optional	Optional	-	-	-	-	-
Hob Timer (Touch Control/Knob Control)		-	-	-	-	Optional	Optional/ Default	-	-	-	-	-
Hot Surface Indicator Light		Default	Default	Default	Default	Optional	Optional	-	-	-	-	-
Hotplate Operation Indicator Light		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Thermostat Operation Indicator Light		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Metal Lid		-	-	-	-	-	-	-	-	Default	Default	Default
Glass Lid		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Splashback		Optional	-	-	-	Optional	-	Optional	Optional	-	-	-
Burner Safety Valves		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Button Ignition		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
One-touch-Ignition through knobs		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Battery Ignition		-	-	-	-	-	-	-	-	-	-	-
Enamel Pan Supports		-	-	-	-	-	-	Default	Default	Default	Default	Default
Cast Iron Pan Supports		-	-	-	-	-	-	Optional	Optional	Optional	Optional	-
Cast Iron Burner Caps		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Coffee Adaptor		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Wok Adaptor		-	-	-	-	-	-	Optional	Optional	Optional	-	-
Vitroceramic Glass Cleaning Spatula		Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-	-
Gas Conversion Kit		-	-	-	-	-	-	Optional	Optional	Optional	Optional	Optional
Oven Features												
Oven Type		Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends on Model (min/max)	lt	99/115	56/76	48/58	51/56	99/115	56/76	99/115	56/76	56/76	48/58	51/56
Cavity Dimensions, Depends on Model (min/max) (WxHxD)	mm	700x352x404 725x352x452	430x335x391 475x452x352	370x335x391 395x441x335	370x335x408 395x335x422	700x352x404 725x352x452	430x335x391 475x452x352	700x352x404 725x352x452	430x335x391 475x452x352	430x335x391 475x452x352	370x335x391 395x441x335	370x335x408 395x335x422
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Catalitic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional (2P)
Wire Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks with Half Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks with Full Telescopic Rails (1 or 2)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		Up to 9	Up to 9	Up to 9	Up to 9	Up to 10	Up to 10	Up to 9	Up to 9	Up to 9	Up to 9	Up to 9
Top Heating Element	W	1200	1200	1000	1000	1200	1200	1200	1200	1200	1000	1000

FREESTANDING COOKERS SPECIFICATION SHEET		Electric Cooker with Ceramic Glass				Electric Cooker with Induction		Mixed (Duel Fuel) Cooker				
		90x60	60x60	50x60	50x50	90x60	60x60	90x60	90x60 BC	60x60	50x60	50x50
Bottom Heating Element	W	1200	1100	1000	1000	1200	1100	1200	1100	1100	1000	1000
Thermostat		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Oven Safety		-	-	-	-	-	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	W	-	-	-	-	-	-	-	-	-	-	-
Electric Single Grill	W	1800	1400	1600	1600	1800	1400	1800	1400	1400	1600	1600
Gas Grill[4]	W	-	-	-	-	-	-	-	-	-	-	-
Electric Double Grill	W	1800-3000	1400 - 2600	1600 - 2600	1600-2600	1800-3000	1400 - 2600	1800-3000	1400 - 2600	1400 - 2600	1600 - 2600	1600 - 2600
Fan	W	23-35	23-35	23-35	23-35	23-35	23-35	23-35	23-35	23-35	23-35	-
Double Fan	W	46-70	-	-	-	-	-	46-70	-	-	-	-
Fan with Ring Heating Element	W	1600	2000	2000	2000	1600	2000	1600	2000	2000	2000	-
Double Fan with Double Ring Heating Element	W	-	-	-	-	3200	-	3200	-	-	-	-
Turnspit		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	-
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		1	Optional	Optional	Optional	Optional	Optional	1	1	Optional	Optional	Optional
Glass Tray		-	Optional	-	-	-	Optional	-	Optional	Optional	-	-
Roasting Tray (Deep Tray)		Optional	1	1	1	1	1	Optional	Optional	1	1	1
Chromed Grid with Stoper		1	1	1	1	1	1	1	1	1	1	1
Inner Grid for Deep Tray		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set		Optional	Optional	Optional	Optional	Default	Default	Optional	Optional	Optional	Optional	Optional
Flap Drawer at the Bottom		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
4WG Warmer Drawer at the Bottom		Optional	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional
Full Outer Glass and Small Inner Glass Metal Door		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Inclined Solid Oven Door		-	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	-
Full Outer Glass and Big Inner Glass Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Default
Removable Inner Glass (only for flat glass door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Full Inner Glass Door**		-	-	-	-	-	Optional	-	-	Optional	-	-
Cool Touch Oven Door		-	Optional	Optional	-	-	Optional	-	-	Optional	Optional	-
Floatal Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Child Lock on Oven Door		-	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional
Tip over Bracket		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Shabat Function		-	Optional	Optional	-	-	Optional	-	-	Optional	-	-
Cooling Fan		Optional	Optional	Optional	-	Default	Default					
Other Features												
Total Power (Depends on Model) Maximum Gas/Electric	kW	_/11,2	_/11,4	_/9,6	_/8,0	??	_/10,5	11,1/6,6	11,1/6,2	8,3/6,6	7,5/6,1	7,5/4,1
Voltage	V	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V	230V	230V	230V	230V
Energy rating		A	A	A	A	A	A	A	A	A	A	A
Cavity Insulation		Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White	Yellow/ White
Pop-in Pop-out Knob		Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-	-
Bottle Compartment		-	-	-	-	-	-	Optional	Optional	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	cm	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150	145 / 150
Depth with Door Open	cm	105 / 106	105 / 106	105 / 106	100	105 / 106	105 / 106	105 / 106	105 / 106	105 / 106	105 / 106	95
Carton Box Packaging		Default	Optional	Optional	Optional	Default	Optional	Default	Default	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	950x680x860	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967	950x680x860	645x684x922 645x684x977	950x680x860	950x680x860	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967
Net Weight (Depends on Model) Maximum	kg	74	45	42	41	86,5	54,8	74	74	45	42	39
Gross Weight (Depends on Model) Maximum	kg	77	48,5	45,2	44	89,5	58,1	77	77	48,5	45,2	43
Container Loading Quantity* (20 ft Container)	pcs	40	48	68	80	40	48	40	40	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	108	144	168	82	108	82	82	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	108	144	168	123	108	123	123	108	144	168

1 Shrink packaging for model with 85cm high and vertical positioning in container
2 Big cavity (65 LT) ovens
3 Only on painted parts
4 Gas consumption values depend on the gas type of the product.

Specifications are subject to change without prior notice.

DOUBLE OVEN SPECIFICATION SHEET		Gas DO		Electric DO with Solid Hotplates Hob		Electric DO with Ceramic Glass Hob		Electric DO with Induction Hob	Mixed (Duel Fuel) DO	
		60x60	50x60	60x60	50x60	60x60	50x60	60x60****	60x60	50x60
Available Colours										
White		Default	Default	Default	Default	Default	Default	Default	Default	Default
Brown		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Black		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Silver		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Inox painted		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Stainless Steel		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Nominal Dimensions										
Height (Adjustable Feet max. +3 cm)	**cm**	90	90	85*/90	90	85*/90	90	85*/90	85*/90	90
Width	**cm**	60	50	60	50	60	50	60	60	50
Depth	**cm**	60	60	60	60	60	60	60	60	60
Hob Features										
Hob		Enamel	Enamel	Enamel	Enamel	Vitroceramic	Vitroceramic	Induction	Enamel	Enamel
Gas on Glass Hob		Optional	-	-	-	-	-	-	-	-
Rapid Gas Burner Ø10cm[5]	**W**	3000	3000	-	-	-	-	-	3000	3000
Semi-rapid Gas Burner Ø7.5cm[5]	**W**	1750	1750	-	-	-	-	-	1750	1750
Auxiliary Gas Burner Ø5.5cm[5]	**W**	1000	1000	-	-	-	-	-	1000	1000
Wok (Triple Flame) Gas Burner Ø14cm[5]	**W**	3800	-	-	-	-	-	-	3800	-
Ø 80 mm Hotplate	**W**	-	-	-	-	-	-	-	-	-
Ø 145 mm Hotplate	**W**	-	-	1000	1000	-	-	-	-	-
Ø 180 mm Hotplate	**W**	1500	1500	1500	1500	-	-	-	1500	1500
Ø 220 mm Hotplate	**W**	-	-	-	-	-	-	-	-	-
Ø 145 mm Rapid Hotplate	**W**	-	-	1500	1500	-	-	-	-	-
Ø 180 mm Rapid Hotplate	**W**	2000	2000	2000	2000	-	-	-	2000	2000
Ø 220 mm Rapid Hotplate	**W**	-	-	-	-	-	-	-	-	-
Ø145 mm Highlite Element	**W**	-	-	-	-	1200	1200	-	-	-
Ø180 mm Highlite Element	**W**	-	-	-	-	1800	1800	-	-	-
Ø210 mm Highlite Element	**W**	-	-	-	-	2300	-	-	-	-
Ø180 mm Dual Highlite Element	**W**	-	-	-	-	1700	1700	-	-	-
Oval Highlite Element	**W**	-	-	-	-	1800	1800	-	-	-
Ø210 mm Dual Highlite Element	**W**	-	-	-	-	2200	-	-	-	-
Ø160 mm Induction Hob (Boost)	**W**	-	-	-	-	-	-	1400/1800	-	-
Ø200 mm Induction Hob (Boost)	**W**	-	-	-	-	-	-	2100/2500	-	-
Hot Surface Indicator Light		-	-	-	-	Default	Default	-	-	-
Hotplate Operation Indicator Light		Optional	Optional	Default	Default	-	-	-	-	-
Thermostat Operation Indicator Light		Optional	Optional	Default	Default	Default	Default	Default	Default	Default
Stainless Steel Burner Pan (in case of gas on glass hob)		Optional	-	-	-	-	-	-	-	-
Metal Lid		Optional	Optional	Optional	Optional	-	-	-	Optional	Optional
Glass Lid (Transparent)		Optional	Optional	-	-	-	-	-	Optional	Optional
Glass Lid Shut-off Valve		Optional	Optional	-	-	-	-	-	Optional****	Optional****
Burner Safety Valves		Default	Default	-	-	-	-	-	Default	Default
Button Ignition		Optional	Optional	-	-	-	-	-	Optional	Optional
One-touch-Ignition through knobs		Optional	Optional	-	-	-	-	-	Optional	Optional
Ignition by DC battery		-	-	-	-	-	-	-	-	-
Enamel Pan Supports		Default	Default	-	-	-	-	-	Default	Default
Cast Iron Pan Supports		Optional	Optional	-	-	-	-	-	Optional	Optional
Cast Iron Burner Caps		Optional	Optional	-	-	-	-	-	Optional	Optional
Coffee Adaptor		Optional	Optional	-	-	-	-	-	Optional	Optional
Wok Adaptor		Optional	-	-	-	-	-	-	Optional	-
Vitroceramic Glass Cleaning Spatula		-	-	-	-	Optional	Optional	Optional	-	-
Oven Features										
Main Oven										
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends On Model (min/max)	**lt**	61/71	47/56	66/76	48/58	66/76	48/58	66/76	66/76	48/58
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	**mm**	450x328x415 475x328x454	370x328x388 390x328x441	450x352x415 475x352x454	370x391x335 395x441x335	450x352x415 475x352x454	370x391x335 395x441x335	450x352x415 475x352x454	450x352x415 475x352x454	370x391x335 395x441x335
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default
Catalitic Panels (Left, right and rear)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Racks with Telescopic Rails (1 or 2)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6	Up to 6
Top Heating Element	**W**	-	-	1200	1000	1200	1000	1200	1200	1000
Bottom Heating Element	**W**	-	-	1100	1000	1100	1000	1100	1100	1000
Thermostat		Default	Default	Default	Default	Default	Default	Default	Default	Default
Oven Safety		Default	Default	-	-	-	-	-	-	-
Open Flame Burner		Default	Default	-	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)[5]	**W**	2400	2400	-	-	-	-	-	-	-
Electric Single Grill	**W**	-	-	1400	1600	1400	1600	1400	1400	1600
Electric Double Grill	**W**	-	-	-	-	-	-	-	-	-
Fan	**W**	-	-	23-35	23-35	23-35	23-35	23-35	23-35	23-35
Fan with Ring Heating Element	**W**	-	-	2000	2000	2000	2000	2000	2000	2000
Energy Rating		A+	A+	A	A	A	A	A	A	A
Top Oven										
Oven Type		Gas	Gas	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Oven Volume, Depends On Model (min/max)	**lt**	24/39	22/30	37/39	30/30	37/39	30/30	37/39	37/39	30/30
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	**mm**	450 x 438 x 123 470 x 438 x 190	372 x 427 x 140 390 x 439 x 175	450 x 438 x 190 470 x 438 x 190	372 x 427 x190 397x 439 x 190	450 x 438 x 190 470 x 438 x 190	372 x 427 x190 397x 439 x 190	450 x 438 x 190 470 x 438 x 190	450 x 438 x 190 470 x 438 x 190	372 x 427 x190 397x 439 x 190
Oven Light (25W)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Easy to Clean Enamel		Default	Default	Default	Default	Default	Default	Default	Default	Default
Catalitic Enamel Panels (Left and right)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Wire Side Racks		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Telescopic Rails (1 rack)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Electric Oven Functions		-	-	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4	Up to 4
Top Heating Element	**W**	-	-	700	500	700	500	700	700	500
Bottom Heating Element	**W**	-	-	700	600	700	600	700	700	600
Thermostat		Optional	Optional	-	-	-	-	-	-	-
Oven Safety		Default	Default	-	-	-	-	-	-	-
Oven Burner (Thermostat Controlled)	**W**	2400	2400	-	-	-	-	-	-	-
Electric Single Grill	**W**	-	-	1600	1400	1600	1400	1600	1600	1400

DOUBLE OVEN SPECIFICATION SHEET		Gas DO		Electric DO with Solid Hotplates Hob		Electric DO with Ceramic Glass Hob		Electric DO with Induction Hob	Mixed (Duel Fuel) DO	
		60x60	50x60	60x60	50x60	60x60	50x60	60x60****	60x60	50x60
Gas Grill with European Type Burner[5]	**W**	2100	2000	-	-	-	-	-	-	-
Gas Oven with Open Flame Burner		Default	Default	-	-	-	-	-	-	-
Energy Rating		A	A	A	A/B	A	A/B	A	A	A/B
Common Features										
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer for MO		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock		Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Roasting Tray (Deep Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Chromed Grid with Stoper		1	1	1	1	1	1	1	1	1
Inner Grid for Deep Tray		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set		1	1	1	1	1	1	1	1	1
Flat Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Glass Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Flat Glass Door with Full Inner Glass		-	-		-	-	-	-	-	-
Removable Inner Glass (only for flat glass door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mirrored Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Default	Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Left Side Opening Oven Door **		Default	Default	Default	Default	Default	Default	Default	Default	Default
Drop Down Opening Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Gas Conversion Kit		Default	Default	-	-	-	-	-	-	-
Tip over Bracket		Default	Default	Default	Default	Default	Default	Default	Default	Default
Cooling Fan****		Optional	-	Optional	Optional	Optional	Optional	Default	Optional	-
Other Features										
Total Power (Depends on Model) Maximum	**kW**	12,3	12,3	11,6	10,9	11,6	9,9	11,6	6,1	5,4
Voltage	**V**	230	230	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230	230
Energy consumption according to the EN60335 Standards	**kWh**	-	-	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,88	0,79-0,89
Cavity Insulation		Yellow	Yellow/White	Yellow	Yellow/White	Yellow	Yellow/White	Yellow	Yellow	Yellow/White
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	**cm**	145/150	150	145/150	150	145/150	150	145/150	145/150	150
Depth with Door Open	**cm**	105	105	105	105	105	105	105	105	105
Carton Box Packaging		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	**mm**	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974
Net Weight (Depends on Model) Maximum	**kg**	47,5	44,3	46,5	42,9	47,5	44,1	57,3	45	42
Gross Weight (Depends on Model) Maximum	**kg**	50,5	47,3	49,5	45,9	50,5	47,1	60,3	48,5	45,2

1 Only drop down opening oven door
2 Only for cookers with 90 cm height
3 Only on painted parts
4 Only available in Full Flat & Full Flat Plus Aesthetics
5 Gas consumption values depend on the gas type of the product.

Specifications are subject to change without prior notice.

RANGE COOKER SPECIFICATION SHEET		Mixed (Duel Fuel)
		100x60
Available Colours		
White		Default
Black		Optional
Silver		Optional
Inox painted		Optional
Stainless Steel		Optional
Nominal Dimensions		
Height (Adjustable Feet max. +3 cm)	**cm**	90
Width	**cm**	100
Depth	**cm**	60
Hob Features		
Hob		Enamel
Gas on Glass Hob		-
Rapid Gas Burner Ø10cm[1]	**W**	3000
Semi-rapid Gas Burner Ø7.5cm[1]	**W**	1750
Auxiliary Gas Burner Ø5.5cm[1]	**W**	1000
Wok (Double Crown Compact) Gas Burner Ø12,5cm[1]	**W**	4000
Metal Lid		-
Glass Lid (Transparent)		-
Splashback		Optional
One-touch-Ignition through knobs		Optional
Ignition by DC battery		-
Enamel Pan Supports		Default
Cast Iron Pan Supports		Optional
Cast Iron Burner Caps		Optional
Coffee Adaptor		Optional
Wok Adaptor		Optional
Oven Features		
Upper Left (First) Cavity		
Oven Type		Electric
Oven Volume, Depends On Model (min/max)	**lt**	31/32
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	**mm**	372 x 439 x 190 390 x 439 x 190
Oven Light (25W)		Optional
Easy to Clean Enamel		Default
Catalitic Enamel Panels (Left and right)		Optional
Wire Side Racks		Optional
Telescopic Rails (1 rack)		Optional
Electric Oven Functions		Up to 4
Top Heating Element	**W**	500
Bottom Heating Element	**W**	600
Thermostat		Default
Electric Single Grill	**W**	1400
Electric Double Grill	**W**	1900
Energy Rating		A
Door Opening		Drop Down
Lower Left (Second) Cavity		
Oven Type		Electric
Oven Volume, Depends On Model (min/max)	**lt**	50/58
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	**mm**	370x402x335 395x440,5x366
Oven Light (25W)		Default
Easy to Clean Enamel		Default
Catalitic Panels (Left, right and rear)		Optional
Wire Racks		Optional
Wire Racks with Telescopic Rails (1 or 2)		Optional
Electric Oven Functions		Up to 6
Top Heating Element	**W**	1000
Bottom Heating Element	**W**	1000
Thermostat		Default
Electric Single Grill	**W**	1600
Electric Double Grill	**W**	2600
Fan	**W**	23-35
Fan with Ring Heating Element	**W**	2000
Energy Rating		A
Door Opening		Left Side
Upper Right (Third) Cavity		
Oven Type		Electric
Oven Volume, Depends On Model (min/max)	**lt**	50/58
Cavity Dimensions, Depends On Model (min/max) (WxDxH)	**mm**	370x402x335 395x440,5x366
Oven Light (25W)		Default
Easy to Clean Enamel		Default
Catalitic Panels (Left, right and rear)		Optional
Wire Racks		Optional
Wire Racks with Telescopic Rails (1 or 2)		Optional
Electric Oven Functions		Up to 6
Top Heating Element	**W**	1000
Bottom Heating Element	**W**	1000
Thermostat		Default
Electric Single Grill	**W**	1600
Electric Double Grill	**W**	2600
Fan	**W**	23-35
Fan with Ring Heating Element	**W**	2000
Energy Rating		A
Door Opening		Right Side
Common Features		
Mechanical Minute Minder		-
Mechanical Timer		-
Digital Minute Minder		Optional
Digital Programmer for Second Cavit		Optional
Baking Tray (Shallow Tray)		Optional
Roasting Tray (Deep Tray)		Optional
Chromed Grid with Stoper		3
Inner Grid for Deep Tray		Optional
Grill Pan with Handle Set		1
Flat Glass Door with Full Inner Glass		Default
Removable Inner Glass		Optional
Mirrored Oven Door Glass		Optional
Removable Oven Door		Default
Add-on Stripes on Oven Door		Optional
Gas Conversion Kit		Default
Tip over Bracket		Optional
Cooling Fan		Default
Other Features		
Total Power (Depends on Model) Maximum	**kW**	7,5
Total Power (Depends on Model) Maximum Gas	**kW**	15,7
Voltage	**V**	230
Energy consumption according to the EN60335 Standards	**kWh**	0,79-0,88
Cavity Insulation		Yellow
RoHS Compliance		Default
CE Compliance		Default
Depth with Door Open	**cm**	105
Carton Box Packaging		Default
Packed Product Dimensions	**mm**	1108 x 736 x 967
Net Weight (Depends on Model) Maximum	**kg**	85
Gross Weight (Depends on Model) Maximum	**kg**	88,5

1 Gas consumption values depend on the gas type of the product.

Electric Oven Function for Double Ovens							
Top Oven							
Function ID	**Identity in the Market**	**Heating Element, Fan, Turnspit, Grill Availability**	**Oven Functions**	**Number of Functions**	**Limitations**	**Electrical Power at 230V (W)**	
						50x60	**60x60**
1	Grill	Grill	0 / Grill	1	-	1400	1600
2	Grill	Grill	0 / Grill / Double Grill	2	-	1900	2300
3	Static oven	(Top + Bottom) + Grill	0 / Top+Bottom / Bottom / Top / Grill	4	-	1400	1600
4	Static oven	(Top + Bottom) + Grill	0 / Top+Bottom / Top / Grill / Double Grill	4	-	1900	2300
Main Oven							
Function ID	**Identity in the Market**	**Heating Element, Fan, Turnspit, Grill Availability**	**Oven Functions**	**Number of Functions**	**Limitations**	**50x60**	**60x60**
1	Static oven	(Top + Bottom)	0 / Top+Bottom	1	-	2000	2300
2	Static oven	(Top + Bottom)	0 / Top+Bottom / Bottom / Top	3	-	2000	2300
3	Turbo oven	(Fan + Ring)	0 / Defrost / Fan+Ring	2	-	2000	2000
4	Multifunction oven	(Top + Bottom + Fan + Ring)	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan	4	-	2000	2300
5	Fan assisted oven	(Top + Bottom + Fan)	0 / Defrost / Top+Bottom / Top+Bottom+Fan	3	-	2000	2300
6	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	5	-	2000	2300
7	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	6	-	2000	2300
8	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Ovenlight/Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza/Grill /Doublegrill/Doublegrill+Fan	9	-	2000	2300

Electric Oven Function for Range Cooker						
UPPER LEFT CAVITY FUNCTION						
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)
1	Grill	Grill	0 / GRILL	1	-	1400
2	Grill	Grill	0 / GRILL / DOUBLE GRILL	2	-	1900
3	Static oven	(Top + Bottom) + Grill	0 / TOP+BOTTOM / BOTTOM / TOP / GRILL	4	-	1400
4	Static oven	(Top + Bottom) + Grill	0 / TOP+BOTTOM / TOP / GRILL / DOUBLE GRILL	4	-	1900
LOWER LEFT CAVITY FUNCTION						
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)
1	Static oven	(Top + Bottom)	0 / TOP+BOTTOM	1	-	2000
2	Static oven	(Top + Bottom)	0 / TOP+BOTTOM / BOTTOM / TOP	3	-	2000
3	FAN+RING oven	(Fan + Ring)	0 / DEFROST / FAN+RING	2	-	2000
4	Multifunction oven	(Top + Bottom + Fan + Ring)	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN	4	-	2000
5	Fan assisted oven	(Top + Bottom + Fan)	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN	3	-	2000
6	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	5	-	2000
7	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	6	-	2000
8	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/OVENLIGHT/DEFROST/FAN+RING/TOP+BOTTOM/ TOP+BOTTOM+FAN/PIZZA/GRILL/DOUBLE GRILL/ DOUBLE GRILL FAN	9	-	3000
9	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / BOTTOM / TOP / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN / FAN+RING / 3D	9	-	2500
10	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / DEFROST / FAN+RING / TOP+BOTTOM /TOP+BOTTOM+FAN / PIZZA / GRILL / DOUBLE GRILL / DOUBLE GRILL+FAN / VAP CLEAN	10	-	3000
11	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL+TURNSPIT / GRILL+FAN+TURNSPIT	6	-	2000
12	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / OVENLIGHT / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / PIZZA / GRILL+TURNSPIT / DOUBLE GRILL+TURNSPIT / DOUBLE GRILL+FAN+TURNSPIT	9	-	3000
UPPER RIGHT CAVITY FUNCTION						
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)
1	Static oven	(Top + Bottom)	1 0 / TOP+BOTTOM	1	-	2000
2	Static oven	(Top + Bottom)	2 0 / TOP+BOTTOM / BOTTOM / TOP	3	-	2000
3	Static oven	(Top + Bottom) + Grill	3 0 / TOP+BOTTOM / BOTTOM / TOP / GRILL	3	-	2000
4	Static oven	(Top + Bottom) + Grill	4 0 / TOP+BOTTOM / TOP / GRILL / DOUBLE GRILL	4	-	2600
5	FAN+RING oven	(Fan + Ring)	5 0 / DEFROST / FAN+RING	2	-	2000
6	FAN+RING oven	(Fan + Ring) + Grill	6 0 / DEFROST / FAN+RING / GRILL / GRILL+FAN	4	-	2000
7	FAN+RING oven	(Fan + Ring) + Grill	7 0 / DEFROST / FAN+RING / DOUBLE GRILL / DOUBLE GRILL+FAN	4	-	2600

Gas Oven Functions for Double Ovens				
Top Oven				
Function ID	**Heating Element, Fan, Turnspit, Grill Availability**	**Oven Functions**	**Number of Functions**	**Limitations**
0	Gas Grill	Gas Grill(European Type,Variable Grill)	1	-
2	Electrical Grill	Electrical Grill / Electrical Double Grill	1	-
4	Electrical Double Grill + Oven Burner	Electrical Double Grill+ Oven Burner (Open Flame Burner,Thermostat)	2	-
6	Gas Grill + Oven Burner	Gas Grill(European Type,Variable Grill) + Oven Burner(Open Flame Burner,Thermostat)	2	-
Main Oven				
Function ID	**Heating Element, Fan, Turnspit, Grill Availability**	**Oven Functions**	**Number of Functions**	**Limitations**
2	Oven Burner	Open Flame Burner + Thermostat + Oven Lamp	1	-
4	Oven Burner	Open Flame Burner + Thermostat	1	-
6	Oven Burner	Open Flame Burner + Thermostat + Oven Lamp	1	-

Specifications are subject to change without prior notice.

Electric Oven Function for Freestanding Ovens								
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)		
						50x50 & 50x60	60x60	90x60
01	Static oven	(Top + Bottom)	0 / Top+Bottom / Bottom / Top	3	-	2000	2300	2400
02	Static oven	(Top + Bottom) + Grill + Turnspit	0 / Top+Bottom / Bottom / Top / Grill+Turnspit	4	Not available for 50x50 freestanding oven	2000	2300	2400
03	Static oven	(Top + Bottom) + Grill + Turnspit	0 / Top+Bottom / Bottom / Grill+Turnspit / Double Grill+Turnspit	4	Not available for 50x50 freestanding oven	2600	2600	3000
04	Static oven	(Top + Bottom) + Grill + Turnspit	0 / Ovenlight / Top+Bottom / Bottom / Top / Grill+Turnspit / Double Grill+Turnspit	6	Not available for 50x50 freestanding oven	2600	2600	3000
05	Turbo oven	(Fan + Ring)	0 / Defrost / Fan+Ring	2	Not available for 50x50 freestanding oven	2000	2000	1600
06	Turbo oven	(Fan + Ring) + Grill + Turnspit	0 / Defrost / Fan+Ring / Grill+Turnspit / Grill+Fan+Turnspit	4	Not available for 50x50 freestanding oven	2000	2000	1800
07	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Grill+Fan+Turnspit	6	Not available for 50x50 freestanding oven	2000	2300	2400
08	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit	6	Not available for 50x50 freestanding oven	2600	2600	3000
09	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit	9	Not available for 50x50 freestanding oven	3000	3100	3000
10	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Grill+Fan+Turnspit	5	Not available for 50x50 freestanding oven	2000	2300	2400
11	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit	5	Not available for 50x50 freestanding oven	2600	2600	3000
12	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0 / Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit / Double Grill+Fan+Turnspit	8	Not available for 50x50 freestanding oven	2600	2600	3000
13	Static oven	(Top + Bottom) + Grill	0 / Top+Bottom / Bottom / Top / Grill	4	-	2000	2300	2400
14	Static oven	(Top + Bottom) + Grill	0 / Top+Bottom / Bottom / Grill / Double Grill	4	-	2600	2600	3000
15	Static oven	(Top + Bottom) + Grill	0 / Ovenlight / Top+Bottom / Bottom / Top / Grill / Double Grill	6	-	2600	2600	3000
16	Turbo oven	(Fan + Ring) + Grill	0 / Defrost / Fan+Ring / Grill / Grill+Fan	4	Not available for 50x50 freestanding oven	2000	2000	1800
17	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	6	Not available for 50x50 freestanding oven	2000	2300	2400
18	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill	6	Not available for 50x50 freestanding oven	2600	2600	3000
19	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Ovenlight / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan	9	Not available for 50x50 freestanding oven	3000	3100	3000
20	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	5	Not available for 50x50 freestanding oven	2000	2300	2400
21	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill	5	Not available for 50x50 freestanding oven	2600	2600	3000
22	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / Ovenlight / Defrost / Top+Bottom / Top+Bottom+Fan / Bottom+Fan / Grill / Double Grill / Double Grill+Fan	8	Not available for 50x50 freestanding oven	2600	2600	3000
23	Multifunction oven	(Top + Bottom + Fan + Ring)	0 / Defrost / Fan+Ring / Top+Bottom / Top+Bottom+Fan	4	Not available for 50x50 freestanding oven	2000	2300	2400
24	Multifunction oven	(Top + Bottom + Fan + Ring) + Turnspit	0 / Defrost / Fan+Ring+Turnspit / Top+Bottom+Turnspit / Top+Bottom+Fan+Turnspit	4	Not available for 50x50 freestanding oven	2000	2300	2400
25	Fan assisted oven	(Top + Bottom + Fan)	0 / Defrost / Top+Bottom / Top+Bottom+Fan	3	Not available for 50x50 freestanding oven	2000	2300	2400
26	Fan assisted oven	(Top + Bottom + Fan) + Turnspit	0 / Defrost / Top+Bottom+Turnspit / Top+Bottom+Fan+Turnspit	3	Not available for 50x50 freestanding oven	2000	2300	2400
27	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / Defrost / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Pyrolysis	6	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
28	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Defrost / Turbo / Top+Bottom / Top+Bottom+Fan / Grill / Double Grill / Pyrolysis	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
29	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / Defrost / Turbo / Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Double Grill+Turnspit / Pyrolysis	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
50	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0 / Ovenlight / Defrost / Turbo / Top+Bottom / Top+Bottom+Fan / Pizza / Grill + Turnspit / Double Grill+ Turnspit / Double Grill+Fan + Turnspit / Vap Clean	10	Not available for 50x50 freestanding oven	2600	3100	3000
51	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / Ovenlight / Defrost / Turbo / Top+Bottom / Top+Bottom+Fan / Pizza / Grill / Double Grill / Double Grill+Fan / Vap Clean	10	Not available for 50x50 freestanding oven	2600	3100	3000
52	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / Defrost / Bottom / Top+Bottom / Top+Bottom+Fan / Grill / Grill+Fan	6	Not available for 50x50 freestanding oven	2000	2300	2400
53	Fan assisted oven	(Top + Bottom + Fan)	0 / Bottom / Top / Top+Bottom / Top+Bottom+Fan	4	Not available for 50x50 freestanding oven	2000	2300	2400
54	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0/Defrost/Bottom/Top+Bottom/Top+Bottom+Fan/ Grill+Turnspit/Grill+Fan+Turnspit	6	Not available for 50x50 freestanding oven	2000	2300	2400
55	Fan assisted oven	(Top + Bottom + Fan) + Turnspit	0/Bottom/Top/Top+Bottom+Turnspit/ Top+Bottom+Fan+Turnspit	4	Not available for 50x50 freestanding oven	2000	2300	2400
58	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/Ovenlight/Defrost/Bottom/Top/ Bottom+Fan/Top+Fan/Top+Bottom/ Top+Bottom+Fan/Fan+Ring/Double Grill	10	Not available for 50x50 freestanding oven	2600	2600	3000
59	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/Ovenlight/Bottom/Top/Top+Bottom/ Top+Bottom+Fan/Grill/Grill+Fan/Fan+Ring/3D	9	Not available for 50x50 freestanding oven	2500	2600	2200
60	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/Ovenlight/Defrost/Bottom/Top/Top+Bottom/ Top+Bottom+Fan/Fan+Ring/Pizza/Double Grill	9	Not available for 50x50 freestanding oven	3000	3100	3000
61	Fan assisted oven	(Top + Bottom + Fan)	0/Top/Bottom/Top+Bottom/ Top+Bottom+Fan/Bottom+Fan	5	Not available for 50x50 freestanding oven	2000	2300	2400
62	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/Ovenlight/Defrost/Top/Bottom/Top+Bottom/ Top+Bottom+Fan/Fan+Ring/Grill+Fan/Double Grill	9	Not available for 50x50 freestanding oven	2600	2600	3000

Gas Oven Functions for FS Cookers										
Function ID	Oven Function (Heating Element, Fan, Turnspit, Grill Availability)	Number of Functions	Control Type	Close Door Grilling (Only for NON CE (Only for Electric Grill)				Product Type		
				90x60 Standard & Professional	60X60 90X60 Bottle Compartment	50X50	50X60	60X60	90x60 Standard & Professional	90X60 Bottle Compartment
31	Oven Burner | Oven Light	1	Single Knob	NA	NA	A	A	A	A	A
32	Oven Burner | Thermostat | Oven Light	1	Single Knob	NA	NA	A	A	A	A	A
33	Oven Burner | Gas Grill | Oven Light	2	Single Knob	A	NA	A	A	A	A	A
34	Oven Burner | Gas Grill | Thermostat | Oven Light	2	Single Knob	A	NA	A	A	A	A	A
35	Oven Burner | Gas Grill | Turnspit | Oven Light	3	Single Knob	A	NA	A	A	A	A	A
36	Oven Burner | Gas Grill | Turnspit | Thermostat | Oven Light	3	Single Knob	A	NA	A	A	A	A	A
38	Oven Burner | Electric Grill | Turnspit | Oven Light	2	Single Knob	A	A	A	A	A	A	A
39	Oven Burner | Electric Grill | Turnspit | Thermostat | Oven Light	3	Single Knob	A	A	A	A	A	A	A
41	Oven Burner	1	Single Knob	NA	NA	A	A	A	A	A
42	Oven Burner | Thermostat	1	Single Knob	NA	NA	A	A	A	A	A
43	Oven Burner | Gas Grill	2	Single Knob	A	NA	A	A	A	A	A
44	Oven Burner | Gas Grill | Thermostat	2	Single Knob	A	NA	A	A	A	A	A
45	Oven Burner | Gas Grill | Turnspit	3	Single Knob	A	NA	A	A	A	A	A
46	Oven Burner | Gas Grill | Turnspit | Thermostat	3	Single Knob	A	NA	A	A	A	A	A
48	Oven Burner | Electric Grill | Thermostat	2	Single Knob	A	A	A	A	A	A	A
57	Oven Burner | Electric Grill	2	Single Knob	A	A	A	A	A	A	A
58	Oven Burner | Electric Grill | Oven Light	2	Single Knob	A	A	A	A	A	A	A
59	Oven Burner | Electric Grill | Turnspit | Oven Light	3	Single Knob	A	A	A	A	A	A	A
62	Oven Burner | Fan | Oven Light	2	Single Knob	NA	NA	NA	NA	A	A	NA
63	Oven Burner | Gas Grill | Fan | Oven Light	3	Single Knob	A	NA	NA	NA	A	A	NA
64	Oven Burner | Gas Grill | Thermostat | Fan | Oven Light	3	Single Knob	A	NA	NA	NA	A	A	NA
65	Oven Burner | Gas Grill | Turnspit | Fan | Oven Light	4	Single Knob	A	NA	NA	NA	A	A	NA
66	Oven Burner | Gas Grill | Turnspit | Thermostat | Fan | Oven Light	4	Single Knob	A	NA	NA	NA	A	A	NA
68	Oven Burner | Electric Grill | Thermostat | Fan | Oven Light	3	Single Knob	A	A	NA	NA	A	A	NA
69	Oven Burner | Electric Grill | Turnspit | Thermostat | Fan | Oven Light	4	Single Knob	A	A	NA	NA	A	A	NA
70	Oven Burner | Thermostat | Fan | Oven Light	2	Single Knob	NA	NA	NA	NA	A	A	NA
71	Oven Burner | Fan	2	Single Knob	NA	NA	NA	NA	A	A	NA
72	Oven Burner | Thermostat | Fan	2	Single Knob	NA	NA	NA	NA	A	A	NA
73	Oven Burner | Gas Grill | Fan	3	Single Knob	A	NA	NA	NA	A	A	NA
74	Oven Burner | Gas Grill | Thermostat | Fan	3	Single Knob	A	NA	NA	NA	A	A	NA
75	Oven Burner | Gas Grill | Turnspit | Fan	4	Single Knob	A	NA	NA	NA	A	A	NA
76	Oven Burner | Gas Grill | Turnspit | Thermostat | Fan	4	Single Knob	A	NA	NA	NA	A	A	NA
78	Oven Burner | Electric Grill | Thermostat | Fan	3	Single Knob	A	A	NA	NA	A	A	NA
79	Oven Burner | Electric Grill | Turnspit | Thermostat | Fan	4	Single Knob	A	A	NA	NA	A	A	NA
87	Oven Burner | Gas Grill | Oven Light	2	Seperate Knob	A	NA	NA	NA	A	A	A
88	Oven Burner | Gas Grill | Thermostat | Oven Light	2	Seperate Knob	A	NA	NA	NA	A	A	A
89	Oven Burner | Gas Grill | Turnspit | Oven Light	3	Seperate Knob	A	NA	NA	NA	A	A	A
90	Oven Burner | Gas Grill | Turnspit | Thermostat | Oven Light	3	Seperate Knob	A	NA	NA	NA	A	A	A
91	Oven Burner | Gas Grill | Turnspit	3	Seperate Knob	A	NA	NA	NA	A	A	A
92	Oven Burner | Gas Grill | Turnspit | Thermostat	3	Seperate Knob	A	NA	NA	NA	A	A	A
83	Oven Burner | Gas Grill | Fan | Oven Light	3	Seperate Knob	A	NA	NA	NA	A	A	NA
84	Oven Burner | Gas Grill | Thermostat | Fan | Oven Light	3	Seperate Knob	A	NA	NA	NA	A	A	NA
85	Oven Burner | Gas Grill | Turnspit | Fan | Oven Light	4	Seperate Knob	A	NA	NA	NA	A	A	NA
86	Oven Burner | Gas Grill | Turnspit | Thermostat | Fan | Oven Light	4	Seperate Knob	A	NA	NA	NA	A	A	NA
93	Oven Burner | Gas Grill | Fan	3	Seperate Knob	A	NA	NA	NA	A	A	NA
94	Oven Burner | Gas Grill | Thermostat | Fan	3	Seperate Knob	A	NA	NA	NA	A	A	NA
95	Oven Burner | Gas Grill | Turnspit | Fan	4	Seperate Knob	A	NA	NA	NA	A	A	NA
96	Oven Burner | Gas Grill | Turnspit | Thermostat | Fan	4	Seperate Knob	A	NA	NA	NA	A	A	NA
97	Oven Burner | Electric Grill | Fan	3	Single Knob	A	A	NA	NA	A	A	NA
98	Oven Burner | Electric Grill | Fan | Oven Light	3	Single Knob	A	A	NA	NA	A	A	NA
99	Oven Burner | Electric Grill | Turnspit | Fan | Oven Light	4	Single Knob	A	A	NA	NA	A	A	NA

Specifications are subject to change without prior notice.

Free Standing Ovens Container Loading Quantities and Packaging Sizes						
Product Family	**Packaging and Container Couples**	**Packaging Size (W x D x H) in mm**	**Loading Quantity (Mixed Orientation)**	**Loading Quantity (2 vertical, 1 horizontal top loading condition)***	**Recommended Loading Quantity (Front faces of products looking at container door)**	**Max. Stacking Quantities In Warehouse**
50x50cm	50x50 box 85cm 20ft	555 x 596 x 915	80	Not applicable	72	5
	50x50 box 85cm 40 HC		164	209	152	5
	50x50 box 85cm 40ft		164	Not applicable	152	5
	50x50 box 90cm 20ft	555 x 596 x 970	80	Not applicable	72	5
	50x50 box 90cm 40 HC		164	208	152	5
	50x50 box 90cm 40ft		164	Not applicable	152	5
	50x50 shrink 85cm 20ft	545 x 586 x 912	80	Not applicable	72	4
	50x50 shrink 85cm 40 HC		168	214	160	4
	50x50 shrink 85cm 40ft		168	Not applicable	160	4
	50x50 shrink 90cm 20ft	545 x 586 x 967	80	Not applicable	72	4
	50x50 shrink 90cm 40 HC		168	212	160	4
	50x50 shrink 90cm 40ft		168	Not applicable	160	4
50x60cm (FS & DO)	50x60 box 85cm 20ft	555 x 694 x 922	64	Not applicable	64	5
	50x60 box 85cm 40 HC		136	179**	136	5
	50x60 box 85cm 40ft		136	Not applicable	136	5
	50x60 box 90cm 20ft	555 x 694 x 977	64	Not applicable	64	5
	50x60 box 90cm 40 HC		136	172**	136	5
	50x60 box 90cm 40ft		136	Not applicable	136	5
	50x60 shrink 85cm 20ft	545 x 684 x 919	68	Not applicable	64	4
	50x60 shrink 85cm 40 HC		144	187**	136	4
	50x60 shrink 85cm 40ft		144	Not applicable	136	4
	50x60 shrink 90cm 20ft	545 x 684 x 974	68	Not applicable	64	4
	50x60 shrink 90cm 40 HC		144	180**	136	4
	50x60 shrink 90cm 40ft		144	Not applicable	136	4
60x60cm (FS & DO)	60x60 box 85cm 20ft	655 x 694 x 925	48	Not applicable	48	5
	60x60 box 85cm 40 HC		108	150**	102	5
	60x60 box 85cm 40ft		108	Not applicable	102	5
	60x60 box 90cm 20ft	655 x 694 x 980	48	Not applicable	48	5
	60x60 box 90cm 40 HC		108	144**	102	5
	60x60 box 90cm 40ft		108	Not applicable	102	5
	60x60 shrink 85cm 20ft	645 x 684 x 922	48	Not applicable	48	4
	60x60 shrink 85cm 40 HC		108	150**	102	4
	60x60 shrink 85cm 40ft		108	Not applicable	102	4
	60x60 shrink 90cm 20ft	645 x 684 x 977	48	Not applicable	48	4
	60x60 shrink 90cm 40 HC		108	144**	102	4
	60x60 shrink 90cm 40ft		108	Not applicable	102	4
90x60cm FS	90x60 box 85cm 20ft	950 x 695 x 857	40	Not applicable	32	5
	90x60 box 85cm 40 HC		123	Not applicable	102	5
	90x60 box 85cm 40ft		82	Not applicable	68	5
100x60 FS	100x60 box 90cm 20ft	1108x736x967	-	Not applicable	28	5
	100x60 box 90cm 40 HC		-	Not applicable	64	5
	100x60 box 90cm 40ft		-	Not applicable	64	5

** Only side faces can be put on the floor.*
*** Not applicable for DO*

Gas Hob Configuration for 60X60 Free Standing Cookers		
Hob ID	**Gas Hob configuration**	**Element placement**
31 (3G1E-31)	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33 (2G2E-33)	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34 (2G2E-34)	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
36 (2G2E-36)	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40 (4G-40)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	
41 (4G-41)	1 x Auxiliary, 2 x Semi Rapid, 1 x Triple Flame Burner	

Gas Hob Configuration for 50X60 Free Standing Cookers		
Hob ID	**Gas Hob configuration**	**Element placement**
30 (3G-30)	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31 (3G1E-31)	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33 (2G2E-33)	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34 (2G2E-34)	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
36 (2G2E-36)	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40 (4G-40)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Specifications are subject to change without prior notice.

Gas Hob Configuration for 50X50 Free Standing Cookers		
Hob ID	**Gas Hob configuration**	**Element placement**
30 (3G-30)	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31 (3G1E-31)	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 145 Hotplate	
40 (4G-40)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Gas Hob Configuration for 90X60 Free Standing Cookers		
Hob ID	**Gas Hob configuration**	**Element placement**
50 (5G-50)	1 x Auxiliary, 2 x Semi Rapid, 2 x Rapid (only for standart aesthetic)	
51 (5G-51)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Triple Flame Burner	
52 (5G-52)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Fish Burner	
53 (4G2E-53)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Hotplate	
55 (4G2E-55)	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Rapid Hotplate, 1 x 145 Hotplate	
57 (5G)	1 x DCC Wok Gas Burner 4000 W 1 x Rapid Gas Burner 3000 W 2 x Semi Rapid Gas Burner 1750 W 1 x Auxiliary Gas Burner 1000 W	

Gas Hob Configuration For 100X60 Free Standing Cookers		
Hob ID	**Hob configuration**	**Element placement**
71 (7G-71)	2 x Auxiliary, 2 x Semi Rapid, 2 x Rapid, 1 x Double Flame Burner	

Specifications are subject to change without prior notice.

Vitroceramic Hob Configurations for 60x60 Free-Standing Cookers		
Hob ID	**Highlight element configuration**	**Element placement**
10 (4V-01)	2 x 145, 2 x 180 highlight element	
11 (4V-02)	2 x 145, 1 x 180, 1 x 180 dual highlight element	
13 (4V-03)	2 x 145, 1 x 180, 1 x 210 highlight element	
37 (3V-37)	1x145, 1x180, 1x290 dual highlight element	

Vitroceramic Hob Configurations for 50x60 Free-Standing Cookers		
Hob ID	**Highlight element configuration**	**Element placement**
10 (4V-01)	2 x 145, 2 x 180 highlight element	
11 (4V-02)	2 x 145, 1 x 180, 1 x 180 dual highlight element	

Vitroceramic Hob Configurations for 50x50 Free-Standing Cookers		
Hob ID	**Highlight element configuration**	**Element placement**
31 (3V-23)	2 x 145, 1 x 180 highlight element	

Vitroceramic Hob Configurations for 90x60 Free-Standing Cookers		
Hob ID	**Highlight element configuration**	**Element placement**
34 (5V-34)	2 x 145, 2 x 180, 1 x210 highlight element	
36 (5V-36)	2 x 145, 1 x 180, 1x210 dual, 1 x oval highlight element	

Specifications are subject to change without prior notice.

Solid Hotplate Hob Configurations for 60x60 Free Standing Cookers		
Hob ID	**Highlight element configuration**	**Element placement**
01 (4E-01)	2 x 145, 2 x 180 hotplate	
02 (4E-02)	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03 (4E-03)	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
06 (4E-06)	2 x 145, 1 x 180, 1 x 220 hotplate	
08 (4E-08)	1 x 80, 2 x 180, 1 x 145 hotplate	
09 (4E-09)	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	

*** 1 and 27 hob configurations are available for 400V rated voltage.*

Solid Hotplate Hob Configurations for 50x60 Free Standing Cookers		
Hob ID	**Hotplate configuration**	**Element placement**
01 (4E-01)	2 x 145, 2 x 180 hotplate	
02 (4E-02)	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03 (4E-03)	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
08 (4E-08)	1 x 80, 2 x 180, 1 x 145 hotplate	
09 (4E-09)	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	
17 (4E-17)	1 x 80, 1 x 180, 1 x 145, 1 x 220 hotplate	
18 (4E-18)	1 x 80, 1 x 180 rapid, 1 x 145, 1 x 220 hotplate	

Solid Hotplate Hob Configurations for 50x50 Free Standing Cookers		
Hob ID	**Hotplate configuration**	**Element placement**
01 (4E-01)	2 x 145, 2 x 180 hotplate	
02 (4E-02)	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03 (4E-03)	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
27 (4E-27)	4 x 145 hotplate	
28 (4E-28)	4 x 145 rapidhotplate	
29 (4E-29)	2 x 145 hotplate, 2 x 145 rapid hotplate	

Induction Hob Configurations for 60x60 Free Standing Cookers			
Hob ID	**Hob configuration**	**Control System**	**Element placement**
63 (4I-32)	2x160B, 2x210B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER	

Induction Hob Configurations for 50x60 Free Standing Cookers			
Hob ID	**Hob configuration**	**Control System**	**Element placement**
64 (4I-64)	4x160B induction element 4x(1400 / B1800 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER	

*** Not available for 400V rated voltage.*

Induction Hob Configurations for 90x60 Free Standing Cookers			
Hob ID	**Hob configuration**	**Control System**	**Element placement**
60 (5I-60)	"2x160B, 2x200B,1x250B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W, 1x(2800 / B 3500 W)"	STANDARD TOUCH WITH TIMER	

*** Not available for 400V rated voltage.*

Specifications are subject to change without prior notice.

	ENAMELLED PAN SUPPORTS			CAST IRON PAN SUPPORTS	
	S-type Enamelled	**V-type Enamelled**	**E-type Enamelled**	**S-type Cast Iron**	**T-type Cast Iron**
Freestanding Double Oven 50x60			NA	NA	NA
Freestanding Double Oven 60x60			NA		NA
Full Flat Freestanding Double Oven 50x60			NA	NA	NA
Full Flat Freestanding Double Oven 60x60			NA		NA
New Generation Freestanding 50x50			NA	NA	NA
New Generation Freestanding 50x60			NA		NA
New Generation Freestanding 60x60			NA		NA
New Generation Freestanding 90x60		NA			
Range Cookers 100x60		N/A	N/A		N/A

Color	Cooktop	Front Face	Side Panel	Kickplate*	Fs / Ngfs						Double Oven		Range Cooker
					50X50	50X60	60X60	90X60			50X60	60X60	100X60
								Standard	Professional	Bottle Compartment			
Full Inox	Inox	Inox	Inox	Black	N/A	N/A	N/A	Available	Available	Available	N/A	N/A	Available
Black	Black	Black	Black	Black	Available	Available	Available	Available	N/A	Available	Available	Available	Available
White	White	White	White	White	Available	Available	Available	Available	N/A	Available	Available	Available	Available
Brown	Brown	Brown	Brown	Brown	Available	Available	Available	Available	N/A	Available	N/A	N/A	N/A
Silver**	Silver	Silver	Silver	Silver	Available	Available	Available	N/A	N/A	N/A	Available	Available	N/A
Retro Claret Red	Inox	Claret Red	Claret Red	Claret Red	Available	Available	Available	Available	Available	N/A	N/A	N/A	N/A
Type 1 / Inox Derivative	Inox	Silver	Silver	Silver	Available	Available	Available	Available	N/A	Available	Available	Available	Available
Type 2 / Inox Derivative	Inox	Silver	Black	Black	Available	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 3 / Inox Derivative	Inox	Inox	Silver	Silver	Available	Available	Available	Available	Available	Available	Available	Available	Available
Type 4 / Inox Derivative	Inox	Inox	Black	Black	Available	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 9 / Inox Derivative	Black	Silver	Black	Black	Available	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 10 / Inox Derivative	Black	Inox	Black	Black	N/A	N/A	N/A	N/A	N/A	N/A	Available	Available	N/A
Type 11 / Inox Derivative**	Silver	Silver	Black	Silver	Available	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 14 / Inox Derivative	Black	Silver	Silver	Silver	Available	Available	Available	Available	N/A	Available	Available	Available	Available
Type 17 / Inox Derivative	Inox	Black	Black	Black	Available	Available	Available	Available	Available	Available	N/A	N/A	Available
Type 18 / Inox Derivative	Inox	Inox Front Panel Silver Drawer	Silver	Silver	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 19 / Cream 1 Derivative	Black	Cream	Black	Black	N/A	N/A	N/A	N/A	N/A	N/A	Available	Available	N/A
Type 20 / Cream 2 Derivative	Black	Cream	Cream	Black	Available	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 22 / Cream 3 Derivative	Inox	Cream	Cream	Black	N/A	N/A	N/A	Available	Available	N/A	N/A	N/A	Available
Type 23 / Inox Derivative	Inox	White	White	White	Available	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 24 / Inox Derivative	Black	Inox	Silver	Silver	Available	Available	Available	Available	N/A	Available	Available	Available	Available
Retro Krem / Retro Cream	Inox	Cream	Cream	Cream	N/A	Available	Available	N/A	N/A	N/A	N/A	N/A	N/A
Type 26 / Inox Derivative	Inox	Black	Inox	Black	N/A	N/A	N/A	N/A	Available	N/A	N/A	N/A	N/A

Specifications are subject to change without prior notice.

Notes

Notes

Notes

Notes

Vestel Trade Co.
Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestelinternational.com

Vestel Germany GmbH
Parkring 6 D-85748 Garching bei München/Germany
Phone: 49 - 89 55295 - 0
Fax: 49 - 89 55295 - 2000
info@vestel-germany.de
www.vestel-germany.de

Vestel UK Ltd
Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ
Phone: 44 - 3330 146 400
info@vestel-uk.com
www.vestel.co.uk

Vestel France SASU
17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex, France
Phone: 33 – 146 75 00 29
Fax: 33 – 141 80 99 31
www.vestel-france.fr

Vestel Holland B.V.
Groothandelsgebouw Stationsplein 45 Unit A2.191, 3013 AK Rotterdam, The Netherlands
Phone: 31 - 10 235 1005
info@vestelbenelux.nl
www.vestelbenelux.nl

Vestel Iberia, S.L.
Paseo Doce Estrellas, 2, 3o. 28042. Madrid, Spain
Phone: 34 - 91 320 63 98
Fax: 34 - 91 320 52 58
vestel@vestel.es
www.vestel.es

Vestel CIS Ltd.
2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia
Phone: 7 - 495 956 8230
Fax: 7 - 095 956 8233
info@vestel.ru
www.vestel.ru

Vestel Electronics Gulf DMC
Unit No: ALMAS-06-C, 6th floor, ALMAS Tower, Plot No: JLT-PH1-A0 Jumeirah Lakes Towers, Dubai, UAE
info@vestel-gulf.ae
www.vestel-gulf.ae

Vestel Central Asia
Kazakhstan/Almaty Baizakova 125, NP-1, office: 504.
Phone: 7 - 727 263 39 39
info@vestel.kz

Vestel Poland
Salsy 2 str., 02-823 Warsaw, Poland
Phone: 48 - 22 272 73 00
info@vestel-poland.com
www.vestel-poland.com

Vestel Electronica
Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest, Romania
Phone: 40 - 31 425 42 91
Fax: 40 - 31 425 42 95
office@vestel.ro
www.vestel.ro

Vestel China
Vestel Electronics (Shanghai) Trading Co., Ltd.
Shenzhen Branch
Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048
Phone: 86 -755-2266 6726

Vestel Vietnam
Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam
Phone: 84 - 28 6287 5904

Vestel USA INC.
390 Fifth Avenue, Suite 805 New York, NY, 10018
Phone: 1 - 212 689 4622
Fax: 212 689 4380

VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82
Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA

/vestelinternational