

BUILT-IN HOUSEHOLD APPLIANCES
REFRIGERATORS

2023 - 2024



www.vestelinternational.com

VESTEL







COMPANY PROFILE
2-3

GLOBAL OPERATIONS
4-5

FEATURES
6-9

LINE-UP
10-26

SPECIFICATIONS
27-30

INSTALLATIONS
31

ADDRESSES
33

COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000
Employees

1.300.000 m²
Closed Production Area

Export Leader of Turkey with
\$ 2,3 Billion

30 Million
Device Production
Capacity

\$ 3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.9 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the

capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, Set-top Boxes

Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting

Manisa, Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer,

Cooking Appliances, Air Conditioner, Water Heater

Manisa, Turkey

R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan


Vestel Electronics Gulf, Dubai

Features



COOLING TECHNOLOGIES

>



Less Frost

Thanks to the wrap around evaporator, LessFrost technology offers more efficient cooling, less Manual defrost requirement, and more flexible storage room.



FRESHNESS TECHNOLOGIES



 V-Lift

With the adjustable height mechanism, height of bottle shelf can be maximized for higher bottles or can be reduced to save space for the dairy shelf. Position of rack can be set to **6** different height.



Ice Slide

Provides convenient storage spaces with a simple movement. The slide icematic ensures flexible storage and max capacity anytime you need.



Sliding Tray

Thanks to the sliding mechanism, it provides ease of use in the freezer compartment.



Door Reversible

Depending on the location of your refrigerator, you can adjust door opening direction thanks to the reversible door feature.



Easy Lock Freezer

Mechanism of the handle enables easy opening and closing of the door. Red mark on the door indicates and warns the user when the Freezer door is left open.



Humidity Controlled Crisper

Thanks to air channels and special filter, humidity level can be adjusted precisely to keep your fruits and vegetables fresh and crisp.



Door On Door Models

Cabinet door is mounted directly onto the refrigerator door and with the help of the hinge, the refrigerator opens wider and closes automatically

*Soft Close Version Available



LED Touch HP Display



Full Black Touch Button Display



UltraFresh Technology

Ultra Fresh technology helps reducing unpleasant odors by absorbing ethylene gas (a volatile organic compound released naturally from fresh foods) from the crisper.



Sliding Door Models

Cabinet door is Connected to the refrigerator door with sliding rails.



Push Button HP Display

2 7 9 5

Technical Data

Net Volume

294 lt

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Single Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Push Button HP Display

Turbo Fan Air Cooling

Air Duct

Safety Glass Shelves

Crispers

Humidity Controller

Dairy Rack

Egg Holder

Bottle Rack

Optional Features

LED Touch HP Display

LED Lighting (Top / Sides)

Wine Shelf

Portable Wine Holder

V-Lift

UltraFresh

Hotstamp on the Glass Shelves

Hotstamp Add-on on the Door Racks

Hinge Cover (Sliding Door)

2 7 9 1

Technical Data

Net Volume

197 lt

Freezer Volume

197

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Single Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Push Button HP Display

Nofrost

6 Freezer Baskets

2 Flaps

LED Lighting

Optional Features

LED Touch HP Display

Twisted Icematic

Hotstamp on Accessories

Hinge Cover (Sliding Door)

Technical Data

Net Volume

233 lt

Net Fridge/Freezer Volume

170 /63 lt

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Double Door

Sliding door

Door on Door

Reversible doors

ED



Standard Configuration

No frost Multi Cooling

Ice Box

Safety Glass Shelves

Crisper

Auto Defrosting

Humidity Controller

LED Lighting

Dairy Rack

Egg Holder

Bottle Rack

Sliding Tray

Optional Features

LED Lighting (Top / Sides)

Wine Shelf

Portable Wine Holder

V-Lift

UltraFresh

Hotstamp on the Glass Shelves

Hotstamp Add-on on the Door Racks

LED Touch HP Display

Push Button HP Display

Hinge Cover (Sliding Door)

Inner Display

Led Touch Head Panel

Chill Zone

Metal Cooling

2 7 6 1

Technical Data

Net Volume

243 lt

Net Fridge/Freezer Volume

180 lt / 63 lt

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Double Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Frost Free
Turbo fan air cooling
Ice Box
Safety Glass Shelves
Crisper
Auto Defrosting
Humidity Controller
LED Lighting
Dairy Rack
Egg Holder
Bottle Rack
Sliding Tray

Optional Features

LED Lighting (Top / Sides)
Wine Shelf
Portable Wine Holder
V-Lift
Ultra Fresh
Hotstamp on the Glass Shelves
Hotstamp Add-on on the Door Racks
LED Touch HP Display
Push Button HP Display
Hinge Cover (Sliding Door)

2 7 6 4

Technical Data

Net Volume

251 lt

Net Fridge/Freezer Volume

181 lt / 70 lt

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Double Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Mechanical Control

Fridge LED Bulb Lighting

Adjustable Tempered Glass

Shelves

Sliding Tray

Humidity Control

Egg Holders

Zero Clearance

Sliding Hinges

Bottle Rack

Optional Features

Door On Door Hinges

Wine Rack

Portable Wine Holder

UltraFresh

V-lift

Hotstamp on the Glass Shelves

Hotstamp add-on on the Door Racks

Hotstamp add-on on the Drawers

Hinge Cover (Sliding Door)

2 7 5 1

Technical Data

Net Volume

230 lt

Net Fridge/Freezer Volume

145 lt / 85 lt

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Double Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Frost Free
Turbo fan air cooling
Ice Box
Safety Glass Shelves
Crisper
Auto Defrosting
Humidity Controller
LED Lighting
Dairy Rack
Egg Holder
Bottle Rack
Sliding Tray

Optional Features

Electronic Head Panel Display
Wine Shelf
Portable Wine Holder
V-Lift
UltraFresh
Hotstamp on the Glass Shelves
Hotstamp Add-on on the Door Racks
LED Touch HP Display
Push Button HP Display
Hinge Cover (Sliding Door)

2 7 5 4

Technical Data

Net Volume

244 lt

Net Fridge/Freezer Volume

148 lt / 96 lt

Product Dimensions HxWxD mm

1770 x 540 x 545

Built In – Double Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Mechanical Control
Fridge LED Bulb Lighting
Adjustable Tempered Glass
Shelves
Sliding Tray
Humidity Control
Egg Holders
Zero Clearance
Sliding Hinges
Bottle Rack

Optional Features

Door On Door Hinges
Wine Rack
Portable Wine Holder
UltraFresh
V-lift
Hotstamp on the Glass Shelves
Hotstamp add-on on the Door Racks
Hotstamp add-on on the Drawers
Hinge Cover (Sliding Door)

2 6 3 0

Technical Data

Net Volume

210 lt

Net Fridge/Freezer Volume

172 lt / 38 lt

Product Dimensions HxWxD mm

1445 x 540 x 545

Built In – Double Door

Sliding door

Door on Door

Reversible doors

E D



Standard Configuration

Less Frost
Fridge LED Bulb Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Bottle Rack

Optional Features

Wine Shelf (chrome or plastic)
Hotstamp Add-on on the Door Racks
V-Lift
UltraFresh
Hinge Cover (Sliding Door)

2 3 0 0

Technical Data

Net Volume

272 lt

Net Fridge/Freezer Volume

134 lt / 38 lt

Product Dimensions HxWxD mm

1218 x 540 x 545

Built In – Double Door

Sliding Door

Reversible doors

E D



Standard Configuration

Mechanical Control

Fridge AC LED Lighting

Tempered Glass Shelves

Door Racks

Bottle Rack

Egg Holder

Optional Features

Hotstamp on the Glass Shelves

Hotstamp Add-on on the Door

Wine Shelf

Portable Wine Holder

V-Lift

2 4 6 0

Technical Data

Net Volume

211 lt

Net Fridge/Freezer Volume

154 lt / 57 lt

Product Dimensions HxWxD mm

1440 x 540 x 545

Built In – Double Door

Sliding Door

Reversible doors

E D



Standard Configuration

Less Frost
Mechanical Control
Led Bulb Lighting
Crisper
Tempered Glass Shelves
Door Racks
Bottle Rack
Egg Holder
Humidity Controller
Top Electronic Led Indicator Display

Optional Features

Single Control Inner Display
Led Lighting On Top
Wine Shelf
Portable Wine Holder
UltraFresh
V-Lift
Hotstamp on the Glass Shelves
Hotstamp Add-on on the Door Racks

2 5 0 7

Technical Data

Net Volume

193 lt

Product Dimensions HxWxD mm

1225 x 540 x 545

Standard Configuration

Inner Electronic Control

Removable Shelves

Safety Glass Shelves

Crisper

Egg Holder

Bottle Rack

Built In – Single Door

Sliding Door

Door on Door

Reversible Doors

Optional Features

LED Touch HP Display

Push Button HP Display

LED Lighting (Right Side)

Humidity Controller

UltraFresh

V-Lift

Wine Shelf

Portable Wine Holder

Hotstamp Add-on on the Door Racks

Hinge Cover (Sliding Door)

Hotstamp add-on on the glass shelves

V-shelf



E D

2 4 0 7

Technical Data

Net Volume

178 lt

Net Fridge / Freezer Volume

162 lt / 16 lt

Product Dimensions HxWxD mm

1225 x 540 x 545

Standard Configuration

Inner Electronic Control

4 Star Freezer Compartment

Freezer Door Indicator

Ice Box

Removable Shelves

Safety Glass Shelves

Crispers

Egg Holder

Bottle Rack

Built In – Single Door

Sliding Door

Door on Door

Reversible Doors

Optional Features

LED Touch HP Display

Push Button HP Display

LED Lighting (Right Side)

Humidity Controller

UltraFresh

V-Lift

Wine Shelf

Portable Wine Holder

Hotstamp Add-on on the Door Racks

Hinge Cover (Sliding Door)

Hotstamp add-on on the glass shelves

V-shelf



E D

1 9 0 7

Technical Data

Net Volume

154 lt

Product Dimensions HxWxD mm

1020 x 540 x 545

Standard Configuration

Inner Electronic Control
Removable Shelves
Safety Glass Shelves
Crisper
Egg Holder
Bottle Rack

Built In – Single Door

Sliding Door
Door on Door
Reversible doors

Optional Features

LED Touch HP Display
Push Button HP Display
LED Lighting (Right Side)
Humidity Controller
UltraFresh
V-Lift
Wine Shelf
Portable Wine Holder
Hotstamp Add-on on the Door Racks
Hinge Cover (Sliding Door)
Hotstamp add-on on the glass shelves
V-shelf



E D

1 8 0 7

Technical Data

Net Volume

139 lt

Net Fridge / Freezer Volume

123 lt / 16 lt

Product Dimensions HxWxD mm

1020 x 540 x 545

Standard Configuration

Inner Electronic Control
4 Star Freezer Compartment
Freezer Door Indicator
Ice Box
Removable Shelves
Safety Glass Shelves
Crispers
Egg Holder
Bottle Rack

Built In – Double Door

Sliding door
Door on Door
Reversible doors

Optional Features

LED Touch HP Display
Push Button HP Display
LED Lighting (Right Side)
Humidity Controller
UltraFresh
V-Lift
Wine Shelf
Portable Wine Holder
Hotstamp Add-on on the Door Racks
Hinge Cover (Sliding Door)
Hotstamp add-on on the glass shelves
V-shelf



E D

1 5 0 7

Technical Data

Net Volume

126 lt

Product Dimensions HxWxD mm

875 x 540 x 545

Standard Configuration

Inner Electronic Control

Removable Shelves

Safety Glass Shelves

Crisper

Egg Holder

Bottle Rack

E D

Built In – Single Door

Sliding Door

Door on Door

Reversible doors

Optional Features

LED Touch HP Display

Push Button HP Display

LED Lighting (Right Side)

Humidity Controller

UltraFresh

Wine Shelf

Portable Wine Holder

Hotstamp Add-on on the Door Racks

Hinge Cover (Sliding Door)

Hotstamp add-on on the glass shelves

V-shelf



1 4 5 0

Technical Data

Net Volume

95 lt

Product Dimensions HxWxD mm

875 x 540 x 545

Standard Configuration

4 Star Freezer

Freezer Baskets

Ice Box

Manual Defrost

E D

Built In – Single Door

Sliding Door

Door on Door

Reversible doors

Optional Features

Hinge Cover (Sliding Door)



1 4 0 7

Technical Data

Net Volume

112 lt

Net Fridge / Freezer Volume

96 lt / 16 lt

Product Dimensions HxWxD mm

875 x 540 x 545

Built In – Double Door

Sliding Door

Door on Door

Reversible Doors



Standard Configuration

Inner Electronic Control

4 Star Freezer Compartment

Freezer Door Indicator

Ice Box

Removable Shelves

Safety Glass Shelves

Crispers

Egg Holder

Bottle Rack

Optional Features

LED Touch HP Display

Push Button HP Display

LED Lighting (Right Side)

Humidity Controller

UltraFresh

Wine Shelf

Portable Wine Holder

Hotstamp Add-on on the Door Racks

Hinge Cover (Sliding Door)

hotstamp add-on on the glass shelves

E D

1 7 0 0

Technical Data

Net Volume 134 lt

Product Dimensions HxWxD mm

818 x 595 x 548

Standard Configuration

Removable Shelves

Glass Shelf on Crisper

Crisper

Egg Holder

Bottle Rack

Door On Door

Reversible Door

Optional Features

Hotstamp on the Glass Shelves

Hotstamp Add-on on the Door Racks

Wine Shelf

Portable Wine Holder

E D



1 6 0 0

Technical Data

Net Volume 115 lt

Net Fridge / Freezer Volume
98 lt / 17 lt

Product Dimensions HxWxD mm
818 x 595 x 548

Optional Features

Hotstamp on the Glass Shelves
Hotstamp Add-on on the Door Racks
Wine Shelf
Portable Wine Holder

Standard Configuration

Removable Shelf
Glass Shelf on Crisper
Crisper
Safety Glass Shelves
Egg Holder
Bottle Rack
Door On Door
Reversible Door



E D

1 6 5 0

Technical Data

Net Volume 96 lt

Product Dimensions HxWxD mm
818 x 595 x 548

Standard Configuration

4 Star Freezer
Ice Box
Manual Defrost
Door On Door
Reversible Door



E D

Refrigeration System	STATIC	STATIC	NO FROST	NO FROST	FROST FREE	FROST FREE	FROST FREE	FROST FREE
Model	2795	2795	2791	2791	2761	2761	2761	2761
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL
Climatic Class	T/SN	ST/SN	T/SN	T/SN	T/N	T/N	T/N	T/N
Energy Class	F	E	F	E	F	F	E	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	-	-	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	294	294	0	0	180	180	180	180
Volume Freezer(net)(L)	0	0	197	197	63	63	63	63
Energy Consumption(kWh/24h)	0,383	0,306	0,712	0,569	0,747	0,747	0,597	0,597
Energy Consumption(kWh/year)	140	112	289	231	273	273	218	218
Freezing Capacity (kg/24h)	NA	NA	11,5	11,5	3,3	3,3	3,3	3,3
Temp. Rise Time(-18°C to -9°C)(h)	NA	NA	6,0	6,0	8,0	8,0	8,0	8,0
Noise Level (dBA)	39	39	40	40	41	41	41	41
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Manual	Manual	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770
Packaged Dimensions (WxDxH)(mm)	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834
Freezer Shield	NO	NO	NO	NO	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	40	40	40	40	40	40	40	40
Loading quantity/40ft Container(pcs)	80	80	80	80	80	80	80	80
Loading quantity/40ft HC Container(pcs)	105	105	105	105	105	105	105	105

Refrigeration System	LESS FROST	LESS FROST	FROST FREE	FROST FREE	FROST FREE	FROST FREE	LESS FROST	LESS FROST
Model	2764	2764	2751	2751	2751	2751	2754	2754
Control System	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/N, ST/N	T/N	T/N	T/N	T/N	T/N	ST/N	ST/N
Energy Class	F	E	F	F	E	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	181	181	145	145	145	145	148	148
Volume Freezer(net)(L)	70	70	85	85	85	85	96	96
Energy Consumption(kWh/24h)	0,742	0,594	0,794	0,794	0,635	0,635	0,767	0,614
Energy Consumption(kWh/year)	271	217	290	290	232	232	280	224
Freezing Capacity (kg/24h)	3,3	3,3	3,9	3,9	3,9	3,9	4,6	4,6
Temp. Rise Time(-18°C to -9°C)(h)	12,5	12,5	9,0	9,0	9,0	9,0	11,5	11,5
Noise Level (dBA)	38	38	41	41	41	41	38	38
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto / Manual	Auto / Manual	Auto	Auto	Auto	Auto	Auto / Manual	Auto / Manual
Product Dimensions (WxDxH)(mm)	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770	540X545X1770
Packaged Dimensions (WxDxH)(mm)	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834	584X577X1834
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	40	40	40	40	40	40	40	40
Loading quantity/40ft Container(pcs)	80	80	80	80	80	80	80	80
Loading quantity/40ft HC Container(pcs)	105	105	105	105	105	105	105	105

Refrigeration System	LESS FROST	LESS FROST	STATIC	STATIC	LESS FROST	LESS FROST	STATIC	STATIC
Model	2630	2630	2300	2300	2460	2460	2500	2500
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	N	N	ST/N	ST/N	T/N	T/N	N	N
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	-	-
Volume Refrigerator Total (net)(L)	172	172	134	134	154	154	200	200
Volume Freezer(net)(L)	38	38	38	38	57	57	0	0
Energy Consumption(kWh/24h)	0,610	0,487	0,616	0,493	0,698	0,558	0,345	0,276
Energy Consumption(kWh/year)	223	178	225	180	255	204	126	101
Freezing Capacity (kg/24h)	2,6	2,6	2,6	2,6	2,6	2,6	NA	NA
Temp. Rise Time(-18°C to -9°C)(h)	11	11	10	10	11,8	11,8	NA	NA
Noise Level (dBA)	38	37	39	39	38	38	38	38
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X545X1445	540X545X1445	540X545X1218	540X545X1218	540X545X1440	540X545X1440	540X545X1225	540X545X1225
Packaged Dimensions (WxDxH)(mm)	584X577X1509	584X577X1509	584X577X1282	584X577X1282	584X577X1504	584X577X1504	584X577X1289	584X577X1289
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	54	54	57	57	54	54	57	57
Loading quantity/40ft Container(pcs)	110	110	116	116	110	110	116	116
Loading quantity/40ft HC Container(pcs)	138	138	160	160	140	140	160	160


Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	2400	2400	1900	1900	1800	1800	1700	1700
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	N	N	N	N	N	N	SN, T/SN	SN
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	-	-	4	4	-	-
Volume Refrigerator Total (net)(L)	170	170	160	160	130	130	134	134
Volume Freezer(net)(L)	17	17	0	0	17	17	0	0
Energy Consumption(kWh/24h)	0,515	0,410	0,328	0,263	0,506	0,405	0,317	0,254
Energy Consumption(kWh/year)	188	150	120	96	185	148	116	93
Freezing Capacity (kg/24h)	2,6	2,6	NA	NA	2,6	2,6	NA	NA
Temp. Rise Time(-18°C to -9°C)(h)	8	8	NA	NA	9	9	NA	NA
Noise Level (dBA)	38	38	38	38	39	38	39	39
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto	Auto	Auto/Manual	Auto/Manual	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X545X1225	540X545X1225	540X545X1020	540X545X1020	540X545X1020	540X545X1020	595X548X818	595X548X818
Packaged Dimensions (WxDxH)(mm)	584X577X1289	584X577X1289	584X577X1084	584X577X1084	584X577X1084	584X577X1084	659X586X883	659X586X883
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	57	57	80	80	80	80	87	87
Loading quantity/40ft Container(pcs)	116	116	168	168	168	168	176	176
Loading quantity/40ft HC Container(pcs)	160	160	168	168	168	168	214	214

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	2507	2507	2407	2407	1907	1907
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	N	N	N	N	N	N
Energy Class	E	D	E	D	E	D
Door	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	TBD	TBD	4	4	TBD	TBD
Volume Refrigerator Total (net)(L)	193	193	162,2	162,2	154	154
Volume Freezer(net)(L)	-	-	16,3	16,3	TBD	TBD
Energy Consumption(kWh/24h)	0,273	0,219	0,408	0,326	0,260	0,208
Energy Consumption(kWh/year)	100	80	149	119	95	76
Freezing Capacity (kg/24h)	-	-	2,6	2,6	-	-
Temp. Rise Time(-18°C to -9°C)(h)	-	-	8	8	-	-
Noise Level (dBA)	35	TBD	38	TBD	35	TBD
Noise Class	B	TBD	C	TBD	B	TBD
Defrost System Type Frigde/Freezer	Auto	Auto	Auto/Manual	Auto/Manual	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X545X1225	540X545X1225	540X545X1225	540X545X1225	540X545X1020	540X545X1020
Packaged Dimensions (WxDxH)(mm)	584X577X1289	584X577X1289	584X577X1289	584X577X1289	584X577X1084	584X577X1084
Freezer Shield	NO	NO	YES	YES	NO	NO
Loading quantity/20ft Container(pcs)	57	57	57	57	80	80
Loading quantity/40ft Container(pcs)	116	116	116	116	168	168
Loading quantity/40ft HC Container(pcs)	160	160	160	160	168	168


Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	1807	1807	1507	1507	1407	1407
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	N	N	N	N	N	N
Energy Class	E	D	E	D	E	D
Door	Standard	Standard	TBD	TBD	Standard	Standard
Performance(star rating)	4	4	-	-	4	4
Volume Refrigerator Total (net)(L)	123,4	123,4	126	126	96	96
Volume Freezer(net)(L)	16,3	16,3	-	-	16,3	16,3
Energy Consumption(kWh/24h)	0,403	0,323	0,249	0,200	0,405	0,323
Energy Consumption(kWh/year)	147	118	91	73	148	118
Freezing Capacity (kg/24h)	2,6	2,6	-	-	2,6	2,6
Temp. Rise Time(-18°C to -9°C)(h)	9	9	-	-	7	7
Noise Level (dBA)	TBD	TBD	35	32	38	TBD
Noise Class	TBD	TBD	B	B	C	TBD
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto	Auto	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X545X1020	540X545X1020	540X545X875	540X545X875	540X545X875	540X545X875
Packaged Dimensions (WxDxH)(mm)	584X577X1084	584X577X1084	584X577X939	584X577X939	584X577X939	584X577X939
Freezer Shield	YES	YES	NO	NO	YES	YES
Loading quantity/20ft Container(pcs)	80	80	88	88	88	88
Loading quantity/40ft Container(pcs)	168	168	176	176	176	176
Loading quantity/40ft HC Container(pcs)	168	168	208	208	208	208

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	1650	1650	1600	1600	1500	1500	1450	1450
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	SN	SN	T/SN, SN	T/SN, SN	T/SN	SN	T/SN	T/SN
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	-	-	4	4
Volume Refrigerator Total (net)(L)	0	0	98	98	134	134	0	0
Volume Freezer(net)(L)	96	96	17	17	0	0	95	95
Energy Consumption(kWh/24h)	0,542	0,434	0,512	0,408	0,317	0,254	0,545	0,436
Energy Consumption(kWh/year)	220	176	187	149	116	93	221	177
Freezing Capacity (kg/24h)	5,0	5,0	2,6	2,6	NA	NA	6,0	6,0
Temp. Rise Time(-18°C to -9°C)(h)	12,0	12,0	7,0	7,0	NA	NA	8,0	8,0
Noise Level (dBA)	39	39	39	39	38	38	38	38
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Manual	Manual	Auto/Manual	Auto/Manual	Auto	Auto	Manual	Manual
Product Dimensions (WxDxH)(mm)	595X548X818	595X548X818	595X548X818	595X548X818	540X545X875	540X545X875	540X545X875	540X545X875
Packaged Dimensions (WxDxH)(mm)	659X586X883	659X586X883	659X586X883	659X586X883	584X577X939	584X577X939	584X577X939	584X577X939
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	87	87	87	87	88	88	88	88
Loading quantity/40ft Container(pcs)	176	176	176	176	176	176	176	176
Loading quantity/40ft HC Container(pcs)	214	214	214	214	208	208	208	208

Refrigeration System	STATIC	STATIC
Model	1400	1400
Control System	MECHANICAL	MECHANICAL
Climatic Class	N	N
Energy Class	F	E
Door	Standard	Standard
Performance(star rating)	4	4
Volume Refrigerator Total (net)(L)	104	104
Volume Freezer(net)(L)	17	17
Energy Consumption(kWh/24h)	0,506	0,405
Energy Consumption(kWh/year)	185	148
Freezing Capacity (kg/24h)	2,6	2,6
Temp. Rise Time(-18°C to -9°C)(h)	7	7
Noise Level (dBA)	38	38
Noise Class	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X545X875	540X545X875
Packaged Dimensions (WxDxH)(mm)	584X577X939	584X577X939
Freezer Shield	NO	NO
Loading quantity/20ft Container(pcs)	88	88
Loading quantity/40ft Container(pcs)	176	176
Loading quantity/40ft HC Container(pcs)	208	208




1600 / 1650 / 1700




- * 875 - 883 for metal top cover
- * 875 - 895 for plastic top cover

1400 / 1450 / 1500




- * 1020 - 1028 for metal top cover
- * 1020 - 1040 for plastic top cover

1800 / 1900




- * 1225 - 1233 for metal top cover
- * 1225 - 1245 for plastic top cover

2400 / 2500




- * 1770 - 1778 for metal top cover
- * 1770 - 1790 for plastic top cover

2791 / 2795




- * 1445 - 1453 for metal top cover
- * 1445 - 1465 for plastic top cover

2610




3200

- * 1770 - 1778 for metal top cover
- * 1770 - 1790 for plastic top cover



2760 / 2761

- * 1770 - 1778 for metal top cover
- * 1770 - 1790 for plastic top cover



2750 / 2751

- * 1770 - 1778 for metal top cover
- * 1770 - 1790 for plastic top cover

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single page from a notebook or ledger. It features approximately 28 evenly spaced, thin grey horizontal lines running across its width. The background is plain white, and there are no margins, headers, footers, or other markings present.

NOTES

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands

Phone: +31 - 10 412 23 66

<https://vestelbenelux.nl>

info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

<https://vestel.co.uk>

info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/ Germany

Phone: +49 - 89 55295 - 0

<https://vestel-germany.de>

info@vestel-germany.de

VESTEL IBERIA, S. L.

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: +34 - 91 320 63 98

<https://vestel.es>

vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France

Phone: +33 - 1 46 75 00 29

<http://vestel-france.fr>

info@vestel.fr

VESTEL CIS LTD.

2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia

Phone: 7 - 495 956 8230

<https://vestel.ru>

info@vestel.ru

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania

Phone: +40 - 31 425 42 93

<https://vestel.ro>

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00

Fax: +48 22 272 74 00

<https://vestel-poland.com>

info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544

<https://vestel-gulf.ae>

info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghai) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational