





#### **COMPANY PROFILE**

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.



\$ 2,3 Billion

30 Million
Device Production
Capacity

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multiindustry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.9 million units, the company's two refrigerator plants produce a variety of models ranging from french door, nofrost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg,10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the

\$ 3,5 Billion

capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.


Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



TV, Set-top Boxes Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting Manisa Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer, Cooking Appliances, Air Conditioner, Water Heater Manisa, Turkey

#### R&D Centers Marketing & Sales Companies

Manisa, Turkey Istanbul, Turkey Bristol, United Kingdom Shanghai, China Vestel Trade, Turkey
Vestel France, France
Vestel Germany, Germany
Vestel UK, United Kingdom
Vestel Iberia, Spain
Vestel Poland, Poland

Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia Vestel Electronica, Romania Vestel Central Asia, Kazakhstan Vestel Electronics Gulf, Dubai







Top class ratings for "energy consumption", "cleaning & drying performance".

The minimum energy class is A++ and the cleaning & drying performance is A for entire model range.



#### **Auto Door**

Auto Door provides more efficient drying process by automatically opening the door during drying phase which lets the hot air to out of the dishwasher (necessary energy amount to dry the dishes is reduced significantly).

A+++ -20% energy labeling for 14 place setting is achieved with the help of this technology.



#### **Water Box**

The working principle of Water Box Technology is based on getting the last clean cycle rinse water, filtering it to avoid any particles and saving it in an isolated box.

Then it can be used as the prewash cycle cleaning water next for the cycle.

5,4 It water consumption with A+++ -20% energy rating for 15 P.S. is achieved with the help of this technology.





Natural Ion Tech spreads negative ions inside the dishwasher. These negative ions neutralize particles of unpleasant smell. Natural Ion Tech removes odors caused by dirty dishes.



**PureBeam** 

UV feature prevents bacterial growth and kill the bacteria remaining after washing cycle.


It disinfects the load using the UV technology built into machine, automatically sterilizing each load before unload.

It will be a real easiness for parents with babies. 

#### Silent Wash

It is possible to have more silent washing with variable speed motor technology! Extra silent option decreases noise level of program without decreasing cleaning quality in day or night time when silence is required.

# Eco friendly lower water consumption for entry segment






Aqua Zone

Aquazone is a mechanic diverter that directs water to lower or upper spray arms.

With this mechanism, it is possible to achieve 9 lt water consumption for entry or entry-mid segment (X1 & Y1) without using any electrical motor.








### **Direct Wash**

Direct wash spray system is used for washing baby bottles and glasses more effective.





# Triple Wash

Triple wash feature offers wide washing option to user. User can wash hard soiled pans and cookers more effective with triple wash sprays.





The dishwasher automatically cleans the filter and ensures that the dishwasher performs like the first day every time.







#### Steam Wash

Steam wash technology softening the most stubborn dirts by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.



#### **Smart Wash**

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters (temperature, duration, amount of water) accordingly.



#### **Extra Drying**

It is possible to have better drying performance with extra drying option. This option increases water temperature at final rinse step and drying step duration up to 10 min.



#### **Extra Fast**

Extra fast option decreases program duration while it is increasing water temperature and pressure to ensure high washing quality in a shorter duration.



#### Hygienic Wash

Extra hygiene option which is developed for Vestel Dishwashers ensures a maximum hygiene with high temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to %99.9999.



#### **OuickClean**

VESTEL dishwashers achieves A class cleaning performance with advanced cleaning program in only 50 min without diverter. You can save time with this program. It is the first and unique dishwasher that achieves A class cleaning performance in only 50 minutes for standart soiled dishes according to EN standards.



#### **Extra Rinse**

Extra rinse option adds an extra rinse step to achieve more hygienic washing. Program duration is increased between min. %4 and max. %16 according to the washing program.



#### **Antibacterial Filter**

By using Antibacterial PP Sump Filter bacterial growth on the filter surface eliminated up to 99%.



#### **Tablet Option**

With this option, water reaches optimum temperature to dissolve he combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



#### **Hydro Power**

This technology enables all other options and program to save water, energy and time. Also by changing water pressure noise level can be reduced to have more silent washing with BLDC pump technology.



#### **Delay Timer**

The start time of a program can be delayed, e.g. to benefit from economy rates of electricity. A delay start VarioSpace is a general feature that gives many time of between 1 hour and 24 hours can be selected.



#### **Child Lock**

Child lock option never allows your children to play with your dishwasher. It allows you to lock the buttons on the control panel to be able to restrict the functionality of buttons.



#### Half Load

Eco Friendly Half Load technology provides washing performance when dishwasher is not fully loaded, only lower basket or upper basket or both are used with half load if necessary by using half load option. Half Load technology saves energy and water by reducing energy and water consumption due to load options.



Advanced pump technology allows for one wash to be cleaned at two separate water pressures. Baked on food doesn't stand a chance in the bottom while the delicate glasses in the top are gently being washed.



#### **KnifeShelf**

With this accessory, the product capacity will be increased, which is the trend in the market, with cost friendly value even with entry segment products. The models with 12 Place Setting Capacity can be increased to 14 Place Setting automatically only adding this accessory.



#### Vario Space

options to the end user ragarding lower and upper basket variations.



#### **JetWash**

With this fast program, you can clean the dishes like less and/or recently soiled (coffee, milk and tea etc.) in only 14 minutes. This program is one of the fastest programs in the world. It cleans your dishes with 4 place settings capacity in 14 minutes.



#### Multifunctional rack

The multifunctional rack creates more dishloading possibilities, enabling you to expand your dishwasher's capacity to up to 16 place settings.



#### **Heater Safety Protection**

In case of lack of water, with the help of a pressure switch, the resistance is prevented from being in operation. So both the resistance and the machine itself are protected.



#### **Overflow and Leakage Protection**

The dishwasher activates overflow mode when there is too much water in the dishwasher and the excess water get is drained. It also detects leaks in the base of the dishwasher, shuts down operation and automatically pumps out water before reaching to floor. The unit can auto reset the overflow mode until the water level in the basement cover reaches a certain level.



#### 3rd Rack **Eco/Easy/Comfort Tray**

#### **Eco Tray**

New fixed design option for 3rd rack that provides up to 16PS setting.

#### **Comfort Tray**

High-end side by side sliding basket structure for 60 cm range providing up to 16PS setting capacity.



The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. It is possible to take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket



Mini Active Drying System

Mini active drying system provides basic drying performance on dishes with its mini fins.



Super Active Drying System

a heat exchanger which, at the steam out of the dishwasher end of the rinsing cycle, promotes cabinet. Air circulation is condensation of the water inside the much more forced, hence tub, and hence drying of the dishes. results in most efficient drying



**Turbo Drying System** 

A portion of the washtub wall is It activates a fan which draws performance.



# Smooth Slide



Metal Spray Arm

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart Als

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control by WiFi



Smart Service Network



**Compatibility** with Android and iOS




**Big Data Collection** 



**Downloadable Programs** 









#### Accessories



Top Noozle



Impeller



Aqua Stop



Plastic Filter Optional



Stainless Steel Filter Default



Anti Bacterial Filter (v2)
Optional




Anti Bacterial Filter (v1)
Optional



# Interior Lighting

1 spot





# **Color Options**



# RETRO RANGE









# **3rd Rack Options**

Comfort tray

Easy tray

Eco tray

# **Basket Options**

Max. plate dimensions

Basket types

Upper basket

Lower basket

# Line-up

A Series

D Series

T Series

Y Series

X Series

S series

**Full Door Series** 

**Professional Series** 

Tall-tub Series

Built in I

S series

Line-Uplara deep tall tub





New side by side sliding design option for 3rd rack that provides up to 16 place setting.

\*Cutlerly basket is optional





The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items. You can take out the dishes along with the 3rd rack after washing. The Upper Cutlery Basket is composed of two pieces; You can take out left or right part of the upper cutlery basket to obtain more space for the dishes in the upper basket.

<sup>\*</sup>Cutlerly basket is optional

<sup>\*</sup>Up to 16 place settings





**3**<sup>rd</sup> **Rack** Eco Tray New fixed design option for 3rd rack that provides up to 16 place settings.

\*Cutlerly basket is optional

#### **Maximum Plate Dimensions**

# 2 Baskets




	Upper Basket Position ↓	Upper Basket Position ↑	w/o height adjustment
Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

# 2 Baskets + 3rd Rack



	Upper Basket Position↓	Upper Basket Position	w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	26,5 cm	31,5 cm	31,5 cm

# **Basket Types**



V-type baskets




with ion tech



purebeam / purebeam+





Flat-type baskets



with ion tech



with purebeam





# Upper basket



**Adjustable Mug Shelves** 



**Adjustable Upper Basket with Load** 2 and 3 level hight adjustment options




Adjustable Upper Basket without Load





#### Handle with Customized Logo

\* For 15 place settings and only for upper basket



Foldable Wire





Wire Handle

**Plastic Handle** 

# Lower basket



Foldable Wire (2,4 or 6)



**Multi-Functional Kit**For Lower Basket




**Bottle Holder** 



Plastic Handle



Wine Glass Holder



Mug Shelf Support
\*W/Or W/O Soft Touch





Tray Holder



KnifeShelf









**Universal Cutlery Basket** 



Hygiene Box\*







Standard Cutlery Basket (fixed)







**Sliding Cutlery Basket** 







**Modular Cutlery Basket** (for 12 Settings)

## Basket handle



Basket Type	Туре	Materia	l Colour	Picture		
	T1	Plastic	Grey			
		Plastic	Blue			
Flat Type	T2	Plastic	Grey			
Flat		Metal Insert	Grey			
	T6	Plastic	Grey			
		Metal Insert	Grey			



Basket Type	Туре	Materia	Colour	Picture		
	Т3	Plastic	Grey			
		Plastic	Dark Blue			
		Metal Insert	Grey			
Туре		Metal Insert	Dark Blue			
V Shape Type	T4 (New)	Plastic	Grey			
		Plastic	Orange			
		Metal Insert	Orange			



# 60 cm dishwashers **A Series**

# A Series

A4 Series

A3 Series

A2 Series

A1 Series

# **Aesthetics**

Angel

Carya

Daisy

Erica

Holy

lo

Luna


Gardenia

Violet

Begonia

### A4 SERIES





1 or 4 Spot

See product specifications for default and optional features

Eco/Easy/Comfort Tray

NATURAL

tech

#### A 41 - A 49

6 - 10 program

icon-LED display (full touch control)

A/B/C/D/E energy labeling

**BLDC** circulation pump

Mini active / super active / turbo drying

49/4<mark>7/46/45/4</mark>4/42/41/39 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

#### **Design Options**

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

#### **Model Versions**


Α4



A41	6 programs, BLDC.	A46	6 programs, BLDC.
A42	7 programs, BLDC.	A47	7 programs, BLDC.
A43	10 programs, BLDC.	A48	8 programs, BLDC.
A44	10 programs, BLDC, Auto Door	A49	9 programs, BLDC.
A45	10 programs, BLDC, Auto Door, Water Box.	A4X	10 programs, BLDC, Water Box.
A4Y	10 programs, BLDC, Auto Door, Water Box.	A4Z	

## A3 SERIES





See product specifications for default and optional features

#### A 31-X

#### 6 - 9 programs

icon-LED display (optional touch control)

B/C/D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack),
14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack),
5 PS (2 baskets + 3rd rack), 6PS (2 basket+3rd rack+Multifunctional rack)

#### **Design Options**

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna


#### **Model Versions**

A3
Touch control

A31	6 programs, AC.	A37	7 programs, BLDC.
A32	8 programs, AC.	A38	8 programs,BLDC.
A33	6 programs, BLDC, Auto Door	A39	9 programs, BLDC, Auto Door
A34	8 programs, BLDC, Auto Door	АЗХ	9 programs, BLDC, Water Box.
A35	8 programs, BLDC, Auto Door, Water Box.	A3Z	8 programs, BLDC, Auto Door.
A36	6 programs, BLDC.		

#### A2 SERIES





See product specifications for default and optional features

#### A 21-X

6-9 programs LED display B/C/D/E energy labeling AC / BLDC circulation pump

Mini active / super active / turbo drying 57/54/52/49/47/45/44 dBA (w/o BLDC) 49/47/46/45/44/42/41/38/39 dBA (w/ BLDC)

> 9 It water consumption 3 mode half load 1-24 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 basket + Knifeshelf), 14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

#### **Design Options**

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

#### **Model Versions**


**A2** VESTIL **A2** Large Display

A21	6 programs, AC.	A27	7 programs, BLDC,.
A22	7 programs, AC.	A28	8 programs, BLDC,.
A23	8 programs, AC.	A29	9 programs, BLDC,.
A24	8 programs, BLDC, Auto Door	A2X	9 programs, BLDC, Water Box, Auto Door, 38dBA.
A25	8 programs, BLDC, Auto Door, Water Box.	A2Z	8 programs, BLDC, Auto Door.

**A26** 6 programs, BLDC.

#### A1 SERIES





See product specifications for default and optional features

#### A 1 2 - 7

2 to 8 programs LED indicator

D/E energy labeling AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

#### A 1 B - G

3 to 8 programs

LED display

D/E energy labeling
AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-24 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets),

13 PS (2 baskets),

13 PS (2 baskets + 3rd rack),

14 PS (2 basket + Knifeshelf)

15 PS (2 baskets + 3rd rack)

16PS (2 basket+3rdrack+Multifunctional rack)

#### **Design Options**

FS Angel, Carya, Daisy, Erica, Holy, Io, Luna, Gardenia, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on), Luna

#### **Model Versions**

#### A1 w/o display

# 

#### A1 w display



A11 2 programs, AC. A1A 2 programs, AC.

A12 3 programs, AC. A1B 3 programs, AC.

A13 4 programs, AC. A1C 4 programs, AC.

A14 5 programs, AC. A1D 5 programs, AC.

A15 6 programs, AC. A1E 6 programs, AC.

A16 7 programs, AC. A1F 7 programs, AC.

A17 8 programs, AC. A1G 8 programs, AC.

# A Series **Angel**



# A Series **Carya** VESTEL 250

# A Series **Daisy**









# A Series **Luna**







# 60 cm dishwashers **TFT Series**

# **D** Series

D65 Series

D66 Series


# Aesthetics

Nysa

Eris

#### D6 SERIES





See product specifications for default and optional features

NATURAL

tech

D 65-6

10 programs
TFT display
D/B energy labeling
BLDC circulation pump
Turbo drying
49/47/45/44/42/41/39 dBA (w/ BLDC)
9 It water consumption
3 mode half load
1-24 hours delay timer

**Place Setting Options** 

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16PS (2 basket+3rd rack+Multifunctional rack)

\* Available for D65 only

Design Options

FS Eris, Nysa

#### **Model Versions**



**D65** 10 programs, BLDC, Auto Door, Water Box.

**D66** 10 programs, BLDC.







# 60 cm dishwashers **T Series**

# Series

T4 Series

T3 Series

T2/1 Series

# **Aesthetics**

Aron

Lita

Daphne

Gizem

Ares

Hemera


Patara

Amaranth

Themis

#### T4 SERIES





See product specifications for default and optional features

#### T 4 1 - X

6/7/10 programs

LCD display

E/D/C/B energy labeling

BLDC circulation pump

Mini active / super active / turbo drying

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption3 mode half load1-24 hours delay timer

**Place Setting Options** 

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 baskets + 3rd rack)\*, 15 PS (2 baskets + 3rd rack)

\* Available for T45 only

**Design Options** 

FS Aron, Daphne, Lita

#### **Model Versions**

#### T4 Negative display



#### T4 Standard display



**T41** 6 programs, BLDC.

**T42** 7 programs, BLDC.

T43 10 programs, BLDC.

**T45** 10 programs, BLDC, Auto Door, Water Box.

**T4X** 10 programs, BLDC, Water Box.

T4 Series **Aron** 



# T4 Series **Lita**




T4 Series **Daphne** 





#### T3 SERIES





See product specifications for default and optional features

#### T 31-6

6/8 programs icon-LED display

E/D/B energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 baskets + 3rd rack)\*, 15 PS (2 baskets + 3rd rack)

\* Available for T35 only

#### **Design Options**

**FS** Ares, Gizem, Hemera, Patara, Eros, Leon **SI** Ares, Patara

#### **Model Versions**

T3X Amber display



T3X White display



T31 6 programs, AC.

**T32** 8 programs, AC.

**T34** 8 programs, BLDC, Auto Door.

**T35** 8 programs, BLDC, Auto Door Water Box.

**T36** 8 programs, BLDC.

## T3 Series **Gizem**



T3 Series **Ares** 



### T3 Series **Hemera**




T3 Series **Patara** 



### T2/1 SERIES





See product specifications for default and optional features

#### T 11 - 3

3/4/6 programs

LED indicator / LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

46/44/42/41/39 dBA (w/ BLDC)

12 It water consumption (9 It with aquazone)

1 mode half load

1-24 hours delay timer (T11 w/o delay timer)

#### T 2 1 - 6

8 programs

LED display

B/D/E E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/47/46/45/44/42/41/39 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 14 PS (2 baskets + 3rd rack)\*, 15 PS (2 baskets + 3rd rack)

\* Available for T25 only

#### **Design Options**

FS Amaranth, Themis
SI Amaranth

#### **Model Versions**

#### T1 Series

#### T2 Series



T11 3 programs, AC. T21 8 programs, AC.

T12 4 programs, AC. T24 8 programs, BLDC, Auto Door.

T13 6 programs, AC. T25 8 programs, BLDC, Auto Door, Water Box

**T26** 8 programs, BLDC.

## T1/T2 Series Amaranth



## T1/T2 Series **Themis**







VESTEL



# 60 cm dishwashers **Y Series**

### Series

Y2 Series

Y1 Series

## Aesthetics

Camelia -Y

Flora - Y

Bellis - Y


Tigris - Y

Viola - Y

Era - Y

### Y2 SERIES





See product specifications for default and optional features

NATURAL

tech

#### Y 21-6

6 to 9 programs LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49/4<mark>7/46/45/4</mark>4/42/41/39 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

#### **Design Options**

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y, Era Y SI Camelia Y, Silva Y, Silva Y (Inox add-on)

#### **Model Versions**

	5.7 13	VESTIL	
Y2X		-	ligi II.

Y21 6 programs, AC.

Y22 7 programs, AC.

Y23 8 programs, AC


Y24 9 programs, AC

Y25 9 programs, BLDC, Auto Door

**Y26** 9 programs, BLDC.

### Y1 SERIES





See product specifications for default and optional features

#### Y 11 - 5

2 to 6 programs LED indicator E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

#### Y 1 A - F

2 to 7 programs LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

#### **Design Options**

FS Belis Y, Camelia Y, Flora Y, Tigris Y, Viola Y, Era Y SI Camelia Y, Silva Y, Silva Y (Inox add-on)

#### **Model Versions**

#### Y<sub>1</sub>X Y1X w/o display w display **Y11** 2 programs, AC. Y1A 2 programs, AC. 3 programs, AC. **Y12** 3 programs, AC. Y1B 4 programs, AC. Y1C 4 programs, AC. Y13 Y14 5 programs, AC. Y1D 5 programs, AC. Y15 6 programs, AC. Y1E 6 programs, AC. Y1F 7 programs, AC.

## Y Series **Camelia -Y**



Y Series Flora - Y



Y Series **Bellis - Y** 



Y Series **Tigris - Y** 





Y Series **Era - Y** VESTEL





## 60 cm dishwashers **X Series**

## **Aesthetics**

Flora

Camelia

Bellis


Tigris

Viola

Era

### X SERIES





See product specifications for default and optional features

#### X11 - 6

2 to 7 programs LED indicator

E energy labeling
AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

#### X 1 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack)

#### **Design Options**

FS Belis, Camelia, Flora, Tigris, Viola, Era SI Camelia, Silva, Silva (Inox add-on)

#### **Model Versions**

#### X1X w/o display



#### X1X w display



X11	2 programs, AC.	X1A	2 programs, AC.
X12	3 programs, AC.	X1B	3 programs, AC.
X13	4 programs, AC.	X1C	4 programs, AC.
X14	5 programs, AC.	X1D	5 programs, AC.
X15	6 programs, AC.	X1E	6 programs, AC.
X16	7 programs, AC.	X1F	7 programs, AC.

## X Series Flora





## X Series **Camelia**



## X Series **Bellis**



## X Series **Tigris**



X Series **Era** VESTEL



## 60 cm dishwashers **Full Door Series**

### Series

Glass Door Series Glass Full Door Series Standard Full Door Series

### **Aesthetics**

IntelliTouch

Anjer

Troy

Retro Troy

Visioart

Mirana

### GLASS DOOR SERIES

Intellitouch



**Energy Labeling** 

**Color Options** 



Acrylic glass door

**Major Features** 







**Auto Door** 









 $3^{\mathsf{rd}} \; Rack$ **Eco/Easy/Comfort Tray** 





**Interior Lighting** 1 or 4 Spot

See product specifications for default and optional features

### 8 programs

LED display and front display with touch sensitive front door opening

D energy labeling

**BLDC** circulation pump

Mini active / super active / turbo drying

46/44/42 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

**Design Options** 

IntelliTouch (Acrylic Front Door)

### **Model Versions**

8 programs, BLDC, Auto Door.



### GLASS FULL DOOR SERIES Visioart



**Energy Labeling** 

**Color Options** 



Acrylic glass door

**Major Features** 



 $\bigcirc$ **Delay Timer** 



**Half Load** 

 $\Box$ 





**Eco/Easy/Comfort Tray** 



**Interior Lighting** 1 or 4 Spot

### 111-6 / I1A-G

2 to 8 programs

LED Indicator / Hidden LED Display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer with LED indicator

1-19hours delay timer with Hidden LED display

#### 121-9

7/8/9 programs

LED Indicator / Hidden LED Display

E/D/B energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### **Design Options**

Visioart (Acrylic Front Door)

### **Model Versions**

l11-6 w/display		I21-9		
VESTIL	l1A-G w/o display			
I11-A	2 programs, AC.	<b>121</b>	7 programs, AC.	
I12-B	3 programs, AC.	122	8 programs, AC.	
113-C	4 programs, AC.	123	9 programs, AC.	
I14-D	5 programs, AC.	124	9 programs, BLDC, Auto Door.	
115-E	6 programs, AC.	125	9 programs, BLDC, Water Box.	
I16-F	7 programs, AC.	126	6 programs, BLDC.	
I1G	8 programs, AC.	127	7 programs, BLDC.	
		128	8 programs, BLDC.	
		129	9 programs, BLDC.	

### STANDARD FULL DOOR I SERIES







NATURAL

tech







**Color Options** 









**Major Features** 







**Painted** 



Stainless steel











 $3^{rd}$  Rack **Eco/Easy/Comfort Tray** 





**Interior Lighting** 1 or 4 Spot

### 111-6 / I1A-G / I1K-R

2 to 8 programs

LED Indicator / Hidden LED Display

E/D energy labeling AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

12 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer with LED indicator

1-19hours delay timer with Hidden LED display

#### 121-X / 12K-U

7/8/9 programs

LED Indicator / Hidden LED Display

E/D/C/B energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

49 / 47 / 45 / 44 / 42 / 41 / 39 (with BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets + 3rd rack), 15 PS (2 baskets + 3rd rack)

### **Design Options**

Anjer, Troy, Retro Troy

\*Front display option only available with Anjer (11K-R & 12K-U)

### **Model Versions**

l11-6 w/display

VESTI	m eather	ØØ	3	vestil (1997) 1997 - OO 3
	I1A-G w/o display		<b>I21</b>	7 programs, AC.
VESTIL	file with the		122	8 programs, AC.
I11-A	2 programs, AC.		123	9 programs, AC.
I12-B	3 programs, AC.		124	9 programs, BLDC, Auto Door.
I13-C	4 programs, AC.		125	9 programs, BLDC, Water Box.
I14-D	5 programs, AC.		126	6 programs, BLDC.
I15-E	6 programs, AC.		127	7 programs, BLDC.
I16-F	7 programs, AC.		128	8 programs, BLDC.
I1G	8 programs, AC.		129	9 programs, BLDC.
	, ,		I2X	9 programs, BLDC, Water Box.
I1K -I1R			12K -I	2U

### STANDARD FULL DOOR S SERIES







NATURAL

tech







**Color Options** 



**Painted** 





Stainless steel

**Major Features** 















 $3^{rd}$  Rack **Eco/Easy/Comfort Tray** 





**Interior Lighting** 1 or 4 Spot

S12-6 S23-9

2 to 6 programs 3 to 9 programs

Button Control / Touch Control Button Control / Touch Control

LED Indicator Hidden LED Display

E/D energy labeling

AC circulation pump

AC circulation pump

Mini Active / Super Active / Turbo Drying

Mini Active / Super Active / Turbo Drying

57/54/52/49/47/45/44 dBA 57/54/52/49/47/45/44 dBA

12 It water consumption (9 It with aquazone) 12 It water consumption (9 It with aquazone)

1 mode half load 1 mode half load

3-6-9 hours delay timer with LED indicator
1-24hr hours delay timer with LED indicator

Wifi option Wifi option

#### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 13 PS (2 baskets+3rd rack), 14 PS (2 baskets + Knifeshelf) + 15 PS (2 baskets+3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

#### **Design Options**

#### Mirana

### Model Versions

S12-6 S23-9 **S12** 2 programs, AC. **S23** 3 programs, AC. **S13** 3 programs, AC. **S24** 4 programs, AC. **S14** 4 programs, AC. **S25** 5 programs, AC. 5 programs, AC. **S15 S26** 6 programs, AC. **S16 S27** 6 programs, AC. 7 programs, AC. **S28** 8 programs, AC.

**S29** 

9 programs, AC.

### Full Door Series **Mirana**



## Full Door Series IntelliTouch



# Full Door Series **Anjer**



# Full Door Series **Troy**



## Full Door Series **Visioart**

























VESTEL

# 60 cm dishwashers **Tall-Tub Series**

### Series

Front Control Range

Top Control Range

### **Aesthetics**

Bellis -Y

Flora - Y

Tigris - Y

Viola - Y

Anjer

Camelia - Y

### FRONT CONTROL RANGE



### **Energy Labeling**



### **Major Features**











3<sup>rd</sup> Rack
Eco/Easy/Comfort Tray

**Color Options** 





Painted

Stainless steel

**Dimensions** 

Height (inch, mm) 33 7/8"; 861 mm
Width (inch, mm) 23 9/16"; 598 mm
Depth (inch, mm) 22 1/2"; 570 mm

#### **YA1-7**

Tall-tub structure 2 to 8 programs LED display Energy Star

AC circulation pump

Mini active / super active / turbo drying

57/55/53/51 dBA

≤ 3,5 gal water consumption

1 mode half load

1-19 hours delay timer

#### Y B 1 - 7

Tall-tub structure 2 to 8 programs LED display Energy Star

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/55/53/51 dBA (w/o BLDC)

49/47/45/44 dBA (w/ BLDC: 6-7-8 programs)

≤ 3,5 gal water consumption

3 mode half load

1-19 hours delay timer

### **Place Setting Options**

12 PS (2 baskets), 13 PS (2 baskets), 15 PS (2 baskets + 3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

**Design Options** 

Belis Y, Flora Y, Tigris Y, Viola Y, Camelia Y

### **Model Versions**

YA1-7 YB1-7





YB1	2 programs, AC.	YA1	2 programs, AC.
YB2	3 programs, AC.	YA2	3 programs, AC.
YB3	4 programs, AC.	YA3	4 programs, AC.
YB4	5 programs, AC.	YA4	5 programs, AC.
TB5	6 programs, AC OR BLDC.	YA5	6 programs, AC.
YB6	7 programs, AC or BLDC.	YA6	7 programs, AC.
YB7	8 programs, AC or BLDC.	YA7	8 programs, AC.









### TOP CONTROL RANGE



**Energy Labeling** 



**Major Features** 







**Hydro Power** 



3<sup>rd</sup> Rack Eco/Easy/Comfort Tray **Color Options** 





Painted

Stainless steel

**Dimensions** 

Height (inch, mm) Width (inch, mm) Depth (inch, mm)

33 7/8"; 861 mm 23 9/16"; 598 mm

22 1/2"; 570 mm

#### **ZA5-ZB7**

Tall-tub structure 6 or 8 programs LED display Energy Star

AC/BLDC circulation pump

Mini active / super active / turbo drying 57/55/53/51 dBA (w/o BLDC)

49/47/45/44 dBA (w/ BLDC)

≤ 3,5 gal water consumption

1 or 3 mode half load

1-19 hours delay timer

**Place Setting Options** 

12 PS (2 baskets), 13 PS (2 baskets), 15 PS (2 baskets + 3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

**Design Options** 

FS Anjer BI Freya, Rhea, Astrum

### **Model Versions**



### TOP CONTROL RANGE



### **Energy Labeling**



**Major Features** 







**Delay Timer Half Load** 



**Color Options** 





**Painted** 

Stainless steel

**Dimensions** 

Height (inch, mm) 33 7/8"; 861 mm 23 9/16"; 598 mm Width (inch, mm) 22 1/2"; 570 mm Depth (inch, mm)

### S A 5 - S C 5 - S B 7 - S D 7

Tall-tub structure 6 or 8 programs LED display Energy Star

AC/BLDC circulation pump

Mini active / super active / turbo drying 57/55/53/51 dBA (w/o BLDC) 49/47/45/44/42 dBA (w/ BLDC)

> ≤ 3,5 gal water consumption 1 or 3 mode half load

> > 1-24 hours delay timer

**Place Setting Options** 

14 PS (2 baskets), 15 PS (2 baskets+3rd rack), 16 PS (2basket+3rd rack + Multifunctional rack)

**Design Options** 

Mirana

### **Model Versions**









# 60 cm dishwashers **Professional Series**

## Series

X Series

I Series

## Aesthetics

Anjer

Bellis

## X SERIES

## ISERIES





**Energy Labeling** 

B

D

E

**Color Options** 







Painted

Stainless steel

Major Features





**Delay Timer** 

Half Load

#### X 1 4

5 programs
LED indicator
A+ energy labeling
AC circulation pump
Natural drying
54/52/49/47/45 dBA
12 It water consumption
3-6-9 hours delay timer

#### 114 - 1N

#### 5 programs

LED indicator / Optional front LED display with D1A A+ energy labeling AC circulation pump

Natural drying 54/52/49/47/45 dBA

12 It water consumption

#### 121-2K

5 programs

LED display / Front LED display with D4A

A++ energy labeling
AC circulation pump

Natural drying

54/52/49/47/45 dBA

9 It water consumption

3 mode half load

**Place Setting Options** 

12 PS (3 layer baskets)

**Design Options** 

X Series Belis, Camelia, Flora, Giada, Tigris, Viola I Series Anjer



# Professional Series **Anjer**



# Professional Series **Bellis**





# **DEEP TALL TUB**

## Series

Y Series

A Series

Z Series

S Series

# Aesthetics

Daisy

Gardenya

Anjer

Mirana

Freya

Bellis -Y

Flora -Y

Camelia -Y

Viola -Y

Tigris -Y

### YSERIES



### **Energy Labeling**



### **Major Features**







**Hydro Power** 

Delay Timer Half Load

3<sup>rd</sup> Rack Eco/Easy/Comfort Tray **Color Options** 





Painted

Stainless steel

**Dimensions** 

Height (inch, mm)
Width (inch, mm)
Depth (inch, mm)

33 7/8"; 861 mm 23 9/16"; 598 mm

24 5/8";625mm

See product specifications for default and optional features

### SERIES

2 to 8 programs EnergyStar AC or BLDC pump Led Display Button control panel 3,1 – 3,0 gal water consumption Mini active Super active Turbo drying

**Place Setting Options** 

15PS (3rd rack) 16PS (3rd rack)

**Design Options** 

Bellis Y, Flora Y, Tigris Y, Viola Y, Camelia Y

## **Model Versions**

YA1	2 programs, AC.	YB1	2Prog AC 3rd rack
YA2	3 programs, AC.	YB2	3Prog AC 3rd rack
YA3	4 programs, AC.	YB3	4Prog AC 3rd rack
YA4	5 programs, AC.	YB4	5Prog AC 3rd rack
YA5	6 programs, AC.	YB5	6Prog AC 3rd rack
YA6	7 programs, AC.	YB6	7Prog AC 3rd rack
YA7	8 programs, AC.	YB7	8Prog AC 3rd rack

6 Prog BLDC 3rd rack YB5 BLDC 6 Prog BLDC 3rd rack YB6 BLDC YB7 BLDC 6 Prog BLDC 3rd rack

# Y Series **Bellis**



# Y Series **Flora**



#### ASERIES



### **Energy Labeling**



**Major Features** 







Hydro Power



**3<sup>rd</sup> Rack** Eco/Easy/Comfort Tray **Color Options** 





Painted Stainless steel

**Dimensions** 

Height (inch, mm) 33 7/8"; 861 mm
Width (inch, mm) 23 9/16"; 598 mm
Depth (inch, mm) 24 5/8"; 625mm

See product specifications for default and optional features

### SERIES

6 or 8 program

EnergyStar

AC or BLDC

**Touch Control** 

3,1 - 3,0 gal water consumption

Mini active

Super active

Turbo drying

## **Place Setting Options**

15PS (3rd rack)

16PS (3rd rack)

**Design Options** 

Daisy, Gardenia

## **Model Versions**

AC5 6 Programs AC **AD5 BLDC** 6 Prog BLDC 3rd Rack

AC6 6 Programs AC 3rd Rack 8 Prog BLDC 3rd Rack **AD7 BLDC** 

8 Programs AC 3rd Rack AC7

# A Series **Gardenya**



# A Series **Daisy**



# A Series **Daisy**





## ZSERIES



**Energy Labeling** 



**Major Features** 







**Delay Timer** 



Eco/Easy/Comfort Tray

**Color Options** 





**Painted** 

Stainless steel

**Dimensions** 

Height (inch, mm) 33 7/8"; 861 mm 23 9/16"; 598 mm Width (inch, mm) Depth (inch, mm) 24 5/8"; 625mm

## SERIES (ZA,ZB)

6 or 8 program EnergyStar AC or BLDC

Top Control, Button or Touch 3,1 – 3,0 gal water consumption

**Place Setting Options** 

15PS (3rd rack), 16PS (3rd rack)

**Design Options** 

Anjer (fulldoor)

Rhea, AstrumRhea: Inox / Dark Inox Cladding

### SERIES (ZC, ZD)

6 or 8 program EnergyStar AC or BLDC

Led Display- Button control panel 3,1 – 3,0 gal water consumption

**Design Options** 

Freya Anjer

## **Model Versions**

<b>ZA5</b> 6 Programs AC	ZC5	6 Programs AC
--------------------------	-----	---------------

ZB7 8 Programs AC 8 Programs AC ZD7

**ZB5 BLDC** 6 prog, BLDC **ZD5 BLDC** 6 prog, BLDC

**ZB7 BLDC** 8 prog, BLDC **ZD7 BLDC** 8 prog, BLDC

## SSERIES



**Energy Labeling** 



**Major Features** 







**Half Load** 



**Color Options** 





**Painted** 

Stainless steel

**Dimensions** 

Height (inch, mm) Width (inch, mm) Depth (inch, mm)

33 7/8"; 861 mm 23 9/16"; 598 mm

24 5/8"; 625mm

### SERIES

6 or 8 program EnergyStar AC or BLDC

Top Control, Button or Touch 3,1 – 3,0 gal water consumption

Mini active Super active Turbo drying

**Place Setting Options** 

15PS (3rd rack) 16PS (3rd rack)

**Design Options** 

Mirana (fulldoor) Hera, Hera: Inox look (integrated)

## **Model Versions**

SA5	6 prog, AC	SB5 BLDC	6 prog, AC
SC5	6 prog, AC	SD5 BLDC	6 prog, AC
SB7	8 prog, AC	SB7 BLDC	8 prog, AC
SD7	8 prog, AC	SD7 BLDC	8 prog, AC













# VESTEL








## Upper cutlery basket

The upper cutlery basket is designed to place forks, spoons and knives, long dippers and small items.

## BASKET TYPES



## Flat-type baskets







NATURAL

with ion tech

Lower Basket 10 Place Settings

**Upper Basket** 10 Place Settings





**Universal Cutlery Basket** 

**Uniflat Cutlery Basket** 



Tray Holder





## 2 Baskets



Upper Basket Position  $\downarrow$  Upper Basket Position  $\uparrow$  w/o height adjustment

Max. Plate Dimension for Upper Basket	26,5 cm	21,5 cm	21,5 cm
Max. Plate Dimension	25,5 cm	30,5 cm	30,5 cm

# 2 Baskets + 3rd Rack



	Upper Basket Position ↓	Upper Basket Position	1 w/o height adjustment
Max. Plate Dimension for Upper Basket	19,5 cm	14,5 cm	14,5 cm
Max. Plate Dimension for Lower Basket	25,5 cm	30,5 cm	30,5 cm



# 45 cm dishwashers **A Series**

## A Series

A4 Series

A3 Series

A2 Series

A1 Series

## **Aesthetics**

Angel

Carya

Daisy

Erica

Holy

lo

Luna

Violet

Begonia

## A4 SERIES





**Energy Labeling** 





**Color Options** 





**Painted** 

Stainless steel

**Major Features** 









**Delay Timer** 

**Half Load** 



Hydro Power



**3<sup>rd</sup> Rack** Eco/Easy/Comfort Tray





**Interior Lighting** 1 or 4 Spot

See product specifications for default and optional features

# A 41-4

6/7/10 programs
icon-LED display (full touch control)
D/E energy labeling
BLDC circulation pump
Turbo drying
44 dBA
9 It water consumption
3 mode half load
1-24 hours delay timer

# **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

# **Design Options**

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on)

# **Model Versions**



**A41** 6 programs, BLDC.

A42 7 programs, BLDC.

A44 10 programs, BLDC, Auto Door.

# A3 SERIES





**Energy Labeling** 





**Color Options** 





**Painted** 

Stainless steel

**Major Features** 









**Delay Timer** 

**Half Load** 

Auto Door

Hydro Power







**Interior Lighting** 1 or 4 Spot

# A 31-4

6/8 programs

icon-LED display (optional touch control)

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

**Place Setting Options** 

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

**Design Options** 

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on)

# Model Versions

# w buttons

# w touch

A3X





A31 6 programs, AC.

A32 8 programs, AC.

**A33** 6 programs, BLDC, Auto Door.

**A34** 8 programs, BLDC, Auto Door.

# A2 SERIES





**Energy Labeling** 





**Color Options** 





**Painted** 

Stainless steel

**Major Features** 









**Delay Timer** 

**Half Load** 



Hydro Power



**3<sup>rd</sup> Rack** Eco/Easy/Comfort Tray



**Interior Lighting** 1 or 4 Spot

# A 21-4

6 to 9 programs LED display

C/D/E Energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/BLDC)

9 lt water consumption

3 mode half load

1-24 hours delay timer

# **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

# **Design Options**

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia SI Daisy, Gardenya, Gardenya (Inox add-on)

# **Model Versions**

# standard display

# visna.

A2X

# large display



- **A21** 6 programs, AC.
- **A22** 7 programs, AC.
- A23 8 programs, AC.
- **A24** 8 programs, BLDC, Auto Door.
- **A26** 6 programs, BLDC, Auto Door.
- **A27** 7 programs, BLDC, Auto Door.
- **A29** 9 programs, BLDC, Auto Door.
- **A2X** 9 prog, BLDC, Autodoor (C energy)

# A1 SERIES



**Energy Labeling** 

<u>E</u>

**Color Options** 





Major Features







**Delay Timer** 

**Half Load** 

Aqua Zone

# A 12 - 5

3 to 8 programs
LED indicator
E energy labeling
AC circulation pump
Mini active / super active
57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

# A 1 B - E

3 to 8 programs LED display

E energy labeling
AC circulation pump
Mini active / super active

57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-24 hours delay timer

# **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

# **Design Options**

FS Daisy, Holy, Carya, Io, Angel, Violet, Begonia, BLDC, Autodoor SI Daisy, Gardenya, Gardenya (Inox add-on)

# **Model Versions**

#### A12-5

# WAR FEENNIEL

A12	3 programs, AC.
A13	4 programs, AC.
A14	5 programs, AC.
A15	6 programs, AC.
A16	7 programs, AC.
A17	8 programs, AC.

# A1B-E



A1B 3 programs, AC.

A1C 4 programs, AC.

A1D 5 programs, AC.

A1E 6 programs, AC.

A1F 7 programs, AC.

A1G 8 programs, AC.

# A Series **Angel**



# A Series **Holy**



# A Series **Daisy**



# A Series **Luna**



# A Series **Carya** VESTEL 2:58









# 45 cm dishwashers **T Series**

# Series

T2/1 Series

# Aesthetics

Claros

Iris T

Nebula

Vento

# T2/1 SERIES



**Energy Labeling** 





**Color Options** 





**Painted** 

Stainless steel

**Major Features** 











**Delay Timer** 

**Half Load** 





Hydro Power



**3<sup>rd</sup> Rack** Eco/Easy/Comfort Tray





**Interior Lighting** 1 or 4 Spot

# T14-5

7 programs

LED indicator / LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load (T15 w/o half load)

1-24 hours delay timer (3-6-9 hours for T15)

# T 2 1 - 4

8 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/BLDC)

9 It water consumption

3 mode half load

1-24 hours delay timer

# **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

# **Design Options**

FS Claros, Iris T, Nebula, Vento
SI Vento

# **Model Versions**

T14



7 programs, AC.

T15



7 programs, AC.

T21



8 programs, AC.

T22



8 programs, AC.

T24



8 programs, BLDC, Auto Door.

# T Series **Nebula**



# T Series **Vento**

# T Series **Claros**



# T Series Iris T VESTEL









# 45 cm dishwashers **Y Series**

# Series

Y2 Series

Y1 Series

# **Aesthetics**

Camelia -Y

Flora - Y

Tigris - Y

Lydia - Y

Klikya - Y

Iris - Y

Era - Y

# Y2 SERIES



**Energy Labeling** 

tech





**Color Options** 





**Painted** 

Stainless steel

**Major Features** 









**Delay Timer** 

**Half Load** 



Hydro Power



**3<sup>rd</sup> Rack** Eco/Easy/Comfort Tray





**Interior Lighting** 1 or 4 Spot

# Y 21-5

6 to 9 programs

LED display

D/E energy labeling

AC / BLDC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA (w/o BLDC)

44 dBA (w/ BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

**Place Setting Options** 

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

# **Design Options**

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

# **Model Versions**

# Y21-5



Y21 6 programs, AC.

Y22 7 programs, AC.

Y23 8 programs, AC.

Y24 9 programs, AC.

**Y25** 9 programs, BLDC, Auto Door.

# Y1 SERIES



**Energy Labeling** 

tech

E

**Color Options** 





**Painted** 

Stainless steel

**Major Features** 









**Delay Timer** 

**Half Load** 

Auto Door

Hydro Power



**3<sup>rd</sup> Rack** Eco/Easy/Comfort Tray





**Interior Lighting** 1 or 4 Spot

# Y 11 - 5

2 to 6 programs LED indicator E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

3-6-9 hours delay timer

# Y 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load

1-19 hours delay timer

# **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

# **Design Options**

FS Camelia Y, Flora Y, Iris Y, Klikya Y, Lydia Y, Tigris Y SI Camelia Y, Klikya Y, Lydia Y, Silva Y, Silva Y (Inox add-on)

# **Model Versions**

# w/o display

# w/ display





Y11	2 programs, AC.	Y1A	2 programs, AC.
Y12	3 programs, AC.	Y1B	3 programs, AC.
Y13	4 programs, AC.	Y1C	4 programs, AC.
Y14	5 programs, AC.	Y1D	5 programs, AC.
Y15	6 programs, AC.	Y1E	6 programs, AC.
		Y1F	7 programs, AC.

# Y Series **Lydia-Y**





T Series **Klikya - T** 





Y Series **Flora - Y** 



Y Series **Tigris - Y** VESTEL









# 45 cm dishwashers **X Series**

### Series

X Series

## Aesthetics

Iris - C

Tigris

### X SERIES



**Energy Labeling** 

**Color Options** 





**Painted** 

Stainless steel

**Major Features** 









See product specifications for default and optional features

#### X 11 - 6

2 to 7 programs LED indicator

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

3-6-9 hours delay timer

#### X 1 A - F

2 to 7 programs

LED display

E energy labeling

AC circulation pump

Mini active / super active drying

57/54/52/49/47/45 dBA

11 It water consumption (9 It with aquazone)

1 mode half load

1-19 hours delay timer

#### **Place Setting Options**

10 PS (2 baskets)

#### **Design Options**

FS Iris C, Tigris
SI Orchis

#### **Model Versions**

#### w/o display

# VESTEL CO

#### w/ display



X11 2 programs, AC. X1A 2 programs, AC.

X12 3 programs, AC. X1B 3 programs, AC.

X13 4 programs, AC. X1C 4 programs, AC.

X14 5 programs, AC. X1D 5 programs, AC.

X15 6 programs, AC. X1E 6 programs, AC.

X16 7 programs, AC. X1F 7 programs, AC.

X Series Iris C



## X Series **Tigris**





# 45 cm dishwashers **Full Door Series**

### Series

Full Door Series

## Aesthetics

Anjer

Mirana

#### FULL DOOR SERIES



tech

**Energy Labeling** 



**Color Options** 







**Painted** 

Stainless steel

**Major Features** 







**Delay Timer** 

**Half Load** 

1

Aqua Zone



 $3^{\text{rd}}$  Rack

Eco/Easy/Comfort Tray





**Interior Lighting**1 or 4 Spot

See product specifications for default and optional features

#### 111-6 / I1A-G

3/5/6/7/8 programs

LED indicator / LED display

E energy labeling

AC circulation pump

Mini active / super active / turbo drying

57/54/52/49/47/45 dBA

11 lt water consumption (9 lt with aquazone)

1 mode half load (D12 w/o half load)

3-6-9 hours / 1-19 hours delay timer

(D12 w/o delay timer)

121-4

7/8/9 programs

LED display

E energy labeling

AC/BLDC circulation pump

Mini active / super active / turbo drying

54/52/49/47/45 dBA (w/o BLDC)

44dBA (w/BLDC)

9 It water consumption

3 mode half load

1-19 hours delay timer

#### **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

#### **Design Options**

Anjer


#### **Model Versions**

	l11-6 w/display		121-4
ASSIB	Mattelate •••	.VESTEL	chalabilists to
Asset	I1A-G w/o display		
I11-A	2 programs, AC.	121	7 programs, AC.
I12-B	3 programs, AC.	122	8 programs, AC.
113-C	4 programs, AC.	123	9 programs, AC.
I14-D	5 programs, AC.	124	9 programs, BLDC, Auto Door.
115-E	6 programs, AC.		
I16-F	7 programs, AC.		
I1G	8 programs, AC.		

## Full Door Series **Anjer**







## 45 cm dishwashers **Tall-Tub Series**

### Series

Front Control Range

### **Aesthetics**

Tigris - Y

Flora - Y

Iris - Y

Camelia - Y

Lydia - Y

Klikya - Y

#### FRONT CONTROL RANGE



**Energy Labeling** 



**Major Features** 







Hydro Power

3<sup>rd</sup> Rack
Easy Tray

**Color Options** 





Painted

Stainless steel

**Dimensions** 

Height (inch, mm)
Width (inch, mm)

32 1/14"; 820 mm 17 27/32"; 450 mm

Depth (inch, mm)

22 1/2"; 570 mm

See product specifications for default and optional features

#### **YA1-7**

Standard-tub structure

2 to 8 programs

LED display

**Energy Star** 

AC circulation pump

Mini active / super active / turbo drying

57/55/53/51 dBA

≤ 3,5 gal water consumption

1 mode half load

1-19 hours delay timer

#### Y B 1 - 7

Standard-tub structure

2 to 8 programs

LED display

**Energy Star** 

AC/BLDC circulation pump

Mini active / super active / turbo drying

57/55/53/51 dBA (w/o BLDC)

49/47/45/44 dBA (w/ BLDC: 6-7-8 programs)

≤ 3,5 gal water consumption

3 mode half load

1-19 hours delay timer

#### **Place Setting Options**

10 PS (2 baskets), 10 PS (2 baskets + 3rd rack)

#### **Design Options**

Flora Y, Tigris Y, Iris Y, Klikya Y, Camelia Y, Lydia Y

#### **Model Versions**

#### w/o display

#### w/ display





YB1	2 programs, AC.	YA1	2 programs, AC.

YB2 3 programs, AC. YA2 3 programs, AC.

YB3 4 programs, AC. YA3 4 programs, AC.

YB4 5 programs, AC. YA4 5 programs, AC.

YB5 6 programs, AC or BLDC. YA5 6 programs, AC.

**YB6** 7 programs, AC or BLDC. **YA6** 7 programs, AC.

YB7 8 programs, AC or BLDC. YA7 8 programs, AC.















#### 60 cm

w/o disp	lav mo	iels	A12	A13	A14	A15	A16	A17	Π.	_	.	_			Τ.			Τ.	Τ.	
w/ displ		-	A1B	A1C	A1D	A1E	A1F	A16	-	$\rightarrow$	A22	A23	A26	A27	A28	A29	A24	-	-	
Program	Numbe	er	3	4	5	6	7	8	6		7	8	6	7	8	9	8	9	8	
Energy L	abeling		E (w/	Autodo	or D)										D			С	В	
Water C	onsump	tion	12 lt	(9 lt wi	th Aqu	aZone	)							9	) It					
	12-13-1	4 PS	57/5	4/52/4	9/47/4	5/44*								49/47	/45/44	/42/4	l		-	
Sound Level	14 PS w 3rd raci																	44		
	15 PS w 3rd raci		49/4	7/45/4	4*								4	9/47/4	15/44/4	12/41/	39			
Circulati	on pum	р	Asyn	chrono	us															
Auto Do			- ( Op	tional	)										-			+		
Water B	OK			12.00 /														+	•	
Place Se	tting		14 PS 13 - 1	13 PS (2 5 (2 bas 15 PS (2 (2 bas	kets + ! baske	Knifesh ts + 3r	d rack)	)											s (2 sets + rack)	
w/o displa	y models						١.													
w/ display	models	A31	A32	A33	A36 A	37 A3	8 A39	A34	АЗХ	A35	A41	A42	A43	A46 A	47 A48	A49	A44	A4X A	45 A4Y	
Program N	umber	6	8 E	6	6	7 8	9	8	8	8	6	7	10	6	7 8	9	10	10 1	0 10	
Energy Lab	eling	(w/Au	todoor ()			D			с	В		E			D			c	ВА	
Water		9 lt	/1																	
Consumpti			*****																	
- 8	2-13 -14 'S	47/45/	44*	49/47/4	5/44/4	2/41					49/47	7/45/4	1/42/4	1						
Sound Level	4 PS with 3 <sup>nd</sup> ack								44								4	14		
	IS PS with 3 <sup>rd</sup>	49/47/	45/44*	49/47/4	5/44/4	2/41/39					49/43	7/45/4	1/42/4	1/39			-			
	ack		_																	
Circulation	pump		ronous	BLDC																
Auto Door Water Box		Opt	ional)	* 1			<u> </u>								-					
Place Setti	ng	14 PS 13 - 1	(2 bask 5 PS (2	baskets sets with baskets et + 3rd	knifest + 3rd ra		14 PS (2 baskets + 3rd rack) 12 - 13 PS 14 PS (2 baskets + 13 - 15 PS 16 PS (2 baskets +						kets wi baske	th knife ts + 3rd				14 PS (2 basi + 3rd rack)		
w/o disp	play mo	dels										X1:		X			X15		16	
w/ displ	ay mod	els				_	X1A	١	Х	1B	$\perp$	X10	ς	X1	D	X	LE		1F	
Program	Numb	er				_	2			3	$\perp$	4		5	.	6	5		7	
Energy l	abeling	:				E														
Water C	onsum	otion				1	2 lt (9	lt w	ith A	quai	Zone	)								
Sound L	evel		12	2-13 PS	•	5	7/54/	/52/4	9/47	/45										
Circulati	on pun	p				A	synch	ronc	us											
Auto Do	or					-														
Water B	ox					-														
Place Se	tting					1	2 PS ( 3 PS ( 3 PS (	2 bas	skets	)	rd ra	ck)								
Structur	e					F	reest	andir	g											
w/o disp	olay mo	dels		Y11	Y12	2 Y	13	Y14	Y	15	-	$\top$	.			Τ.			-	
w/ displ				Y1A	Y18	-	1C	Y1D	Y	$\rightarrow$	Y1F	-	21	Y22	Y23	Y2	4	Y25	Y26	
Program				2	3	_	4	5	6	-	7	_	6	7	8	9	-	9	9	
Energy L				E						_		_	_				0	,		
Water C	_				9 It wit	h Agu	Zone)					91	t							
		-13 PS			/52/49												4	9/47/4	5/44/	
Sound Level		PS PS	_	49/47		,-,,,,											4	2/41/3 rd rack	9 (w/	
Circulati					hronou	ıs											-	LDC	4	
Auto Do	_	-		-	31101												+			
Water B																	- 1 *			
Place Se				12 PS 13 PS 13 PS	(2 basi (2 basi (2 basi (2 basi	kets) kets + 3														
Structur	e			Freest	anding	:														

w/o display m	nodels	T11	-	-	-	-						
w/ display mo	odels	-	T12	T13	T21	T24	T26	T25				
Program Num	ber	3	4	6	8	8	8	8				
Energy Labeli	ng	E				D		В				
Water Cons.		12lt (9lt w,	/ AquaZone	)	9 lt							
	12-13 PS*	57/54/52/	49/47/45			49/47/45/44	/42/41	-				
Sound Level	14 PS**	-						44				
	15 PS**	49/47/45			8 8 8 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-						
Circulation pu	imp	Asynchron	ous			BLDC		•				
Auto Door	_	-				+	-	+				
Water Box		-						+				
Place Setting*		12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)										
Structure		Freestandi	ng / Semi-I	ntegrated								

w/o display mod	lels		-	-	-	-
w/ display mode	els	T31	T32	T34	T35	
Program Numbe	r	6	8	8	8	8
<b>Energy Labeling</b>		E		D		В
Water Consumpt	tion	9 lt				
	12-13 PS*	57/54/52/49	/47/45	49/47/45/44	/42/41	-
Sound Level	14 PS**	-				44
	15 PS**	49/47/45		49/47/45/44	/42/41/39	-
Circulation pump	,	Asynchronou	s	BLDC	•	
Auto Door		-		+	-	+
Water Box		-				+
Place Setting*		13 PS (2 bask 14 PS (2 bask	ets) / 13 PS (2 ets + 3rd rack ets + 3rd rack ets + 3rd rack	)		
Structure			/ Semi-Integr			

w/o display mod	els											
w/ display mode	İs	T41	T42	T43	T4X	T45						
Program Numb	er	6	7	10	10	10						
Energy Labelin	3	E		D	с	В						
Water Cons.		9 lt (Eco 5,4 lt pr	ogram with T45 a	ind T4X)								
	12-13 PS*	49/47/45/44/42	/41									
Sound Level	14 PS**	-			44							
	15 PS**	49/47/45/44/42	/41/39	7 10 10 10 10  D C B  Imm with T45 and T4X)  - 44								
Circulation pun	np	BLDC										
Auto Door		-			+							
Water Box					+							
Place Setting*		13 PS (2 baskets 14 PS (2 baskets	12 PS (2 baskets) / 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack)									
Structure		Freestanding	Freestanding									

w/o display m	odels2	-	
w/ display mo	dels	D65	D66
Program Num	ber	10	10
Energy Labelir	ng	В	D
Water Cons.		9 lt	•
	12-13 PS*		49/47/45/44/42/41
Sound Level	14 PS**	44	-
	15 PS**	-	49/47/45/44/42/41/39
Circulation pu	mp	BLDC	•
Auto Door		+	-
Water Box		+	-
Place Setting*		12 PS (2 baskets) / 13 PS (: 13 PS (2 baskets + 3rd rack 14 PS (2 baskets + 3rd rack 15 PS (2 baskets + 3rd rack	k) k)
Structure		Freestanding	

#### 45 cm

w/o dis models		A12	A13	A14	A15				-	-	-	-	-	-	-	-
w/ disp models		A1B	A1C	A1D	A1E	A21	A22	A23	A24	A31	A32	A33	A34	A41	A42	A44
Progran	n Number	3	4	5	6	6	7	8	8	6	8	6	8	6	7	10
Energy	Labeling	Ε							D	E D E						D
Water Consum	nption	11 lt (9 lt wit AquaZo		9 It												
	2 Basket										57/54/52/					
Sound Level	2 Basket +3rd rack	57/54	4/52/4	9/47/4	45				44	49/4		44				
Circulat	ion pump	Asyno	chrono	us					BLDC	Asyno	chron	BLDC				
Auto Do	oor	-							+	-		+		-		+
Water B	Box	-														
Place Se	etting		(2 bas (2 bas		3rd ra	ick)										

w/o display r	nodels	X11   X12   X13   X14   X15   X16   -   -   -   -										-		
w/ display m	odels	X1A	X1B	X1C	X1D	X1E	X1F	Y21	Y22	Y23	Y24	Y25		
Program Nur	nber	2	2 3 4 5 6 7 6 7 8 9									9		
Energy Label	ing	E												
Water Consu	onsumption 11 lt (9 lt with AquaZone) 9 lt													
	2 Basket	57/54/	57/54/52/49/47/45											
Sound Level	2 Basket +3rd rack	-						57/54/	52/49/	47/45		44		
Circulation p	ump	Asynchronous												
Auto Door		-										+		
Water Box		-												
Place Setting	1		2 baske 2 baske	ts) ts + 3rd	l rack)									

w/o display mod	lels	-	T15	-	-	-						
w/ display mode	ls	T14		T21	T22	T24						
Program Numbe	r	7	7 7 8 8									
Energy Labeling		E				D						
Water Consump	tion	11 lt (9 lt with AquaZon	e)	9 It								
Sound Level	2 Basket											
Sound Level	2 Basket +3rd rack	57/54/52/49	/4//45		44 BLDC +							
Circulation pump	•	Asynchronou	s			BLDC						
Auto Door		-				+						
Water Box		-										
Place Setting		10 PS (2 bask 10 PS (2 bask		k)								
Structure		Freestanding	Freestanding									

#### 45 cm

w/o display	models	512	513	514	515	5 51	6									
w/ hidden di models	isplay				-	-		523	524	525	526	527	531	532	533	534
Program Nur	mber	2	3	4	5	6		3	4	5	6	7	5	6	7	7
Energy Label	ling	E														D
Water Consu	mption	11 lt (9	) It with	AquaZ	one)								9 lt			
Sound	10 PS	57/54/	/52/49/	47/45												44
Level	10 PS + 3 <sup>rd</sup> Rack	49/47/	/45													44
Circulation p	ump	Asynch	hronous													BLDC
Auto Door																+
Water Box																
Place Setting	:		10 PS (2 baskets) 10 PS (2 baskets + 3rd rack)													
w/o display	models	111	111   112   113   114   115   116   -   -   -   -   -   -   -											Τ.	Τ.	

					_	_	_					_	_	_		_
w/o display	models	111	112	113	114	115	116	-			-	-				-
w/ hidden o models	fisplay	I1A	118	110	IID	IIE	I1F	116	121	122	123	124	151	152	153	154
Program Nu	mber	2	2 3 4 5 6 7 8 7 8 9										7	8	9	9
Energy Labo	eling	E											E			D
Water Cons	umption	11 lt (5	It with	AquaZo	ne)				9 It							
Sound	10 PS	57/54/	/52/49/	47/45								44	57/54/	54/52/49/47/45		44
Level	10 PS + 3 <sup>rd</sup> Rack	49/47	/45									44	49/47	45		44
Circulation	pump	Asynch	hronous									BLDC	Asynch	nronous		BLDC
Auto Door		-										+	-			+
Water Box		-														
Place Settin	ε		PS (2 baskets) PS (2 baskets + 3rd rack)													

#### **FullDoor**

											_												
w/o d	isplay models	- 1	11	112	113	114	115	116			-			-	-	-			-		-		
w/ hid mode	dden display Is	1	1A	11B	110	I1D	IIE	I1F	116	10	21	122	123	126	127	128	12	9 1	24	IZX	125		
w/ front display models			1K	IIL	I1M	I1N	110	I1P	I1R	12	2K	I2L	I2M	I2N	I2P	I2R	12	s I	2T	I2U	120		
Progra	am Number		2	3	4	5	6	7	8		7	8	9	6	7	8	9	,	9	9	9		
Energ	y Labeling	E	(w/As	rtodoc	or D)											D				С	В		
Water	r Consumption	n 1	2 lt (9	It with	n Aquai	Zone)									1	9 lt							
	12-13-14 PS	5	57/54/52/49/47/45/44* 49/47/45/44/42/41																				
Sound Level	14 PS witi 3rd rack	h .												-							44		
	15 PS witi 3rd rack	h 4	49/47/45/44* 49/47/45/44/42/41/39									-											
Circul	Circulation pump Asynchronous BLDC																						
Auto I	Auto Door - ( Optional ) -													+									
Water	Box												+										
Place	Setting	1	14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack)													14 PS (2 baskets + 3rd rack)							
w/o display models			513	514	S15	516						T -								Τ			
w/ hid model	lden display is	-					523	524	525	526	527	528	529	531	532	533	536	537	538	в :	539		
Progra	ım Number	2	3	4	5	6	3	4	5	6	7	8	9	7	8	9	7	8	9	$\top$	9		
Energy	Labeling	E (w)	w/Autodoor D) D													C(	B Turbo)						
Water	Consumpt.	12 lt	It (9 It with AquaZone) 9 It																				
	12-13-14 PS	57/5	4/52/	49/47/	45/44												49/4 /41	7/45/	44/42	2 -			
Sound Level	14 PS with 3rd rack																			44			
Ş	15 PS with 3rd rack 49/47/45/44*								49/47/45/44/4 /41/39					44/42									
Circula	ition pump	Asyn	synchronous BLDC																				
Auto [	Door	- ( O;	ptiona	1)																+			
Water	Вох																						

Place Setting

12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack) 14 PS (2 baskets + 3rd rack)

w/ hidden dis	play models	154						
Program Nur	mber	9						
Energy Label	ing	D						
Water Consu	mption	9 lt						
Sound	12-13 PS	46/44						
Level	15 PS	44/42						
Circulation p	ump	BLDC						
Auto Door		+						
Water Box		-						
Place Setting	ı	12 PS (2 baskets) 13 PS (2 baskets) 13 PS (2 baskets + 3rd rack) 15 PS (2 baskets + 3rd rack) 16PS (2 basket + 3rd rack)						
Structure		Full Door (freestanding)						

#### INTEGRATED

w/o d mode	display S12 S13 S14 S15 S16																			
w/ hi mode	dden display Ns						523	524	525	526	527	528	529	531	532	533	536	537	538	539
Progr	pram Number 2 3 4 5 6 3 4 5 6 7 8 9 7 8 9 7 8							8	9	9										
Energ	ergy Labeling E (w/Autodoor D) D									C ( B w/Turbo										
Wate	r Consumpt.	12 it (9 it with AquaZone) 9 it																		
Sound Level	12-13-14 PS	57/54/52/49/47/45/44* 49/47/45/444 /41																		
	14 PS with 3rd rack	- 4													44					
500	15 PS with 3rd rack	49/47/45/44* 49/47/45/44442																		
Circul	lation pump	Asyno	Asynchronous BLDC																	
Auto	Door	- ( Op	- ( Optional )														+			
Wate	r Box																			+
Place Setting		14 PS	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + Srd rack)													14 PS (2 baskets 4 3rd rack)				

w/o disp	olay models	111	112	113	114	115	116								-				
w/ hidde models	en display	I1A	118	110	I1D	116	I1F	I1G	121	122	123	126	127	128	129	124	12X	125	
Program	Number	2	3	4	5	6	7	8	7	8	9	6	7	8	9	9	9	9	
Energy L	ergy Labeling E (w/Autodoor D)										С	В							
Water Co	ster Consumption 12 It (9 It with AquaZone)									9 lt									
	12-13-14 PS 57/54/52/49/47/45/44*										49/47								
Sound Level	14 PS with 3rd rack																		
	15 PS with 3rd rack 49/47/45/44*								4										
Circulati	on pump	Asynchronous																	
Auto Do	or	- ( Optional )																	
Water Be	ок	-															+		
Place Se	tting	12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3nd rack)												14 PS (2 baskets + 3rd rack)					

w/ hidden dis models	151	152	153	156	157	158	159	154	ISX	155			
Program Num	ber	7	8	9	6	7	8	9	9	9	9		
Energy Labeli	ng	E (w/Aut	odoor D)		D	D							
Water Consur	mption	9 lt											
	12-13-14 PS	57/54/52	2/49/47/4	5/44*	49 / 47 / 4	5 / 44 / 4	-						
Sound Level	14 PS with 3rd rack	-				44							
	15 PS with 3rd rack	49/47/45	5/44*		49 / 47 / 4	49 / 47 / 45 / 44 / 42 / 41 / 39							
Circulation pu	imp	Asynchro											
Auto Door		- ( Option	nal)										
Water Box		-	+										
Place Setting		12 - 13 PS (2 baskets) 14 PS (2 baskets + Knifeshelf) 13 - 15 PS (2 baskets + 3rd rack)									14 PS (2 baskets + 3rd rack)		

Notes	

#### **VESTEL TRADE CO.**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84 vesteltrade@vestel.com.tr www.vestelinternational.com

#### **VESTEL HOLLAND BV**

Stationsplein 45, A2-191 3013 AK Rotterdam, The

Netherlands

Phone: +31 - 10 412 23 66 https://vestelbenelux.nl info@vestelbenelux.nl

#### **VESTEL HOLLAND B.V. UK BRANCH OFFICE**

Vestel House, Waterside Drive Langley,

Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

https://vestel.co.uk info@vestel-uk.com

## VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/

Germany

**Phone:** +49 - 89 55295 - 0 https://vestel-germany.de info@vestel-germany.de

#### **VESTEL IBERIA, S. L.**

Paeso Doce Estrellas, 2, 3o. 28042. Madrid,

Spain

Phone: +34 - 91 320 63 98

https://vestel.es vestel@vestel.es

#### **VESTEL FRANCE SASU**

17 Rue de la Couture - Parc Icade BP 10190 -

94563 RUNGIS Cedex/France Phone: +33 - 146 75 00 29 http://vestel-france.fr

info@vestel.fr

#### **VESTEL CIS LTD.**

2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia

**Phone:** 7 - 495 956 8230

https://vestel.ru info@vestel.ru

#### **VESTEL ELECTRONICA**

Bucharest, 1st District, 2-4 Murmurului Entrance,

014114 Bucharest/Romania **Phone:** +40 - 31 425 42 93

https://vestel.ro office@vestel.ro

## VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00
Fax: +48 22 272 74 00
https://vestel-poland.com
info@vestel-poland.com

#### **VESTEL ELECTRONICS GULF DMCC**

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-AO, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544 https://vestel-gulf.ae info@vestel-gulf.ae

#### **TOO VESTEL CENTRAL ASIA**

050026 Kazakhsatan/Almaty Aiteke bi 187,

office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

#### **VESTEL CHINA**

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

**Phone:** 86-755-2266 6726

#### **VESTEL VIETNAM**

The Rep. Office of Vestel Electronics (Shanghaı) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower, 02 Hai Trieu, Ben Nghe Ward, District 1, Ho Chi Minh City, Vietnam

#### **VESTEL USA INC.**

390 5TH AVE ROOM 805 NEW YORK, NEW

YORK 10018

Phone: 212 689 4622 x12



## **VESTEL**

Organize Sanayi Bolgesi, 45030 Manisa/Turkey

**Phone:** 90 - 236 233 25 82 **Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr www.vestelinternational.com FOLLOW US ON SOCIAL MEDIA











/vestelinternational