

REFRIGERATORS

2023 - 2024

>

www.vestelinternational.com

VESTEL



COMPANY PROFILE

2-3

GLOBAL OPERATIONS

4-5

TECHNOLOGIES

6-15

PRODUCT LINE-UP

16-96

DESIGN OPTIONS

97-103

SPECIFICATIONS

104-117

ADDRESSES

121





COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000

Employees

1.300.000 m²

Closed Production Area

Export Leader of Turkey with

\$ 2,3 Billion

30 Million

Device Production Capacity

\$ 3,5 Billion

Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.9 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the

capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, Set-top Boxes

Manisa, Turkey - Kobierzyce, Poland

Professional Displays, Tablet PC, LED lighting

Manisa, Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer, Cooking Appliances, Air Conditioner, Water Heater

Manisa, Turkey

R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania


Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai

Features


COOLING TECHNOLOGIES

>



NoFrost Multicooling

On the contrary with conventional technology, NoFrost MultiCooling technology includes two independent air circulation with two separate fans and evaporators. Since there is no transfer of cold air between fridge and freezer cabinets, NoFrost MultiCooling provides extra freshness with optimum humidity levels in each compartment, prevents odor mixing, and keeps flavor of foods.



Freezer Shield

Conventional refrigerator appliances are able to work at a minimum ambient temperature of 10°C. However, with the new Freezer Shield Tech, Vestel appliances can work even if the ambient temperature is as low as -15°C, which makes it possible to place the appliances in closed locations such as the garage.



Less Frost

Thanks to the wrap around evaporator, LessFrost technology offers more efficient cooling, less manual defrost requirement, and more flexible storage room.





FRESHNESS TECHNOLOGIES

>



PureBeam+

The Purebeam+ Technology at the top of the fridge includes a UVC LED light source and a carbon filter. While the filter absorbs bad odors, UVC LED breaks down bacteria and viruses on the filter surface into harmless substances. Purebeam+ Technology effectively reduces volatile organic compounds formed by the spoilage of food in the refrigerator. The quality of the air in the refrigerator improves and is always kept clean.



Vacuum Bag


Prolongs the shelf life of foods and keeps deli products fresh up to 8 times longer.*

Increases life of food by removing air.

Prevents the occurrence of unpleasant odours.



*Tested and certified by Third Party Laboratory.



FermentStore

FermentStore helps customers take homemade food to a new level; allowing them to join the growing trend towards fermented foodstuffs and helping them enjoy the known health benefits. As well as being tasty and appealing, fermented foods are known to be rich in probiotics which help restore balance in the stomach. In turn this aids digestion and boosts the immune system. The FermentStore feature allows users to create and store seven different types of food and beverage: yoghurt, kefir, bread dough, wine, beer, vinegar and pickles, which all can be fermented and kept with ease. After the fermentation process, the results can be chilled and stored in the optimum conditions.



DuoMode

Technology that allows the freezer to be set as a cooler for more refrigerator volume in line with the needs of the consumers, to be used as a cooler or freezer, and to be completely closed when not needed.



Convert Zone

Using the compartment as an ideal storage area for fruit and vegetables when the flap is closed, and for meat products when it is open, with its flap feature.



VitaMod

Thanks to a special light source close to the natural spectrum of sunlight, VitaMod ensures that fruits and vegetables stored in the refrigerator continue their natural ripening process, thus preserving their nutritional values at higher levels.



Humidity Controlled Crisper

Thanks to air channels and special filter, humidity level can be adjusted precisely to keep your fruits and vegetables fresh and crisp.

*Tested and certified by Third Party Laboratory.



Chill Zone

Ensures that the food inside is preserved at ideal temperature of around 0 °C. The frozen meat or fish can also be kept in this compartment for proper thawing before consuming. Chill Zone also ensures that your meat & fish stays fresh for while keeping out unwanted odour.



UltraFresh Technology

UltraFresh technology helps reducing unpleasant odors by absorbing ethylene gas (a volatile organic compound released naturally from fresh foods) from the crisper.

CONVENIENCE TECHNOLOGIES

>



V-Lift

With the adjustable height mechanism, height of bottle shelf can be maximized for higher bottles or can be reduced to save space for the dairy shelf. Position of rack can be set to **6** different height.



V-Shelf

Provides more flexible storage room and higher shelf space thanks to the two-part shelf mechanism sliding on each other.




Door Reversible

Depending on the location of your refrigerator, you can adjust door opening direction thanks to the reversible door feature.



Zero Clearance

You can place your refrigerator next to the wall or cabinets and the door can be opened easily without need of any additional space at 90°.



Water Dispenser

Offers quick and practical cold water access, and ergonomic use with 2 liter reservoir. Easy to replenish water



Ice Slide

Provides convenient storage spaces with a simple movement. The slide icematic ensures flexible storage and max capacity anytime you need.

Product Line-up

| Category | Width | No Frost Multi Cooling | | | No Frost | | | Frost Free | | | |
|----------------------------|--------|---|---|---|---|---|---|---|---|---|---|
| Single Door | 54 cm | | | |  241 | | | | | | |
| | 60 cm | | | |  323 |  371 |  372 |  375 | | | |
| | 70 cm | | | |  491 | | | | | | |
| Double Door Top Freezer | 54 cm |  273 | | | | | | | | | |
| | 60 cm |  343 | | | | | | | | | |
| | 70 cm |  463 |  473 |  483 | | | | | | | |
| | 76 cm |  543 | | | | | | | | | |
| | 84 cm |  643 | | | | | | | | | |
| Double Door Bottom Freezer | 50 cm | | | | | | |  173 | | | |
| | 54 cm |  289 | | | | | |  253 |  267 |  287 |  319 |
| | 60 cm |  353 |  373 |  379 |  383 |  389 | | | | | |
| | 70 cm |  462 |  482 |  492 | | | | | | | |
| | 76 cm |  553 | | | | | | | | | |
| | 84 cm |  653 |  694 | | | | | | | | |
| Multi Door | 84 cm |  620 | | | | | | | | | |
| | 91 cm |  910 |  916 |  911 | | | | | | | |
| | 121 cm | | | | | | | | | | |

| Category | Width | Less Frost | | | | | Direct Cooling | | | | | |
|----------------------------|-------|---|--|---|---|---|---|---|--|--|--|--|
| Table Top | 48 cm |  1005 | | | | |  1001 |  1101 | | |  1002 | |
| | 50 cm | | | | | |  125 | | | | | |
| | 54 cm |  143 | | | | |  130 | | | |  153 | |
| Single Door | 54 cm | | | | | | | |  2451 |  2441 | |  2653 |
| | 60 cm | | | | | | | |  322 |  332 |  327 |  376 |
| Double Door Top Freezer | 54 cm |  233 |  263 |  283 | | | | | | | | |
| | 60 cm |  346 |  347 | | | | | | | | | |
| | 70 cm |  453 |  457 | | | | | | | | | |
| | 76 cm | | | | | | | | | | | |
| | 84 cm | | | | | | | | | | | |
| Double Door Bottom Freezer | 50 cm |  174 | | | | | | | | | | |
| | 54 cm |  236 |  252 |  266 |  277 |  278 |  286 |  318 | | | | |
| | 60 cm |  374 |  3741 |  384 | | | | | | | | |
| | 70 cm | | | | | | | | | | | |
| | 76 cm | | | | | | | | | | | |
| | 84 cm | | | | | | | | | | | |

Multi Door Models

Vestel multi door products with 4 doors offer extra large capacity and more storage place with no-frost multi cooling technology.



850

>



TECHNICAL DATA

Product Dimensions WxDxH mm

1210 x 710 x 2120

Volume Total net L

713

Refrigerator Volume net L

466

Freezer Volume net L

247

STANDARD CONFIGURATION

No Frost Cooling Tech

Door Alarm

Electronic Control (Display on Door)

Fridge LED Lighting (Sides and Top)

Freezer LED Lighting

Humidity Controlled Crisper

Clean Back

Leveling Feet

Front & Rear Rollers

COLOR OPTIONS



910

>



TECHNICAL DATA

Product Dimensions WxDxH mm
910 x 750 x 1850

Volume Total net L
560

Refrigerator Volume net L
390

Freezer Volume net L
170

STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Double Compressor
- Door Alarm
- Child Lock
- Electronic Control (Display on Door)
- Fridge LED Lighting
- Chill Zone
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Vitastore
- Leveling Feet
- Front & Rear Rollers

OPTIONAL FEATURES

- Twisted Icematic
- Portable Wine Holder
- UltraFresh Technology
- Vacuum Bag
- Ferment Store

COLOR OPTIONS



916

>



TECHNICAL DATA

Product Dimensions WxDxH mm

910 x 750 x 1850

Volume Total net L

560

Refrigerator Volume net L

390

Freezer Volume net L

170

STANDARD CONFIGURATION

No Frost Multi Cooling Tech

Door Alarm

Child Lock

Electronic Control (Display on Door)

Fridge LED Lighting

Chill Zone

Adjustable Tempered Glass Shelves

Ice Tray

Egg Holders

Transparent Accessories

Freezer Shield

Leveling Feet

Front & Rear Rollers

OPTIONAL FEATURES

Twisted Icematic

Portable Wine Holder

UltraFresh Technology

Vacuum Bag

COLOR OPTIONS



911

>



TECHNICAL DATA

Product Dimensions WxDxH mm
910 x 763 x 1850

Volume Total net L
557

Refrigerator Volume net L
390

Freezer Volume net L
167

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Child Lock
Electronic Control (Display on Door)
Fridge LED Lighting
Chill Zone
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Portable Wine Holder
UltraFresh Technology

COLOR OPTIONS



620

>



TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 690 x 1790

Volume Total net L
459

Refrigerator Volume net L
319

Freezer Volume net L
140

STANDARD CONFIGURATION

Multi Cooling NoFrost Technology
Electronic Control (Inner Display)
Fridge LED Lighting (Top)
Tempered Glass Shelves (Fridge)
6 Door Racks (Fridge)
Sliding Trays (Freezer)
Freezer Shield
Egg Holders
Ice Tray
ConvertZone
Crisper zone
Door Alarm

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Ambiance Lighting
Twisted Icematic
Portable Wine Holder
UltraFresh Technology
Purebeam+
Water Dispenser
Metal Cooling

COLOR OPTIONS



Two Door Bottom-Freezer Models

Bottom mounted fridge freezer models offer no frost and direct cooling technologies with different dimensions, ideal for both large and small families and groups.



694

>

TECHNICAL DATA

Product Dimensions WxDxH mm

840 x 780 x 1940

Volume Total net L

650

Refrigerator Volume net L

460

Freezer Volume net L

190




STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting (Sides)
- Chill Zone
- Humidity Controlled Crisper
- Adjustable Door Racks
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Clean Back
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front&Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides and Top)
- Fridge LED Lighting (Glass Shelves)
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- Twisted Icematic
- UltraFresh Technology
- Purebeam+

COLOR OPTIONS



653

>

TECHNICAL DATA

Product Dimensions WxDxH mm

840 x 750 x 1860

Volume Total net L

564

Refrigerator Volume net L

400

Freezer Volume net L

164



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting (Sides)
- Chill Zone
- Humidity Controlled Crisper
- Adjustable Door Racks
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Clean Back
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides and Top)
- Fridge LED Lighting (Glass Shelves)
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- Twisted Icematic
- Water Dispenser
- UltraFresh Technology
- Purebeam+

COLOR OPTIONS



553

>

TECHNICAL DATA

Product Dimensions WxDxH mm

760 x 737 x 1860

Volume Total net L

507

Refrigerator Volume net L

390

Freezer Volume net L

117




STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Glass Shelves)
Fridge LED Lighting (Sides and Top)
V-Lift
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
Purebeam+
VitaMod

COLOR OPTIONS



492

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 712 x 1920

Volume Total net L

461

Refrigerator Volume net L

333

Freezer Volume net L

128



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Twisted Icematic
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
V-Shelf
UltraFresh Technology
Purebeam+
VitaMod

COLOR OPTIONS



492 GLASS DOOR

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 721 x 1920

Volume Total net L

481

Refrigerator Volume net L

344

Freezer Volume net L

137



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass
Shelves
Twisted Icematic
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology
Purebeam+

COLOR OPTIONS



TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 712 x 1860

Volume Total net L

453

Refrigerator Volume net L

350

Freezer Volume net L

103



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting
- Chill Zone
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Big Box
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Clean Back
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides)
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- UltraFresh Technology
- V-Lift
- Purebeam+

COLOR OPTIONS



462

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 712 x 1730

Volume Total net L

407

Refrigerator Volume net L

304

Freezer Volume net L

103



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting
- Chill Zone
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Big Box
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Clean Back
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides)
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



TECHNICAL DATA

**Product Dimensions WxDxH mm
595 x 650 x 2010**

**Volume Total net L
360**

**Refrigerator Volume net L
266**

**Freezer Volume net L
94**



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Head Panel Display
- Fridge LED Lighting (Sides)
- Chill Zone
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- Water Dispenser
- UltraFresh Technology
- Purebeam+
- V-Lift
- Metal Cooling
- Sliding Tray

COLOR OPTIONS



383 Glass Door

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 660 x 2010

Volume Total net L

367

Refrigerator Volume net L

266

Freezer Volume net L

101



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
Purebeam+
V-Lift
Metal Cooling

COLOR OPTIONS



389

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 6000 x 2010

Volume Total net L

323

Refrigerator Volume net L

237

Freezer Volume net L

86



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Top Electronic Led Indicator Display
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Convert Zone
- Freezer Shield
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers
- Convert Zone

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Electronic Control (Inner Display)
- Fridge LED Lighting
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- Water Dispenser
- UltraFresh Technology
- V-Lift
- Door Alarm

COLOR OPTIONS



373

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1860

Volume Total net L

324

Refrigerator Volume net L

230

Freezer Volume net L

94



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
Water Dispenser
UltraFresh Technology
Purebeam+
Metal Cooling
Sliding Tray
Humidity Control Crisper +

COLOR OPTIONS



373 GLASS DOOR

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 660x 1860

Volume Total net L

331

Refrigerator Volume net L

230

Freezer Volume net L

101



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology
Purebeam+
Metal Cooling

COLOR OPTIONS



379

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1860

Volume Total net L
291

Refrigerator Volume net L
205

Freezer Volume net L
86



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Top Electronic Led Indicator Display
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Convert Zone
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Convert Zone

OPTIONAL FEATURES

Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



353

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1860

Volume Total net L

313

Refrigerator Volume net L

202

Freezer Volume net L

111



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Head Panel Display
- Fridge LED Lighting (Sides)
- Chill Zone
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- Water Dispenser
- UltraFresh Technology
- V-Lift
- Sliding Tray

COLOR OPTIONS



319

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 610 x 1830

Volume Total net L

245

Refrigerator Volume net L

152

Freezer Volume net L

93



STANDARD CONFIGURATION

Frost Free
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Electronic Control (Inner Display)
Fridge LED Lighting (Top/Side LED)
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



289

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1800

Volume Total net L
264

Refrigerator Volume net L
194

Freezer Volume net L
70



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Sliding Tray

OPTIONAL FEATURES

Door Alarm
Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



287

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1800

Volume Total net L

272

Refrigerator Volume net L

202

Freezer Volume net L

70



STANDARD CONFIGURATION

Frost Free
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Sliding Tray

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



267

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1660

Volume Total net L

237

Refrigerator Volume net L

142

Freezer Volume net L

95



STANDARD CONFIGURATION

- Frost Free
- Top Electronic Led Indicator Display
- LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Humidity Controlled Crisper
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



253

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1520

Volume Total net L

216

Refrigerator Volume net L

146

Freezer Volume net L

70



STANDARD CONFIGURATION

- Frost Free
- Top Electronic Led Indicator Display
- LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Humidity Controlled Crisper
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



173

>

TECHNICAL DATA

Product Dimensions WxDxH mm

497 x 560 x 1460

Volume Total net L

166

Refrigerator Volume net L

113

Freezer Volume net L

53



STANDARD CONFIGURATION

- Frost Free
- LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Wine Rack
- Portable Wine Holder

COLOR OPTIONS



384

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 2010

Volume Total net L

372

Refrigerator Volume net L

266

Freezer Volume net L

106



STANDARD CONFIGURATION

- Less Frost
- LED Lighting
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers

OPTIONAL FEATURES

- Door Alarm
- Head Panel Display
- Fridge LED Lighting
- Chill Zone
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- Water Dispenser
- UltraFresh Technology
- V-Lift
- Sliding Tray

COLOR OPTIONS



374

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1860

Volume Total net L

336

Refrigerator Volume net L

230

Freezer Volume net L

106



STANDARD CONFIGURATION

Less Frost
LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Door Alarm
Head Panel Display
Fridge LED Lighting
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
V-Lift
Sliding Tray

COLOR OPTIONS



3741

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 570 x 1860

Volume Total net L

283

Refrigerator Volume net L

192

Freezer Volume net L

91



STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Sliding freezer tray

COLOR OPTIONS



318

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 610 x 1830

Volume Total net L

256

Refrigerator Volume net L

152

Freezer Volume net L

104



STANDARD CONFIGURATION

Direct Cooling
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
LED Lighting

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



286

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1800

Volume Total net L

286

Refrigerator Volume net L

202

Freezer Volume net L

84



STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



277

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540x595x1770

Volume Total net L

269

Refrigerator Volume net L

160

Freezer Volume net L

109



STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



278

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1700

Volume Total net L

268

Refrigerator Volume net L

184

Freezer Volume net L

84



STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



266

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1660

Volume Total net L

251

Refrigerator Volume net L

142

Freezer Volume net L

109



STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



252

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1520

Volume Total net L

230

Refrigerator Volume net L

146

Freezer Volume net L

84



STANDARD CONFIGURATION

- Less Frost
- LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Humidity Controlled Crisper
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



236

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1360

Volume Total net L
200

Refrigerator Volume net L
133

Freezer Volume net L
67



STANDARD CONFIGURATION

Less Frost
Fridge AC LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



174

>

TECHNICAL DATA

Product Dimensions WxDxH mm

497 x 560 x 1460

Volume Total net L

174

Refrigerator Volume net L

113

Freezer Volume net L

61



STANDARD CONFIGURATION

- Less Frost
- Fridge AC LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Wine Rack
- Portable Wine Holder

COLOR OPTIONS



Two Door Top-Freezer Models

Top mounted fridge freezer models offer no frost and direct cooling technologies with different dimensions, ideal for both large and small families and groups.



643

>

TECHNICAL DATA

Product Dimensions WxDxH mm

840 x 750 x 1860

Volume Total net L

575

Refrigerator Volume net L

435

Freezer Volume net L

140



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting (Sides)
- Chill Zone
- Humidity Controlled Crisper
- Adjustable Door Racks
- Freezer Door Racks
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Freezer Shield
- Clean Back
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides and Top)
- Fridge LED Lighting (Glass Shelves)
- Freezer LED Lighting
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- Sliding Icematic
- Water Dispenser
- UltraFresh Technology
- Purebeam+
- Duo Mode

COLOR OPTIONS



543

>

TECHNICAL DATA

Product Dimensions WxDxH mm

760 x 750 x 1860

Volume Total net L

510

Refrigerator Volume net L

387

Freezer Volume net L

123




STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Door Alarm
- Electronic Control (Inner Display)
- Fridge LED Lighting (Sides)
- Chill Zone
- Humidity Controlled Crisper
- Freezer Door Racks
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides and Top)
- Fridge LED Lighting (Glass Shelves)
- Freezer LED Lighting
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- Sliding Icematic
- UltraFresh Technology
- Purebeam+
- V-Lift

COLOR OPTIONS



543 Glass Door

>

TECHNICAL DATA

Product Dimensions WxDxH mm

760 x 750 x 1860

Volume Total net L

510

Refrigerator Volume net L

387

Freezer Volume net L

123



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Fridge LED Lighting (Glass Shelves)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Sliding Icematic
UltraFresh Technology
Purebeam+
V-Lift

COLOR OPTIONS



483

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 720 x 1870

Volume Total net L

451

Refrigerator Volume net L

354

Freezer Volume net L

97



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
Water Dispenser
UltraFresh Technology
V-Lift
Duo Mode

COLOR OPTIONS



473

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 720 x 1830

Volume Total net L

432

Refrigerator Volume net L

335

Freezer Volume net L

97



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Electronic Control (Inner Display)
Door Alarm
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



463

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 720 x 1730

Volume Total net L

400

Refrigerator Volume net L

303

Freezer Volume net L

97



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Electronic Control (Inner Display)
Door Alarm
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
UltraFresh Technology

Purebeam+
V-Lift

COLOR OPTIONS



343

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1720

Volume Total net L

310

Refrigerator Volume net L

239

Freezer Volume net L

71



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- LED Lighting
- Freezer Door Racks
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Electronic Control (Inner Display)
- Fridge LED Lighting (Sides / Top)
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology
- V-Lift
- Chill Zone
- Humidity Controlled Crisper

COLOR OPTIONS



273

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 630 x 1665

Volume Total net L

250

Refrigerator Volume net L

191

Freezer Volume net L

59



STANDARD CONFIGURATION

- No Frost Multi Cooling Tech
- Fridge LED Lighting (Sides)
- Humidity Controlled Crisper
- Freezer Door Racks
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Freezer LED Lighting
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



457

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 735 x 1830

Volume Total net L

500

Refrigerator Volume net L

372

Freezer Volume net L

128



STANDARD CONFIGURATION

- Less Frost
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers
- Rear Rollers
- Fridge LED Lighting

OPTIONAL FEATURES

- Turbo Fan-Air Cooling
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



453

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 650 x 1830

Volume Total net L

436

Refrigerator Volume net L

320

Freezer Volume net L

116



STANDARD CONFIGURATION

- Less Frost
- Humidity Controlled Crisper
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Front & Rear Rollers
- Rear Rollers
- Fridge LED Lighting

OPTIONAL FEATURES

- Turbo Fan-Air Cooling
- Fridge LED Lighting (Sides)
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- Twisted Icematic
- UltraFresh Technology
- V-Lift
- Door Alarm

COLOR OPTIONS



346

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595x598x1750

Volume Total net L

312

Refrigerator Volume net L

242

Freezer Volume net L

70



STANDARD CONFIGURATION

Less Frost
Adjustable Tempered Glass Shelves
LED Lighting
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



347

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595x598x1850

Volume Total net L

337

Refrigerator Volume net L

267

Freezer Volume net L

70



STANDARD CONFIGURATION

Less Frost
Adjustable Tempered Glass Shelves
LED Lighting
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



283

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 570 x 1600

Volume Total net L

240

Refrigerator Volume net L

198

Freezer Volume net L

42



STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
UltraFresh Technology

COLOR OPTIONS



263

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 570 x 1440

Volume Total net L

213

Refrigerator Volume net L

171

Freezer Volume net L

42



STANDARD CONFIGURATION

- Less Frost
- LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Lift
- UltraFresh Technology

COLOR OPTIONS



233

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 570 x 1220

Volume Total net L

168

Refrigerator Volume net L

126

Freezer Volume net L

42



STANDARD CONFIGURATION

- Less Frost
- LED Lighting
- Adjustable Tempered Glass Shelves
- Ice Tray
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet

OPTIONAL FEATURES

- Wine Rack
- Portable Wine Holder
- Bottle Holder
- UltraFresh Technology

COLOR OPTIONS



Single Door Models

Single door models coming
with and without freezer
compartment options.



375

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
380

Refrigerator Volume net L
380

Freezer Volume net L
-



STANDARD CONFIGURATION

- No Frost Cooling Tech
- Head Panel Display
- Humidity Controlled Crisper
- Adjustable Door Racks
- Adjustable Tempered Glass Shelves
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers
- Fridge LED Lighting

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Fridge LED Lighting (Sides and Top)
- Chill Zone
- Additional Crispers
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- Water Dispenser
- UltraFresh Technology
- V-Lift
- Metal Cooling
- Door Alarm

COLOR OPTIONS



376

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
386

Refrigerator Volume net L
386

Freezer Volume net L
-



STANDARD CONFIGURATION

- Direct Cooling
- Turbo Fan-Air Cooling
- Humidity Controlled Crisper
- Adjustable Door Racks
- Adjustable Tempered Glass Shelves
- Egg Holders
- Transparent Accessories
- Zero Clearance
- Reversible Doors
- Leveling Feet
- Rear Rollers
- LED Lighting

OPTIONAL FEATURES

- Electronic Control (Display on Door)
- Electronic Control (Head Panel Display)
- Fridge LED Lighting (Sides and Top)
- Wine Rack
- Air Duct
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- Water Dispenser
- UltraFresh Technology
- V-Lift
- Door Alarm

COLOR OPTIONS



327

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1550

Volume Total net L

308

Refrigerator Volume net L

308

Freezer Volume net L

-



STANDARD CONFIGURATION

- Direct Cooling
- Turbo Fan-Air Cooling
- LED Lighting
- Adjustable Tempered Glass Shelves
- Egg Holders
- Transparent Accessories
- Reversible Doors
- Leveling Feet
- Rear Rollers
- Humidity Controlled Crisper
- Zero Clearance
- Adjustable Door Racks
- Side Electronic Led Indicator Display

OPTIONAL FEATURES

- Head Panel Display
- Door Alarm
- Wine Rack
- Portable Wine Holder
- Bottle Holder
- V-Shelf
- UltraFresh Technology
- V-Lift

COLOR OPTIONS



2653

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1455

Volume Total net L

255

Refrigerator Volume net L

255

Freezer Volume net L

-



STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Humidity Controlled Crisper

OPTIONAL FEATURES

Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Head Panel Display
UltraFresh Technology
V-Lift

COLOR OPTIONS



Freezer Models

Single door freezer models with different dimensions offering both no frost and direct cooling technologies.



491

>

TECHNICAL DATA

Product Dimensions WxDxH mm

700 x 755 x 1950

Volume Total net L

406

Refrigerator Volume net L

-

Freezer Volume net L

-



STANDARD CONFIGURATION

- No Frost Technology
- Push Button Display
- Door Alarm
- Zero Clearance
- Ice tray
- 6 Drawers
- 2 Tempered glass shelves
- Door reversibility
- Transparent Accessories
- Leveling Feet
- Rear Rollers
- Freezer Shield

OPTIONAL FEATURES

- LED Lighting on head panel
- LED Lighting on top (Door display models)
- Electronic Control (Display on Door)
- Icemaker

COLOR OPTIONS



372

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1860

Volume Total net L

278

Refrigerator Volume net L

-

Freezer Volume net L

278



STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
2 Door Racks
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
5 drawers
2 tempered glass shelves

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer Led Lighting
Twisted Icematic
Metal Cooling
Icematic on Door Rack
Door Alarm

COLOR OPTIONS



371

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1860

Volume Total net L

280

Refrigerator Volume net L

-

Freezer Volume net L

280



STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
5 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Twisted Icematic
Door Alarm
Duo Mode

COLOR OPTIONS



323

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1550

Volume Total net L

220

Refrigerator Volume net L

-

Freezer Volume net L

220




STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
4 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Twisted Icematic
Door Alarm

COLOR OPTIONS



332

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 600 x 1750

Volume Total net L

243

Refrigerator Volume net L

-

Freezer Volume net L

243




STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance
5 drawers
2 flap covers

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS



322

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 600 x 1550

Volume Total net L

208

Refrigerator Volume net L

-

Freezer Volume net L

208




STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance
4 drawers
2 flap covers

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS



241

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1455

Volume Total net L

172

Refrigerator Volume net L

-

Freezer Volume net L

172



STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers
4 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Twisted Icematic
Door Alarm

COLOR OPTIONS



2451

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1455

Volume Total net L

182

Refrigerator Volume net L

-

Freezer Volume net L

182



STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
4 drawers
2 flap covers

OPTIONAL FEATURES

Head Panel Display

COLOR OPTIONS



2441

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 550 x 1455

Volume Total net L

175

Refrigerator Volume net L

-

Freezer Volume net L

175



STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
3 drawers
2 flap covers

OPTIONAL FEATURES

Head Panel Display

COLOR OPTIONS



Table Top Models

Small size under counter
models with fridge freezer,
freezer and larder options.



153

>



TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 838

Volume Total net L

134

Refrigerator Volume net L

134

Freezer Volume net L

-

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



143

>



TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 615 x 838

Volume Total net L

102

Refrigerator Volume net L

-

Freezer Volume net L

102

STANDARD CONFIGURATION

Less Frost

Ice Tray

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

2 Drawers

1 Flap Cover

COLOR OPTIONS



130

>



TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 838

Volume Total net L

121

Refrigerator Volume net L

104

Freezer Volume net L

17

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



1002

>



TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 500 x 821

Volume Total net L

89

Refrigerator Volume net L

89

Freezer Volume net L

-

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



1005

>



TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 510 x 821

Volume Total net L

63

Refrigerator Volume net L

-

Freezer Volume net L

63

STANDARD CONFIGURATION

Direct Cooling

Ice Tray

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



1001

>



Zero Star/Two Star

TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 500 x 821

Volume Total net L

88

Refrigerator Volume net L

88

Freezer Volume net L

-

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Ice Tray

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



1101

>



TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 560 x 838

Volume Total net L

81

Refrigerator Volume net L

73

Freezer Volume net L

8

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Ice Tray

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



125

>



TECHNICAL DATA

Product Dimensions WxDxH mm

820 x 497 x 579

Volume Total net L

114

Refrigerator Volume net L

100

Freezer Volume net L

14

STANDARD CONFIGURATION

Direct Cooling

Fridge AC LED Lighting

Removable Safety Glass Shelf

Egg Holder

Transparent Accessories

Bottle Rack

Leveling Feet

Reversible doors

RETRO RANGE

~~~~~  
Models with retro door and handle design on both  
top mounted and bottom mounted fridge freezers  
and a single door fridge freezer.



### COLOR OPTIONS



Beige



Matte Black



Red



Blue



Claret



Green



Orange



Pink



Violet



Yellow



343

346

373 / 379 / 374

482

#### HANDLE OPTIONS

Bmp



Curve



Due



Uno



Cosma



H A N D L E S  
I N T E G R A T E D



A G E H C



A G E ( H O T S T A M P )



E R A H C



S U N



S U N ( H O T S T A M P )



N E O



MIDLIN E



FLATLIN E



AGE CLASSIC



ERA CLASSIC



VESTEL




DIAMOND



FLN WAVE



COOLLINE



SOFTLINE



NOVA



ZENITH



SLIMLINE



SLIMLINE BXD

## H A N D L E S

### E X T E R N A L



W I N G



C L A S S I C



P O L E



C H A I N \*



L A R I X



M E B A K



D N Z \*



V M K



T H O R \*

\* Handle can be used for SBS product in niche cabinet



VEGA



STELLA



Z DESIGN \*



V - MOVE \*



V - MOVE PIPE \*



FLX



GLXY



CURLY



TRIA

\* Handle can be used for SBS product in niche cabinet



P X H \*



N I C H E \*




N I C H E - P I P E \*

\* Handle can be used for SBS product in niche cabinet

## COLOR OPTIONS

Powder Painted



SNOW WHITE


VCM




Stainless Steel



INOX



VANILLA



DARK INOX LOOK



DARK INOX



DARK SILVER



HG BEIGE



RED



PET INOX



BLACK

**Multi Door EN 62552:2020**

| Refrigeration System                    | NO FROST      | NFMC          |
|-----------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Model                                   | 850           | 910           | 910           | 916           | 916           | 916           | 916           | 916           |
| Control System                          | ELECTRONIC    |
| Climatic Class                          | T/SN          | T/N           | T/N           | T/N           | T/N           | T/SN          | T/N           | T/SN          |
| Energy Class                            | A++           | A+            | A+            | A             | A+            | A++           | A+            | A++           |
| Door                                    | Standard      | Standard      | VACUUM        | Standard      | Standard      | Standard      | VACUUM        | VACUUM        |
| Turbo                                   | NO            |
| Spec w/o Chiller                        | YES           | NO            |
| Performance(star rating)                | 4/2           | 4             | 4             | 4             | 4             | 4             | 4             | 4             |
| Volume Total(gross)(L)                  | 820           | 630           | 630           | 630           | 630           | 630           | 630           | 630           |
| Volume Total(net)(L)                    | 713           | 560           | 556           | 560           | 560           | 560           | 556           | 556           |
| Volume Refrigerator (gross)(L)          | 498           | 418           | 418           | 418           | 418           | 418           | 418           | 418           |
| Volume Refrigerator Total (net)(L)      | 466           | 390           | 386           | 390           | 390           | 390           | 386           | 386           |
| Volume Refr Without Chiller(net)(L)     | 466           | 352           | 348           | 352           | 352           | 352           | 348           | 348           |
| Chiller Volume(net)(L)                  | -             | 38            | 38            | 38            | 38            | 38            | 38            | 38            |
| Volume Freezer(gross)(L)                | 322           | 212           | 212           | 212           | 212           | 212           | 212           | 212           |
| Volume Freezer(net)(L)                  | 247           | 170           | 170           | 170           | 170           | 170           | 170           | 170           |
| Four Star Volume (net)(L)               | 216           | 170           | 170           | 170           | 170           | 170           | 170           | 170           |
| Two Star Volume (net)(L)                | 31            |               |               |               |               |               |               |               |
| Energy Consumption(kWh/24h)             | 1.192         | 1.301         | 1.298         | 1.706         | 1.301         | 1.021         | 1.298         | 1.019         |
| Energy Consumption(kWh/year)            | 435           | 475           | 474           | 623           | 475           | 373           | 474           | 372           |
| Freezing Capacity(kg/24h)               | 13            | 18            | 18            | 13            | 13            | 13            | 13            | 13            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 13            | 12            | 12            | 12            | 12            | 12            | 12            | 12            |
| Noise Emission dB(A)                    | 48            | 45            | 45            | 46            | 46            | 44            | 46            | 44            |
| Defrost System Type Fridge/Freezer      | AUTOMATIC     |
| Product Dimensions (WxDxH)(mm)          | 1210X710X2120 | 910X780X1850  | 910X750X1850  | 910X750X1850  | 910X750X1850  | 910X780X1850  | 910X750X1850  | 910X750X1850  |
| Packaged Dimensions (WxDxH)(mm)         | 1300X780X2370 | 1025X858X1950 |
| Freezer Shield                          | NO            | YES           |
| Loading quantity/20ft Container(pcs)    | NO            | 12            | 12            | 12            | 12            | 12            | 12            | 12            |
| Loading quantity/40ft Container(pcs)    | NO            | 28            | 28            | 28            | 28            | 28            | 28            | 28            |
| Loading quantity/40ft HC Container(pcs) | 24            | 28            | 28            | 28            | 28            | 28            | 28            | 28            |

| Refrigeration System                | NFMC         | NFMC         | NFMC         |
|-------------------------------------|--------------|--------------|--------------|
| Model                               | 911          | 620          | 620          |
| Control System                      | ELECTRONIC   | ELECTRONIC   | ELECTRONIC   |
| Climatic Class                      | T/N          | T/SN         | T/SN         |
| Energy Class                        | A+           | A+           | A++          |
| Door                                | Standard     | Standard     | Standard     |
| Turbo                               | NO           | NO           | NO           |
| Spec w/o Chiller                    | NO           | YES          | YES          |
| Performance(star rating)            | 4            | 4            | 4            |
| Volume Total(gross)(L)              | 653          | -            | -            |
| Volume Total(net)(L)                | 557          | 459          | 459          |
| Volume Refrigerator (gross)(L)      | 418          | -            | -            |
| Volume Refrigerator Total (net)(L)  | 390          | 319          | 319          |
| Volume Refr Without Chiller(net)(L) | 352          | 319          | 319          |
| Chiller Volume(net)(L)              | 38           | -            | -            |
| Volume Freezer(gross)(L)            | 235          | -            | -            |
| Volume Freezer(net)(L)              | 167          | 140          | 140          |
| Four Star Volume (net)(L)           | 167          | 140          | 140          |
| Two Star Volume (net)(L)            |              | -            | -            |
| Energy Consumption(kWh/24h)         | 1,295        | 1,078        | 0.845        |
| Energy Consumption(kWh/year)        | 473          | 393          | 309          |
| Freezing Capacity(kg/24h)           | 7,0          | 6,5          | 6,5          |
| Temp. Rise Time(-18°C to -9°C)(h)   | 24,0         | 10,8         | 10,8         |
| Noise Emission dB(A)                | 45           | 41           | 39           |
| Defrost System Type Fridge/Freezer  | AUTOMATIC    | AUTOMATIC    | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)      | 910X763X1850 | 840x690x1790 | 840x690x1790 |

|                                         |               |              |              |
|-----------------------------------------|---------------|--------------|--------------|
| Packaged Dimensions (WxDxH)(mm)         | 1025X878X1950 | 900x770x1890 | 900x770x1890 |
| Freezer Shield                          | YES           | YES          | YES          |
| Loading quantity/20ft Container(pcs)    | 12            | 18           | 18           |
| Loading quantity/40ft Container(pcs)    | 26            | 39           | 39           |
| Loading quantity/40ft HC Container(pcs) | 26            | 51           | 51           |

## Two Door Bottom Freezer EN 62552:2020

| Refrigeration System                    | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 653          | 653          | 553          | 492          | 492          | 492          | 482          |
| Control System                          | ELECTRONIC   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A+           | A++          | A++          | A+           | A++          | A++          | A++          |
| Door                                    | Standard     | Standard     | Standard     | Standard     | GLASS DOOR   | Standard     | Standard     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | NO           |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 620          | 620          | 560          | 510          | 510          | 510          | 495          |
| Volume Total(net)(L)                    | 564          | 564          | 507          | 461          | 461          | 461          | 453          |
| Volume Refrigerator (gross)(L)          | 418          | 418          | 415          | 355          | 355          | 355          | 368          |
| Volume Refrigerator Total (net)(L)      | 400          | 400          | 390          | 333          | 333          | 333          | 350          |
| Volume Refr Without Chiller(net)(L)     | 366          | 366          | 363          | 309          | 309          | 309          | 326          |
| Chiller Volume(net)(L)                  | 34           | 34           | 27           | 24           | 24           | 24           | 24           |
| Volume Freezer(gross)(L)                | 202          | 202          | 145          | 155          | 155          | 155          | 127          |
| Volume Freezer(net)(L)                  | 164          | 164          | 117          | 128          | 128          | 128          | 103          |
| Four Star Volume (net)(L)               | 164          | 164          | 117          | 128          | 128          | 128          | 103          |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 1.295        | 1.016        | 0,904        | 1.120        | 0,879        | 0,879        | 0,841        |
| Energy Consumption(kWh/year)            | 473          | 371          | 330          | 409          | 321          | 321          | 307          |
| Freezing Capacity(kg/24h)               | 10           | 10           | 6            | 9            | 9            | 9            | 7            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 18           | 18           | 21           | 24           | 24           | 24           | 23           |
| Noise Emission dB(A)                    | 43           | 43           | 43           | 43           | 43           | 43           | 44           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 840X750X1860 | 840X750X1860 | 760X737X1860 | 700X712X1920 | 700X721X1920 | 700X712X1920 | 700X712X1860 |
| Packaged Dimensions (WxDxH)(mm)         | 900X780X1940 | 900X780X1940 | 832X780X1940 | 768X801X1997 | 768X822X1997 | 768X801X1997 | 768X792X1937 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 18           | 18           | 21           | 21           | 21           | 21           | 21           |
| Loading quantity/40ft Container(pcs)    | 39           | 39           | 42           | 45           | 42           | 45           | 45           |
| Loading quantity/40ft HC Container(pcs) | 39           | 39           | 42           | 45           | 42           | 45           | 45           |

| Refrigeration System                    | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 462          | 462          | 383          | 383          | 383          | 383          | 383          |
| Control System                          | ELECTRONIC   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A+           | A++          | A+           | A+           | A+           | A++          | A++          |
| Door                                    | Standard     | STANDARD     | GLASS DOOR   | Standard     | Standard     | GLASS DOOR   | Standard     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | NO           | NO           | YES          | NO           | YES          | NO           | NO           |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 452          | 452          | 379          | 379          | 379          | 379          | 379          |
| Volume Total(net)(L)                    | 407          | 407          | 360          | 360          | 360          | 360          | 360          |
| Volume Refrigerator (gross)(L)          | 325          | 325          | 275          | 275          | 275          | 275          | 275          |
| Volume Refrigerator Total (net)(L)      | 304          | 304          | 266          | 266          | 266          | 266          | 266          |
| Volume Refr Without Chiller(net)(L)     | 280          | 280          | 266          | 244          | 266          | 244          | 244          |
| Chiller Volume(net)(L)                  | 24           | 24           | -            | 22           | -            | 22           | 22           |
| Volume Freezer(gross)(L)                | 127          | 127          | 104          | 104          | 104          | 104          | 104          |
| Volume Freezer(net)(L)                  | 103          | 103          | 94           | 94           | 94           | 94           | 94           |
| Four Star Volume (net)(L)               | 103          | 103          | 94           | 94           | 94           | 94           | 94           |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 1.021        | 0,802        | 0,956        | 0,956        | 0,956        | 0,75         | 0,75         |
| Energy Consumption(kWh/year)            | 373          | 293          | 349          | 349          | 349          | 274          | 274          |
| Freezing Capacity(kg/24h)               | 7            | 7            | 8            | 8            | 8            | 8            | 8            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 23           | 23           | 18           | 18           | 18           | 18           | 18           |
| Noise Emission dB(A)                    | 44           | 43           | 42           | 42           | 42           | 42           | 42           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 700X712X1730 | 700X712X1730 | 595X650X2010 | 595X650X2010 | 595X650X2010 | 595X650X2010 | 595X650X2010 |
| Packaged Dimensions (WxDxH)(mm)         | 768X801X1807 | 768X801X1807 | 664X728X2066 | 664X728X2066 | 664X728X2066 | 664X728X2066 | 664X728X2066 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 21           | 21           | 24           | 24           | 24           | 24           | 24           |
| Loading quantity/40ft Container(pcs)    | 45           | 45           | 54           | 54           | 54           | 54           | 54           |
| Loading quantity/40ft HC Container(pcs) | 60           | 60           | 54           | 54           | 54           | 54           | 54           |

Two Door Bottom Freezer EN 62552:2020

| Refrigeration System                    | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 373          | 373          | 373          | 373          | 373          | 373          | 389          |
| Control System                          | ELECTRONIC   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A+           | A+           | A+           | A+           | A++          | A++          | A+           |
| Door                                    | GLASS DOOR   | GLASS DOOR   | Standard     | Standard     | GLASS DOOR   | Standard     | Standard     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | NO           | YES          | NO           | YES          | NO           | NO           | YES          |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 341          | 341          | 341          | 341          | 341          | 341          | 348          |
| Volume Total(net)(L)                    | 324          | 324          | 324          | 324          | 324          | 324          | 323          |
| Volume Refrigerator (gross)(L)          | 237          | 237          | 237          | 237          | 237          | 237          | 248          |
| Volume Refrigerator Total (net)(L)      | 230          | 230          | 230          | 230          | 230          | 230          | 237          |
| Volume Refr Without Chiller(net)(L)     | 208          | 230          | 208          | 230          | 208          | 208          | 237          |
| Chiller Volume(net)(L)                  | 22           | -            | 22           | -            | 22           | 22           |              |
| Volume Freezer(gross)(L)                | 104          | 104          | 104          | 104          | 104          | 104          | 100          |
| Volume Freezer(net)(L)                  | 94           | 94           | 94           | 94           | 94           | 94           | 86           |
| Four Star Volume (net)(L)               | 94           | 94           | 94           | 94           | 94           | 94           | 86           |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 0,917        | 0,852        | 0,917        | 0,852        | 0,72         | 0,72         | 0,835        |
| Energy Consumption(kWh/year)            | 335          | 311          | 335          | 311          | 263          | 263          | 305          |
| Freezing Capacity(kg/24h)               | 8            | 8            | 8            | 8            | 8            | 8            | 4,5          |
| Temp. Rise Time(-18°C to -9°C)(h)       | 18           | 18           | 18           | 18           | 18           | 18           | 600          |
| Noise Emission dB(A)                    | 42           | 42           | 42           | 42           | 42           | 42           | 39           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 595X660X1860 | 595X660X1860 | 595X650X1860 | 595X650X1860 | 595X660X1860 | 595X650X1860 | 595X600X2010 |
| Packaged Dimensions (WxDxH)(mm)         | 664X762X1916 | 664X762X1916 | 664X728X1916 | 664X728X1916 | 664X762X1916 | 664X728X1916 | 660X661X2070 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 24           | 24           | 24           | 24           | 24           | 24           | 24           |
| Loading quantity/40ft Container(pcs)    | 54           | 54           | 54           | 54           | 54           | 54           | 54           |
| Loading quantity/40ft HC Container(pcs) | 72           | 72           | 72           | 72           | 72           | 72           | 54           |

| Refrigeration System                    | NFMC         | NFMC         | NFMC         | NFMC         | NFMC           | NFMC         | NFMC           | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|----------------|--------------|----------------|--------------|
| Model                                   | 353          | 353          | 353          | 379          | 379            | 379          | 379            | 379          |
| Control System                          | ELECTRONIC   | ELECTRONIC   | ELECTRONIC   | ELECTRONIC   | ELECTRONIC     | MECHANICS    | MECHANIC       | ELECTRONIC   |
| Climatic Class                          | T/SN         | T/SN         | T/SN         | T/SN         | T/SN           | T/SN         | T/SN           | T/SN         |
| Energy Class                            | A+           | A+           | A++          | A+           | A+             | A+           | A+             | A++          |
| Door                                    | Standard     | Standard     | Standard     | STANDARD     | RETRO          | STANDARD     | RETRO          | STANDARD     |
| Turbo                                   | NO           | NO           | NO           | NO           | NO             | NO           | NO             | NO           |
| Spec w/o Chiller                        | NO           | YES          | NO           | NO           | NO             | NO           | NO             | NO           |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4              | 4            | 4              | 4            |
| Volume Total(gross)(L)                  | 339          | 339          | 339          | 315          | 315            | 315          | 315            | 315          |
| Volume Total(net)(L)                    | 313          | 313          | 313          | 291          | 291            | 291          | 291            | 286          |
| Volume Refrigerator (gross)(L)          | 209          | 209          | 209          | 215          | 215            | 215          | 215            | 215          |
| Volume Refrigerator Total (net)(L)      | 202          | 202          | 202          | 205          | 205            | 205          | 205            | 200          |
| Volume Refr Without Chiller(net)(L)     | 180          | 202          | 180          | 205          | 205            | 205          | 205            | 175          |
| Chiller Volume(net)(L)                  | 22           | -            | 22           | 25           |                | 25           | 25             | 25           |
| Volume Freezer(gross)(L)                | 130          | 130          | 130          | 100          | 100            | 100          | 100            | 100          |
| Volume Freezer(net)(L)                  | 111          | 111          | 111          | 86           | 86             | 86           | 86             | 86           |
| Four Star Volume (net)(L)               | 111          | 111          | 111          | 86           | 86             | 86           | 86             | 86           |
| Two Star Volume (net)(L)                |              |              |              |              |                |              |                |              |
| Energy Consumption(kWh/24h)             | 0,935        | 0,871        | 0,734        | 0,8          | 0,8            | 0,8          | 0,8            | 0,632        |
| Energy Consumption(kWh/year)            | 341          | 318          | 268          | 292          | 292            | 292          | 292            | 231          |
| Freezing Capacity(kg/24h)               | 8            | 8            | 8            | 4,5          | 4,5            | 4,5          | 4,5            | 4            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 18           | 18           | 18           | 10           | 10             | 10           | 10             | 18           |
| Noise Emission dB(A)                    | 42           | 42           | 42           | 41           | 41             | 41           | 41             | 41           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    | AUTOMATIC    | AUTOMATIC    | AUTOMATIC    | AUTOMATIC      | AUTOMATIC    | AUTOMATIC      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 595X650X1860 | 595X650X1860 | 595X650X1860 | 595X600X1860 | 605x631x1901,5 | 595X600X1860 | 605x631x1901,5 | 595X600X1860 |
| Packaged Dimensions (WxDxH)(mm)         | 664X728X1916 | 664X728X1916 | 664X728X1916 | 664X678X1916 | 664X678X1916   | 664X678X1916 | 664X678X1916   | 664X678X1916 |
| Freezer Shield                          | YES          | YES          | YES          | YES          | YES            | YES          | YES            | YES          |
| Loading quantity/20ft Container(pcs)    | 24           | 24           | 24           | 24           | 24             | 24           | 24             | 24           |
| Loading quantity/40ft Container(pcs)    | 54           | 54           | 54           | 54           | 54             | 54           | 54             | 54           |
| Loading quantity/40ft HC Container(pcs) | 72           | 72           | 72           | 72           | 72             | 72           | 72             | 72           |

Two Door Bottom Freezer EN 62552:2020

|                                         |              |              |              |              |              |              |              |              |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Refrigeration System                    | NFMC         |
| Refrigeration System                    | FROST FREE   | FROST FREE   | FROST FREE   | NFMC         | NFMC         | NFMC         | NFMC         | NFMC         |
| Model                                   | 319          | 319          | 319          | 289          | 289          | 289          | 289          | 289          |
| Control System                          | ELECTRONIC   | MECHANICAL   | MECHANICAL   | ELECTRONIC   | ELECTRONIC   | MECHANICAL   | MECHANICAL   | MECHANICAL   |
| Climatic Class                          | N            | N            | ST/N         | ST/N         | ST/N         | ST/N         | ST/N         | T/N          |
| Energy Class                            | A+           | A+           | A++          | A+           | A++          | A+           | A++          | A++          |
| Door                                    | STANDARD     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | YES          | YES          | YES          | YES          | NO           | YES          | NO           | NO           |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 262          | 262          | 262          | 288          | 288          | 288          | 288          | 288          |
| Volume Total(net)(L)                    | 245          | 245          | 245          | 264          | 264          | 264          | 264          | 264          |
| Volume Refrigerator (gross)(L)          | 153          | 153          | 153          | 204          | 204          | 204          | 204          | 204          |
| Volume Refrigerator Total (net)(L)      | 152          | 152          | 152          | 194          | 194          | 194          | 194          | 194          |
| Volume Refr Without Chiller(net)(L)     | 152          | 152          | 152          | 194          | 179          | 194          | 179          | 176          |
| Chiller Volume(net)(L)                  | -            | -            | -            | -            | 15           | -            | 15           | 18           |
| Volume Freezer(gross)(L)                | 109          | 109          | 109          | 84           | 84           | 84           | 84           | 84           |
| Volume Freezer(net)(L)                  | 93           | 93           | 93           | 70           | 70           | 70           | 70           | 70           |
| Four Star Volume (net)(L)               | 93           | 93           | 93           | 70           | 70           | 70           | 70           | 70           |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 0,695        | 0,695        | 0,575        | 0,715        | 0,608        | 0,715        | 0,608        | 0,635        |
| Energy Consumption(kWh/year)            | 254          | 254          | 210          | 261          | 222          | 261          | 222          | 232          |
| Freezing Capacity(kg/24h)               | 4            | 4            | 4            | 3,5          | 3,5          | 3,5          | 3,5          | 3,5          |
| Temp. Rise Time(-18°C to -9°C)(h)       | 13           | 13           | 13           | 11           | 11           | 11           | 11           | 11           |
| Noise Emission dB(A)                    | 43           | 43           | 43           | 42           | 43           | 42           | 43           | 43           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 540X610X1830 | 540X610X1830 | 540X610X1830 | 540X595X1800 | 540X595X1800 | 540X595X1800 | 540X595X1800 | 540X595X1800 |
| Packaged Dimensions (WxDxH)(mm)         | 578X632X1882 | 578X632X1882 | 578X632X1882 | 578X632X1852 | 578X632X1852 | 578X632X1852 | 578X632X1852 | 578X632X1852 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 36           | 36           | 36           | 36           | 36           | 36           | 36           | 36           |
| Loading quantity/40ft Container(pcs)    | 76           | 76           | 76           | 76           | 76           | 76           | 76           | 76           |
| Loading quantity/40ft HC Container(pcs) | 95           | 95           | 95           | 95           | 95           | 95           | 95           | 95           |
| Refrigeration System                    | FROST FREE   |
| Model                                   | 287          | 287          | 287          | 267          | 267          | 253          | 253          | 253          |
| Control System                          | MECHANICAL   | MECHANICAL   | ELECTRONIC   | MECHANICAL   | MECHANICAL   | MECHANICAL   | MECHANICAL   | MECHANICAL   |
| Climatic Class                          | ST/N         | T/SN         | ST/N         | ST/N         | T/N          | ST/N         | ST/N         | ST/N         |
| Energy Class                            | A+           | A++          | A+           | A+           | A++          | A+           | A++          | A++          |
| Door                                    | Standard     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | YES          | NO           | YES          | YES          | NO           | YES          | YES          | YES          |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 288          | 288          | 288          | 254          | 254          | 232          | 232          | 232          |
| Volume Total(net)(L)                    | 272          | 272          | 272          | 237          | 237          | 216          | 216          | 216          |
| Volume Refrigerator (gross)(L)          | 204          | 204          | 204          | 144          | 144          | 148          | 148          | 148          |
| Volume Refrigerator Total (net)(L)      | 202          | 202          | 202          | 142          | 142          | 146          | 146          | 146          |
| Volume Refr Without Chiller(net)(L)     | 202          | 184          | 202          | 142          | 124          | 146          | 146          | 146          |
| Chiller Volume(net)(L)                  | -            | 18           | -            | -            | 18           | -            | -            | -            |
| Volume Freezer(gross)(L)                | 84           | 84           | 84           | 110          | 110          | 84           | 84           | 84           |
| Volume Freezer(net)(L)                  | 70           | 70           | 70           | 95           | 95           | 70           | 70           | 70           |
| Four Star Volume (net)(L)               | 70           | 70           | 70           | 95           | 95           | 70           | 70           | 70           |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 0,723        | 0,643        | 0,723        | 0,726        | 0,646        | 0,668        | 0,523        | 0,523        |
| Energy Consumption(kWh/year)            | 264          | 235          | 264          | 265          | 236          | 244          | 191          | 191          |
| Freezing Capacity(kg/24h)               | 3,5          | 3,5          | 3,5          | 4,5          | 4,5          | 3,5          | 3,5          | 3,5          |
| Temp. Rise Time(-18°C to -9°C)(h)       | 11           | 11           | 11           | 15           | 15           | 11           | 11           | 11           |
| Noise Emission dB(A)                    | 42           | 43           | 42           | 42           | 42           | 42           | 42           | 42           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 540X595X1800 | 540X595X1800 | 540X595X1800 | 540X595X1660 | 540X595X1660 | 540X595X1520 | 540X595X1520 | 540X595X1520 |
| Packaged Dimensions (WxDxH)(mm)         | 578X632X1852 | 578X632X1852 | 578X632X1852 | 578X632X1712 | 578X632X1712 | 578X632X1572 | 578X632X1572 | 578X632X1572 |
| Freezer Shield                          | NO           | NO           | YES          | YES          | YES          | YES          | YES          | YES          |
| Loading quantity/20ft Container(pcs)    | 36           | 36           | 36           | 46           | 46           | 48           | 48           | 48           |
| Loading quantity/40ft Container(pcs)    | 76           | 76           | 76           | 96           | 96           | 102          | 102          | 102          |
| Loading quantity/40ft HC Container(pcs) | 95           | 95           | 95           | 96           | 96           | 102          | 102          | 102          |

Two Door Bottom Freezer EN 62552:2020

| Refrigeration System                    | LESS FROST        | LESS FROST        |
|-----------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|-------------------|
| Model                                   | 384              | 384              | 374              | 374              | 374              | 374              | 374               | 374               |
| Control System                          | ELECTRONIC       | MECHANICAL       | ELECTRONIC       | ELECTRONIC       | ELECTRONIC       | ELECTRONIC       | MECHANICAL        | MECHANICAL        |
| Climatic Class                          | T/SN             | T/N              | T/SN             | T/SN             | T/SN             | T/SN             | T/SN              | T/SN              |
| Energy Class                            | A+               | A+               | A+               | A+               | A++              | A++              | A+                | A+                |
| Door                                    | Standard         | Standard         | Standard         | Standard         | Standard         | Standard         | RETRO             | Standard          |
| Turbo                                   | NO                | NO                |
| Spec w/o Chiller                        | YES              | YES              | NO               | YES              | NO               | YES              | YES               | NO                |
| Performance(star rating)                | 4                | 4                | 4                | 4                | 4                | 4                | 4                 | 4                 |
| Volume Total(gross)(L)                  | 384              | 384              | 348              | 348              | 348              | 348              | 348               | 348               |
| Volume Total(net)(L)                    | 372              | 372              | 336              | 336              | 336              | 336              | 336               | 336               |
| Volume Refrigerator (gross)(L)          | 271              | 271              | 235              | 235              | 235              | 235              | 235               | 235               |
| Volume Refrigerator Total (net)(L)      | 266              | 266              | 230              | 230              | 230              | 230              | 230               | 230               |
| Volume Refr Without Chiller(net)(L)     | 266              | 266              | 208              | 230              | 208              | 230              | 230               | 208               |
| Chiller Volume(net)(L)                  | -                | -                | 22               | -                | 22               | -                | -                 | 22                |
| Volume Freezer(gross)(L)                | 113              | 113              | 113              | 113              | 113              | 113              | 113               | 113               |
| Volume Freezer(net)(L)                  | 106              | 106              | 106              | 106              | 106              | 106              | 106               | 106               |
| Four Star Volume (net)(L)               | 106              | 106              | 106              | 106              | 106              | 106              | 106               | 106               |
| Two Star Volume (net)(L)                |                  |                  |                  |                  |                  |                  |                   |                   |
| Energy Consumption(kWh/24h)             | 0.876            | 0.876            | 0.901            | 0.838            | 0.706            | 0.657            | 0.838             | 0.901             |
| Energy Consumption(kWh/year)            | 320              | 320              | 329              | 306              | 258              | 240              | 306               | 329               |
| Freezing Capacity(kg/24h)               | 4.5              | 4.5              | 4.5              | 4.5              | 4.5              | 4.5              | 4.5               | 4.5               |
| Temp. Rise Time(-18°C to -9°C)(h)       | 20               | 20               | 20               | 20               | 20               | 20               | 20                | 20                |
| Noise Emission dB(A)                    | 41               | 41               | 41               | 41               | 39               | 39               | 41                | 41                |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUE | AUTOMATIC/ MANUEL | AUTOMATIC/ MANUEL |
| Product Dimensions (WxDxH)(mm)          | 595X650X2010     | 595X650X2010     | 595X650X1860     | 595X650X1860     | 595X650X1860     | 595X650X1860     | 605X681X1901      | 595X650X1860      |
| Packaged Dimensions (WxDxH) (mm)        | 664X728X2066     | 664X728X2066     | 664X728X1916     | 664X728X1916     | 664X728X1916     | 664X728X1916     | 680X782X1975      | 664X728X1916      |
| Freezer Shield                          | NO               | NO               | YES              | YES              | YES              | YES              | NO                | NO                |
| Loading quantity/20ft Container(pcs)    | 24               | 24               | 24               | 24               | 24               | 24               | 21                | 24                |
| Loading quantity/40ft Container(pcs)    | 54               | 54               | 54               | 54               | 54               | 54               | 51                | 54                |
| Loading quantity/40ft HC Container(pcs) | 54               | 54               | 72               | 72               | 72               | 72               | 69                | 72                |

| Refrigeration System                    | LESS FROST       | LESS FROST       | LESS FROST        | LESS FROST       | LESS FROST       | LESS FROST       | STATIC            | STATIC           |
|-----------------------------------------|------------------|------------------|-------------------|------------------|------------------|------------------|-------------------|------------------|
| Model                                   | 374              | 374              | 374               | 374              | 3741             | 3741             | 318               | 318              |
| Control System                          | MECHANICAL       | MECHANICAL       | MECHANICAL        | MECHANICAL       | MECHANICAL       | MECHANICAL       | MECHANICAL        | MECHANICAL       |
| Climatic Class                          | T/SN             | T/SN             | T/SN              | T/SN             | T/SN             | N                | ST/N              |                  |
| Energy Class                            | A+               | A++              | A++               | A++              | A+               | A++              | A+                | A++              |
| Door                                    | Standard         | RETRO            | Standard          | Standard         | Standard         | Standard         | Standard          | Standard         |
| Turbo                                   | NO               | NO               | NO                | NO               | NO               | NO               | NO                | NO               |
| Spec w/o Chiller                        | YES              | YES              | NO                | YES              | YES              | YES              | YES               | YES              |
| Performance(star rating)                | 4                | 4                | 4                 | 4                | 4                | 4                | 4                 | 4                |
| Volume Total(gross)(L)                  | 348              | 348              | 348               | 348              | 286              | 286              | 262               | 262              |
| Volume Total(net)(L)                    | 336              | 336              | 336               | 336              | 283              | 283              | 256               | 256              |
| Volume Refrigerator (gross)(L)          | 235              | 235              | 235               | 235              | 194              | 194              | 153               | 153              |
| Volume Refrigerator Total (net)(L)      | 230              | 230              | 230               | 230              | 192              | 192              | 152               | 152              |
| Volume Refr Without Chiller(net)(L)     | 230              | 230              | 208               | 230              | 192              | 192              | 152               | 152              |
| Chiller Volume(net)(L)                  | -                | -                | 22                | -                | -                | -                | -                 | -                |
| Volume Freezer(gross)(L)                | 113              | 113              | 113               | 113              | 92               | 92               | 109               | 109              |
| Volume Freezer(net)(L)                  | 106              | 106              | 106               | 106              | 91               | 91               | 104               | 104              |
| Four Star Volume (net)(L)               | 106              | 106              | 106               | 106              | 91               | 91               | 104               | 104              |
| Two Star Volume (net)(L)                |                  |                  |                   |                  |                  |                  |                   |                  |
| Energy Consumption(kWh/24h)             | 0.838            | 0.657            | 0.706             | 0.657            | 0.761            | 0.597            | 0.682             | 0.561            |
| Energy Consumption(kWh/year)            | 306              | 240              | 258               | 240              | 278              | 218              | 249               | 205              |
| Freezing Capacity(kg/24h)               | 4.5              | 4.5              | 4.5               | 4.5              | 4                | 4                | 5                 | 5                |
| Temp. Rise Time(-18°C to -9°C)(h)       | 20               | 20               | 20                | 20               | 22               | 22               | 16                | 16               |
| Noise Emission dB(A)                    | 41               | 39               | 39                | 39               | 39               | 39               | 42                | 42               |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUEL | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUEL | AUTOMATIC/ MANUE |
| Product Dimensions (WxDxH)(mm)          | 595X650X1860     | 605X681X1901     | 595X650X1860      | 595X650X1860     | 595X570X1860     | 595X570X1860     | 540X610X1830      | 540X610X1830     |
| Packaged Dimensions (WxDxH) (mm)        | 664X728X1916     | 680X782X1975     | 664X728X1916      | 664X728X1916     | 664X633X1916     | 664X633X1916     | 578X632X1882      | 578X632X1882     |
| Freezer Shield                          | NO               | NO               | NO                | NO               | NO               | NO               | NO                | NO               |
| Loading quantity/20ft Container(pcs)    | 24               | 21               | 24                | 24               | 27               | 27               | 36                | 36               |
| Loading quantity/40ft Container(pcs)    | 54               | 51               | 54                | 54               | 57               | 57               | 76                | 76               |
| Loading quantity/40ft HC Container(pcs) | 72               | 69               | 72                | 72               | 79               | 79               | 95                | 95               |

Two Door Bottom Freezer EN 62552:2020

| Refrigeration System                    | LESS FROST       |
|-----------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Model                                   | 286              | 286              | 277              | 278              | 278              | 266              | 266              |
| Control System                          | MECHANICAL       |
| Climatic Class                          | ST/N             | ST/N             | ST/N             | ST/N             | ST/N             | ST/N             | T/N              |
| Energy Class                            | A+               | A++              | A+               | A+               | A++              | A+               | A++              |
| Door                                    | STANDARD         |
| Turbo                                   | NO               |
| Spec w/o Chiller                        | YES              | YES              | YES              | YES              | YES              | YES              | NO               |
| Performance(star rating)                | 4                | 4                | 4                | 4                | 4                | 4                | 4                |
| Volume Total(gross)(L)                  | 288              | 288              | 273              | 270              | 270              | 255              | 255              |
| Volume Total(net)(L)                    | 286              | 286              | 269              | 268              | 268              | 251              | 251              |
| Volume Refrigerator (gross)(L)          | 204              | 204              | 162              | 186              | 186              | 144              | 144              |
| Volume Refrigerator Total (net)(L)      | 202              | 202              | 160              | 184              | 184              | 142              | 142              |
| Volume Refr Without Chiller(net)(L)     | 202              | 202              | 160              | 184              | 184              | 142              | 124              |
| Chiller Volume(net)(L)                  | -                | -                | -                | -                | -                | -                | 18               |
| Volume Freezer(gross)(L)                | 84               | 84               | 111              | 84               | 84               | 111              | 111              |
| Volume Freezer(net)(L)                  | 84               | 84               | 109              | 84               | 84               | 109              | 109              |
| Four Star Volume (net)(L)               | 84               | 84               | 109              | 84               | 84               | 109              | 109              |
| Two Star Volume (net)(L)                |                  |                  |                  |                  |                  |                  |                  |
| Energy Consumption(kWh/24h)             | 0.723            | 0.567            | 0.734            | 0.704            | 0.553            | 0.717            | 0.638            |
| Energy Consumption(kWh/year)            | 264              | 207              | 268              | 257              | 202              | 262              | 233              |
| Freezing Capacity(kg/24h)               | 4                | 4                | 5                | 4                | 4                | 5                | 5                |
| Temp. Rise Time(-18°C to -9°C)(h)       | 17               | 17               | 18               | 17               | 17               | 18               | 18               |
| Noise Emission dB(A)                    | 40               | 40               | 39               | 40               | 40               | 40               | 40               |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUE |
| Product Dimensions (WxDxH)(mm)          | 540X595X1800     | 540X595X1800     | 540X595X1770     | 540X595X1700     | 540X595X1700     | 540X595X1660     | 540X595X1660     |
| Packaged Dimensions (WxDxH)(mm)         | 578X632X1852     | 578X632X1852     | 578X632X1822     | 578X632X1750     | 578X632X1750     | 578X632X1712     | 578X632X1712     |
| Freezer Shield                          | NO               |
| Loading quantity/20ft Container(pcs)    | 36               | 36               | 36               | 46               | 46               | 46               | 46               |
| Loading quantity/40ft Container(pcs)    | 76               | 76               | 76               | 96               | 96               | 96               | 96               |
| Loading quantity/40ft HC Container(pcs) | 95               | 95               | 95               | 96               | 96               | 96               | 96               |

| Refrigeration System                    | LESS FROST       | LESS FROST       | LESS FROST       | LESS FROST       |
|-----------------------------------------|------------------|------------------|------------------|------------------|
| Model                                   | 252              | 252              | 236              | 236              |
| Control System                          | MECHANICAL       | MECHANICAL       | MECHANICAL       | MECHANICAL       |
| Climatic Class                          | ST/N             | ST/N             | ST/N             | ST/N             |
| Energy Class                            | A+               | A++              | A+               | A++              |
| Door                                    | STANDARD         | STANDARD         | Standard         | Standard         |
| Turbo                                   | NO               | NO               | NO               | NO               |
| Spec w/o Chiller                        | YES              | YES              | YES              | YES              |
| Performance(star rating)                | 4                | 4                | 4                | 4                |
| Volume Total(gross)(L)                  | 232              | 232              | 202              | 202              |
| Volume Total(net)(L)                    | 230              | 230              | 200              | 200              |
| Volume Refrigerator (gross)(L)          | 148              | 148              | 135              | 135              |
| Volume Refrigerator Total (net)(L)      | 146              | 146              | 133              | 133              |
| Volume Refr Without Chiller(net)(L)     | 146              | 146              | 133              | 133              |
| Chiller Volume(net)(L)                  | -                | -                | -                | -                |
| Volume Freezer(gross)(L)                | 84               | 84               | 67               | 67               |
| Volume Freezer(net)(L)                  | 84               | 84               | 67               | 67               |
| Four Star Volume (net)(L)               | 84               | 84               | 67               | 67               |
| Two Star Volume (net)(L)                |                  |                  |                  |                  |
| Energy Consumption(kWh/24h)             | 0.668            | 0.523            | 0.619            | 0.484            |
| Energy Consumption(kWh/year)            | 244              | 191              | 226              | 177              |
| Freezing Capacity(kg/24h)               | 4                | 4                | 3                | 3                |
| Temp. Rise Time(-18°C to -9°C)(h)       | 21               | 21               | 18               | 18               |
| Noise Emission dB(A)                    | 40               | 39               | 40               | 40               |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE |
| Product Dimensions (WxDxH)(mm)          | 540X595X1520     | 540X595X1520     | 540X595X1360     | 540X595X1360     |
| Packaged Dimensions (WxDxH)(mm)         | 578X632X1572     | 578X632X1572     | 578X632X1412     | 578X632X1412     |
| Freezer Shield                          | NO               | NO               | NO               | NO               |
| Loading quantity/20ft Container(pcs)    | 48               | 48               | 49               | 49               |
| Loading quantity/40ft Container(pcs)    | 102              | 102              | 103              | 103              |
| Loading quantity/40ft HC Container(pcs) | 102              | 102              | 130              | 130              |

**Two Door Top Freezer EN 62552:2020**

| Refrigeration System                    | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 643          | 643          | 543          | 543          | 483          | 483          | 473          | 473          |
| Control System                          | ELECTRONIC   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A+           | A++          | A+           | A++          | A+           | A++          | A            | A+           |
| Door                                    | Standard     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | NO           |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 625          | 625          | 569          | 569          | 496          | 496          | 478          | 478          |
| Volume Total(net)(L)                    | 575          | 575          | 510          | 510          | 451          | 451          | 432          | 432          |
| Volume Refrigerator (gross)(L)          | 453          | 453          | 416          | 416          | 371          | 371          | 353          | 353          |
| Volume Refrigerator Total (net)(L)      | 435          | 435          | 387          | 387          | 354          | 354          | 335          | 335          |
| Volume Refr Without Chiller(net)(L)     | 401          | 401          | 360          | 360          | 327          | 327          | 308          | 308          |
| Chiller Volume(net)(L)                  | 34           | 34           | 27           | 27           | 27           | 27           | 27           | 27           |
| Volume Freezer(gross)(L)                | 172          | 172          | 153          | 153          | 125          | 125          | 125          | 125          |
| Volume Freezer(net)(L)                  | 140          | 140          | 123          | 123          | 97           | 97           | 97           | 97           |
| Four Star Volume (net)(L)               | 140          | 140          | 123          | 123          | 97           | 97           | 97           | 97           |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 1.265        | 0.994        | 1.167        | 0.915        | 1.060        | 0.830        | 1.361        | 1.038        |
| Energy Consumption(kWh/year)            | 462          | 363          | 426          | 334          | 387          | 303          | 497          | 379          |
| Freezing Capacity(kg/24h)               | 10           | 10           | 6            | 6            | 5            | 5            | 5            | 5            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 17           | 17           | 21           | 21           | 16           | 16           | 16           | 16           |
| Noise Emission dB(A)                    | 44           | 44           | 43           | 43           | 42           | 44           | 42           | 42           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 840X750X1860 | 840X750X1860 | 760X750X1860 | 760X750X1860 | 700X720X1870 | 700X720X1870 | 700X720X1830 | 700X720X1830 |
| Packaged Dimensions (WxDxH)(mm)         | 900X780X1940 | 900X780X1940 | 832X780X1940 | 832X780X1940 | 768X801X1947 | 768X801X1947 | 768X801X1907 | 768X801X1907 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 18           | 18           | 21           | 21           | 21           | 21           | 21           | 21           |
| Loading quantity/40ft Container(pcs)    | 39           | 39           | 42           | 42           | 45           | 45           | 45           | 45           |
| Loading quantity/40ft HC Container(pcs) | 39           | 39           | 42           | 42           | 45           | 45           | 59           | 59           |

| Refrigeration System                    | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 473          | 473          | 473          | 473          | 463          | 463          | 463          | 463          |
| Control System                          | ELECTRONIC   | MECHANICAL   | MECHANICAL   | MECHANICAL   | ELECTRONIC   | MECHANICAL   | MECHANICAL   | MECHANICAL   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A++          | A            | A+           | A++          | A            | A            | A+           | A++          |
| Door                                    | Standard     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | NO           |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 478          | 478          | 478          | 478          | 445          | 445          | 445          | 445          |
| Volume Total(net)(L)                    | 432          | 432          | 432          | 432          | 400          | 400          | 400          | 400          |
| Volume Refrigerator (gross)(L)          | 353          | 353          | 353          | 353          | 320          | 320          | 320          | 320          |
| Volume Refrigerator Total (net)(L)      | 335          | 335          | 335          | 335          | 303          | 303          | 303          | 303          |
| Volume Refr Without Chiller(net)(L)     | 308          | 308          | 308          | 308          | 276          | 276          | 276          | 276          |
| Chiller Volume(net)(L)                  | 27           | 27           | 27           | 27           | 27           | 27           | 27           | 27           |
| Volume Freezer(gross)(L)                | 125          | 125          | 125          | 125          | 125          | 125          | 125          | 125          |
| Volume Freezer(net)(L)                  | 97           | 97           | 97           | 97           | 97           | 97           | 97           | 97           |
| Four Star Volume (net)(L)               | 97           | 97           | 97           | 97           | 97           | 97           | 97           | 97           |
| Two Star Volume (net)(L)                |              |              |              |              | -            | -            |              |              |
| Energy Consumption(kWh/24h)             | 0.816        | 1.361        | 1.038        | 0.816        | 1.315        | 1.315        | 1.005        | 0.789        |
| Energy Consumption(kWh/year)            | 298          | 497          | 379          | 298          | 480          | 480          | 367          | 288          |
| Freezing Capacity(kg/24h)               | 5            | 5            | 5            | 5            | 5            | 5            | 5            | 5            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 16           | 16           | 16           | 16           | 16           | 16           | 16           | 16           |
| Noise Emission dB(A)                    | 43           | 42           | 42           | 43           | 42           | 42           | 42           | 43           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 700X720X1830 | 700X720X1830 | 700X720X1830 | 700X720X1830 | 700X720X1730 | 700X720X1730 | 700X720X1730 | 700X720X1730 |
| Packaged Dimensions (WxDxH)(mm)         | 768X801X1907 | 768X801X1907 | 768X801X1907 | 768X801X1907 | 768X801X1807 | 768X801X1807 | 768X801X1807 | 768X801X1807 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 21           | 21           | 21           | 21           | 21           | 21           | 21           | 21           |
| Loading quantity/40ft Container(pcs)    | 45           | 45           | 45           | 45           | 45           | 45           | 45           | 45           |
| Loading quantity/40ft HC Container(pcs) | 59           | 59           | 59           | 59           | 59           | 59           | 59           | 59           |

Two Door Top Freezer EN 62552:2020

| Refrigeration System                    | NO FROST     | NO FROST     | NFMC         | LESS FROST       | LESS FROST       | LESS FROST       | LESS FROST        | LESS FROST       |
|-----------------------------------------|--------------|--------------|--------------|------------------|------------------|------------------|-------------------|------------------|
| Model                                   | 343          | 343          | 273          | 457              | 453              | 453              | 453               | 453              |
| Control System                          | MECHANICAL   | MECHANICAL   | MECHANICAL   | MECHANICAL       | MECHANICAL       | MECHANICAL       | MECHANICAL        | MECHANICAL       |
| Climatic Class                          | T/SN         | T/SN         | T/SN         | T/SN             | ST/SN            | T/SN             | T/SN              | T/SN             |
| Energy Class                            | A+           | A++          | A+           | A+               | A++              | A                | A+                | A++              |
| Door                                    | Standard     | Standard     | Standard     | Standard         | Standard         | Standard         | Standard          | Standard         |
| Turbo                                   | NO           | NO           | NO           | NO               | YES              | NO               | YES               | YES              |
| Spec w/o Chiller                        | YES          | YES          | YES          | YES              | YES              | YES              | YES               | YES              |
| Performance(star rating)                | 4            | 4            | 4            | 4                | 4                | 4                | 4                 | 4                |
| Volume Total(gross)(L)                  | 332          | 332          | 275          | 502              | 439              | 439              | 439               | 439              |
| Volume Total(net)(L)                    | 310          | 310          | 250          | 500              | 436              | 437              | 436               | 436              |
| Volume Refrigerator (gross)(L)          | 247          | 247          | 200          | 374              | 322              | 322              | 322               | 322              |
| Volume Refrigerator Total (net)(L)      | 239          | 239          | 191          | 372              | 320              | 321              | 320               | 320              |
| Volume Refr Without Chiller(net)(L)     | 239          | 239          | 191          | 372              | 320              | 321              | 320               | 320              |
| Chiller Volume(net)(L)                  | -            | -            | -            | -                | -                | -                | -                 | -                |
| Volume Freezer(gross)(L)                | 85           | 85           | 75           | 128              | 117              | 117              | 117               | 117              |
| Volume Freezer(net)(L)                  | 71           | 71           | 59           | 128              | 116              | 116              | 116               | 116              |
| Four Star Volume (net)(L)               | 71           | 71           | 59           | 128              | 116              | 116              | 116               | 116              |
| Two Star Volume (net)(L)                |              |              |              |                  |                  |                  |                   |                  |
| Energy Consumption(kWh/24h)             | 0.800        | 0.629        | 0.715        | 1,1              | 0.712            | 1.254            | 0.956             | 0.750            |
| Energy Consumption(kWh/year)            | 292          | 230          | 261          | 401              | 260              | 458              | 349               | 274              |
| Freezing Capacity(kg/24h)               | 3.5          | 3.5          | 3            | 6                | 5.5              | 5.5              | 5.5               | 5.5              |
| Temp. Rise Time(-18°C to -9°C)(h)       | 11           | 11           | 12           | 20               | 20               | 20               | 20                | 20               |
| Noise Emission dB(A)                    | 44           |              | 43           | 41               | 42               | 42               | 42                | 42               |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    | AUTOMATIC    | AUTOMATIC    | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUEL | AUTOMATIC/ MANUE |
| Product Dimensions (WxDxH)(mm)          | 595X660X1720 | 595X660X1720 | 540X630X1665 | 700x735x1830     | 700X650X1830     | 700X650X1830     | 700X650X1830      | 700X650X1830     |
| Packaged Dimensions (WxDxH)(mm)         | 664X762X1776 | 664X762X1776 | 586X672X1716 | 756X800X1900     | 756X702X1870     | 756X702X1870     | 756X702X1870      | 756X702X1870     |
| Freezer Shield                          | YES          | YES          | YES          | YES              | YES              | YES              | YES               | YES              |
| Loading quantity/20ft Container(pcs)    | 24           | 24           | 44           | 21               | 24               | 24               | 24                | 24               |
| Loading quantity/40ft Container(pcs)    | 54           | 54           | 92           | 45               | 51               | 51               | 51                | 51               |
| Loading quantity/40ft HC Container(pcs) | 73           | 73           | 92           | 59               | 69               | 69               | 69                | 69               |

| Refrigeration System                    | LESS FROST        | LESS FROST       | LESS FROST       |
|-----------------------------------------|------------------|------------------|------------------|------------------|------------------|-------------------|------------------|------------------|
| Model                                   | 347              | 346              | 346              | 346              | 346              | 346               | 283              | 283              |
| Control System                          | MECHANICAL       | MECHANICAL       | MECHANICAL       | MECHANICAL       | MECHANICAL       | MECHANICAL        | MECHANICAL       | MECHANICAL       |
| Climatic Class                          | T/N              | T/N              | N                | N                | ST/N             | ST/N              | N                | ST/N             |
| Energy Class                            | A                | A                | A+               | A+               | A++              | A++               | A+               | A+               |
| Door                                    | STANDARD         | STANDARD         | RETRO            | Standard         | RETRO            | Standard          | Standard         | Standard         |
| Turbo                                   | NO               | NO               | NO               | NO               | NO               | NO                | NO               | NO               |
| Spec w/o Chiller                        | YES              | YES              | YES              | YES              | YES              | YES               | YES              | YES              |
| Performance(star rating)                | 4                | 4                | 4                | 4                | 4                | 4                 | 4                | 4                |
| Volume Total(gross)(L)                  | 338              | 313              | 313              | 313              | 313              | 313               | 243              | 243              |
| Volume Total(net)(L)                    | 337              | 312              | 312              | 312              | 312              | 312               | 240              | 240              |
| Volume Refrigerator (gross)(L)          | 268              | 243              | 243              | 243              | 243              | 243               | 200              | 200              |
| Volume Refrigerator Total (net)(L)      | 267              | 242              | 242              | 242              | 242              | 242               | 198              | 198              |
| Volume Refr Without Chiller(net)(L)     | 267              | 242              | 242              | 242              | 242              | 242               | 198              | 198              |
| Chiller Volume(net)(L)                  | -                | -                | -                | -                | -                | -                 | -                | -                |
| Volume Freezer(gross)(L)                | 70               | 70               | 70               | 70               | 70               | 70                | 43               | 43               |
| Volume Freezer(net)(L)                  | 70               | 70               | 70               | 70               | 70               | 70                | 42               | 42               |
| Four Star Volume (net)(L)               | 70               | 70               | 70               | 70               | 70               | 70                | 42               | 42               |
| Two Star Volume (net)(L)                |                  |                  |                  |                  |                  |                   |                  |                  |
| Energy Consumption(kWh/24h)             | 1,041            | 1.005            | 0,698            | 0.698            | 0.575            | 0.575             | 0.602            | 0.630            |
| Energy Consumption(kWh/year)            | 380              | 367              | 255              | 255              | 210              | 210               | 220              | 230              |
| Freezing Capacity(kg/24h)               | 3,5              | 3.5              | 3,5              | 3,5              | 3,5              | 3,5               | 2                | 2                |
| Temp. Rise Time(-18°C to -9°C)(h)       | 19               | 19               | 19               | 19               | 19               | 19                | 21               | 21               |
| Noise Emission dB(A)                    | 40               | 40               | 40               | 40               | 40               | 40                | 40               | 40               |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUE | AUTOMATIC/ MANUEL | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE |
| Product Dimensions (WxDxH)(mm)          | 595X598X1850     | 595X598X1750     | 605X635.5X1794   | 595X598X1750     | 605X635.5X1794   | 595X598X1750      | 540X570X1600     | 540X570X1600     |
| Packaged Dimensions (WxDxH)(mm)         | 660X661X1910     | 660X661X1810     | 680X736X1880     | 660X655X1810     | 680X736X1880     | 660X655X1810      | 578X600X1669     | 578X600X1669     |
| Freezer Shield                          |                  |                  |                  | NO               | NO               | NO                | NO               | NO               |
| Loading quantity/20ft Container(pcs)    | 24               | 24               | 24               | 24               | 24               | 49                | 49               | 49               |
| Loading quantity/40ft Container(pcs)    | 54               | 51               | 54               | 51               | 54               | 107               | 107              | 107              |
| Loading quantity/40ft HC Container(pcs) | 73               | 69               | 73               | 69               | 73               | 107               | 107              | 107              |

Two Door Top Freezer EN 62552:2020

| Refrigeration System                    | LESS FROST       | LESS FROST       | LESS FROST       |
|-----------------------------------------|------------------|------------------|------------------|
| Model                                   | 283              | 283              | 283              |
| Control System                          | MECHANICAL       | MECHANICAL       | MECHANICAL       |
| Climatic Class                          | ST/N             | T/N              | T/N              |
| Energy Class                            | A++              | A                | A+               |
| Door                                    | Standard         | Standard         | Standard         |
| Turbo                                   | NO               | NO               | NO               |
| Spec w/o Chiller                        | YES              | YES              | YES              |
| Performance(star rating)                | 4                | 4                | 4                |
| Volume Total(gross)(L)                  | 243              | 243              | 243              |
| Volume Total(net)(L)                    | 240              | 240              | 240              |
| Volume Refrigerator (gross)(L)          | 200              | 200              | 200              |
| Volume Refrigerator Total (net)(L)      | 198              | 198              | 198              |
| Volume Refr Without Chiller(net)(L)     | 198              | 198              | 198              |
| Chiller Volume(net)(L)                  | -                | -                | -                |
| Volume Freezer(gross)(L)                | 43               | 43               | 43               |
| Volume Freezer(net)(L)                  | 42               | 42               | 42               |
| Four Star Volume (net)(L)               | 42               | 42               | 42               |
| Two Star Volume (net)(L)                |                  |                  |                  |
| Energy Consumption(kWh/24h)             | 0.493            | 0.866            | 0.654            |
| Energy Consumption(kWh/year)            | 180              | 316              | 239              |
| Freezing Capacity(kg/24h)               | 2                | 2                | 2                |
| Temp. Rise Time(-18°C to -9°C)(h)       | 21               | 21               | 21               |
| Noise Emission dB(A)                    | 40               | 40               | 40               |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE | AUTOMATIC/ MANUE |
| Product Dimensions (WxDxH)(mm)          | 540X570X1600     | 540X570X1600     | 540X570X1600     |
| Packaged Dimensions (WxDxH) (mm)        | 578X600X1669     | 578X600X1669     | 578X600X1669     |
| Freezer Shield                          | NO               | NO               | NO               |
| Loading quantity/20ft Container(pcs)    | 49               | 49               | 49               |
| Loading quantity/40ft Container(pcs)    | 107              | 107              | 107              |
| Loading quantity/40ft HC Container(pcs) | 107              | 107              | 107              |

| Refrigeration System                    | LESS FROST        |
|-----------------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Model                                   | 263               | 263               | 263               | 263               | 233               | 233               | 233               |
| Control System                          | MECHANICAL        |
| Climatic Class                          | T/N               | N                 | ST/N              | ST/N              | T/N               | ST/N              | ST/N              |
| Energy Class                            | A                 | A+                | A+                | A++               | A                 | A+                | A++               |
| Door                                    | Standard          |
| Turbo                                   | NO                |
| Spec w/o Chiller                        | YES               |
| Performance(star rating)                | 4                 | 4                 | 4                 | 4                 | 4                 | 4                 | 4                 |
| Volume Total(gross)(L)                  | 216               | 216               | 216               | 216               | 170               | 170               | 170               |
| Volume Total(net)(L)                    | 213               | 213               | 213               | 213               | 168               | 168               | 168               |
| Volume Refrigerator (gross)(L)          | 173               | 173               | 173               | 173               | 127               | 127               | 127               |
| Volume Refrigerator Total (net)(L)      | 171               | 171               | 171               | 171               | 126               | 126               | 126               |
| Volume Refr Without Chiller(net)(L)     | 171               | 171               | 171               | 171               | 126               | 126               | 126               |
| Chiller Volume(net)(L)                  | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| Volume Freezer(gross)(L)                | 43                | 43                | 43                | 43                | 43                | 43                | 43                |
| Volume Freezer(net)(L)                  | 42                | 42                | 42                | 42                | 42                | 42                | 42                |
| Four Star Volume (net)(L)               | 42                | 42                | 42                | 42                | 42                | 42                | 42                |
| Two Star Volume (net)(L)                |                   |                   |                   |                   |                   |                   |                   |
| Energy Consumption(kWh/24h)             | 0.821             | 0.580             | 0.602             | 0.473             | 0.758             | 0.558             | 0.438             |
| Energy Consumption(kWh/year)            | 300               | 212               | 220               | 173               | 277               | 204               | 160               |
| Freezing Capacity(kg/24h)               | 2                 | 2                 | 2                 | 2                 | 2                 | 2                 | 2                 |
| Temp. Rise Time(-18°C to -9°C)(h)       | 14                | 14                | 14                | 14                | 18                | 18                | 18                |
| Noise Emission dB(A)                    | 42                | 41                | 42                | 42                | 40                | 40                | 40                |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUEL |
| Product Dimensions (WxDxH)(mm)          | 540X570X1440      | 540X570X1440      | 540X570X1440      | 540X570X1440      | 540X570X1220      | 540X570X1220      | 540X570X1220      |
| Packaged Dimensions (WxDxH) (mm)        | 578X600X1509      | 578X600X1509      | 578X600X1509      | 578X600X1509      | 578X600X1284      | 578X600X1284      | 578X600X1284      |
| Freezer Shield                          | NO                |
| Loading quantity/20ft Container(pcs)    | 49                | 49                | 49                | 49                | 50                | 50                | TBD               |
| Loading quantity/40ft Container(pcs)    | 107               | 107               | 107               | 107               | 109               | 109               | 109               |
| Loading quantity/40ft HC Container(pcs) | 134               | 134               | 134               | 134               | 160               | 160               | 160               |

## Single Door EN 62552:2020

| Refrigeration System                    | NO FROST     | NO FROST     | STATIC       | STATIC       | STATIC       | STATIC       | STATIC       | STATIC       |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 375          | 375          | 375          | 375          | 376          | 376          | 376          | 376          |
| Control System                          | ELECTRONIC   | ELECTRONIC   | MECHANICAL   | MECHANICAL   | ELECTRONIC   | ELECTRONIC   | MECHANICAL   | MECHANICAL   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A+           | A++          | A+           | A++          | A+           | A++          | A+           | A++          |
| Door                                    | Standard     |
| Turbo                                   | YES          |
| Spec w/o Chiller                        | NO           | NO           | YES          | NO           | YES          | NO           | YES          | NO           |
| Performance(star rating)                | -            | -            | -            | -            | -            | -            | -            | -            |
| Volume Total(gross)(L)                  | 404          | 404          | 404          | 404          | 404          | 404          | 404          | 404          |
| Volume Total(net)(L)                    | 380          | 380          | 400          | 401          | 386          | 386          | 386          | 386          |
| Volume Refrigerator (gross)(L)          | 404          | 404          | 404          | 404          | 404          | 404          | 404          | 404          |
| Volume Refrigerator Total (net)(L)      | 380          | 380          | 400          | 401          | 396          | 396          | 396          | 396          |
| Volume Refr Without Chiller(net)(L)     | 358          | 358          | 400          | 379          | 396          | 374          | 396          | 374          |
| Chiller Volume(net)(L)                  | 22           | 22           | -            | 22           | -            | 22           | -            | 22           |
| Volume Freezer(gross)(L)                | -            | -            | -            | -            | -            | -            | -            | -            |
| Volume Freezer(net)(L)                  | -            | -            | -            | -            | -            | -            | -            | -            |
| Four Star Volume (net)(L)               |              |              |              |              |              |              |              |              |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 0.463        | 0.361        | 0.408        | 0.367        | 0.408        | 0.320        | 0.408        | 0.320        |
| Energy Consumption(kWh/year)            | 169          | 132          | 149          | 134          | 149          | 117          | 149          | 117          |
| Freezing Capacity(kg/24h)               | -            | -            | -            | -            | -            | -            | -            | -            |
| Temp. Rise Time(-18°C to -9°C)(h)       | -            | -            | -            | -            | -            | -            | -            | -            |
| Noise Emission dB(A)                    | 41           | 40           | 41           | 40           | 41           | 40           | 41           | 40           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 595X650X1860 |
| Packaged Dimensions (WxDxH)(mm)         | 664X728X1916 |
| Freezer Shield                          | NO           |
| Loading quantity/20ft Container(pcs)    | 24           | 24           | 24           | 24           | 24           | 24           | 24           | 24           |
| Loading quantity/40ft Container(pcs)    | 54           | 54           | 54           | 54           | 54           | 54           | 54           | 54           |
| Loading quantity/40ft HC Container(pcs) | 72           | 72           | 72           | 72           | 72           | 72           | 72           | 72           |

| Refrigeration System                    | STATIC       | STATIC       | STATIC            | STATIC         | STATIC            | STATIC            |
|-----------------------------------------|--------------|--------------|-------------------|----------------|-------------------|-------------------|
| Model                                   | 327          | 327          | 2653              | 250            | 340               | 340               |
| Control System                          | MECHANICAL   | MECHANICAL   | MECHANICAL        | MECHANICAL     | MECHANICAL        | MECHANICAL        |
| Climatic Class                          | T/N          | T/N          | T/SN              | N              | ST/SN             | ST/SN             |
| Energy Class                            | A+           | A++          | A+                | A+             | A++               | A++               |
| Door                                    | STANDARD     | STANDARD     | Standard          | Standard       | RETRO             | Standard          |
| Turbo                                   | YES          | YES          | YES               | NO             | YES               | YES               |
| Spec w/o Chiller                        | YES          | YES          | YES               | YES            | YES               | YES               |
| Performance(star rating)                | -            | -            | -                 | -              | 4                 | 4                 |
| Volume Total(gross)(L)                  | 310          | 310          | -                 | 206            | 323               | 323               |
| Volume Total(net)(L)                    | 308          | 308          | 255               | 204            | 311               | 311               |
| Volume Refrigerator (gross)(L)          | 310          | 310          | -                 | 206            | 288               | 288               |
| Volume Refrigerator Total (net)(L)      | 308          | 308          | 255               | 204            | 281               | 281               |
| Volume Refr Without Chiller(net)(L)     | 308          | 308          | 255               | 204            | 281               | 281               |
| Chiller Volume(net)(L)                  | -            | -            | -                 | -              | -                 | -                 |
| Volume Freezer(gross)(L)                | -            | -            | -                 | -              | 35                | 35                |
| Volume Freezer(net)(L)                  | -            | -            | -                 | -              | 30                | 30                |
| Four Star Volume (net)(L)               |              |              |                   |                | 30                | 30                |
| Two Star Volume (net)(L)                |              |              |                   |                |                   |                   |
| Energy Consumption(kWh/24h)             | 0.380        | 0.298        | TBD               | 0.335          | 0.539             | 0.539             |
| Energy Consumption(kWh/year)            | 138.7        | 108.8        | TBD               | 122            | 197               | 197               |
| Freezing Capacity(kg/24h)               | -            | -            | -                 | -              | 2                 | 2                 |
| Temp. Rise Time(-18°C to -9°C)(h)       | -            | -            | -                 | -              | 12                | 12                |
| Noise Emission dB(A)                    | 41           | 40           | TBD               | 40             | 43                | 43                |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    | AUTOMATIC    | AUTOMATIC/ MANUEL | AUTOMATIC      | AUTOMATIC/ MANUEL | AUTOMATIC/ MANUEL |
| Product Dimensions (WxDxH)(mm)          | 595X650X1550 | 595X650X1550 | 540x595x1455      | 540X562.5X1235 | 605X635.5X1769    | 595X598X1720      |
| Packaged Dimensions (WxDxH)(mm)         | 660X713X1606 | 660X713X1606 | 578X632X1509      | 578X627X1300   | 680X736X1845      | 664X668X1779      |
| Freezer Shield                          | NO           | NO           | NO                | NO             | NO                | NO                |
| Loading quantity/20ft Container(pcs)    | -            | -            | 48                | 49             | 21                | 24                |
| Loading quantity/40ft Container(pcs)    | 77           | 77           | 107               | 104            | 48                | 54                |
| Loading quantity/40ft HC Container(pcs) | 77           | 77           | 133               | 152            | 67                | 74                |

**Single Door EN 62552:2020**

| Refrigeration System                    | STATIC            | STATIC            | STATIC            | STATIC            | STATIC            | STATIC            |
|-----------------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Model                                   | 340               | 340               | 340               | 340               | 340               | 240               |
| Control System                          | MECHANICAL        | MECHANICAL        | MECHANICAL        | MECHANICAL        | MECHANICAL        | MECHANICAL        |
| Climatic Class                          | T/N               | T/SN              | T/SN              | T/SN              | T/SN              | N                 |
| Energy Class                            | A                 | A                 | A                 | A+                | A+                | A+                |
| Door                                    | Standard          | Standard          | Standard          | RETRO             | Standard          | Standard          |
| Turbo                                   | NO                | NO                | YES               | YES               | YES               | NO                |
| Spec w/o Chiller                        | YES               | YES               | YES               | YES               | YES               | YES               |
| Performance(star rating)                | 4                 | 4                 | 4                 | 4                 | 4                 | 4                 |
| Volume Total(gross)(L)                  | 323               | 323               | 323               | 323               | 323               | 195               |
| Volume Total(net)(L)                    | 312               | 312               | 311               | 311               | 311               | 192               |
| Volume Refrigerator (gross)(L)          | 288               | 288               | 288               | 288               | 288               | 178               |
| Volume Refrigerator Total (net)(L)      | 282               | 282               | 281               | 281               | 281               | 175               |
| Volume Refr Without Chiller(net)(L)     | 282               | 282               | 281               | 281               | 281               | 175               |
| Chiller Volume(net)(L)                  | -                 | -                 | -                 | -                 | -                 | -                 |
| Volume Freezer(gross)(L)                | 35                | 35                | 35                | 35                | 35                | 17                |
| Volume Freezer(net)(L)                  | 30                | 30                | 30                | 30                | 30                | 17                |
| Four Star Volume (net)(L)               | 30                | 30                | 30                | 30                | 30                | 17                |
| Two Star Volume (net)(L)                |                   |                   |                   |                   |                   |                   |
| Energy Consumption(kWh/24h)             | 0.932             | 0.932             | 0.932             | 0.718             | 0.718             | 0.537             |
| Energy Consumption(kWh/year)            | 340               | 340               | 340               | 262               | 262               | 196               |
| Freezing Capacity(kg/24h)               | 2                 | 2                 | 2                 | 2                 | 2                 | 2                 |
| Temp. Rise Time(-18°C to -9°C)(h)       | 12                | 12                | 12                | 12                | 12                | 12                |
| Noise Emission dB(A)                    | 43                | 43                | 43                | 43                | 43                | 43                |
| Defrost System Type Fridge/Freezer      | AUTOMATIC/ MANUEL |
| Product Dimensions (WxDxH)(mm)          | 595X598X1720      | 595X598X1720      | 595X598X1720      | 605X635.5X1769    | 595X598X1720      | 540X562.5X1235    |
| Packaged Dimensions (WxDxH) (mm)        | 664X668X1779      | 664X668X1779      | 664X668X1779      | 680X736X1845      | 664X668X1779      | 578X627X1300      |
| Freezer Shield                          | NO                | NO                | NO                | NO                | NO                | NO                |
| Loading quantity/20ft Container(pcs)    | 24                | 24                | 24                | 21                | 24                | 49                |
| Loading quantity/40ft Container(pcs)    | 54                | 54                | 54                | 48                | 54                | 104               |
| Loading quantity/40ft HC Container(pcs) | 74                | 74                | 74                | 67                | 74                | 152               |

| Refrigeration System                    | NO FROST     |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 372          | 371          | 371          | 371          | 323          | 323          | 323          |
| Control System                          | ELECTRONIC   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A+           | A            | A+           | A++          | A            | A+           | A++          |
| Door                                    | STANDARD     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | YES          |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 305          | 305          | 307          | 307          | 252          | 252          | 252          |
| Volume Total(net)(L)                    | 278          | 280          | 280          | 280          | 220          | 220          | 220          |
| Volume Refrigerator (gross)(L)          | -            | -            | -            | -            | -            | -            | -            |
| Volume Refrigerator Total (net)(L)      | -            | -            | -            | -            | -            | -            | -            |
| Volume Refr Without Chiller(net)(L)     | -            | -            | -            | -            | -            | -            | -            |
| Chiller Volume(net)(L)                  | -            | -            | -            | -            | -            | -            | -            |
| Volume Freezer(gross)(L)                | 305          | 307          | 307          | 307          | 252          | 252          | 252          |
| Volume Freezer(net)(L)                  | 278          | 280          | 280          | 280          | 220          | 220          | 220          |
| Four Star Volume (net)(L)               | 278          | 280          | 280          | 280          | 220          | 220          | 220          |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 0.893        | 1.175        | 0.898        | 0.704        | 1.025        | 0.783        | 0.613        |
| Energy Consumption(kWh/year)            | 327          | 429          | 328          | 257          | 374.125      | 286          | 224          |
| Freezing Capacity(kg/24h)               | 21           | 25           | 21           | 25           | 16           | 16           | 16           |
| Temp. Rise Time(-18°C to -9°C)(h)       | 15           | 15           | 15           | 15           | 10           | 10           | 10           |
| Noise Emission dB(A)                    | 41           | 42           | 42           | 42           | 41           | 41           | 41           |
| Defrost System Type Fridge/Freezer      | AUTOMATIC    | AUTOMATIC    | AUTOMATIC    | AUTOMATIC    | MANUAL       | MANUAL       | MANUAL       |
| Product Dimensions (WxDxH)(mm)          | 595X650X1860 | 595X650X1860 | 595X650X1860 | 595X650X1860 | 595X650X1550 | 595X650X1550 | 595X650X1550 |
| Packaged Dimensions (WxDxH)(mm)         | 664X728X1916 | 664X728X1916 | 664X728X1916 | 664X728X1916 | 660X713X1606 | 660X713X1606 | 660X713X1606 |
| Freezer Shield                          | YES          |
| Loading quantity/20ft Container(pcs)    | 24           | 24           | 24           | 24           | 35           | 35           | 35           |
| Loading quantity/40ft Container(pcs)    | 54           | 54           | 54           | 54           | 77           | 77           | 77           |
| Loading quantity/40ft HC Container(pcs) | 72           | 72           | 72           | 72           | 77           | 77           | 77           |

| Refrigeration System                    | STATIC       | STATIC       | STATIC       | STATIC       | STATIC       | NFMC         | NFMC         |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 332          | 332          | 332          | 322          | 322          | 241          | 241          |
| Control System                          | MECHANICAL   | MECHANICAL   | MECHANICAL   | MECHANICAL   | MECHANICAL   | ELECTRONIC   | ELECTRONIC   |
| Climatic Class                          | T/SN         |
| Energy Class                            | A            | A+           | A++          | A+           | A++          | A+           | A++          |
| Door                                    | STANDARD     |
| Turbo                                   | NO           |
| Spec w/o Chiller                        | YES          |
| Performance(star rating)                | 4            | 4            | 4            | 4            | 4            | 4            | 4            |
| Volume Total(gross)(L)                  | 263          | 263          | 263          | 227          | 227          | 174          | 174          |
| Volume Total(net)(L)                    | 243          | 243          | 243          | 208          | 208          | 172          | 172          |
| Volume Refrigerator (gross)(L)          | -            | -            | -            | -            | -            | -            | -            |
| Volume Refrigerator Total (net)(L)      | -            | -            | -            | -            | -            | -            | -            |
| Volume Refr Without Chiller(net)(L)     | -            | -            | -            | -            | -            | -            | -            |
| Chiller Volume(net)(L)                  | -            | -            | -            | -            | -            | -            | -            |
| Volume Freezer(gross)(L)                | 263          | 263          | 263          | 227          | 227          | 174          | 174          |
| Volume Freezer(net)(L)                  | 243          | 243          | 243          | 208          | 208          | 172          | 172          |
| Four Star Volume (net)(L)               | 243          | 243          | 243          | 208          | 208          | 172          | 172          |
| Two Star Volume (net)(L)                |              |              |              |              |              |              |              |
| Energy Consumption(kWh/24h)             | 1.083        | 0.827        | 0.650        | 0.695        | 0.546        | 0.822        | 0.644        |
| Energy Consumption(kWh/year)            | 395          | 302          | 237.25       | 254          | 199          | 300          | 235          |
| Freezing Capacity(kg/24h)               | 22           | 22           | 22           | 20           | 21           | 8            | 8            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 15           | 15           | 15           | 15           | 15           | 10           | 10           |
| Noise Emission dB(A)                    | 41           | 41           | 41           | 41           | 41           | 41           | 41           |
| Defrost System Type Fridge/Freezer      | MANUAL       | MANUAL       | MANUAL       | MANUAL       | MANUAL       | AUTOMATIC    | AUTOMATIC    |
| Product Dimensions (WxDxH)(mm)          | 595X600X1750 | 595X600X1750 | 595X600X1750 | 595X600X1550 | 595X600X1550 | 540X595X1455 | 540X595X1455 |
| Packaged Dimensions (WxDxH)(mm)         | 660X655X1810 | 660X655X1810 | 660X655X1810 | 660X661X1606 | 660X661X1606 | 578X632X1509 | 578X632X1509 |
| Freezer Shield                          | NO           | NO           | NO           | NO           | NO           | YES          | YES          |
| Loading quantity/20ft Container(pcs)    | 24           | 24           | 24           | -            | -            | 48           | 48           |
| Loading quantity/40ft Container(pcs)    | 54           | 54           | 54           | 78           | 78           | 103          | 103          |
| Loading quantity/40ft HC Container(pcs) | 73           | 73           | 73           | 78           | 78           | 128          | 128          |

Freezer EN 62552:2020

| Refrigeration System                    | STATIC       | STATIC       | STATIC       | STATIC       | STATIC       | STATIC       |
|-----------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Model                                   | 2451         | 2451         | 2451         | 2451         | 2451         | 2451         |
| Control System                          | ELECTRONIC   | ELECTRONIC   | ELECTRONIC   | MECHANICAL   | MECHANICAL   | MECHANICAL   |
| Climatic Class                          | T/SN         | T/SN         | T/SN         | T/SN         | T/SN         | T/SN         |
| Energy Class                            | A            | A+           | A++          | A            | A+           | A++          |
| Door                                    | Standard     | Standard     | Standard     | Standard     | Standard     | Standard     |
| Turbo                                   | NO           | NO           | NO           | NO           | NO           | NO           |
| Spec w/o Chiller                        | YES          | YES          | YES          | YES          | YES          | YES          |
| Performance(star rating)                | 4            | 4            | 4/2          | 4            | 4            | 4/2          |
| Volume Total(gross)(L)                  | 210          | 210          | 210          | 210          | 210          | 210          |
| Volume Total(net)(L)                    | 182          | 182          | 182          | 182          | 182          | 182          |
| Volume Refrigerator (gross)(L)          | -            | -            | -            | -            | -            | -            |
| Volume Refrigerator Total (net)(L)      | -            | -            | -            | -            | -            | -            |
| Volume Refr Without Chiller(net)(L)     | -            | -            | -            | -            | -            | -            |
| Chiller Volume(net)(L)                  | -            | -            | -            | -            | -            | -            |
| Volume Freezer(gross)(L)                | 210          | 210          | 210          | 210          | 210          | 210          |
| Volume Freezer(net)(L)                  | 182          | 182          | 182          | 182          | 182          | 182          |
| Four Star Volume (net)(L)               | 182          | 182          | 164          | 182          | 182          | 164          |
| Two Star Volume (net)(L)                |              |              | 18           |              |              | 18           |
| Energy Consumption(kWh/24h)             | 0.854        | 0.652        | 0.509        | 0.854        | 0.652        | 0.509        |
| Energy Consumption(kWh/year)            | 312          | 238          | 186          | 312          | 238          | 186          |
| Freezing Capacity(kg/24h)               | 15           | 15           | 15           | 9            | 9            | 9            |
| Temp. Rise Time(-18°C to -9°C)(h)       | 13           | 13           | 13           | 13           | 13           | 13           |
| Noise Emission dB(A)                    | 41           | 41           | 41           | 41           | 41           | 41           |
| Defrost System Type Fridge/Freezer      | MANUAL       | MANUAL       | MANUAL       | MANUAL       | MANUAL       | MANUAL       |
| Product Dimensions (WxDxH)(mm)          | 540X595X1455 | 540X595X1455 | 540X595X1455 | 540X595X1455 | 540X595X1455 | 540X595X1455 |
| Packaged Dimensions (WxDxH)(mm)         | 578X632X1509 | 578X632X1509 | 578X632X1509 | 578X632X1509 | 578X632X1509 | 578X632X1509 |
| Freezer Shield                          | NO           | NO           | NO           | NO           | NO           | NO           |
| Loading quantity/20ft Container(pcs)    | 48           | 48           | 48           | 48           | 48           | 48           |
| Loading quantity/40ft Container(pcs)    | 103          | 103          | 103          | 103          | 103          | 103          |
| Loading quantity/40ft HC Container(pcs) | 128          | 128          | 128          | 128          | 128          | 128          |

**Table Top EN 62552:2020**

| Refrigeration System                    | STATIC             | STATIC             | LESS FROST  | LESS FROST  | STATIC             | STATIC             | STATIC             | STATIC             | STATIC             |
|-----------------------------------------|--------------------|--------------------|-------------|-------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Model                                   | 1002               | 1002               | 1005        | 1005        | 1001               | 1001               | 1101               | 1101               | 1101               |
| Control System                          | MECHANICAL         | MECHANICAL         | MECHANICAL  | MECHANICAL  | MECHANICAL         | MECHANICAL         | MECHANICAL         | MECHANICAL         | MECHANICAL         |
| Climatic Class                          | T/SN               | T/SN               | T/SN        | T/SN        | T/SN               | T/SN               | ST/N               | ST/N               | T/N                |
| Energy Class                            | A+                 | A++                | A+          | A++         | A+                 | A++                | A+                 | A++                | A+                 |
| Door                                    | Standard           | Standard           | STANDARD    | STANDARD    | Standard           | Standard           | Standard           | Standard           | Standard           |
| Turbo                                   | NO                 | NO                 | NO          | NO          | NO                 | NO                 | NO                 | NO                 | NO                 |
| Spec w/o Chiller                        | YES                | YES                | YES         | YES         | YES                | YES                | YES                | YES                | YES                |
| Performance(star rating)                | -                  | -                  | 4           | 4           | -                  | -                  | 2                  | 2                  | 2                  |
| Volume Total(gross)(L)                  | 91                 | 91                 | 64          | 64          | 91                 | 91                 | 84                 | 84                 | 84                 |
| Volume Total(net)(L)                    | 89                 | 89                 | 63          | 63          | 88                 | 88                 | 81                 | 81                 | 81                 |
| Volume Refrigerator (gross)(L)          | 91                 | 91                 | -           | -           | 91                 | 91                 | 74                 | 74                 | 74                 |
| Volume Refrigerator Total (net)(L)      | 89                 | 89                 | -           | -           | 88                 | 88                 | 73                 | 73                 | 73                 |
| Volume Refr Without Chiller(net)(L)     | 89                 | 89                 | -           | -           | 88                 | 88                 | 73                 | 73                 | 73                 |
| Chiller Volume(net)(L)                  | -                  | -                  | -           | -           | -                  | -                  | -                  | -                  | -                  |
| Volume Freezer(gross)(L)                | -                  | -                  | 64          | 64          | -                  | -                  | 10                 | 10                 | 10                 |
| Volume Freezer(net)(L)                  | -                  | -                  | 63          | 63          | -                  | -                  | 8                  | 8                  | 8                  |
| Four Star Volume (net)(L)               |                    |                    | 63          | 63          |                    |                    |                    |                    |                    |
| Two Star Volume (net)(L)                |                    |                    |             |             |                    |                    | 8                  | 8                  | 8                  |
| Energy Consumption(kWh/24h)             | 0.309              | 0.241              | 0.460       | 0.361       | 0.309              | 0.241              | 0.331              | 0.260              | 0.335              |
| Energy Consumption(kWh/year)            | 113                | 88                 | 168         | 132         | 113                | 88                 | 121                | 95                 | 122                |
| Freezing Capacity(kg/24h)               | -                  | -                  | 4           | 4           | -                  | -                  | -                  | -                  | -                  |
| Temp. Rise Time(-18°C to -9°C)(h)       | -                  | -                  | 16          | 16          | -                  | -                  | -                  | -                  | -                  |
| Noise Emission dB(A)                    | 43                 | 43                 | 43          | 43          | 43                 | 41                 | 41                 | 41                 | 41                 |
| Defrost System Type Fridge/Freezer      | AUTOMATIC / MANUEL | AUTOMATIC / MANUEL | MANUAL      | MANUAL      | AUTOMATIC / MANUEL |
| Product Dimensions (WxDxH)(mm)          | 480X500X821        | 480X500X821        | 480X510X821 | 480X510X821 | 480X500X821        | 480X500X821        | 480X560X838        | 480X560X838        | 480X560X838        |
| Packaged Dimensions (WxDxH)(mm)         | 519X544X878        | 519X544X878        | 519X544X878 | 519X544X878 | 519X544X878        | 519X544X878        | 519X587X878        | 519X587X878        | 519X587X878        |
| Freezer Shield                          | NO                 | NO                 | NO          | NO          | NO                 | NO                 | NO                 | NO                 | NO                 |
| Loading quantity/20ft Container(pcs)    | 112                | 112                | 112         | 112         | 112                | 112                | 112                | 112                | 112                |
| Loading quantity/40ft Container(pcs)    | 238                | 238                | 238         | 238         | 238                | 238                | 238                | 238                | 238                |
| Loading quantity/40ft HC Container(pcs) | 274                | 274                | 274         | 274         | 274                | 274                | 274                | 274                | 274                |

| Refrigeration System                    | STATIC      | STATIC      | LESS FROST  | LESS FROST  | STATIC            | STATIC            |
|-----------------------------------------|-------------|-------------|-------------|-------------|-------------------|-------------------|
| Model                                   | 153         | 153         | 143         | 143         | 130               | 130               |
| Control System                          | MECHANICAL  | MECHANICAL  | MECHANICAL  | MECHANICAL  | MECHANICAL        | MECHANICAL        |
| Climatic Class                          | T/SN        | T/SN        | T/SN        | T/SN        | T/SN              | T/SN              |
| Energy Class                            | A+          | A++         | A+          | A++         | A+                | A++               |
| Door                                    | STANDARD    | STANDARD    | STANDARD    | STANDARD    | STANDARD          | STANDARD          |
| Turbo                                   | NO          | NO          | NO          | NO          | NO                | NO                |
| Spec w/o Chiller                        | YES         | YES         | YES         | YES         | YES               | YES               |
| Performance(star rating)                | -           | -           | 4           | 4           | 4                 | 4                 |
| Volume Total(gross)(L)                  | 135         | 135         | 103         | 103         | 123               | 123               |
| Volume Total(net)(L)                    | 134         | 134         | 102         | 102         | 121               | 121               |
| Volume Refrigerator (gross)(L)          | 135         | 135         | -           | -           | 106               | 106               |
| Volume Refrigerator Total (net)(L)      | 134         | 134         | -           | -           | 104               | 104               |
| Volume Refr Without Chiller(net)(L)     | 134         | 134         | -           | -           | 104               | 104               |
| Chiller Volume(net)(L)                  | -           | -           | -           | -           | -                 | -                 |
| Volume Freezer(gross)(L)                | -           | -           | 103         | 103         | 17                | 17                |
| Volume Freezer(net)(L)                  | -           | -           | 102         | 102         | 17                | 17                |
| Four Star Volume (net)(L)               |             |             | 102         | 102         | 17                | 17                |
| Two Star Volume (net)(L)                |             |             |             |             |                   |                   |
| Energy Consumption(kWh/24h)             | 0.323       | 0.254       | 0.523       | 0.410       | 0.498             | 0.391             |
| Energy Consumption(kWh/year)            | 118         | 93          | 191         | 150         | 182               | 143               |
| Freezing Capacity(kg/24h)               | -           | -           | 7.5         | 7.5         | 2                 | 2                 |
| Temp. Rise Time(-18°C to -9°C)(h)       | -           | -           | 16          | 16          | 9.5               | 9.5               |
| Noise Emission dB(A)                    | 41          | 41          | 40          | 41          | 40                | 40                |
| Defrost System Type Fridge/Freezer      | AUTOMATIC   | AUTOMATIC   | MANUAL      | MANUAL      | AUTOMATIC / MANUE | AUTOMATIC / MANUE |
| Product Dimensions (WxDxH)(mm)          | 540X595X838 | 540X595X838 | 540X615X838 | 540X615X838 | 540X595X838       | 540X595X838       |
| Packaged Dimensions (WxDxH)(mm)         | 578X632X883 | 578X632X883 | 578X632X883 | 578X632X883 | 578X632X883       | 578X632X883       |
| Freezer Shield                          | NO          | NO          | NO          | NO          | NO                | NO                |
| Loading quantity/20ft Container(pcs)    | 93          | 93          | 93          | 93          | 93                | 93                |
| Loading quantity/40ft Container(pcs)    | 196         | 196         | 196         | 196         | 196               | 196               |
| Loading quantity/40ft HC Container(pcs) | 225         | 225         | 225         | 225         | 225               | 225               |

## Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**VESTEL TRADE CO.**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

**Phone:** 90 - 236 233 25 82

**Fax:** 90 - 236 233 25 84

[vesteltrade@vestel.com.tr](mailto:vesteltrade@vestel.com.tr)

[www.vestelinternational.com](http://www.vestelinternational.com)

**VESTEL HOLLAND BV**

Stationsplein 45, A2-1913013 AK Rotterdam, The Netherlands

**Phone:** +31 - 10 412 23 66

<https://vestelbenelux.nl>

[info@vestelbenelux.nl](mailto:info@vestelbenelux.nl)

**VESTEL HOLLAND B.V. UK BRANCH OFFICE**

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZ

**Phone:** +44 - 3330 146 400

<https://vestel.co.uk>

[info@vestel-uk.com](mailto:info@vestel-uk.com)

**VESTEL HOLLAND B.V. GERMANY  
BRANCH OFFICE**

Parkring 6 D-85748 Garching bei München/  
Germany

**Phone:** +49 - 89 55295 - 0

<https://vestel-germany.de>

[info@vestel-germany.de](mailto:info@vestel-germany.de)

**VESTEL IBERIA, S. L.**

Paeso Doce Estrellas, 2, 3o. 28042. Madrid,  
Spain

**Phone:** +34 - 91 320 63 98

<https://vestel.es>

[vestel@vestel.es](mailto:vestel@vestel.es)

**VESTEL FRANCE SASU**

17 Rue de la Couture - Parc Icade BP 10190 -  
94563 RUNGIS Cedex/France

**Phone:** +33 - 1 46 75 00 29

<http://vestel-france.fr>

[info@vestel.fr](mailto:info@vestel.fr)

**VESTEL CIS LTD.**

2 Gorbunova st., Bld. No 3, office A305 Moscow,  
121569, Russia

**Phone:** 7 - 495 956 8230

<https://vestel.ru>

[info@vestel.ru](mailto:info@vestel.ru)

**VESTEL ELECTRONICA**

Bucharest, 1st District, 2-4 Murmurului Entrance,  
014114 Bucharest/Romania

**Phone:** +40 - 31 425 42 93

<https://vestel.ro>

[office@vestel.ro](mailto:office@vestel.ro)

**VESTEL HOLLAND B.V. POLAND BRANCH  
OFFICE**

Oddział w Polsce Ul. Salsy 2,  
02-823 Warszawa

**Phone:** +48 22 272 73 00

**Fax:** +48 22 272 74 00

<https://vestel-poland.com>

[info@vestel-poland.com](mailto:info@vestel-poland.com)

**VESTEL ELECTRONICS GULF DMCC**

Unit No. ALMAS-06-C, Almas Tower, Plot No.  
JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE

**Phone:** +971 - 4 564 6544

<https://vestel-gulf.ae>

[info@vestel-gulf.ae](mailto:info@vestel-gulf.ae)

**TOO VESTEL CENTRAL ASIA**

050026 Kazakhsatan/Almaty Aiteke bi 187,

office:215

**Phone:** 7 - 727 263 39 39

[info@vestel.kz](mailto:info@vestel.kz)

**VESTEL CHINA**

Vestel Electronics (Shanghai) Trading Co., Ltd.

Shenzhen Branch Room 2606, Time Square

Excellence. No 4068 Yi Tian Rd, Fu Tian District.  
Shenzhen City, Guangdong, China. 518048

**Phone:** 86-755-2266 6726

**VESTEL VIETNAM**

The Rep. Office of Vestel Electronics (Shanghai)  
Trading Co. Ltd. in Ho Chi Minh City – VIETNAM  
Floor 46, Bitexco Financial Tower , 02 Hai Trieu,  
Ben Nghe Ward, District 1 , Ho Chi Minh City,  
Vietnam

**VESTEL USA INC.**

390 5TH AVE ROOM 805 NEW YORK, NEW  
YORK 10018

**Phone:** 212 689 4622 x12



# VESTEL

Organize Sanayi Bolgesi, 45030  
Manisa/Turkey

**Phone:** 90 - 236 233 25 82  
**Fax:** 90 - 236 233 25 84

vesteltrade@vestel.com.tr  
[www.vestelinternational.com](http://www.vestelinternational.com)

FOLLOW US ON SOCIAL MEDIA



[/vestelinternational](https://www.facebook.com/vestelinternational)