

REFRIGERATORS

2023 - 2024



www.vestelinternational.com

VESTEL



COMPANY PROFILE

2-3

GLOBAL OPERATIONS

4-5

TECHNOLOGIES

6-15

PRODUCT LINE-UP

16-96

DESIGN OPTIONS

97-103

SPECIFICATIONS

104-117

ADDRESSES

121





COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000
Employees

1.300.000 m²
Closed Production Area

Export Leader of Turkey with
\$ 2,3 Billion

30 Million
Device Production
Capacity

\$ 3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.9 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the

capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).



GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, Set-top Boxes

Manisa, Turkey - Koberzyce, Poland

Professional Displays, Tablet PC, LED lighting

Manisa, Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer,

Cooking Appliances, Air Conditioner, Water Heater

Manisa, Turkey

R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan


Vestel Electronics Gulf, Dubai



Features

COOLING TECHNOLOGIES

>




NoFrost Multicooling

On the contrary with conventional technology, NoFrost MultiCooling technology includes two independent air circulation with two separate fans and evaporators. Since there is no transfer of cold air between fridge and freezer cabinets, NoFrost MultiCooling provides extra freshness with optimum humidity levels in each compartment, prevents odor mixing, and keeps flavor of foods.



Less Frost

Thanks to the wrap around evaporator, LessFrost technology offers more efficient cooling, less manual defrost requirement, and more flexible storage room.



Freezer Shield

Conventional refrigerator appliances are able to work at a minimum ambient temperature of 10°C. However, with the new Freezer Shield Tech, Vestel appliances can work even if the ambient temperature is as low as -15°C, which makes it possible to place the appliances in closed locations such as the garage.





FRESHNESS TECHNOLOGIES

>



PureBeam+

The Purebeam+ Technology at the top of the fridge includes a UVC LED light source and a carbon filter. While the filter absorbs bad odors, UVC LED breaks down bacteria and viruses on the filter surface into harmless substances. Purebeam+ Technology effectively reduces volatile organic compounds formed by the spoilage of food in the refrigerator. The quality of the air in the refrigerator improves and is always kept clean.



Vacuum Bag

Prolongs the shelf life of foods and keeps deli products fresh up to 8 times longer.*
Increases life of food by removing air.
Prevents the occurrence of unpleasant odours.

*Tested and certified by Third Party Laboratory.





FermentStore

FermentStore helps customers take homemade food to a new level; allowing them to join the growing trend towards fermented foodstuffs and helping them enjoy the known health benefits. As well as being tasty and appealing, fermented foods are known to be rich in probiotics which help restore balance in the stomach. In turn this aids digestion and boosts the immune system. The FermentStore feature allows users to create and store seven different types of food and beverage: yoghurt, kefir, bread dough, wine, beer, vinegar and pickles, which all can be fermented and kept with ease. After the fermentation process, the results can be chilled and stored in the optimum conditions.



DuoMode

Technology that allows the freezer to be set as a cooler for more refrigerator volume in line with the needs of the consumers, to be used as a cooler or freezer, and to be completely closed when not needed.



Convert Zone

Using the compartment as an ideal storage area for fruit and vegetables when the flap is closed, and for meat products when it is open, with its flap feature.



VitaMod

Thanks to a special light source close to the natural spectrum of sunlight, VitaMod ensures that fruits and vegetables stored in the refrigerator continue their natural ripening process, thus preserving their nutritional values at higher levels.



Humidity Controlled Crisper

Thanks to air channels and special filter, humidity level can be adjusted precisely to keep your fruits and vegetables fresh and crisp.

*Tested and certified by Third Party Laboratory.



Chill Zone

Ensures that the food inside is preserved at ideal temperature of around 0 °C. The frozen meat or fish can also be kept in this compartment for proper thawing before consuming. Chill Zone also ensures that your meat & fish stays fresh for while keeping out unwanted odour.



UltraFresh Technology

UltraFresh technology helps reducing unpleasant odors by absorbing ethylene gas (a volatile organic compound released naturally from fresh foods) from the crisper.

CONVENIENCE TECHNOLOGIES

>



V-Lift

With the adjustable height mechanism, height of bottle shelf can be maximized for higher bottles or can be reduced to save space for the dairy shelf. Position of rack can be set to 6 different height.



V-Shelf

Provides more flexible storage room and higher shelf space thanks to the two-part shelf mechanism sliding on each other.



Door Reversible

Depending on the location of your refrigerator, you can adjust door opening direction thanks to the reversible door feature.



Zero Clearance

You can place your refrigerator next to the wall or cabinets and the door can be opened easily without need of any additional space at 90°.



Water Dispenser



































Offers quick and practical cold water access, and ergonomic use with 2 liter reservoir. Easy to replenish water




































Ice Slide

Provides convenient storage spaces with a simple movement. The slide icematic ensures flexible storage and max capacity anytime you need.

Product Line-up

Category	Width	No Frost Multi Cooling					No Frost				Frost Free			
Single Door	54 cm						 241							
	60 cm						 323	 371	 372	 375				
	70 cm						 491							
Double Door Top Freezer	54 cm	 273												
	60 cm	 343												
	70 cm	 463	 473	 483										
	76 cm	 543												
	84 cm	 643												
Double Door Bottom Freezer	50 cm										 173			
	54 cm	 289									 253	 267	 287	 319
	60 cm	 353	 373	 379	 383	 389								
	70 cm	 462	 482	 492										
	76 cm	 553												
	84 cm	 653	 694											
Multi Door	84 cm	 620												
	91 cm	 910	 916	 911										
	121 cm													

Category	Width	Less Frost						Direct Cooling					
Table Top	48 cm	 1005						 1001	 1101			 1002	
	50 cm							 125					
	54 cm	 143						 130				 153	
Single Door	54 cm									 2451	 2441		 2653
	60 cm									 322	 332	 327	 376
Double Door Top Freezer	54 cm	 233	 263	 283									
	60 cm	 346	 347										
	70 cm	 453	 457										
	76 cm												
	84 cm												
Double Door Bottom Freezer	50 cm	 174											
	54 cm	 236	 252	 266	 277	 278	 286	 318					
	60 cm	 374	 3741	 384									
	70 cm												
	76 cm												
	84 cm												

Multi Door Models

Vestel multi door products with 4 doors offer extra large capacity and more storage place with no-frost multi cooling technology.



910

>



TECHNICAL DATA

Product Dimensions WxDxH mm
910 x 750 x 1850

Volume Total net L
588

Refrigerator Volume net L
398

Freezer Volume net L
190

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Double Compressor
Door Alarm
Child Lock
Electronic Control (Display on Door)
Fridge LED Lighting
Chill Zone
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Vitastore
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Twisted Icematic
Portable Wine Holder
UltraFresh Technology
Vacuum Bag
Ferment Store

COLOR OPTIONS



916

>



TECHNICAL DATA

Product Dimensions WxDxH mm

910 x 750 x 1850

Volume Total net L

588

Refrigerator Volume net L

398

Freezer Volume net L

190


STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Child Lock
Electronic Control (Display on Door)
Fridge LED Lighting
Chill Zone
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Twisted Icematic
Portable Wine Holder
UltraFresh Technology
Vacuum Bag

COLOR OPTIONS



911

>



TECHNICAL DATA

Product Dimensions WxDxH mm
910 x 763 x 1850

Volume Total net L
609

Refrigerator Volume net L
398

Freezer Volume net L
211



STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Child Lock
Electronic Control (Display on Door)
Fridge LED Lighting
Chill Zone
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Portable Wine Holder
UltraFresh Technology

COLOR OPTIONS



620

>



TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 690 x 1790

Volume Total net L
488

Refrigerator Volume net L
322

Freezer Volume net L
166

STANDARD CONFIGURATION

Multi Cooling NoFrost Technology
Electronic Control (Inner Display)
Fridge LED Lighting (Top)
Tempered Glass Shelves (Fridge)
6 Door Racks (Fridge)
Sliding Trays (Freezer)
Freezer Shield
Egg Holders
Ice Tray
ConvertZone
Crisper zone
Door Alarm

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Ambiance Lighting
Twisted Icematic
Portable Wine Holder
UltraFresh Technology
Purebeam+
Water Dispenser
Metal Cooling

COLOR OPTIONS



E D

Two Door Bottom-Freezer Models

Bottom mounted fridge freezer models offer no frost and direct cooling technologies with different dimensions, ideal for both large and small families and groups.



694

>

TECHNICAL DATA

Product Dimensions WxDxH mm

840 x 780 x 1940

Volume Total net L

650

Refrigerator Volume net L

460

Freezer Volume net L

190



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front&Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Fridge LED Lighting (Glass Shelves)
Wine Rack
Portable Wine Holder
Bottle Holder
Twisted Icematic
UltraFresh Technology
Purebeam+

COLOR OPTIONS



653

>

TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 750 x 1860

Volume Total net L
588

Refrigerator Volume net L
407

Freezer Volume net L
181



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Fridge LED Lighting (Glass Shelves)
Wine Rack
Portable Wine Holder
Bottle Holder
Twisted Icematic
Water Dispenser
UltraFresh Technology
Purebeam+

COLOR OPTIONS



553

>

TECHNICAL DATA

Product Dimensions WxDxH mm
760 x 737 x 1860

Volume Total net L
534

Refrigerator Volume net L
403

Freezer Volume net L
131



ED


STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Glass Shelves)
Fridge LED Lighting (Sides and Top)
V-Lift
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
Purebeam+
VitaMod

COLOR OPTIONS



492

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 712 x 1920

Volume Total net L
481

Refrigerator Volume net L
344

Freezer Volume net L
137



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Twisted Icematic
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
V-Shelf
UltraFresh Technology
Purebeam+
VitaMod

COLOR OPTIONS



492 GLASS DOOR

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 721 x 1920

Volume Total net L
481

Refrigerator Volume net L
344

Freezer Volume net L
137



E D

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass
Shelves
Twisted Icematic
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology
Purebeam+

COLOR OPTIONS



482

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 712 x 1860

Volume Total net L
472

Refrigerator Volume net L
357

Freezer Volume net L
115



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift
Purebeam+

COLOR OPTIONS



462

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 712 x 1730

Volume Total net L
428

Refrigerator Volume net L
313

Freezer Volume net L
115



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Big Box
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift

COLOR OPTIONS



383

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 2010

Volume Total net L
367

Refrigerator Volume net L
266

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
Purebeam+
V-Lift
Metal Cooling
Sliding Tray

COLOR OPTIONS



383 Glass Door

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 660 x 2010

Volume Total net L
367

Refrigerator Volume net L
266

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass
Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
Purebeam+
V-Lift
Metal Cooling

COLOR OPTIONS



389

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 6000 x 2010

Volume Total net L
327

Refrigerator Volume net L
239

Freezer Volume net L
88



E D C

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Top Electronic Led Indicator Display
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Convert Zone
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Convert Zone

OPTIONAL FEATURES

Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



373

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
331

Refrigerator Volume net L
230

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
Water Dispenser
UltraFresh Technology
Purebeam+
Metal Cooling
Sliding Tray
Humidity Control Crisper +

COLOR OPTIONS



373 GLASS DOOR

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 660x 1860

Volume Total net L
331

Refrigerator Volume net L
230

Freezer Volume net L
101



E D C B

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
V-Lift
UltraFresh Technology
Purebeam+
Metal Cooling

COLOR OPTIONS



379

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1860

Volume Total net L
295

Refrigerator Volume net L
207

Freezer Volume net L
88



E D C

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Top Electronic Led Indicator Display
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Convert Zone
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Convert Zone

OPTIONAL FEATURES

Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



353

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
323

Refrigerator Volume net L
203

Freezer Volume net L
120



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Head Panel Display
Fridge LED Lighting (Sides)
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
V-Lift
Sliding Tray

COLOR OPTIONS



319

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 610 x 1830

Volume Total net L
248

Refrigerator Volume net L
152

Freezer Volume net L
96



ED

STANDARD CONFIGURATION

Frost Free
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Electronic Control (Inner Display)
Fridge LED Lighting (Top/Side LED)
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



289

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1800

Volume Total net L
270

Refrigerator Volume net L
195

Freezer Volume net L
75



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Sliding Tray

OPTIONAL FEATURES

Door Alarm
Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting
Chill Zone
Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



287

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1800

Volume Total net L
279

Refrigerator Volume net L
204

Freezer Volume net L
75



ED

STANDARD CONFIGURATION

Frost Free
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Sliding Tray

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



267

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1660

Volume Total net L
240

Refrigerator Volume net L
142

Freezer Volume net L
98



ED

STANDARD CONFIGURATION

Frost Free
Top Electronic Led Indicator Display
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



253

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1520

Volume Total net L

221

Refrigerator Volume net L

146

Freezer Volume net L

75



ED

STANDARD CONFIGURATION

Frost Free
Top Electronic Led Indicator Display
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



173

>

TECHNICAL DATA

Product Dimensions WxDxH mm
497 x 560 x 1460

Volume Total net L
166

Refrigerator Volume net L
113

Freezer Volume net L
53



ED

STANDARD CONFIGURATION

Frost Free
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder

COLOR OPTIONS



384

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 2010

Volume Total net L
378

Refrigerator Volume net L
271

Freezer Volume net L
107



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Door Alarm
Head Panel Display
Fridge LED Lighting
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
V-Lift
Sliding Tray

COLOR OPTIONS



374

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
341

Refrigerator Volume net L
234

Freezer Volume net L
107



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Door Alarm
Head Panel Display
Fridge LED Lighting
Chill Zone
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
V-Lift
Sliding Tray

COLOR OPTIONS



3741

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 570 x 1860

Volume Total net L

283

Refrigerator Volume net L

192

Freezer Volume net L

91



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift
Sliding freezer tray

COLOR OPTIONS



318

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 610 x 1830

Volume Total net L
256

Refrigerator Volume net L
152

Freezer Volume net L
104



ED

STANDARD CONFIGURATION

Direct Cooling
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
LED Lighting

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



286

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1800

Volume Total net L

288

Refrigerator Volume net L

204

Freezer Volume net L

84



ED


STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



277

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540x595x1770

Volume Total net L
277

Refrigerator Volume net L
163

Freezer Volume net L
114



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



278

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1700

Volume Total net L
268

Refrigerator Volume net L
184

Freezer Volume net L
84



ED


STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



266

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1660

Volume Total net L
256

Refrigerator Volume net L
142

Freezer Volume net L
114



ED


STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



252

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1520

Volume Total net L
230

Refrigerator Volume net L
146

Freezer Volume net L
84



ED


STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



236

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1360

Volume Total net L
203

Refrigerator Volume net L
134

Freezer Volume net L
69



ED

STANDARD CONFIGURATION

Less Frost
Fridge AC LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Humidity Controlled Crisper
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



174

>

TECHNICAL DATA

Product Dimensions WxDxH mm

497 x 560 x 1460

Volume Total net L

174

Refrigerator Volume net L

113

Freezer Volume net L

61



ED

STANDARD CONFIGURATION

Less Frost
Fridge AC LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder

COLOR OPTIONS



Two Door Top-Freezer Models

Top mounted fridge freezer models offer no frost and direct cooling technologies with different dimensions, ideal for both large and small families and groups.



643

>

TECHNICAL DATA

Product Dimensions WxDxH mm
840 x 750 x 1860

Volume Total net L
587

Refrigerator Volume net L
445

Freezer Volume net L
142



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Fridge LED Lighting (Glass Shelves)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Sliding Icematic
Water Dispenser
UltraFresh Technology
Purebeam+
Duo Mode

COLOR OPTIONS



543

>

TECHNICAL DATA

Product Dimensions WxDxH mm
760 x 750 x 1860

Volume Total net L
524

Refrigerator Volume net L
400

Freezer Volume net L
124



ED


STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Fridge LED Lighting (Glass Shelves)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Sliding Icematic
UltraFresh Technology
Purebeam+
V-Lift

COLOR OPTIONS



543 Glass Door

>

TECHNICAL DATA

Product Dimensions WxDxH mm
760 x 750 x 1860

Volume Total net L
510

Refrigerator Volume net L
387

Freezer Volume net L
123



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Fridge LED Lighting (Glass Shelves)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Sliding Icematic
UltraFresh Technology
Purebeam+
V-Lift

COLOR OPTIONS



483

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 720 x 1870

Volume Total net L
451

Refrigerator Volume net L
353

Freezer Volume net L
98



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Door Alarm
Electronic Control (Inner Display)
Fridge LED Lighting
Fridge LED Lighting (Sides)
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
Water Dispenser
UltraFresh Technology
V-Lift
Duo Mode

COLOR OPTIONS



473

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 720 x 1830

Volume Total net L
435

Refrigerator Volume net L
337

Freezer Volume net L
98



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Electronic Control (Inner Display)
Door Alarm
Chill Zone
Humidity Controlled Crisper
Adjustable Door Racks
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
Water Dispenser
UltraFresh Technology
V-Lift

COLOR OPTIONS



463



TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 720 x 1730

Volume Total net L
403

Refrigerator Volume net L
305

Freezer Volume net L
98



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Electronic Control (Inner Display)
Door Alarm
Chill Zone
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Freezer Shield
Clean Back
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Sliding Icematic
UltraFresh Technology

Purebeam+
V-Lift

COLOR OPTIONS



343

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1720

Volume Total net L
311

Refrigerator Volume net L
240

Freezer Volume net L
71



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
LED Lighting
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Electronic Control (Inner Display)
Fridge LED Lighting (Sides / Top)
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift
Chill Zone
Humidity Controlled Crisper

COLOR OPTIONS



273

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 630 x 1665

Volume Total net L
252

Refrigerator Volume net L
192

Freezer Volume net L
60



ED

STANDARD CONFIGURATION

No Frost Multi Cooling Tech
Fridge LED Lighting (Sides)
Humidity Controlled Crisper
Freezer Door Racks
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Freezer LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



457

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 735 x 1830

Volume Total net L
498

Refrigerator Volume net L
370

Freezer Volume net L
128



ED

STANDARD CONFIGURATION

Less Frost
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers
Rear Rollers
Fridge LED Lighting

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



453

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 650 x 1830

Volume Total net L
434

Refrigerator Volume net L
321

Freezer Volume net L
113



ED

STANDARD CONFIGURATION

Less Frost
Humidity Controlled Crisper
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Front & Rear Rollers
Rear Rollers
Fridge LED Lighting

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting (Sides)
Wine Rack
Portable Wine Holder
Bottle Holder
Twisted Icematic
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



346

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595x598x1750

Volume Total net L
312

Refrigerator Volume net L
242

Freezer Volume net L
70



ED

STANDARD CONFIGURATION

Less Frost
Adjustable Tempered Glass Shelves
LED Lighting
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



347

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595x598x1850

Volume Total net L
337

Refrigerator Volume net L
267

Freezer Volume net L
70



ED

STANDARD CONFIGURATION

Less Frost
Adjustable Tempered Glass Shelves
LED Lighting
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology
V-Lift

COLOR OPTIONS



283

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 570 x 1600

Volume Total net L

243

Refrigerator Volume net L

201

Freezer Volume net L

42



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
UltraFresh Technology

COLOR OPTIONS



263

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 570 x 1440

Volume Total net L
213

Refrigerator Volume net L
171

Freezer Volume net L
42



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
V-Lift
UltraFresh Technology

COLOR OPTIONS



233

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 570 x 1220

Volume Total net L

168

Refrigerator Volume net L

126

Freezer Volume net L

42



ED

STANDARD CONFIGURATION

Less Frost
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

OPTIONAL FEATURES

Wine Rack
Portable Wine Holder
Bottle Holder
UltraFresh Technology

COLOR OPTIONS



Single Door Models

Single door models coming
with and without freezer
compartment options.



375

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
390

Refrigerator Volume net L
390

Freezer Volume net L
-



ED

STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glas Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
Fridge LED Lighting

OPTIONAL FEATURES

Electronic Control (Display on Door)
Fridge LED Lighting (Sides and Top)
Chill Zone
Additional Crispers
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
V-Lift
Metal Cooling
Door Alarm

COLOR OPTIONS



376

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
396

Refrigerator Volume net L
396

Freezer Volume net L
-



ED

STANDARD CONFIGURATION

Direct Cooling
Turbo Fan-Air Cooling
Humidity Controlled Crisper
Adjustable Door Racks
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
LED Lighting

OPTIONAL FEATURES

Electronic Control (Display on Door)
Electronic Control (Head Panel Display)
Fridge LED Lighting (Sides and Top)
Wine Rack
Air Duct
Portable Wine Holder
Bottle Holder
V-Shelf
Water Dispenser
UltraFresh Technology
V-Lift
Door Alarm

COLOR OPTIONS



327

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1550

Volume Total net L
309

Refrigerator Volume net L
309

Freezer Volume net L
0



ED

STANDARD CONFIGURATION

Direct Cooling
Turbo Fan-Air Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Rear Rollers
Humidity Controlled Crisper
Zero Clearance
Adjustable Door Racks
Side Electronic Led Indicator Display

OPTIONAL FEATURES

Head Panel Display
Door Alarm
Wine Rack
Portable Wine Holder
Bottle Holder
V-Shelf
UltraFresh Technology
V-Lift

COLOR OPTIONS



2653

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1455

Volume Total net L
255

Refrigerator Volume net L
255

Freezer Volume net L
-



ED

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Egg Holders
Transparent Accessories
Reversible Doors
Leveling Feet
Humidity Controlled Crisper

OPTIONAL FEATURES

Fridge LED Lighting
Wine Rack
Portable Wine Holder
Bottle Holder
Head Panel Display
UltraFresh Technology
V-Lift

COLOR OPTIONS



Freezer Models

Single door freezer models with different dimensions offering both no frost and direct cooling technologies.



491

>

TECHNICAL DATA

Product Dimensions WxDxH mm
700 x 755 x 1950

Volume Total net L
406

Refrigerator Volume net L
-

Freezer Volume net L
-



E D

STANDARD CONFIGURATION

No Frost Technology
Push Button Display
Door Alarm
Zero Clearance
Ice tray
6 Drawers
2 Tempered glass shelves
Door reversibility
Transparent Accessories
Leveling Feet
Rear Rollers
Freezer Shield

OPTIONAL FEATURES

LED Lighting on head panel
LED Lighting on top (Door display models)
Electronic Control (Display on Door)
Icemaker

COLOR OPTIONS



372

>

TECHNICAL DATA

Product Dimensions WxDxH mm

595 x 650 x 1860

Volume Total net L

278

Refrigerator Volume net L

-

Freezer Volume net L

278



ED

STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
2 Door Racks
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
5 drawers
2 tempered glass shelves

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer Led Lighting
Twisted Icematic
Metal Cooling
Icematic on Door Rack
Door Alarm

COLOR OPTIONS



371

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1860

Volume Total net L
280

Refrigerator Volume net L
-

Freezer Volume net L
280



ED

STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
5 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Twisted Icematic
Door Alarm
Duo Mode

COLOR OPTIONS



323

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 650 x 1550

Volume Total net L
226

Refrigerator Volume net L
-

Freezer Volume net L
226



ED

STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Zero Clearance
Reversible Doors
Leveling Feet
Rear Rollers
4 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Freezer LED Lighting
Twisted Icematic
Door Alarm

COLOR OPTIONS



332

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1750

Volume Total net L
248

Refrigerator Volume net L
-

Freezer Volume net L
248



ED

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance
5 drawers
2 flap covers

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS



322

>

TECHNICAL DATA

Product Dimensions WxDxH mm
595 x 600 x 1550

Volume Total net L
214

Refrigerator Volume net L
-

Freezer Volume net L
214



ED


STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
Zero Clearance
4 drawers
2 flap covers

OPTIONAL FEATURES

Door Alarm
Head Panel Display

COLOR OPTIONS



241

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 595 x 1455

Volume Total net L
174

Refrigerator Volume net L
-

Freezer Volume net L
174



ED

STANDARD CONFIGURATION

No Frost Cooling Tech
Head Panel Display
Ice Tray
Transparent Accessories
Freezer Shield
Reversible Doors
Leveling Feet
Rear Rollers
4 drawers
2 flap covers

OPTIONAL FEATURES

Electronic Control (Display on Door)
Twisted Icematic
Door Alarm

COLOR OPTIONS



2451

>

TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 1455

Volume Total net L

188

Refrigerator Volume net L

-

Freezer Volume net L

188



ED

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
4 drawers
2 flap covers

OPTIONAL FEATURES

Head Panel Display

COLOR OPTIONS



2441

>

TECHNICAL DATA

Product Dimensions WxDxH mm
540 x 550 x 1455

Volume Total net L
175

Refrigerator Volume net L
-

Freezer Volume net L
175



ED

STANDARD CONFIGURATION

Direct Cooling
Ice Tray
Transparent Accessories
Reversible Doors
Leveling Feet
3 drawers
2 flap covers

OPTIONAL FEATURES

Head Panel Display

COLOR OPTIONS



Table Top Models

Small size under counter
models with fridge freezer,
freezer and larder options.



153

>



TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 838

Volume Total net L

135

Refrigerator Volume net L

135

Freezer Volume net L

-

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



E D

143

>



TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 615 x 838

Volume Total net L

103

Refrigerator Volume net L

-

Freezer Volume net L

103

STANDARD CONFIGURATION

Less Frost

Ice Tray

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

2 Drawers

1 Flap Cover

COLOR OPTIONS



E D

130

>



TECHNICAL DATA

Product Dimensions WxDxH mm

540 x 595 x 838

Volume Total net L

122

Refrigerator Volume net L

105

Freezer Volume net L

17

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



E D

1002

>



TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 500 x 821

Volume Total net L

90

Refrigerator Volume net L

90

Freezer Volume net L

-

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



ED

1005

>



TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 510 x 821

Volume Total net L

64

Refrigerator Volume net L

-

Freezer Volume net L

64

STANDARD CONFIGURATION

Direct Cooling

Ice Tray

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



ED

1001

>



Zero Star/Two Star

TECHNICAL DATA

Product Dimensions WxDxH mm

480 x 500 x 821

Volume Total net L

89

Refrigerator Volume net L

89

Freezer Volume net L

-

STANDARD CONFIGURATION

Direct Cooling

LED Lighting

Adjustable Tempered Glass Shelves

Ice Tray

Egg Holders

Transparent Accessories

Zero Clearance

Reversible Doors

Leveling Feet

COLOR OPTIONS



ED

1101

>



TECHNICAL DATA

Product Dimensions WxDxH mm
480 x 560 x 838

Volume Total net L
82

Refrigerator Volume net L
74

Freezer Volume net L
8

STANDARD CONFIGURATION

Direct Cooling
LED Lighting
Adjustable Tempered Glass Shelves
Ice Tray
Transparent Accessories
Zero Clearance
Reversible Doors
Leveling Feet

COLOR OPTIONS



ED

125

>



TECHNICAL DATA

Product Dimensions WxDxH mm
820 x 497 x 579

Volume Total net L
114 lt


Freezer Volume net L
100 lt / 14 lt

STANDARD CONFIGURATION

Direct Cooling
Fridge AC LED Lighting
Removable Safety Glass Shelf
Egg Holder
Transparent Accessories
Bottle Rack
Leveling Feet
Reversible doors

ED

RETRO RANGE



Models with retro door and handle design on both top mounted and bottom mounted fridge freezers and a single door fridge freezer.



COLOR OPTIONS





343

346

373 / 379 / 374

482

HANDLE OPTIONS

Bmp



Curve



Due



Uno



Cosma



HANDLES INTEGRATED



AGE HC



AGE (HOTSTAMP)



ERA HC



SUN



SUN (HOTSTAMP)



NEO



MIDLINE



FLATLINE



AGE CLASSIC



ERA CLASSIC



VESTEL




DIAMOND



FLN WAVE



COOLLINE



SOFTLINE



NOVA



ZENITH



SLIMLINE



SLIMLINE BXD

HANDLES EXTERNAL



WING



CLASSIC



POLE



CHAIN *



LARIX



MEBAK



DNZ *



VMK



THOR *

* Handle can be used for SBS product in niche cabinet



VEGA



STELLA



Z DESIGN*



V-MOVE*



V-MOVE PIPE*



FLX



GLXY



CURLY



TRIA

* Handle can be used for SBS product in niche cabinet



P X H *



N I C H E *




N I C H E - P I P E *

* Handle can be used for SBS product in niche cabinet

COLOR OPTIONS

Powder Painted



SNOW WHITE

VCM




INOX LOOK


Stainless Steel



INOX



VANILLA



DARK INOX LOOK



DARK INOX



DARK SILVER



HG BEIGE



RED



PET INOX



BLACK

Multi Door EN 62552:2020

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC
Model	910	911	916	620	620
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	F	F	F	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4
Volume Refrigerator Total (net)(L)	398	398	398	322	322
Volume Freezer(net)(L)	190	211	190	166	166
Energy Consumption(kWh/24h)	1,145	1,153	1,145	1,046	0,835
Energy Consumption(kWh/year)	418	421	418	382	305
Freezing Capacity (kg/24h)	16,0	15,0	16,5	8,7	8,7
Temp. Rise Time(-18°C to -9°C)(h)	12,0	12,5	12,0	10,8	10,8
Noise Level (dBA)	44	43	44	41	39
Noise Class	D	D	D	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	910X750X1850	910X763X1850	910X750X1850	840X690X1790	840X690X1790
Packaged Dimensions (WxDxH)(mm)	1025X858X1950	1025X878X1950	1025X858X1950	900X730X1865	900X730X1865
Freezer Shield	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	12	12	12	18	18
Loading quantity/40ft Container(pcs)	28	28	28	39	39
Loading quantity/40ft HC Container(pcs)	28	28	28	51	51

Specifications are subject to change without prior notice

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	653	653	553	553	492	492	492	492	694
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	F	E	F	F	E	E	E
Door	Standard	Standard	Standard	Standard	Standard	Glass	Standard	Glass	Standard
Performance (star rating)	4	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	407	407	403	403	344	344	344	344	459
Volume Freezer(net)(L)	181	181	131	131	137	137	137	137	190
Energy Consumption (kWh/24h)	1,117	0,893	0,972	0,778	0,983	0,983	0,786	0,786	TBD
Energy Consumption(k-Wh/year)	408	326	355	284	359	359	287	287	TBD
Freezing Capacity (kg/24h)	12,0	12,0	6,5	6,5	8,0	8,0	8,0	8,0	TBD
Temp. Rise Time (-18°C to -9°C)(h)	14,0	14,0	12,5	12,5	14,0	14,0	14,0	14,0	TBD
Noise Level (dBA)	42	41	43	41	42	42	41	41	39
Noise Class	D	C	D	C	D	D	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	TBD
Product Dimensions (WxDxH)(mm)	840X750X1860	840X750X1860	760X737X1860	760X737X1860	700X712X1920	700X721X1920	700X712X1920	700X721X1920	840X780X1940
Packaged Dimensions (WxDxH)(mm)	900X780X1940	900X780X1940	832X780X1940	832X780X1940	768X801X1997	768X822X1997	768X801X1997	768X822X1997	913X803X2023
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES	TBD
Loading quantity/20ft Container(pcs)	18	18	21	21	21	21	21	21	12
Loading quantity/40ft Container(pcs)	39	39	42	42	45	42	45	42	28
Loading quantity/40ft HC Container(pcs)	39	39	42	42	45	42	45	42	28

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	492	492	482	482	462	462	383	383
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	D	D	F	E	F	E	F	F
Door	Standard	Glass	Standard	Standard	Standard	Standard	Glass	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	344	344	357	357	313	313	266	266
Volume Freezer(net)(L)	137	137	115	115	115	115	101	101
Energy Consumption(kWh/24h)	0,63	0,63	0,909	0,728	0,906	0,726	0,857	0,857
Energy Consumption(kWh/year)	230	230	332	266	331	265	313	313
Freezing Capacity (kg/24h)	8,0	8,0	8,0	5,2	8,0	8,0	8,0	8,0
Temp. Rise Time(-18°C to -9°C)(h)	14,0	14,0	11,5	11,0	11,5	11,5	10,0	10,0
Noise Level (dBA)	41	41	43	41	41	41	41	41
Noise Class	C	C	D	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	700X712X1920	700X721X1920	700X712X1860	700X712X1860	700X712X1730	700X712X1730	595X660X2010	595X650X2010
Packaged Dimensions (WxDxH)(mm)	768X801X1997	768X822X1997	768X792X1937	768X792X1937	768X801X1807	768X801X1807	664X728X2066	664X728X2066
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	21	21	21	21	21	24	24
Loading quantity/40ft Container(pcs)	45	42	45	45	45	45	54	54
Loading quantity/40ft HC Container(pcs)	45	42	45	45	64	64	54	54

Only for informative purposes

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	383	383	383	383	383	383	383	383
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	E	D	D	C	C	B	B
Door	Glass	Standard	Glass	Standard	Standard	Glass	Standard	Glass
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	266	266	266	266	266	266	266	266
Volume Freezer(net)(L)	101	101	101	101	101	101	101	101
Energy Consumption(kWh/24h)	0,684	0,684	0,547	0,547	0,438	0,438	0,347	0,347
Energy Consumption(kWh/year)	250	250	81	81	160	160	127	127
Freezing Capacity (kg/24h)	8,00	8,00	8,0	8,0	8,0	8,0	8,0	8,0
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
Noise Level (dBA)	39	39	37	37	36	36	35	35
Noise Class	C	C	C	C	C	C	B	B
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X660X2010	595X650X2010	595X660X2010	595X650X2010	595X650X2010	595X650X2010	595X650X2010	595X650X2010
Packaged Dimensions (WxDxH)(mm)	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X2066
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	54	54	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	54	54	54	54	54	54	54	54

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC
Model	373	373	373	373	373
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	F	F	E	E
Door	Standard	Retro	Glass	Standard	Retro
Performance(star rating)	4	4	4	4	4
Volume Refrigerator Total (net)(L)	230	230	230	230	230
Volume Freezer(net)(L)	101	101	101	101	101
Energy Consumption(kWh/24h)	0,857	0,857	0,857	0,684	0,684
Energy Consumption(kWh/year)	313	313	313	250	250
Freezing Capacity (kg/24h)	8,0	8,0	8,0	8,0	8,0
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	10,0	10,0
Noise Level (dBA)	41	41	41	41	41
Noise Class	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X650X1860	605X681X1901	595X660X1860	595X650X1860	605X681X1901
Packaged Dimensions (WxDxH)(mm)	664X728X1916	680X782X1975	664X762X1916	664X728X1916	680X782X1975
Freezer Shield	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	21	24	24	21
Loading quantity/40ft Container(pcs)	54	45	54	54	45
Loading quantity/40ft HC Container(pcs)	72	62	72	72	62

Specifications are subject to change without prior notice

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC
Model	373	373	373	389	389
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	D	D	F	E
Door	Glass	Standard	Retro	Standard	Standard
Performance(star rating)	4	4	4	4	4
Volume Refrigerator Total (net)(L)	230	230	230	239	239
Volume Freezer(net)(L)	101	101	101	88	88
Energy Consumption(kWh/24h)	0,684	0,547	0,547	TBD	TBD
Energy Consumption(kWh/year)	250	81	81	TBD	TBD
Freezing Capacity (kg/24h)	8,0	8,0	8,0	TBD	TBD
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	TBD	TBD
Noise Level (dBA)	41	39	39	41	39
Noise Class	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	TBD	TBD
Product Dimensions (WxDxH)(mm)	595X660X1860	595X650X1860	605X681X1901	595X600X2010	595X600X2010
Packaged Dimensions (WxDxH)(mm)	664X762X1916	664X728X1916	680X782X1975	610x730x2070	610x730x2070
Freezer Shield	YES	YES	YES	TBD	TBD
Loading quantity/20ft Container(pcs)	YES	YES	YES	TBD	TBD
Loading quantity/40ft Container(pcs)	24	24	21	TBD	TBD
Loading quantity/40ft HC Container(pcs)	72	72	62	TBD	TBD

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	379	379	379	379	379	379	379	379	379
Control System	ELECTRONIC	MECHANICAL	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	F	F	E	E	E	D	D	D
Door	Standard	Standard	Retro	Standard	Standard	Retro	Standard	Standard	Retro
Performance(star rating)	4	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	207	207	207	207	207	207	207	207	207
Volume Freezer(net)(L)	88	88	88	88	88	88	88	88	88
Energy Consumption(kWh/24h)	0,819	0,819	0,819	0,597	0,597	0,597	0,547	0,547	0,547
Energy Consumption(kWh/year)	299	299	299	239	239	239	200	200	200
Freezing Capacity (kg/24h)	4,5	4,5	4,5	5,0	5,0	5,0	5	5	5
Temp. Rise Time(-18°C to -9°C)(h)	10,0	10,0	10,0	10,0	10,0	10,0	10	10	10
Noise Level (dBA)	41	41	41	41	41	41	37	37	37
Noise Class	C	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860	595X600X1860
Packaged Dimensions (WxDxH)(mm)	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916	664X678X1916
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	24	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	54	54	54	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	72	72	72	72	72	72	72	72	72

Only for informative purposes

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	FROST FREE	FROST FREE	FROST FREE	FROST FREE	NFMC	NFMC	NFMC	NFMC
Model	319	319	319	319	289	289	289	289
Control System	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	N	N	N	N	ST/N	ST/N	ST/N	ST/N
Energy Class	F	F	E	E	F	F	E	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	152	152	152	152	195	195	195	195
Volume Freezer(net)(L)	96	96	96	96	75	75	75	75
Energy Consumption(kWh/24h)	0,786	0,786	0,630	0,630	0,767	0,767	0,613	0,613
Energy Consumption(kWh/year)	287	287	230	230	280	280	224	224
Freezing Capacity (kg/24h)	5,3	5,3	5,3	5,3	5,9	5,9	4,6	4,6
Temp. Rise Time(-18°C to -9°C)(h)	8,3	8,3	8,3	8,3	7,0	7,0	7,0	7,0
Noise Level (dBA)	41	41	41	41	40	40	40	40
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X610X1830	540X610X1830	540X610X1830	540X610X1830	540X595X1800	540X595X1800	540X595X1800	540X595X1800
Packaged Dimensions (WxDxH)(mm)	578X632X1882	578X632X1882	578X632X1882	578X632X1882	578X632X1852	578X632X1852	578X632X1852	578X632X1852
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	36	36	36	36	36	36	36	36
Loading quantity/40ft Container(pcs)	76	76	76	76	76	76	76	76
Loading quantity/40ft HC Container(pcs)	95	95	95	95	95	95	95	95

Refrigeration System	FROST FREE	FROST FREE	FROST FREE	FROST FREE	NFMC	NFMC	NFMC	NFMC
Model	319	319	319	319	289	289	289	289
Control System	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	N	N	N	N	ST/N	ST/N	ST/N	ST/N
Energy Class	F	F	E	E	F	F	E	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	152	152	152	152	195	195	195	195
Volume Freezer(net)(L)	96	96	96	96	75	75	75	75
Energy Consumption(kWh/24h)	0,786	0,786	0,630	0,630	0,767	0,767	0,613	0,613
Energy Consumption(kWh/year)	287	287	230	230	280	280	224	224
Freezing Capacity (kg/24h)	5,3	5,3	5,3	5,3	5,9	5,9	4,6	4,6
Temp. Rise Time(-18°C to -9°C)(h)	8,3	8,3	8,3	8,3	7,0	7,0	7,0	7,0
Noise Level (dBA)	41	41	41	41	40	40	40	40
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	540X610X1830	540X610X1830	540X610X1830	540X610X1830	540X595X1800	540X595X1800	540X595X1800	540X595X1800
Packaged Dimensions (WxDxH)(mm)	578X632X1882	578X632X1882	578X632X1882	578X632X1882	578X632X1852	578X632X1852	578X632X1852	578X632X1852
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	36	36	36	36	36	36	36	36
Loading quantity/40ft Container(pcs)	76	76	76	76	76	76	76	76
Loading quantity/40ft HC Container(pcs)	95	95	95	95	95	95	95	95

Specifications are subject to change without prior notice

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	373	373	373	373	373	373
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	C	C	C	B	B	B
Door	Standard	Retro	Glass	Standard	Retro	Glass
Performance(star rating)	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	230	230	230	230	230	230
Volume Freezer(net)(L)	101	101	101	101	101	101
Energy Consumption(kWh/24h)	0,438	0,438	0,438	0,347	0,347	0,347
Energy Consumption(kWh/year)	160	160	160	127	127	127
Freezing Capacity (kg/24h)	8	8	8	8	8	8
Temp. Rise Time(-18°C to -9°C)(h)	10	10	10	10	10	10
Noise Level (dBA)	36	36	36	TBD	TBD	TBD
Noise Class	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X660X1860	605X681X1901	595X660X1860	595X660X1860	605X681X1901	595X660X1860
Packaged Dimensions (WxDxH)(mm)	664X762X1916	680X782X1975	664X762X1916	664X762X1916	680X782X1975	664X762X1916
Freezer Shield	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	21	24	24	21	24
Loading quantity/40ft Container(pcs)	54	45	54	54	45	54
Loading quantity/40ft HC Container(pcs)	72	62	72	72	62	72

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	FROST FREE	FROST FREE	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	173	173	384	384	384	384	374	374
Control System	MECHANICAL	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	N	N	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	F	F	E	E	F	F
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	115	115	271	271	271	271	234	234
Volume Freezer(net)(L)	51	51	107	107	107	107	107	107
Energy Consumption(kWh/24h)	0,693	0,553	0,841	0,841	0,673	0,673	0,827	0,827
Energy Consumption(kWh/year)	253	202	307	307	246	246	302	302
Freezing Capacity (kg/24h)	2,60	2,60	5,20	5,20	5,20	5,20	5,20	5,20
Temp. Rise Time(-18°C to -9°C)(h)	10,00	10,00	12,50	12,50	12,50	12,50	15,25	15,25
Noise Level (dBA)	41	41	40	40	40	40	39	39
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	497x560x1460	497x560x1460	595X650X2010	595X650X2010	595X650X2010	595X650X2010	595X650X1860	595X650X1860
Packaged Dimensions (WxDxH)(mm)	540X590X1520	540X590X1520	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X1916	664X728X1916
Freezer Shield	NO	NO	NO	YES	NO	YES	NO	YES
Loading quantity/20ft Container(pcs)	54	54	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	120	120	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	152	152	54	54	54	54	72	72

Refrigeration System	FROST FREE	FROST FREE	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	173	173	384	384	384	384	374	374
Control System	MECHANICAL	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC	MECHANICAL	ELECTRONIC
Climatic Class	N	N	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	F	F	E	E	F	F
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	115	115	271	271	271	271	234	234
Volume Freezer(net)(L)	51	51	107	107	107	107	107	107
Energy Consumption(kWh/24h)	0,693	0,553	0,841	0,841	0,673	0,673	0,827	0,827
Energy Consumption(kWh/year)	253	202	307	307	246	246	302	302
Freezing Capacity (kg/24h)	2,60	2,60	5,20	5,20	5,20	5,20	5,20	5,20
Temp. Rise Time(-18°C to -9°C)(h)	10,00	10,00	12,50	12,50	12,50	12,50	15,25	15,25
Noise Level (dBA)	41	41	40	40	40	40	39	39
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	497x560x1460	497x560x1460	595X650X2010	595X650X2010	595X650X2010	595X650X2010	595X650X1860	595X650X1860
Packaged Dimensions (WxDxH)(mm)	540X590X1520	540X590X1520	664X728X2066	664X728X2066	664X728X2066	664X728X2066	664X728X1916	664X728X1916
Freezer Shield	NO	NO	NO	YES	NO	YES	NO	YES
Loading quantity/20ft Container(pcs)	54	54	24	24	24	24	24	24
Loading quantity/40ft Container(pcs)	120	120	54	54	54	54	54	54
Loading quantity/40ft HC Container(pcs)	152	152	54	54	54	54	72	72

Only for informative purposes

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	286	286	277	277	278	278	266	266
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	204	204	163	163	184	184	142	142
Volume Freezer(net)(L)	84	84	114	114	84	84	114	114
Energy Consumption(kWh/24h)	0,767	0,613	0,772	0,619	0,758	0,605	0,753	0,602
Energy Consumption(kWh/year)	280	224	282	226	277	221	275	220
Freezing Capacity (kg/24h)	3,9	3,9	5,2	5,2	3,9	3,9	5,0	5,0
Temp. Rise Time(-18°C to -9°C)(h)	12,0	12,0	12,5	12,5	12,0	12,0	11,0	11,0
Noise Level (dBA)	40	40	39	40	40	40	40	40
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X595X1800	540X595X1800	540X595X1770	540X595X1770	540X595X1700	540X595X1700	540X595X1660	540X595X1660
Packaged Dimensions (WxDxH)(mm)	578X632X1852	578X632X1852	578X632X1822	578X632X1822	578X632X1750	578X632X1750	578X632X1712	578X632X1712
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	36	36	36	36	46	46	46	46
Loading quantity/40ft Container(pcs)	76	76	76	76	96	96	96	96
Loading quantity/40ft HC Container(pcs)	95	95	95	95	96	96	96	96

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	252	252	236	236	174	174
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/N	ST/N	ST/N	ST/N	N	N
Energy Class	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	146	146	134	134	115	115
Volume Freezer(net)(L)	84	84	69	69	60	60
Energy Consumption(kWh/24h)	0,726	0,580	0,698	0,558	0,672	0,536
Energy Consumption(kWh/year)	265	212	255	204	245	196
Freezing Capacity (kg/24h)	3,9	3,9	3,2	3,2	3,2	3,2
Temp. Rise Time(-18°C to -9°C)(h)	14	14	12	12	11	11
Noise Level (dBA)	40	39	40	40	39	39
Noise Class	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X595X1520	540X595X1520	540X595X1360	540X595X1360	497x560x1460	497x560x1460
Packaged Dimensions (WxDxH)(mm)	578X632X1572	578X632X1572	578X632X1412	578X632X1412	540X590X1520	540X590X1520
Freezer Shield	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	48	48	49	49	54	54
Loading quantity/40ft Container(pcs)	102	102	103	103	120	120
Loading quantity/40ft HC Container(pcs)	102	102	130	130	152	152

Specifications are subject to change without prior notice

Two Door Bottom Freezer EN 62552:2020

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	252	252	236	236	174	174
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/N	ST/N	ST/N	ST/N	N	N
Energy Class	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	146	146	134	134	115	115
Volume Freezer(net)(L)	84	84	69	69	60	60
Energy Consumption(kWh/24h)	0,726	0,580	0,698	0,558	0,672	0,536
Energy Consumption(kWh/year)	265	212	255	204	245	196
Freezing Capacity (kg/24h)	3,9	3,9	3,2	3,2	3,2	3,2
Temp. Rise Time(-18°C to -9°C)(h)	14	14	12	12	11	11
Noise Level (dBA)	40	39	40	40	39	39
Noise Class	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X595X1520	540X595X1520	540X595X1360	540X595X1360	497x560x1460	497x560x1460
Packaged Dimensions (WxDxH)(mm)	578X632X1572	578X632X1572	578X632X1412	578X632X1412	540X590X1520	540X590X1520
Freezer Shield	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	48	48	49	49	54	54
Loading quantity/40ft Container(pcs)	102	102	103	103	120	120
Loading quantity/40ft HC Container(pcs)	102	102	130	130	152	152

Two Door Top Freezer EN 62552:2020

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC	NFMC
Model	643	643	543	543	543	543	483	483
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	F	F	E	E	F	E
Door	Standard	Standard	Standard	Glass	Standard	Glass	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	445	445	400	400	400	400	353	353
Volume Freezer(net)(L)	142	142	124	124	124	124	98	98
Energy Consumption(kWh/24h)	1,013	0,81	0,947	0,947	0,758	0,758	0,854	0,682
Energy Consumption(kWh/year)	370	296	346	346	277	277	312	249
Freezing Capacity (kg/24h)	9,0	9,0	8,0	8,0	8,0	8,0	7,0	7,0
Temp. Rise Time(-18°C to -9°C)(h)	12,0	12,0	15,0	15,0	15,0	15,0	12,0	12,0
Noise Level (dBA)	42	41	43	43	43	43	41	41
Noise Class	D	C	D	D	D	D	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	840X750X1860	840X750X1860	760X750X1860	760X750X1860	760X750X1860	760X750X1860	700X720X1870	700X720X1870
Packaged Dimensions (WxDxH)(mm)	900X780X1940	900X780X1940	832X780X1940	832X830X1940	832X780X1940	832X830X1940	768X801X1947	768X801X1947
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	18	18	21	14	21	14	21	21
Loading quantity/40ft Container(pcs)	39	39	42	28	42	28	45	45
Loading quantity/40ft HC Container(pcs)	39	39	42	28	42	28	45	45

Refrigeration System	NFMC	NFMC	NFMC	NFMC	NO FROST	NO FROST	NFMC	NFMC
Model	473	473	463	463	343	343	273	273
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	337	337	305	305	240	240	192	192
Volume Freezer(net)(L)	98	98	98	98	71	71	60	60
Energy Consumption(kWh/24h)	0,852	0,682	0,849	0,679	0,747	0,597	0,706	0,564
Energy Consumption(kWh/year)	311	249	310	248	273	218	258	206
Freezing Capacity (kg/24h)	7,0	7,0	7,0	7,0	3,5	3,5	2,7	2,7
Temp. Rise Time(-18°C to -9°C)(h)	12,0	12,0	12,5	12,5	8,0	8,0	9,5	9,5
Noise Level (dBA)	41	41	41	41	41	39	41	41
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	700X720X1830	700X720X1830	700X720X1730	700X720X1730	595X660X1720	595X660X1720	540X630X1665	540X630X1665
Packaged Dimensions (WxDxH)(mm)	768X801X1907	768X801X1907	768X801X1807	768X801X1807	664X762X1776	664X762X1776	586X672X1716	586X672X1716
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	21	21	21	24	24	44	44
Loading quantity/40ft Container(pcs)	45	45	45	45	54	54	92	92
Loading quantity/40ft HC Container(pcs)	59	59	64	64	73	73	92	92

Only for informative purposes

Two Door Top Freezer EN 62552:2020

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	457	457	457	457	453	453	346	346
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	N	N
							T/SN	T/SN
Energy Class	F	F	E	E	F	E	F	F
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Retro
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	372	372	372	372	320	320	242	242
Volume Freezer(net)(L)	128	128	128	128	116	116	70	70
Energy Consumption(kWh/24h)	0,917	0,917	0,734	0,734	0,873	0,698	0,715	0,715
Energy Consumption(kWh/year)	335	335	268	268	319	255	261	261
Freezing Capacity (kg/24h)	5,9	5,9	5,9	5,9	5,2	5,2	4,5 3,8	4,5 3,8
Temp. Rise Time(-18°C to -9°C)(h)	14,0	14,0	14,0	14,0	14,0	14,0	19 15	19 15
Noise Level (dBA)	41	41	TBD	TBD	41	41	40	40
Noise Class	C	C	TBD	TBD	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	700x735x1830	700x735x1830	700x735x1830	700x735x1830	700X650X1830	700X650X1830	595X598X1750	605X635.5X1794
Packaged Dimensions (WxDxH)(mm)	756X800X1900	756X800X1900	756X800X1900	756X800X1900	756X702X1870	756X702X1870	660X655X1810	680X736X1880
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	21	21	21	21	24	24	24	24
Loading quantity/40ft Container(pcs)	45	45	45	45	51	51	54	51
Loading quantity/40ft HC Container(pcs)	59	59	59	59	69	69	73	70

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	346	346	283	283	263	263	233	233
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N
Energy Class	E	E	F	E	F	E	F	E
Door	Standard	Retro	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	242	242	201	201	171	171	126	126
Volume Freezer(net)(L)	70	70	42	42	42	42	42	42
Energy Consumption(kWh/24h)	0,572	0,572	0,610	0,487	0,608	0,484	0,616	0,493
Energy Consumption(kWh/year)	209	209	223	178	222	177	225	180
Freezing Capacity (kg/24h)	4,5	4,5	2,6	2,6	2,6	2,6	2,6	2,6
Temp. Rise Time(-18°C to -9°C)(h)	15,0	15,0	14,0	14,0	9,0	9,0	12,0	12,0
Noise Level (dBA)	40	40	40	40	41	41	40	40
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	595X598X1750	605X635.5X1794	540X570X1600	540X570X1600	540X570X1440	540X570X1440	540X570X1220	540X570X1220
Packaged Dimensions (WxDxH)(mm)	660X655X1810	680X736X1880	578X600X1669	578X600X1669	578X600X1509	578X600X1509	578X600X1284	578X600X1284
Freezer Shield	YES	YES	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	24	24	48	48	49	49	52	52
Loading quantity/40ft Container(pcs)	54	51	107	107	107	107	116	116
Loading quantity/40ft HC Container(pcs)	73	70	107	107	134	134	160	160

Specifications are subject to change without prior notice

Single Door EN 62552:2020

Refrigeration System	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST	LESS FROST
Model	346	346	283	283	263	263	233	233
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N	ST/N
Energy Class	E	E	F	E	F	E	F	E
Door	Standard	Retro	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	242	242	201	201	171	171	126	126
Volume Freezer(net)(L)	70	70	42	42	42	42	42	42
Energy Consumption(kWh/24h)	0,572	0,572	0,610	0,487	0,608	0,484	0,616	0,493
Energy Consumption(kWh/year)	209	209	223	178	222	177	225	180
Freezing Capacity (kg/24h)	4,5	4,5	2,6	2,6	2,6	2,6	2,6	2,6
Temp. Rise Time(-18°C to -9°C)(h)	15,0	15,0	14,0	14,0	9,0	9,0	12,0	12,0
Noise Level (dBA)	40	40	40	40	41	41	40	40
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	595X598X1750	605X635.5X1794	540X570X1600	540X570X1600	540X570X1440	540X570X1440	540X570X1220	540X570X1220
Packaged Dimensions (WxDxH)(mm)	660X655X1810	680X736X1880	578X600X1669	578X600X1669	578X600X1509	578X600X1509	578X600X1284	578X600X1284
Freezer Shield	YES	YES	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	24	24	48	48	49	49	52	52
Loading quantity/40ft Container(pcs)	54	51	107	107	107	107	160	160
Loading quantity/40ft HC Container(pcs)	73	70	107	107	134	134	116	116

Refrigeration System	STATIC	STATIC	LESS FROST	STATIC	STATIC
Model	327	327	347	2653	2653
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	Tropical / Temperate	N	N
Energy Class	F	E	F	F	E
Door	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	-	-	4	-	-
Volume Refrigerator Total (net)(L)	309	309	267	255	255
Volume Freezer(net)(L)	0	0	70	0	0
Energy Consumption(kWh/24h)	0,383	0,306	0,72	0,361	0,287
Energy Consumption(kWh/year)	140	112	263	132	105
Freezing Capacity (kg/24h)	NA	NA	3,5	NA	NA
Temp. Rise Time(-18°C to -9°C)(h)	NA	NA	16,0	NA	NA
Noise Level (dBA)	41	40	41	41	41
Noise Class	C	C	C	C	C
Defrost System Type Frigde/Freezer	Manual	Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	595x650x1550	595x650x1550	595X598X1850	540x595x1455	540x595x1455
Packaged Dimensions (WxDxH)(mm)	664X758X1606	664X758X1606	660X661X1910	578X632X1509	578X632X1509
Freezer Shield	NO	NO	YES	NO	NO
Loading quantity/20ft Container(pcs)	35	35	24	48	48
Loading quantity/40ft Container(pcs)	77	77	54	102	102
Loading quantity/40ft HC Container(pcs)	77	77	72	128	128

Only for informative purposes

Freezer EN 62552:2020

Refrigeration System	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST
Model	372	372	371	371	491	491	323	323
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	E	F	E	E	D	F	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4	4
Volume Freezer Total(net)(L)	278	278	280	280	405	405	226	226
Volume Freezer(net)(L)	278	278	280	280	405	405	226	226
Energy Consumption(kWh/24h)	0,764	0,611	0,767	0,614	0,720	0,574	0,707	0,567
Energy Consumption(kWh/year)	310	248	311	249	292	233	287	230
Freezing Capacity (kg/24h)	13,0	13,0	13,0	13,0	19,0	19,0	16,0	16,0
Temp. Rise Time(-18°C to -9°C)(h)	15,0	15,0	15,0	15,0	9,0	9,0	10,0	10,0
Noise Level (dBA)	41	41	41	41	TBD	TBD	41	41
Noise Class	C	C	C	C	TBD	TBD	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X650X1860	595X650X1860	595X650X1860	595X650X1860	700x755x1950	700x755x1950	595X650X1550	595X650X1550
Packaged Dimensions (WxDxH)(mm)	664X728X1916	664X728X1916	664X728X1916	664X728X1916	768x845x2015	768x845x2015	660X713X1606	660X713X1606
Freezer Shield	YES	YES	YES	YES	YES	YES	YES	YES
Loading quantity/20ft Container(pcs)	24	24	24	24	21	21	35	35
Loading quantity/40ft Container(pcs)	54	54	54	54	42	42	77	77
Loading quantity/40ft HC Container(pcs)	72	72	72	72	42	42	77	77

Refrigeration System	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC	STATIC
Model	332	332	332	332	322	322	322
Control System	ELECTRONIC	MECHANIC	ELECTRONIC	MECHANICAL	MECHANICAL	ELECTRONIC	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	F	F	E	E	F	F	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4
Volume Freezer Total(net)(L)	248	248	248	248	214	214	214
Volume Freezer(net)(L)	248	248	248	248	214	214	214
Energy Consumption(kWh/24h)	0,665	0,665	0,532	0,532	0,633	0,633	0,505
Energy Consumption(kWh/year)	270	270	216	216	257	257	205
Freezing Capacity (kg/24h)	16,0	16,0	16,0	16,0	13,3	13,3	13,4
Temp. Rise Time(-18°C to -9°C)(h)	15,0	15,0	15,0	15,0	16,0	16,0	16,0
Noise Level (dBA)	41	41	41	41	41	41	41
Noise Class	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Auto	Auto	Auto	Auto
Product Dimensions (WxDxH)(mm)	595X600X1750	595X600X1750	595X600X1750	595X600X1750	595X600X1550	595X600X1550	595X600X1550
Packaged Dimensions (WxDxH)(mm)	660X655X1810	660X655X1810	660X655X1810	660X655X1810	660X661X1606	660X661X1606	660X661X1606
Freezer Shield	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	24	24	24	24	-	-	-
Loading quantity/40ft Container(pcs)	54	54	54	54	78	79	79
Loading quantity/40ft HC Container(pcs)	73	73	73	73	78	79	79

Only for informative purposes

Refrigeration System	STATIC	NO FROST	NO FROST	STATIC	STATIC	STATIC	STATIC
Model	322	241	241	2451	2451	2451	2451
Control System	ELECTRONIC	ELECTRONIC	ELECTRONIC	ELECTRONIC	MECHANIC	ELECTRONIC	MECHANIC
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN
Energy Class	E	F	E	F	F	E	E
Door	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD	STANDARD
Performance(star rating)	4	4	4	4	4	4	4
Volume Freezer Total(net)(L)	214	175	175	188	188	188	188
Volume Freezer(net)(L)	214	175	175	188	188	188	188
Energy Consumption(kWh/24h)	0,505	0,656	0,522	0,607	0,607	0,486	0,486
Energy Consumption(kWh/year)	205	266	212	246	246	197	197
Freezing Capacity (kg/24h)	13,4	8,0	8,0	9,1	9,1	9,1	9,1
Temp. Rise Time(-18°C to -9°C)(h)	16,0	7,0	7,0	9,0	9,0	9,0	9,0
Noise Level (dBA)	41	41	41	40	40	40	40
Noise Class	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Auto	Manual	Manual	Manual	Manual
Product Dimensions (WxDxH)(mm)	595X600X1550	540X595X1455	540X595X1455	540X595X1455	540X595X1455	540X595X1455	540X595X1455
Packaged Dimensions (WxDxH)(mm)	660X661X1606	578X632X1509	578X632X1509	578X632X1509	578X632X1509	578X632X1509	578X632X1509
Freezer Shield	NO	YES	YES	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	-	48	48	48	48	48	48
Loading quantity/40ft Container(pcs)	79	102	102	102	102	102	102
Loading quantity/40ft HC Container(pcs)	79	128	128	128	128	128	128

Table Top EN 62552:2020

Refrigeration System	STATIC	STATIC	LESS FROST	LESS FROST	STATIC	STATIC	STATIC	STATIC
Model	1002	1002	1005	1005	1001	1001	1101	1101
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	T/N	T/N
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	-	-	4	4	-	-	2	2
Volume Refrigerator Total (net)(L)	90	90	0	0	77	77	74	74
Volume Freezer(net)(L)	0	0	64	64	12	12	8	8
Energy Consumption(kWh/24h)	0,293	0,235	0,493	0,395	0,372	0,295	0,361	0,290
Energy Consumption(kWh/year)	107	86	200	160	136	108	132	106
Freezing Capacity (kg/24h)	NA	NA	3,3	3,3	NA	NA	NA	NA
Temp. Rise Time(-18°C to -9°C)(h)	NA	NA	11,0	11,0	NA	NA	NA	NA
Noise Level (dBA)	41	41	41	41	41	41	41	41
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto/Manual	Auto/Manual	Manual	Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	480X500X821	480X500X821	480X510X821	480X510X821	480X500X821	480X500X821	480X560X838	480X560X838
Packaged Dimensions (WxDxH)(mm)	519X544X878	519X544X878	519X544X878	519X544X878	519X544X878	519X544X878	519X587X878	519X587X878
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	112	112	112	112	112	112	112	112
Loading quantity/40ft Container(pcs)	241	241	241	241	241	241	241	241
Loading quantity/40ft HC Container(pcs)	274	274	274	274	274	274	274	274

Refrigeration System	STATIC	STATIC	LESS FROST	LESS FROST	STATIC	STATIC	STATIC	STATIC
Model	153	153	143	143	130	130	125	125
Control System	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
Climatic Class	T/SN	T/SN	T/SN	T/SN	T/SN	T/SN	ST/SN	ST/SN
Energy Class	F	E	F	E	F	E	F	E
Door	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Performance(star rating)	-	-	4	4	4	4	4	4
Volume Refrigerator Total (net)(L)	135	135	0	0	105	105	100	100
Volume Freezer(net)(L)	0	0	103	103	17	17	14	14
Energy Consumption(kWh/24h)	0,312	0,249	0,525	0,419	0,495	0,397	0,476	0,380
Energy Consumption(kWh/year)	114	91	213	170	181	145	174	139
Freezing Capacity (kg/24h)	NA	NA	5,2	5,2	2,6	2,6	2,6	2,6
Temp. Rise Time(-18°C to -9°C)(h)	NA	NA	11,0	11,0	6,0	6,0	7	7
Noise Level (dBA)	41	41	40	41	40	40	41	41
Noise Class	C	C	C	C	C	C	C	C
Defrost System Type Frigde/Freezer	Auto	Auto	Manual	Manual	Auto/Manual	Auto/Manual	Auto/Manual	Auto/Manual
Product Dimensions (WxDxH)(mm)	540X595X838	540X595X838	540X615X838	540X615X838	540X595X838	540X595X838	497X579X820	497X579X820
Packaged Dimensions (WxDxH)(mm)	578X632X883	578X632X883	578X632X883	578X632X883	578X632X883	578X632X883	540X610X879	540X610X879
Freezer Shield	NO	NO	NO	NO	NO	NO	NO	NO
Loading quantity/20ft Container(pcs)	93	93	93	93	93	93	96	96
Loading quantity/40ft Container(pcs)	196	196	196	196	196	196	209	209
Loading quantity/40ft HC Container(pcs)	225	225	225	225	225	225	245	245

Only for informative purposes

Notes

[illegible]

Notes

[illegible]

Notes

[illegible]

Notes

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands

Phone: +31 - 10 412 23 66

<https://vestelbenelux.nl>

info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

<https://vestel.co.uk>

info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/ Germany

Phone: +49 - 89 55295 - 0

<https://vestel-germany.de>

info@vestel-germany.de

VESTEL IBERIA, S. L.

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: +34 - 91 320 63 98

<https://vestel.es>

vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France

Phone: +33 - 1 46 75 00 29

<http://vestel-france.fr>

info@vestel.fr

VESTEL CIS LTD.

2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia

Phone: 7 - 495 956 8230

<https://vestel.ru>

info@vestel.ru

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania

Phone: +40 - 31 425 42 93

<https://vestel.ro>

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00

Fax: +48 22 272 74 00

<https://vestel-poland.com>

info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544

<https://vestel-gulf.ae>

info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghai) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational