

WASHING MACHINES & TUMBLE DRYERS

2023 - 2024

>

www.vestelinternational.com

VESTEL



COMPANY PROFILE

2-3

GLOBAL OPERATIONS

4-5

WASHING MACHINES

6-100

TUMBLE DRYERS

101-160

ADDRESSES

163





COMPANY PROFILE

VESTEL CITY, WHICH COMPRISES NINE PLANTS LOCATED IN MANISA, IS AMONGST THE BIGGEST INDUSTRIAL COMPLEXES OF THE WORLD.

>



20.000
Employees

1.300.000 m²
Closed Production Area

Export Leader of Turkey with
\$ 2,3 Billion

30 Million
Device Production
Capacity

\$ 3,5 Billion
Turnover

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

Comprised of 28 companies, Vestel Group is a multi-industry manufacturer that operates in consumer electronics, major domestic appliances, professional displays, automotive and battery solutions, and EV Chargers. Testimony to the global importance of Zorlu Holding across multiple technology sectors, Vestel is not only thriving at home in Turkey, but also through a further 11 subsidiaries that have been set up in various other parts of the world. Thanks to its renowned manufacturing and R&D complex, Vestel exports to more than 160 countries and keeps its position as a global player.

Vestel is one of the ten biggest major domestic appliances manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 4.9 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to tabletop fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 3.8 million units a year, with large models range from 4 kg to 12 kg drum capacities washer and 7kg/5kg, 8kg/6kg, 9kg/6kg, 10kg/6kg drum capacities washer/dryer. Vestel's product range also includes built-in washer and washer/dryer with the drum capacities of 7 kg, 8 kg and 7/5 kg.

Vestel tumble dryers are produced 1.2 million units a year, with models ranging from 7 kg to 12 kg capacities. The group is capable of producing both condenser and heat pump type of tumble dryers with high efficiency.

The plant for cooking appliances operates with an annual capacity of 2.7 million units, producing free standing cookers, built-in hobs and ovens.

The major domestic appliances product range includes free standing, semi and fully integrated dishwashers. The 86 cm high tall tub and deep tall tub dishwasher developed for the US market have started to be produced for the first time. The plant has the

capacity to produce 2.5 million units a year for now. New dishwasher factory is under construction and capacity will reach 4 million unit per year over time.

In addition, the air conditioner factory is capable of producing 420,000 sets of split-type models.

R&D facilities located in Turkey, the UK, and China employ the highest caliber engineers to develop hardware and software solutions that provide clients with world-class quality products.

VestelKom factory located in free trade zone of Izmir, has a special R&D team for manufacturing and testing batteries and EV Chargers, which is also exporting these goods to Europe with zero customs tax.

Vestel has proven its success in product design by receiving the most prestigious design awards every year from well-known industrial design organizations for a variety of products.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 75% of its production under leading Japanese and European brands to 160+ countries.

Vestel appeals to different consumer tastes in 160+ countries with its wide range of products, which reflects its competencies in technological development, design and product customization. Accounting for 90% of Turkey's TV exports and 35% of the nation's white goods exports, Vestel has been an unwavering export leader in the Turkish electronics sector for the past 25 years.

For a sustainable future and transition to an economy based on net zero emissions, Vestel triggers transformation across the entire value chain. Leveraging the power of Industry 4.0 and automation to support the reduction of energy consumption through operational improvements and innovative products, Vestel implements circular models to improve resource efficiency in production and reduce our environmental impact from products.

Vestel aims to reach net zero emissions by 2050, first in its own operations and then in its entire value chain. Vestel is working on decarbonization plan as part of its commitment to set Science Based Targets (SBTi).

A low-angle, upward-looking photograph of several modern skyscrapers with glass facades. The buildings are reflected in each other, creating a complex, layered geometric pattern. The sky is visible at the top, and the overall color palette is dominated by the warm, golden-brown tones of the glass and the dark structural elements.

GLOBAL OPERATIONS

MANUFACTURING & ASSEMBLY PLANTS

>

TV, SET-TOP BOXES

Manisa, Turkey - Kobierzyce, Poland

PROFESSIONAL DISPLAYS, TABLET PC, LED LIGHTING

Manisa Turkey

REFRIGERATOR, WASHING MACHINE, DISHWASHER, TUMBLE DRYER,

Cooking Appliances, Air Conditioner, Water Heater

Manisa, Turkey

R&D CENTERS

Manisa, Turkey

Istanbul, Turkey

Bristol, United Kingdom

Shanghai, China

MARKETING & SALES COMPANIES

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, United Kingdom

Vestel Iberia, Spain

Vestel Poland, Poland

Vestel Benelux, Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Central Asia, Kazakhstan

Vestel Electronics Gulf, Dubai

Washing Machines





Cotton
40-60
Cotton
20°C
Colors
Wool
Rinse



12:48

Delay



Stain Level




Stain Type

90°C
60°C
40°C
30°C
20°C

Temp.

1400
1200
1000
800
400

Spin



Options


Save+/
Speed





PYROJET TECHNOLOGY

Pyrojet technology is a revolutionary unique feature of Vestel washing machines which enables higher water temperature in a shorter time by heating the water during the circulation process.





GIANT DOOR

The largest of the door selections; the Giant Door has a 510mm diameter, PC cover, floating hook design and selenoid feature to achieve a cutting edge aesthetic and high end look.



QUIET BLDC MOTOR

The magnetic BLDC motor reduces the sound level during washing and extraction up to 5 dB and ensures a decrease in loudness for more than “twofold. During the extraction in high speed, it works in a higher performance and a spectacular silence. Thus, you are able to wash your laundry even very late at night.



JOG DIAL

Program selection with user-friendly and aesthetic program selection knob becomes fast and effortless. Thanks to the LED light around the knob and within the entire programs, the program selection can clearly be seen.



PEARL DRUM

New drum pattern which provides greater protection for your washing. Provides gentle washing for your clothes.



BOOMERANG CABINET

Many points, forms are redesigned and strengthened to increase the rigidity. Decreased vibration level and increased stability.

Features



Twin Jet System

Better washing performance is achieved by directly injecting water with detergent using a recirculation system and two nozzles connected to it.




Anti Bacterial 95°C

It provides a very good washing quality at high temperature for your heavily soiled laundry, and a machine “hygiene” feature since you can clean up the drum spotlessly.



Hot & Cold (Optional)

When water inlet is connected to hot water supply, it will save electricity and prolong the lifetime of washing machine, as internal water heater will not need to function much.



Stain Level Selection

Selectable 3 stain levels for T3 version washer models. Take over the control of the washing machine's power and adjust it according to your needs.



Super Rapid 12 Minutes

The shortest program ever! It is ideal for clothes “worn once”, which you need in a hurry.



Daily 60°C 60'

A class washing performance is possible for your cotton clothes in a very short time like 60 minutes.



Anti Allergic (Optional)

A special rinsing method is applied in order to get rid of detergent residuals throughly.



Overflow Protection

Overflow protection system detects potential problems with water supply, which may result in overflowing. If a problem is detected, drain pump is automatically turned on.



Liquid Detergent Reservoir

The reservoir for using liquid detergent more efficiently.



Easy Ironing

With The Help Of This Function, Clothes Come Out Less Wrinkled.



No Spin

Spinning Process Is Omitted For Very Sensitive Clothes.



Delay Timer

Enables you to postpone the starting time of the washing process.

60
Hz

60 Hz

Washing machines can also be prepared to support 60Hz (110-220-240V) versions.



Buzzer

The optional Buzzer feature goes off when the washing machine finishes the cycle and the laundry is ready to be taken out.



Child Lock

Child Lock prevents unauthorized changes on the control panel settings while the machine is in operation.



Door Lock Indicator

The System Indicates The Status Of The Washing Machine Door. For RI Versions The Indicator Shows The Open, Closed, Or Locked Status.




Nickel Diffusion Heater

The Nickel Diffusion Heater allows the machine to have a longer lifetime by avoiding calcareous build-up on the heating element.



Extra Rinse

Additional Rinsing Is Done In Addition To Standard Rinsing Processes. Recommended For Clothes, Which Will Be Worn On Sensitive Skins.



Solenoid Door Lock

Solenoid door lock function detects the status of the door and warns you if the door is open, closed, or locked.



Prewash

Recommended When An Additional Washing Process Is Needed For Heavily Soiled Laundry.



Cold Wash

Ideal For Washing Slightly Dirty Clothes With Tap Water.



Eco Time

The electrical energy consumption cost changes during the day according to the time intervals (tariff) set by electricity providers. This lower tariff intervals can be learned from electricity providers and ECO TIME™ running hours must be set accordingly.



Eco-Logic System (Half Load)

When the machine is half-loaded, energy consumption is automatically decreased upto 50%. Besides, water consumption and program duration are dramatically decreased, since the machine can detect whether it is halfloaded or not. All the models include this feature.



Unbalance Control System

In case of unevenly distributed laundry, unbalance control system redistributes the load inside the drum and adjust the spin speed to achieve optimum spinning efficiency.



Rinse Hold

Recommended When Clothes Cannot Be Taken Immediately After The End Of Washing Cycle, For The Purpose Of Reducing Wrinkles.



Plus Water

Washing Is Done With Extra Amount Of Water. This Decreases The Friction That Occurs Between Clothes. Recommended For Sensitive Clothes And For The Ones You Desire To Be Rinsed Very Well.



Allergy Safe

Vestel Washing Machine is effective for allergens and bacteria types with specific program with the “Allergy Safe” technology. It is available for F4, FL and FG models.



Allergens

Pollen
Cat
Dog
Dust
House dust mite
Living house dust mite



Bacteria

Escherichia coli
Enterococcus faecilis
Staphylococcus aureus



Fungi

Cladosporium cladosporioides



Soak

Leaves Clothes In Water With Detergent For A Certain Period Of Time After The Machine Takes The Initial Water In And Starts Washing Process. Recommended For Very Dirty Clothes.



Anti-Allergic (Only RI Version)

Recommended For Laundries For Babies And Sensitive Skins. A Special Rinsing Method Is Applied In Order To Get Rid Of The Detergent Residuas Thoroughly.



Failure Detection System

The user can easily detect a failure on the washing machine with the help of blinking error signals on the control panel buttons.



Floating Hook Design

Giant Door uses floating hook design; there will be no need for a handle to open the door. There will be improvement over the closing feeling. Due to the Solenoid feature inside the door lock, door will be opened as soon as the program finishes or the moment which the customer wants (if the water level and temperature is appropriate).



Twinjet technology

**14 free cycles
per 100 cycle**

Twinjet technology enables additional waterjets directly onto the laundry.



Better Washing Performance

Nozzles directly injects water & detergent mix onto laundry: penetrates better with laundry.



Better Rinsing Performance

Lower water & detergent mix.



Shorter Program Duration

Fastest program lasts 12 minutes with TJ(15 minutes without TJ)



Lower Energy Consumption

Conventional 8 kg D -> 73 kwh/100cycle
Twinjet 8 kg C -> 63 kwh/100cycle





Pyrojet technology


25 free cycles per 100 cycle

Pyrojet technology is the revolutionary unique feature of Vestel washing machines which enables higher water temperature in a shorter time by heating the water during the circulation process.

Pyrojet

8kg


B Energy Labeling



Conventional

8kg

D Energy Labeling



55
kWh/
100 cycle



73
kWh/
100 cycle



Hydro Boost

Mixture of the water and detergent is sprayed onto laundry from 20 different points in the drum.



As a result of powerful sprays from multiple locations water/detergent mixture penetrates to the fabric in a much more efficient way.



***10 kg, T3 BLDC, w/TwinJet**





Dose On



Easy to Use

No need to add detergent and softener before each washing period.



High Capacity

20 washes with one filling.



Sensitive Control

Sensitive detergent / softener levelling according to the selected program and detected amount of the laundry.



System consist of a water-carrying household appliance having a housing, a treatment chamber and a dosing system with a reservoir, delivery pump and a dosing-controller.

The system;

Determines the necessary amount of liquid by using the load sensors.

Drives the delivery pumps to transfer assigned amount of liquid in to the drum.

The Washing Machine also have an option of using detergent powder which can be selected by control panel manually.

Washing machine has warning system which

warns you when detergent level is too low (last 2 cycles).

Easy to clean because autodosage sytem will be in the detergent drawer.

No more unefficient washing result of using overdose detergent. Autodosage Washing machine uses only sufficient amount of detergent for the most efficient washing.



* See roadmap for availability.

Vestel has the most silent
Washing Machine on Earth
according to Washing
Noise Declaration.

The Washing Noise is only

38 dBA



20 dBA
Mosquito



30 dBA
Whisper



38 dBA
VESTEL WM



40 dBA
Library Noise



50 dBA
Room Noise

T3

8kg

60 lt

with BLDC

- + High efficiency
- + High durability
- + Low noise levels

A energy labeling with Digital Drive Motor

Digital Drive Motor Inverter Technology

Brushed DC motors develop a maximum torque when stationary, linearly decreasing as velocity increases. Some limitations of brushed motors can be overcome by brushless motors, they include higher efficiency and a lower susceptibility of the commutator assembly to mechanical wear.

Brushless motors offer several advantages over brushed DC motors

- » More torque per weight
- » More torque per watt (increased efficiency)
- » Increased reliability
- » Reduced noise
- » Longer lifetime (no brush and commutator erosion)
- » Elimination of ionizing sparks from the commutator

- » Overall reduction of electromagnetic interference (EMI)

With no windings on the rotor, they are not subjected to centrifugal forces, and because the windings are supported by the housing, they can be cooled by conduction, requiring no airflow inside the motor for cooling. This in turn means that the motor's internals can be entirely enclosed and protected from dirt or other foreign matter.

Brushless motors are more efficient at converting electricity into mechanical power than brushed motors. This improvement is largely due to motor's velocity being determined by the frequency at which the electricity is switched, not the voltage. Additional gains are due to the absence of brushes, alleviating loss due to friction.

CONNECTIVITY

TV + Appliances Combined

One Brand Language

Ease of Use

Modern Look

Common Design Elements

Interoperability

Tv is the Hub

Do It Yourself Kit

Smart App and TV RC Control

Will Work with Smart AIs

Different Business Models

Smart Home (Appliances) Merge



Remote Access and Control
by WiFi






Smart Service Network




Compatibility
with Android and iOS



Big Data Collection







PureBeam +

UV technology for
hygienic washing



Decrease on wrinkle generation
& improved hygiene with
high temperature steam



Steam Wash

Steam support with
special algorithm







Microfiber Filter

Microfiber Filter prevents the micro-level fibers passing from the laundry to the water to be filtered and thrown away with the discharged water.

Color Options



DARK INOX



DARK SILVER



WHITE



PASTEL BLACK



BLACK



B R O W N



P A S T E L R E D



R E D



P I N K



G O L D



B L U E



G R E E N

T Series
Washers
Washer Dryers



VESTEL

Rapid 12'
Daily 60'
Jeans
Duvet
Sport
Hand Wash
Spin

Off



Allergy Safe

Cotton 60°C
Cotton 40°C
Cotton
Eco 20°C
Easy Care
Wool
Rinse

Display

Functions

12:00

Temp. Spin Delay Pre Wash Easy Ironing Start / Pause



FREESTANDING WASHING MACHINE & WASHER DRYER RANGE



Washer Capacities : 4 KG to 12 KG
Washer Dryer Capacities : 7/5 KG to 10/6 KG
Motor Type : Universal or Digital Drive
Porthole : 300mm or 330mm
Door : 440mm or 470mm or 510mm
EU Energy Classes : From D to A
NON-EU Energy Classes : From A++ to A+++(-70%)



BUILT-IN WASHING MACHINE & WASHER DRYER RANGE



Washer Capacities : 7 KG to 8 KG
Washer Dryer Capacities : 7/5 KG to 8/5 KG
Motor Type : Universal or Digital Drive
Porthole : 300mm or 330mm
Door : 440mm or 470mm or 510mm
EU Energy Classes : From D to A
NON-EU Energy Classes : From A++ to A+++(-70%)

Control Panel Versions



T0

Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-23 hours)



T1

Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Optional (Delay Timer, Extra Rinse, AntiAllergic, Rapid wash, pre-wash, easy ironing, Steam)

Options: Anti allergic, prewash, easy ironing and extra rinse



T2

Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-23 hours)

2 Options:

- 4-5. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing, steam



T2 Touch

Default Options

1. Temperature (including cold wash)
2. Spin Speed (including no spin)
3. Delay timer (1-23 hours)

+2 Options:

- 4-5. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing, steam



T3

Default

1. Delay (1-23 hours)
2. Temperature (including cold wash)
3. Spin Speed (including no spin)
4. Extra rinse, anti-allergic, rapid wash, pre-wash, easy ironing, steam
5. Eco and speed options

+2 Options:

6. Stain level and type selection or auto dosage menu

Additional Indicators:


7. Lack of water, pump failure (or wi-fi), door closed, door open

Control Panels

Amy T10



T0



T1



T2



T2T



T3

Marla T20



T0



T1



T2



T2T



T3

Add-on structure is available for all versions of MARLA aesthetic

Julia T30



T0



T1



T2



T2T



T3

Whitney T60



T0



T1



T2



T2T



T3

Add-on structure is available for all versions of WHITNEY aesthetic

Liz T70



T0



T1



T2



T2T




Add-on structure is available for T2T and T3 versions of LIZ aesthetic

T3

Norah T80




T0



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of NORAH aesthetic.

Kate T90



T0



T1



T2



T2T



T3

Cohen T100



T0



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of COHEN aesthetic

David T130 (built-in)



T0



T1



T2



T2T



T3

Henry T130 (built-in)



Alice T140



T0



T1



T2



T2T



T3

Add-on structure is available for all versions of ALICE aesthetic.

Riley T150



T0



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of RILEY aesthetic

Wonder T160



T0



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of WONDER aesthetic

Door Selection

C1 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C1	C12 (w/o PC cover)	-	C10 (w/o PC cover)	-
	C13 (w/ PC cover)	-	C11 (w/ PC cover)	-



C2 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C2	C22 (w/o PC cover)	-	-	-
	C23 (w/ PC cover)	-	-	-



Washer Dryers are only available with PC Cover

C3 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C3	C32 (w/o PC cover)	C36 (w/o PC cover)	C30 (w/o PC cover)	C34 (w/o PC cover)
	C33 (w/ PC cover)	C37 (w/ PC cover)	C31 (w/ PC cover)	C35 (w/ PC cover)



C4 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C4	C42 (w/o PC cover)	C46 (w/o PC cover)	C40 (w/o PC cover)	C44 (w/o PC cover)
	C43 (w/ PC cover)	C47 (w/ PC cover)	C41 (w/ PC cover)	C45 (w/ PC cover)



Washer Dryers are only available with PC Cover

Door Selection

C5 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C5	-	-	C50 (w/o PC cover)	C54 (w/o PC cover)
			C51 (w/ PC cover)	C55 (w/ PC cover)



C6 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C6	-	-	C60 (w/o PC cover)	-
			-	-



Washer Dryers are only available with PC Cover


C8 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C8	-	C80 (w/o PC cover) C81 (w/ PC cover)	-	-



C9 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C9	-	C90 (w/o PC cover) C91 (w/ PC cover)	-	-



Washer Dryers are only available with PC Cover

Door Selection

C11 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C11	-	C110 (w/o PC cover)	C121 (w/PC cover)	-



* Only available for Built-in.



* Only available for Built-in Washer Dryer.

C13 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
C13	-	-	-	C134 (w/o PC cover) C135 (w/ PC cover)



Washer Dryers are only available with PC Cover

Overall Door Options

DOOR COLOR OPTIONS
>



White



Chrome Plating



PC Cover




Black & Dark Silver



Black &
Chrome Plating

Program Knobs

K1



K2



K3 METAL (Jog Dial Available)





K4 (Jog Dial Available)



K5 METAL (Jog Dial Available)



K6 (Jog Dial Available)



K7



K8



Program Knobs


K9 BUILT-IN




K10



K12



K13



K15 (Jog Dial Available)



K16 (Jog Dial Available)



K23



K24 BUILT-IN



K25 BUILT-IN

T Series Amy



T Series
Marla



T Series Julia



T Series
Whitney



T Series Liz



T Series
Norah



T Series Kate



T Series
Cohen



T Series David (Built-in)



T Series Henry (Built-in)



T Series Alice



T Series
Riley



T Series Wonder







F Series
Washers
Washer Dryers








Intelli-Care



-  **Water Level Sensor**
-  **Water Flow Sensor**
-  **Detergent Dosage Sensor**
-  **3D Load Sensor**


Detects

Laundry weight
Textile type
Stain level

-  **Turbidity Sensor**
-  **Speed Sensor**
-  **Temperature Sensor**

Sets

Water amount
Temperature
Spin speed
Detergent and softener amount



Rotated Display

Rotated

% 40 B I G G E R
display compared to standard LED display



Standard LED F4



LED Color Options



White Amber



Ganymede Rotated (Ganymeder)



Juliet Rotated (Julietr)



Feanor Rotated (Feanorr)



Rumil Rotated (Rumilr)



Callisto Rotated (Callistor)



Karma Rotated (Karmar)

*They can be considered as new control panel aesthetics.

Touch Display

Touch LED

% 40 B I G G E R
display compared to standard LED display



Standard LED F4



LED Color Options



White Amber



Fearnor Touch



Juliet Touch



Karma Touch



Rumil Touch



Pandora Touch



Pax Touch

*They can be considered as new control panel aesthetics.



Control Panels

Atlas

F1



F2



F4



FL



FG



Elara



Titania

F1



F2



F4



FL



Himalia



Juliet

F1



F2



F4



F4T



FL



FG



FT



Karma



Leda

F1



F2



F4



FL



Miranda



Tyela

F1



F2



F4



F4T



FG



Pax



Pandora

F1



F2



F4



F4T



FL



FG



Nix



Feanor

F1



F2



F4



F4T



FL



FG



FT



Rumil



Door Selection

D1 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D1	-	-	D10 (w/ PC cover)	-
	D15 (w/o PC cover)		D11 (w/o PC cover)	



D2 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D2	-	-	-	-
	D25 (w/o PC cover)		D20 (w/o PC cover)	



* Only “with PC Cover” versions are available for Washer Dryers

D3 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D3	-	-	-	-
	D35 (w/o PC cover)		D30 (w/o PC cover)	



D4 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D4	-	-	D40 (w/ PC cover)	-
	D45 (w/o PC cover)		D41 (w/o PC cover)	



* Only "with PC Cover" versions are available for Washer Dryers

Door Selection

D5 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D5	-	-	-	-
	D55 (w/o PC cover)	D50 (w/o PC cover)		



D6 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D6	-	-	-	-
	D65 (w/o PC cover)		D60 (w/o PC cover)	



* Only “with PC Cover” versions are available for Washer Dryers

D7 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D7	-	-	-	-
	D75 (w/o PC cover)		D70 (w/o PC cover)	



D8 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D8	-	-	-	-
	D85 (w/o PC cover)		D80 (w/o PC cover)	



* Only "with PC Cover" versions are available for Washer Dryers

Door Selection

D9 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D9	-	D91 (w/ PC cover)	-	-
	D95 (w/o PC cover)	D90 (w/o PC cover)		



D10 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D10	-	-	D100 (w/ PC cover)	-
			-	



* Only “with PC Cover” versions are available for Washer Dryers

D11 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D11	-	D111 (w/ PC cover) D110 (w/o PC cover)	-	-



D12 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D12	-	D121 (w/ PC cover) D120 (w/o PC cover)	-	-



* Only "with PC Cover" versions are available for Washer Dryers

Door Selection

D13 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D13	-	-	-	-
	D135 (w/o PC cover)			



D14 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D14	-	-	-	-
	D145 (w/o PC cover)			



* Only "with PC Cover" versions are available for Washer Dryers

D15 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D15	-	-	-	-
	D155 (w/o PC cover)			



D18 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D18	-	-	-	D180 (w/PC cover) D181 (w/PC cover, w/ door light)



* Only "with PC Cover" versions are available for Washer Dryers

Door Selection

D19 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D19	-	-	-	D190 (w/ PC cover) -



D20 Series

	Standard Door	Big Looking Door	Big Door	Giant Door
Port Hole	30 cm	30 cm	33 cm	33 cm
Door	44 cm	47 cm	47 cm	51 cm
D20	-	-	D200 (w/ PC cover) -	-



* Only “with PC Cover” versions are available for Washer Dryers

Program Knobs

Thick

P1

P6


P7

P9

White



Steel look



Chrome



Spiral effect



P10


White



P11




P13




P18



Steel look




Chrome



P8

Metal



Program Knobs

Thin


P2

P3



P4

P5



White



Steel look*



Chrome



* Product colors are also available for knobs.

P12

J1(*)

J2(*)

White



Steel look



Chrome



P2

P4



J2*

J3*

Spiral effect

Metal

* Jog dial control panel available



F Series
Pandora



F Series Ganymede R



F Series
Karma Touch



F Series Pax



F Series
Tyela



New USA-CAN Product Range

Volume-US 2.2 CuFt	Volume-CAN 62 LT	V/Hz 120V-60Hz	Spin 1400 RPM	C.panel T3	Twinjet (Default)	Circ. Pump BLDC	Water inlet Hot&Cold	Body Boomerang	LED color White	Bottom Cover Yes	Drum Standard
-----------------------	---------------------	-------------------	------------------	---------------	----------------------	--------------------	-------------------------	-------------------	--------------------	---------------------	------------------



Amy



Julia



Norah



Liz



Ray



Kate



Alice

New G Series Product Range

Introducing the G series - the next generation of washing machines that takes innovation and style to a whole new level. Designed with the modern home in mind, the G series features cutting-edge technology and sleek, minimalist design that is sure to impress. With an array of advanced programs, options, and features, the G series offers unparalleled washing performance and efficiency. From its intuitive touch-screen interface to its energy-saving settings, the G series sets a new standard for washing machines that will make laundry day a breeze. Whether you’re looking for speed, flexibility, or precision, the G series has it all. Join the revolution and experience the future of washing with the G series.

Motor Type	Jet Technology	Panel Version	7 KG		8 KG		8 KG			9 KG			10 KG	
			SLIM		SLIM		STANDARD			STANDARD			STANDARD	
			45 LT		54 LT		55 LT			61LT			67 LT	
			1000 RPM	1200 RPM	1000 RPM	1200 RPM	1000 RPM	1200 RPM	1400 RPM	1000 RPM	1200 RPM	1400 RPM	1200 RPM	1400 RPM
Universal	w/o Jet	T0	+	+	+	+	+	+	+	+				
		T1	+	+	+	+	+	+	+	+				
		T2	+	+	+	+	+	+	+	+				
		G2	+	+	+	+	+	+	+	+				
		G3	+	+	+	+	+	+	+	+				
Universal	w/Jet	T0					+	+	+	+				
		T1					+	+	+	+				
		T2					+	+	+	+				
		G2					+	+	+	+				
		G3					+	+	+	+				
Digital Drive	w/o Jet	T0					+	+	+	+				
		T1	+	+	+	+	+	+	+	+	+	+	+	+
		T2	+	+	+	+	+	+	+	+	+	+	+	+
		G2	+	+	+	+	+	+	+	+	+	+	+	+
Digital Drive	w/Jet	G3	+	+	+	+	+	+	+	+	+	+	+	+
		T0					+	+	+	+				
		T1					+	+	+	+	+	+	+	+
		T2					+	+	+	+	+	+	+	+
		G2					+	+	+	+	+	+	+	+
		G3					+	+	+	+	+	+	+	+






VESTEL

Shirts 20'
Express 34'
Refresh
Wood Refresh
Dunbar
Sport
Duoet
Off
Cottons
Synthetics
Delicate
Mix
Towels
Hygiene
Time Drying
Baby Care

12 34 56
18:38
150 1600
120 1400
90 1200
60 1000
30 800
10 600
Delay
Drying Target
Drying Level
Time Drying
Spin
Options
Anti Crease



Tumble Dryers

VESTEL

Aktif İyon Teknolojisi

KM 10703 G WIFI

✓ | wifi

G mlek 20 dk

Hızlı 34 dk

Havalandırma

Y nl  Havalandırma

Kanşık

Spor

Yorgan



İptal

Ekstra Kuru
Dolap
Kuruluğu

Ütü Kuruluğu

Dolap
Kuruluğu

Ütü Kuruluğu

Hassas

Sürekli Kurutma

Derji Uzmanı

18:22

3 sn

Gecikmeli Başlat

Sürekli Kurutma

Kurutma Seviyesi

Narin

İyon 3 sn

Başlat/Beklet



Tumble Dryer Product RANGE



CONDENSER - B

7 Kg, 8 Kg, 9 Kg, 10 Kg



HEAT PUMP - A+

7 Kg, 8 Kg, 9 Kg, 10 Kg



HEAT PUMP - A++

7 Kg, 8 Kg, 9 Kg, 10 Kg,
11 Kg, 12 Kg



HEAT PUMP (INVERTER) - A+++

7 Kg, 8 Kg, 9 Kg



HEAT PUMP (INVERTER) - A+++ %-10


8 Kg, 9 Kg

Features



Pearl Drum

for gentle drying



Aero Lifter

Special designed for
less wrinkle



Water Tank Indicator

The indicator warns the user
at the end of each cycle and
if water tank is full during the
cycle.



Boomerang Cabinet

Boomerang forms are
designed to increase rigidity
and stability, and to decrease
vibration



Drain Hose

If drain hose is installed, user
don't need to empty water tank
at the end of each cycle.



Two way tumbling

Clockwise and counter
clockwise drum rotation
mixes laundry better and
provides uniform drying.



Buzzer

The optional Buzzer
feature goes off when the
tumble dryer finishes the
cycle and the laundry is
ready to be taken out.



Drum Light

Loading and unloading of
garments becomes easier by
means of drum light.



Filter Clean Indicator

The indicator warns the user at the end of each cycle and if filter is blocked because of any reason, not to prevent air flow.



60 Hz

Tumble dryers can also be prepared to support 60Hz (220 - 240 V) versions.



Failure Detection Systems

Blinking leds and different buzzer tones provides detection of failure easily.




Condenser Clean Indicator

The indicator warns the user periodically to clean condenser.



Child Lock

Child lock option prevents unapproved interventions on the control panel during the machine operation by locking the buttons.



Safety for Heater

One NTC and two thermostats (manual and self) provide a high level protection for heater.



Delay Timer

Enables you to postpone the starting time of the drying process.

Standard for F1, F2, F4, and F4 Touch series.



Allergy Safe

Allergy safe program removes all allergens on the laundry and provides hygienic drying performance



Express Dry

2 rapid programs in the same machine

Condenser;

Shirts 12' - 3 shirts in 12 min
Express 29' - 8 shirts in 29 min

Heat Pump;

Shirts 20' - 3 shirts in 20 min
Express 30' - 8 shirts in 30 min

500% Eco friendly



R290 / 3 GWP*

R134a / 1430 GWP

R407C / 1774 GWP

* GWP : global warming potential (GWP of CO2 : 1)

Energy efficient
Eco friendly
Sustainable
Natural Gas

The most eco-friendly!

Natural refrigerant gas
used which is 500 times
more eco friendly on
heat pump products.



ION TECH

Ion Technology is automatically activated in Allergy Safe, Refresh, Wool Refresh programs. Also, this option can be selected with other programs.

Ion-Tech provides odor, wrinkle and electrostatic charge removal.

Ion Tech provides odor, wrinkle and electrostatic charge removal.

PureBeam +

UV technology for
hygienic drying

**Personal items you place
in the 3d drying rack are
disinfected at the highest rate**



T Series Tumble Dryers



Control Panel Versions



T1

- + Delay timer, drying label, anti crease selections
- + Larger digit
- + Visual screen for delay timer
- + Display with hour & minute indicator



T2

- + Delay timer, drying label, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + Display with hour & minute indicator
- + 2 different extra options



T2 Touch

- + Delay timer, drying label, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + Display with hour & minute indicator
- + 2 different extra options



T3

- + Delay timer, drying target, drying level, time drying selections
- + Larger digit
- + Visual screen for delay timer and time drying
- + 4 different extra options

Control Panels

Amy T10



T1



T2



T2T



T3

Marla T20



T1



T2



T2T



T3

Add-on structure is available for all versions of MARLA aesthetic.

Julia T30



T1



T2




T2T




T3

Whitney T60



T1



T2




T2T




T3

Add-on structure is available for T2T and T3 versions of WHITNEY aesthetic.

Liz T70



T1



T2




T2T



T3

Add-on structure is available for T2T and T3 versions of LIZ aesthetic

Norah T80



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of NORAH aesthetic.

Kate T90



T1



T2



T2T



T3

Cohen T100



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of COHEN aesthetic

Alice T140



T1



T2



T2T



T3

Add-on structure is available for all versions of LIZ aesthetic.

Riley T150



T1



T2



T2T



T3

Add-on structure is available for T2T and T3 versions of RILEY aesthetic

Wonder T160



T1



T2



T2T



T3


Add-on structure is available for T2T and T3 versions of WONDER aesthetic

Plinth Designs
Heat Pump

VERSION 1



VERSION 2



Plinth Designs
Condenser

VERSION 1



VERSION 2



Door Selection

C1 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
C16	C10 (w/o PC cover)	-	-
	C11 (w/ PC cover)		
	C18 (w/ PC cover, rev.)		



C3 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
C36	C30 (w/o PC cover)	-	-
	C31 (w/ PC cover)		-
	-		C39 (w/ PC cover, rev.)




* Glass doors are only available with PC cover for Condenser models.

Door Selection


C4 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
	C40 (w/o PC cover)		-
C46	C41 (w/ PC cover)	-	-
	-		C49 (w/ PC cover, rev.)



C5 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
	C50 (w/o PC cover)		C54 (w/o PC cover)
C56	C51 (w/ PC cover)	-	C55 (w/ PC cover)
	-		-



* Glass doors are only available with PC cover for Condenser models.


C6 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
	C60 (w/o PC cover)		
C66	-	-	-
	-		



C8 Series

Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
	C80 (w/o PC cover)		
C86	C81 (w/ PC cover)	-	-
	C88 (w/ PC cover, rev.)		



* Glass doors are only available with PC cover for Condenser models.

Door Selection

C9 Series


Standard Door 47 cm		Giant Door 51 cm	
Plastic	Glass	Plastic	Glass
C96	C90 (w/o PC cover)	-	-
	C91 (w/ PC cover)		
	C98 (w/ PC cover, rev.)		



* Glass doors are only available with PC cover for Condenser models.

Program Knobs

K1



K2



K3 METAL (Jog Dial Available)



K4 (Jog Dial Available)



Program Knobs

K 5 METAL (Jog Dial Available)



K 6 (Jog Dial Available)



K 7




K 8



K 10



K 12



K 13



Program Knobs

K 1 6 (Jog Dial Available)



K23



T Series
Amy T10



T Series Marla T20



T Series
Julia T30



T Series Whitney T60



T Series
Liz T70




T Series Norah T80



T Series
Kate T90



T Series Cohen T100



T Series
Alice T140



T Series Riley T150



T Series
Wonder T160



F Series Tumble Dryers



Control Panels



F1

- + Delay timer (3-6-9 hours)
- + Anti crease or delicate
- + Water tank full, filter warning and cassette warning indicators.



F4

- + Delay timer
- + Drying level (1, 2, 3)
- + Time drying
- + Anti crease or delicate
- + Visual screen for delay timer and time drying
- + Water tank full, filter warning and cassette warning indicators.



F2

- + Delay timer (3-6-9 hours)
- + Drying level (1, 2, 3)
- + Anti crease and delicate
- + Water tank full, filter warning and cassette warning indicators.



F4T

- + Delay timer
- + Drying level (1, 2, 3)
- + Time drying
- + Anti crease or delicate
- + Visual screen for delay timer and time drying
- + Water tank full, filter warning and cassette warning indicators.

Control Panels

Pandora

F1



F2



F4I



F4T



Pax



Karma

F1



F2



F4



F4T



Juliet



Rumil

F1



F2



F4



F4I



F4T



Feanor



Atlas

F1



F2



F4



Nix



Control Panels

Tyela

F1



F2



F4



F4I



F4T



Plinth Designs
Heat Pump

VERSION 1



VERSION 2



VERSION 4



Plinth Designs
Condenser
VERSION 1



VERSION 2



VERSION 4



ROTATED DISPLAY



Rotated

% 40 BIGGER

display compared to standard LED display



Standard LED F4



LED Color Options



White Amber



GANYMEDE ROTATED (GANYMEDER)



JULIET ROTATED (JULIETR)



CALLISTO ROTATED (CALLISTOR)



KARMA ROTATED (KARMAR)



FEANOR ROTATED (FEANORR)



RUMIL ROTATED (RUMILR)

*They can be considered as new control panel aesthetics.

TOUCH DISPLAY

Touch LED

% 40 BIGGER
display compared to standard LED display



Standard LED F4



LED Color Options



White Amber



FEANOR TOUCH



JULIET TOUCH



KARMA TOUCH



RUMIL TOUCH



PANDORA TOUCH



PAX TOUCH

*They can be considered as new control panel aesthetics.

Door Selection

D1 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
(B) D10 PLASTIC	(A) D10 GLASS (with PC Cover)	-	-
	(C) D11 GLASS (without PC Cover)		
	(D) D10 GLASS Reversible (with PC Cover)		



D4 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
(H) D40 PLASTIC	(G) D40 GLASS (with PC Cover)	-	-
	(I) D41 GLASS (without PC Cover)		
	(J) D40 GLASS Reversible (With PC Cover)		



* Glass doors are only available with PC cover for Condenser models.

D10 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
(O) D100 PLASTIC	(N) D100 GLASS (with PC Cover)	-	-



D16 Series

Standard Door 47 cm		Big Door 51 cm	
Plastic	Glass	Plastic	Glass
C86	(R) D160 PLASTIC (Double Part)	(P) D160 GLASS (with PC Cover)	-



* Glass doors are only available with PC cover for Condenser models.

Program Knobs

Thick


P1

P6


P7

P9

White



Steel look



Chrome



Spiral effect



P10

White



P11




P13




P18



Steel look




Chrome





P8

Metal



Accessories

Stacking Kit



Stacking kit is a laundry accessory that fits between a front load washer and tumble dryer. Other than saving your valuable space, it also ensures your two appliances sit safely as one fixed unit.

Stacking kits are designed to distribute the weight of a dryer on top of a washer, and to absorb vibrations from both Appliances while they are running.



Dryer Rack



3D Rack



Dryer rack and 3D Rack options are the perfect solution for drying delicates, wool, lingerie, soft toys, and sport shoes in an easy way at home.

They protect the items from rotation during the drying cycle.

Color Options



WHITE



DARK SILVER



DARK INOX



BLACK

F Series Feanor



F Series
Pandora



New USA-CAN Product Range

Volume-US	Volume-CAN	V/Hz	User Interface	Type	Body	LED color
4 Cuft	112 LT	208-240V 60Hz	T3	Condenser	Boomerang	White
4,2 Cuft*	120 LT	208-240V 60Hz	T3	Condenser	Boomerang	White



Amy



Julia



Norah



Liz



Ray



Kate



Alice

* See roadmap for availability.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Notes

Notes

Notes

VESTEL TRADE CO.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestelinternational.com

VESTEL HOLLAND BV

Stationsplein 45, A2-191 3013 AK Rotterdam, The Netherlands

Phone: +31 - 10 412 23 66

<https://vestelbenelux.nl>

info@vestelbenelux.nl

VESTEL HOLLAND B.V. UK BRANCH OFFICE

Vestel House, Waterside Drive Langley, Berkshire SL3 6EZZ

Phone: +44 - 3330 146 400

<https://vestel.co.uk>

info@vestel-uk.com

VESTEL HOLLAND B.V. GERMANY BRANCH OFFICE

Parkring 6 D-85748 Garching bei München/ Germany

Phone: +49 - 89 55295 - 0

<https://vestel-germany.de>

info@vestel-germany.de

VESTEL IBERIA, S. L.

Paeso Doce Estrellas, 2, 3o. 28042. Madrid, Spain

Phone: +34 - 91 320 63 98

<https://vestel.es>

vestel@vestel.es

VESTEL FRANCE SASU

17 Rue de la Couture - Parc Icade BP 10190 - 94563 RUNGIS Cedex/France

Phone: +33 - 1 46 75 00 29

<http://vestel-france.fr>

info@vestel.fr

VESTEL CIS LTD.

2 Gorbunova st., Bld. No 3, office A305 Moscow, 121569, Russia

Phone: 7 - 495 956 8230

<https://vestel.ru>

info@vestel.ru

VESTEL ELECTRONICA

Bucharest, 1st District, 2-4 Murmurului Entrance, 014114 Bucharest/Romania

Phone: +40 - 31 425 42 93

<https://vestel.ro>

office@vestel.ro

VESTEL HOLLAND B.V. POLAND BRANCH OFFICE

Oddział w Polsce Ul. Salsy 2,

02-823 Warszawa

Phone: +48 22 272 73 00

Fax: +48 22 272 74 00

<https://vestel-poland.com>

info@vestel-poland.com

VESTEL ELECTRONICS GULF DMCC

Unit No. ALMAS-06-C, Almas Tower, Plot No. JLT-PH1-A0, Jumeirah Lake Towers, Dubai, UAE

Phone: +971 - 4 564 6544

<https://vestel-gulf.ae>

info@vestel-gulf.ae

TOO VESTEL CENTRAL ASIA

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39

info@vestel.kz

VESTEL CHINA

Vestel Electronics (Shanghai) Trading Co., Ltd. Shenzhen Branch Room 2606, Time Square Excellence. No 4068 Yi Tian Rd, Fu Tian District. Shenzhen City, Guangdong, China. 518048

Phone: 86-755-2266 6726

VESTEL VIETNAM

The Rep. Office of Vestel Electronics (Shanghai) Trading Co. Ltd. in Ho Chi Minh City – VIETNAM Floor 46, Bitexco Financial Tower , 02 Hai Trieu, Ben Nghe Ward, District 1 , Ho Chi Minh City, Vietnam

VESTEL USA INC.

390 5TH AVE ROOM 805 NEW YORK, NEW YORK 10018

Phone: 212 689 4622 x12



VESTEL

Organize Sanayi Bolgesi, 45030
Manisa/Turkey

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr
www.vestelinternational.com

FOLLOW US ON SOCIAL MEDIA



/vestelinternational